

April 17, 2024

**MTA - NEW YORK CITY TRANSIT
2 BROADWAY
NEW YORK, N.Y. 10004
BID RECEPTION DESK**

MTA - New York City Transit is hereby giving notice to vendors the list of items on the aforementioned Omnibus Sole Source Approval. This list of items consists of goods and/or service purchased by New York City Transit available only from a single manufacturer.

**MTA OMNIBUS SOLE SOURCE APPROVAL
WABTEC PASSENGER TRANSIT
(WESTINGHOUSE AIR BRAKE TECHNOLOGIES
CORP)**

**AIR BRAKE, UNDERCARRIAGE EQUIPMENT AND COUPLER PARTS
FOR SUBWAY CARS**

PROCUREMENT UNIT: 100

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----------------------|-----------------|---------|---------|
| 0001 | 02-14-8800 | WHEEL, BRAKE, COMPLETE, FOR PT. 55 2.5 TO 25-SECOND TIMER. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 160836 | | |
| | N | D | UNION SWITCH & SIGNAL | 8424-258 | | |
| | N | D | UNION SWITCH & SIGNAL | PC-160836 | | |
| | N | D | UNION SWITCH & SIGNAL | PL-E-5426 REF-4 | | |
| 0002 | 02-21-0220 | ROD, SWITCH OPERATING, LEFT HAND, USED WITH A-10 SWITCH LAYOUT AND VERTICAL MOUNTED SWITCH RODS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | N451414-0306 | | |
| 0003 | 02-21-0225 | ROD, SWITCH OPERATING, RIGHT HAND, USED WITH A-10 SWITCH LAYOUT AND VERTICAL MOUNTED SWITCH RODS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | N451414-0305 | | |
| 0004 | 02-22-5991 | LAYOUT, M-3 SWITCH MACHINE COMPLETE WITH LAYOUT L.H. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | UN-451160-0801 | | |
| 0005 | 02-30-0562 | ARM, R.H. TOP CLAMP/STOP U/W ARM TRIPPER, (BRACKET ONLY F/BACKSTOP) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | UN-438477-002 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0006 | 05-42-1001 | ASSEMBLY, ADC REPLACEMENT PIGGYBACK BOARD USED ON WABCO SSIX PCB, USED ON R142/R143/R188 FBEU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC CORPORATION 1-56728-0001 | | | | |
| 0007 | 06-54-1280 | CLAMP, FEEDER STRAIN ASSEMBLY, 2000 MCM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 19401 | | | | |
| 0008 | 06-55-3000 | DEAD END ASSEMBLY, FOR 500,000 CM CABLE, GENUINE OHIO BRASS CO. #15273 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 15273 | | | | |
| 0009 | 06-57-4000 | ASSEMBLY, INSULATOR, FOR 1000 MCM & 2000 MCM FEEDER STRAIN CLAMPS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 15277 | | | | |
| 0010 | 08-21-0065 | BUSHING, FOR A1 SUPPLY UNIT BODY, NO. 532933, R10-22 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB. CO. 532935 | | | | |
| | | N D WAB. CO. 103-109 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0011 | 08-28-2600 | ACTUATOR, TYPE A-2-H, W/OUT ACCESSORIES PRESSURE RANGE, COMM. # 18-36-1861 FOR 18 TO 61 P.S.I. PRESSURE RANGE, 18-77-7251 FOR 3 TO 15 P.S.I. PRESSURE RANGE, COMM. # 18-77-7252 FOR 10 TO 60 P.S.I. PRESSURE RANGE, COMM. # 18-77-7250 FOR 15 TO 80 P.S.I. PRESSURE RANGE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO P-57159-10 | | | | | | | |
| 0012 | 08-38-1250 | VALVE, CHECK, FOR TYPE C1 STRAINER & CHECK VALVE | EA | | 20 | | 17 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 542227 | | | | | | | |
| 0013 | 08-38-1252 | SPRING, FOR TYPE C-1 STRAINER & CHECK VALVE AND TYPE GR-90 TREAD BRAKE UNIT | EA | | 20 | | 20 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 95618 | | | | | | | |
| 0014 | 08-38-1262 | NUT, CAP, FOR TYPE C-1 STRAINER AND CHECK VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 543860 | | | | | | | |
| 0015 | 08-42-5186 | TIME DELAY RELAY | EA | | 38 | | 41 | | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0694788 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------------------|------------|---------------|---------|---------|
| 0016 | 08-42-6395 | INTERFACE UNIT, CAB | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942840001 | | |
| 0017 | 08-42-6396 | PCB, STUFFED BACKPLANE | EA | 01 | 00 | 01 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06950240001 | | |
| 0018 | 08-42-6397 | ENCLOSURE, CAB INTERFACE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695027 | | |
| 0019 | 08-42-6398 | PANEL, FRONT, CAB INTERFACE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695028 | | |
| 0020 | 08-42-6399 | PANEL, REAR, CAB INTERFACE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695029 | | |
| 0021 | 08-42-6400 | LABEL, GROUND SYMBOL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695053 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 0028 | 08-42-7538 | STOP, CRIMP SLEEVE | EA | 50 | 54 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000024-4426 | | |
| 0029 | 08-42-7539 | STOPNUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 805166 | | |
| 0030 | 08-43-0127 | TIE, CABLE 0.10 IN NOM DIA X 8.00 IN LG | EA | 100 | 10 | 150 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0677342 | | |
| 0031 | 08-43-0128 | COVER, MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696807 | | |
| 0032 | 08-43-0129 | PLATE, CONNECTOR MOUNTING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696808 | | |
| 0033 | 08-43-0130 | BRACKET, ANGLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696809 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 0034 | 08-43-0131 | RECEPTACLE, VEAM, 17 PIN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696938 | | |
| 0035 | 08-43-0132 | RECEPTACLE, VEAM, 14 PIN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696939 | | |
| 0036 | 08-43-0133 | SPACER, SELF-RETAINING, NYL, 0.17 IN (SPECIAL) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0697269 | | |
| 0037 | 08-43-0134 | PLATE, TOP | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0697271 | | |
| 0038 | 08-43-0135 | SPACER, ALUM, 0.25 IN NOM ID X 0.375 IN NOM OD X 0.625 IN LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0697324 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-------------------------------|------------|---------------|---------|---------|
| 0039 | 08-43-0136 | RECEPTACLE, AMP, 25 PIN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0697367 | | |
| 0040 | 08-43-0137 | CLAMP ASSEMBLY, CABLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0697370 | | |
| 0041 | 08-43-0138 | FASTENER, PEM, SST 18-8, M6 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0697503 | | |
| 0042 | 08-43-0139 | INDICATOR, HANDLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0697723 | | |
| 0043 | 08-43-0140 | TUBING, SHRINK, BLK, 0.125 IN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C018491 | | |
| 0044 | 08-43-0141 | WIRE, WHITE, NO 20 AWG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C018886 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 0045 | 08-43-0142 | WIRE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C018953 | | |
| 0046 | 08-43-0143 | TUBING, SHRINK, BLK, 0.094 IN NOM DIA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C020670 | | |
| 0047 | 08-43-0144 | TUBING, SHRINK, BLACK, 0.50 IN NOM DIA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C020675 | | |
| 0048 | 08-43-0145 | CABLE, TWISTED SHIELDED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C031293 | | |
| 0049 | 08-43-0146 | LOCKWASHER, SPRING, STL, ZN PLD, YEL, M6 (6.1 MM NOM ID X 11.8 MM NOM OD X 1.6 MM THK) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06739570006 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0050 | 08-43-0147 | SCREW, CAB, HEX SOCKET HD, GR 12.9, STL, M4-0.7 X 80 MM LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06773150080 | | | | | | | |
| 0051 | 08-43-0148 | SCREW, CABHEX SOCKET HD, GR 12.9, STL, M6-1.0 X 16 MM LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06926480016 | | | | | | | |
| 0052 | 08-43-0149 | SCREW, CAP, HEX SOCKET HD, GR 12.9, STL, M6-1.0 X 30 MM LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06926480030 | | | | | | | |
| 0053 | 08-43-0150 | LOCKWASHER, SPRING, STL, ZN PLD, YEL, M4 (4.1 MM NOM ID X 7.6 MM NOM OD X 0.9 MM THK) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06934250004 | | | | | | | |
| 0054 | 08-43-0151 | WASHER, COUNTERBORED, STL, ZN PLD, YEL, 0.155 IN NOM ID1 X 0.370 IN NOM OD X 0.125 IN LG, 0.275 IN NOM ID2 X 0.370 IN NOM OD X 0.125 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0697270 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0055 | 08-43-0152 | SCREW, CAP, HEX SOCKET HD, GR 12.9, STL, M5-0.8 X 12 MM LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06973130012 | | | | |
| 0056 | 08-43-0153 | LOCKWASHER, INTERNAL TOOTH, SST 18-8, M6 (6.4 MM NOM ID X 11.0 MM NOM OD X 0.7 MM THK) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06975060006 | | | | |
| 0057 | 08-43-0270 | MASTER CONTROLLER MECHANICAL PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696078 | | | | |
| 0058 | 08-43-0271 | LABEL, DIRECTION SWITCH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697195 | | | | |
| 0059 | 08-43-0272 | WASHER, FLAT, SST, 18-8, M4, 4.3MM NOM ID X 9.0MM NOM OD X 0.8MMNOM THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06934240004 | | | | |
| 0060 | 08-43-0273 | SCREW, PAN HEAD, MACHINE, SST, 18-8, M4-0.7 X 10 MM LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06975070010 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0061 | 08-43-0274 | WASHER, FLAT, SST, 18-8, M6, 6.4MM NOM ID X 12.5MM NOM OD X 1.6MM NOM THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06934240006 | | | | |
| 0062 | 08-43-0275 | LABEL, METRIC FASTENERS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696182 | | | | |
| 0063 | 08-43-0276 | SOCKET, CONTACT, NO. 20-24 AWG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697325 | | | | |
| 0064 | 08-43-0277 | NUT, HEX, SST, 18-8, M6 X 1.0 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06932010006 | | | | |
| 0065 | 08-43-0278 | SCREW, CAP, HEX SOCKET HEAD, GR 12.9, STL, BLK, M4-36 X 12 MM LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06773150012 | | | | |
| 0066 | 08-43-0279 | ENCLOSURE, PC BOARD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699296 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0067 | 08-43-0280 | COVER, PC BOARD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699295 | | | | |
| 0068 | 08-43-0281 | SCREW, CAP, HEX SOCKET HEAD, M4 X 0.5 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06773150050 | | | | |
| 0069 | 08-43-0282 | WASHER, FLAT, INSULATING, NYL, 0.260 IN NOM OD X 0.062 IN THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0691073 | | | | |
| 0070 | 08-43-0283 | NUT, HEX, STL, ZN PLD, YEL, M4 X 0.7 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06708310040 | | | | |
| 0071 | 08-43-0307 | MASTER CONTROLLER, MECHANICAL SUB ASSEMBLY, UPPER SECTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696078A | | | | |
| 0072 | 08-43-0325 | MIDDLE SECTION, MECHANICAL SUBASSEMBLY, MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696078B | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|---------------|
| 0073 | 08-43-0366 | LOWER SECTION, MECHANICAL, SUBASSEMBLY, MASTER CONTROLLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0696078C |
| ----- | | | | | | | | | |
| 0074 | 08-43-0377 | LABEL, KEY SWITCH | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 01697196 |
| ----- | | | | | | | | | |
| 0075 | 08-43-0381 | LABEL, KEY SWITCH, FOR MASTER CONTROLLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0697196 |
| ----- | | | | | | | | | |
| 0076 | 08-79-0176 | MARKER, Critchley Wire | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 6942033152 |
| ----- | | | | | | | | | |
| 0077 | 08-79-0177 | SPACER, brs aly, no 4 (0.12 in nom id) x 0.12 in lg | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 6945520001 |
| ----- | | | | | | | | | |
| 0078 | 08-79-0178 | SPACER, brs aly, no 4 (0.12 in nom id) x 0.50 in lg | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 694552 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 0079 | 08-79-0179 | WIRING HARNESS ASSEMBLY, Master Controller | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57359 | | |
| 0080 | 08-79-0189 | MASTER CONTROLLER / CAB | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57174 | | |
| 0081 | 09-38-0068 | PIN, USED WITH 17KC76AE1, 17KC76AE2, 17KC76AE3, 17KC76AE4, 17KC76AE5 MASTER CONTROLLER | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | N509P1918 | | |
| 0082 | 09-38-0479 | COIL, BLOWOUT WITH SUPPORT FOR 17KM48 CONTROLLER, R29-38 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 41B550611G1 | | |
| 0083 | 09-38-1254 | ARMATURE, WITH FINGERS, FINGER BLOCK, SPRINGS, AND SPRING SEATS, FOR 17KG192 CONTROL GROUP, R-29-38 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 6743654G2 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0084 | 09-38-1694 | CORE, W/DOWEL PIN, FOR RESETTING COIL, U/W TYPE 17JM7F4 LINEBREAKER, R16 TO 28 &46 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 8813529P1 | | | | | | | |
| 0085 | 09-38-1937 | WASHER, INSULATION FOR STATIONARY CONTACT POST, FOR TYPE #17JM7-F-4 LINE BREAKER | EA | | 00 | | 10 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 6703971P2 | | | | | | | |
| 0086 | 09-60-0001 | MASTER CONTROLLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0699302 | | | | | | | |
| 0087 | 09-60-0080 | ACTUATOR, DEADMAN SPRING | EA | | 100 | | 31 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-51294 | | | | | | | |
| 0088 | 09-60-0081 | ACTUATOR, HALF SWITCH | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-51260 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0095 | 09-60-0088 | BEARING, BALL, DEEP GROOVE, 25 MM ID X 37 MM OD X 7 MM THK | EA | | 08 | | 12 | | 03 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-51240 | | | | | | | |
| 0096 | 09-60-0089 | BRACKET, CIRCUIT BOARD, LONWORKS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-51245 | | | | | | | |
| 0097 | 09-60-0090 | BRACKET, DEADMAN SWITCH | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-51275 | | | | | | | |
| 0098 | 09-60-0091 | BRACKET, EMERGENCY SWITCH | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-51279 | | | | | | | |
| 0099 | 09-60-0092 | BRACKET, HALL MODULE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-51278 | | | | | | | |
| 0100 | 09-60-0093 | BRACKET, HANDLE SWITCH | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-51277 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0107 | 09-60-0154 | STANDOFF, ROUND AL. 4.51 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-51286 | | | | | | | |
| 0108 | 09-60-0155 | STUD, CLINCH, SST, UNC-2A, 0.875 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-513490875 | | | | | | | |
| 0109 | 09-60-0156 | SUPPORT, SHAFT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-51233 | | | | | | | |
| 0110 | 09-60-0182 | BRACKET, SUPPORT/MASTER CONTROLLER ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-54108 | | | | | | | |
| 0111 | 09-60-0183 | RECEPTACLE, 1/4 TURN, 17 PIN, U/O WIRING HARNESS OF MASTER CONTROLLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-51311 | | | | | | | |
| 0112 | 09-60-0184 | RECEPTACLE, 1/4 TURN, 14 PIN, U/O WIRING HARNESS OF MASTER CONTROLLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-51312 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0113 | 09-60-0185 | PIN, CONTACT, NO. 16 AWG, U/O WIRING HARNESS OF MASTER CONTROLLER | EA | 00 | 25 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51313 | | | | |
| 0114 | 09-60-0186 | PIN, CONTACT, U/O WIRING HARNESS OF MASTER CONTROLLER | EA | 00 | 25 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51315 | | | | |
| 0115 | 09-60-0187 | SOCKET, CONTACT, U/O WIRING HARNESS OF MASTER CONTROLLER | EA | 00 | 50 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51316 | | | | |
| 0116 | 09-60-0190 | CONNECTOR, PLUG, 9 SOCKET, U/O WIRING HARNESS OF MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51319 | | | | |
| 0117 | 09-60-0191 | CONNECTOR, PLUG, 37 SOCKET, U/O WIRING HARNESS OR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51323 | | | | |
| 0118 | 09-60-0218 | RETAINER, SST 18-8, NO.4-40 UNC-2B, U/O WIRING HARNESS OF MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51314 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 0119 | 09-60-0219 | HOUSING, RECEPTACLE, U/O WIRING HARNESS OF MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-51321 | | |
| 0120 | 09-60-0220 | RECEPTACLE, CRIMP SOCKET, U/O WIRING HARNESS OF MASTER CONTROLLER | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-51322 | | |
| 0121 | 09-88-0009 | HANDLE, MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55274 | | |
| 0122 | 09-88-0010 | KNOB, REVERSER, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55285 | | |
| 0123 | 09-88-0011 | INDICATOR, HANDLE, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55014 | | |
| 0124 | 09-88-0012 | SUPPORT, SHAFT, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55002 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 0125 | 09-88-0013 | SUPPORT, SHAFT, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55031 | | |
| 0126 | 09-88-0014 | RING, INTERNAL RETAINING, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06709560312 | | |
| 0127 | 09-88-0015 | ACTUATOR, DEADMAN PLUNGER, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55026 | | |
| 0128 | 09-88-0016 | HOLDER, MAGNET, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55038 | | |
| 0129 | 09-88-0017 | MAGNET, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-53012 | | |
| 0130 | 09-88-0018 | PLATE, FORCE, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55023 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0131 | 09-88-0019 | CAM, HANDLE, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55006 | | | | |
| 0132 | 09-88-0020 | RING, RETAINING, EXT 0.625 SHAFT DIA, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0698654 | | | | |
| 0133 | 09-88-0021 | BUSHING, SLEEVE, FLANGED, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55035 | | | | |
| 0134 | 09-88-0022 | SPRING, TORSION, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55034 | | | | |
| 0135 | 09-88-0023 | PLATE, DETENT, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55022 | | | | |
| 0136 | 09-88-0024 | SHAFT, ROTATIONAL, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55018 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 0137 | 09-88-0026 | SEAT, SPRING, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55028 | | |
| 0138 | 09-88-0027 | BODY, DEADMAN PLUNGER, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55007 | | |
| 0139 | 09-88-0028 | PIN, DOWEL, 1/8 X 0.625, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-512700625 | | |
| 0140 | 09-88-0029 | CAM, HANDLE, BUSHED, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55294 | | |
| 0141 | 09-88-0030 | STOP, HANDLE, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55275 | | |
| 0142 | 09-88-0031 | PIN, SHOULDER, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55017 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0143 | 09-88-0032 | BUSHING, HANDLE SHAFT, FOR MASTER CONTROLLER | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-51257 | | | | | | | |
| 0144 | 09-88-0033 | CAM, HANDLE SWITCH, FOR MASTER CONTROLLER | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-55016 | | | | | | | |
| 0145 | 09-88-0034 | CAM, KEY, FOR MASTER CONTROLLER | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-54998 | | | | | | | |
| 0146 | 09-88-0035 | SPACER, KEY CAM, FOR MASTER CONTROLLER | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-55008 | | | | | | | |
| 0147 | 09-88-0036 | STOP, KEY, FOR MASTER CONTROLLER | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-55273 | | | | | | | |
| 0148 | 09-88-0037 | PIN, DOWEL, 1/4, FOR MASTER CONTROLLER | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-539721250 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0149 | 09-88-0038 | CAM, REVERSER, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-54999 | | | | |
| 0150 | 09-88-0039 | LEVER, REVERSER, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55040 | | | | |
| 0151 | 09-88-0040 | PIN, SHOULDER, 0.18 DIA, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55284 | | | | |
| 0152 | 09-88-0041 | BEARING, BALL, 3 MM BALL DIA X 10 MM OVERALL DIA, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51263 | | | | |
| 0153 | 09-88-0042 | PIN, DOWELL, STL, 3 MM IN. NOM DIA X 10 MM LG, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-512620010 | | | | |
| 0154 | 09-88-0043 | MICROSWITCH, DOUBLE BREAK, FOR MASTER CONTROLLER | EA | 00 | 12 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51295 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0155 | 09-88-0044 | SWITCH, DOUBLE BREAK, FOR MASTER CONTROLLER | EA | 00 | 04 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55287 | | | | |
| 0156 | 09-88-0045 | PIN, SPRING REVERSER, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55395 | | | | |
| 0157 | 09-88-0046 | PIN, DOWEL, 3 MM X 16 MM, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-512-620016 | | | | |
| 0158 | 09-88-0047 | PIN, SPRING REVERSER, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55396 | | | | |
| 0159 | 09-88-0048 | SPRING, REVERSER, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55283 | | | | |
| 0160 | 09-88-0049 | PIN, SPRING KEY, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55393 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 0167 | 09-88-0056 | PIN, SPRING SP CH, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55392 | | |
| 0168 | 09-88-0057 | SPRING, SPECIAL CHARGE, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55282 | | |
| 0169 | 09-88-0058 | CAM, MAGNETIC KEY, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54996 | | |
| 0170 | 09-88-0059 | CAM, MAGNETIC REVERSER, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54997 | | |
| 0171 | 09-88-0060 | FILTER, EMI/RFI RS NETWORK, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-560260001 | | |
| 0172 | 09-88-0061 | FILTER, EMI/RFI LS NETWORK, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-560260002 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0173 | 09-88-0062 | BLOCK, FILTER MOUNTING, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55299 | | | | |
| 0174 | 09-88-0064 | NUT, GROUNDING ASSEMBLY (SPECIAL); A NON-STANDARD COPPER WASHER IS BRAZED ON A 10-24 HEX HEAD NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55291 | | | | |
| 0175 | 09-88-0065 | WASHER, NON-STANDARD, COPPER, 0.200 INCH INSIDE DIAMETER X 0.437 INCH OUTSIDE DIAMETER X 0.04 INCH THICK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-552060200 | | | | |
| 0176 | 09-88-0066 | WASHER, FLAT, NYL, NO.12, 0.227 INCH X 0.50 INCH NOMINAL OUTSIDE DIAMETER X 0.031 INCH THICK. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06747570008 | | | | |
| 0177 | 09-88-0067 | CAPSCREW, FL SCH, GRADE 5 STEEL, ZINC PLATED YELLOW OR CLEAR, NO.6-32 UNC-3A X 0.75 INCH LONG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06715740750 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0178 | 09-88-0068 | SCREW, SHOULDER, SOCKET HEAD, NO.8-32, 4140 STEEL, SHOULDER LENGTH 1 INCH, THREAD LENGTH 0.188, UNC-2A | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-56101 | | | | |
| 0179 | 09-88-0072 | SCREW, SET, CONE NOSE, NO. 8-32 UNC-3A X 0.5 INCHES LONG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-54993 (FOR REF. ONLY) | | | | |
| 0180 | 09-88-0078 | WRAP, SPIRALWRAP, NYLON, 0.25 INCH NOMINAL DIAMETER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO C016565 | | | | |
| 0181 | 09-88-0079 | HOUSING, RECEPTACLE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51204 | | | | |
| 0182 | 09-88-0080 | HOUSING, RECEPTACLE, MOLEX | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-560330002 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|-------------------------------------|-----|-----|-----|-----|-----|-----|---------------|
| 0183 | 09-88-0081 | TERMINAL, CRIMP, MALE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-560330018 |
| ----- | | | | | | | | | |
| 0184 | 09-88-0082 | TERMINAL, CRIMP, FEMALE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-560330016 |
| ----- | | | | | | | | | |
| 0185 | 09-88-0083 | WIRE, 22 AWG, 2 CONDITION SHIELD | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-C031241 |
| ----- | | | | | | | | | |
| 0186 | 09-88-0084 | CONNECTOR, DB 37 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-55300 |
| ----- | | | | | | | | | |
| 0187 | 09-88-1000 | PLATE, COVER FOR MASTER CONTROLLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-55013 |
| ----- | | | | | | | | | |
| 0188 | 09-88-1001 | SHAFT, HANDLE FOR MASTER CONTROLLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-55020 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 0189 | 09-88-1002 | SPRING, DEADMAN PLINGER, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55027 | | |
| 0190 | 09-88-1003 | RING, INTERNAL RETAINING, STEEL, ZINC PLATED YELLOW OR CLEAR, 0.62 INCHES NOMINAL OUTSIDE DIAMETER X 0.035 INCHES THICK, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0533949 | | |
| 0191 | 09-88-1004 | PLATE, MIDDLE, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55000 | | |
| 0192 | 09-88-1005 | PLATE, BASE, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54994 | | |
| 0193 | 09-88-1006 | BRACKET, TRIPLE SWITCH, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55288 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 0194 | 09-88-1007 | JUMPER, TERMINAL, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54133 | | |
| 0195 | 09-88-1008 | BRACKET, SINGLE SWITCH, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55290 | | |
| 0196 | 09-88-1009 | BRACKET, LOWER SUPPORT, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54995 | | |
| 0197 | 09-88-1010 | HARNESS ASSEMBLY FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55286 | | |
| 0198 | 09-88-1011 | PLATE, SUPPORT FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55001 | | |
| 0199 | 09-88-1012 | BRACKET, DOUBLE-BREAK, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54992 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 0200 | 09-88-1013 | BRACKET, FOR SWITCH, DOUBLE-BREAK, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54917 | | |
| 0201 | 09-88-1014 | BRACKET, UPPER RIGHT HAND BOARD, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55279 | | |
| 0202 | 09-88-1015 | BRACKET, UPPER LEFT HAND BOARD, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55010 | | |
| 0203 | 09-88-1016 | BRACKET, UPPER SUPPORT, FOR MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55280 | | |
| 0204 | 11-25-5700 | 6AUGE, AIR, 2-1/2", USED WITH A-6A COMP | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563533 | | |
| 0205 | 11-25-5721 | GAUGE, PRESSURE, DIAL AND POINTER TYPE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 188572 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|----------------------------------|---------|---------|
| 0206 | 11-25-6540 | GAUGE, PRESSURE DIAL AND POINTER TYPE BURDON TUBE, DOUBLE, BRONZE 10-200 PS1 (A IR) 10LB. FIRST INTERNAL 30 LBS. LAST INTERVAL 20 LB. CENTER INTERVALS, 1LB.IN TER. GRADUATIONS 3 102 DIALS-RED FOR CYLINDER WHITE FOR BRAKE PIPE BLACK CASE FLANGE BRASS RING 2 MALE 308" NPT BOTTOM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 540237 | | |
| 0207 | 11-26-1275 | MOVEMENT, GAUGE 0-160 LB. 3-1/2" ILLUM. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | **** PART NO. NOT AVAILABLE **** | | |
| 0208 | 11-26-4525 | RING, SPECIAL, U/W W.A.B. CO. ILL. DUPLEX AIR GAUGE, BEZEL RING, BRONZE, W/GLASS LAMP RETAINING SPRING #25933, W.A.B. CO. #32331 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 32331 | | |
| 0209 | 11-26-5450 | GAUGE, AIR, 111 DUPLEX PARTS SOCKET, WITH LEAD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562424 | | |
| 0210 | 12-56-0065 | VALVE, 3/4" BALL, TEFLON SEAL 0-90 DEG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 309174 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0216 | 13-42-3950 | SHAFT, HAND BRAKE, LEVER, TRIP, FOR PEACOCK #840-XA-L HAND BRAKE (LEFT HAND TYPE), FOR R10 TO R15 CARS, FOR MODEL #840FR1, DWG. D2480-1 HAND BRAKE R44 CARS | EA | 48 | 48 | 16 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER GW961 | | | | |
| | | N D ELLCON NATIONAL, INC. C-1278-H | | | | |
| 0217 | 13-42-6657 | CPU/POWER BOARD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC CORPORATION 11698 | | | | |
| 0218 | 13-42-8070 | ACCESS COVER, A/C INVERTER (COMPLETE ENCLOSURE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0692524 | | | | |
| 0219 | 13-42-8071 | ACCESS COVER, PNEUMATIC OPERATING UNIT (COMPLETE ENCLOSURE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694608 | | | | |
| 0220 | 13-42-8072 | ACCESS COVER, BRAKE CONTROL UNIT (COMPLETE ENCLOSURE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694790 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------------|------------|---------------|---------|---------|
| 0221 | 13-42-8751 | RESERVOIR, MAIN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693484 | | |
| 0222 | 13-42-8752 | RESERVOIR, SUPPLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693485 | | |
| 0223 | 13-43-0090 | FUSE HOLDER, CURRENT COLLECTOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0636545 | | |
| 0224 | 13-43-0680 | LABEL, COUPLER TERMINAL BOARD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06976520001 | | |
| 0225 | 13-43-3981 | COUPLER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577719-3002 | | |
| 0226 | 13-43-3995 | CONNECTOR, RECEPTACLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 694387 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0227 | 13-43-4161 | RECORDER ASSEMBLY TTX-REC-R142A, EVENT (REMOVE TWO DUST CAPS & TWO TAPERED PLUGS) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO TTX-RC-R142A | | | | |
| 0228 | 13-46-9232 | COUPLER LOCKING BOLT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 3003 | | | | |
| 0229 | 13-56-0088 | BALL, VALVE, 3/4 ", 0-270 NON VENT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 572469 | | | | |
| 0230 | 13-56-0207 | AAR CONTROL CONSOLE, 30A-CDW | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 593447200 | | | | |
| 0231 | 13-56-0282 | COUPLER ADAPTOR, OB 70 TO MCB | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54311-3001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 0232 | 13-56-0366 | BUSHING, 3.5 OD X 3.0 ID | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 05773-4001 | | |
| 0233 | 13-56-0367 | VALVE, VENTED, 1' 270-0-FP, LH | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 664531 | | |
| 0234 | 13-56-0368 | VALVE, BALL COCKED VENTED ANGLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576249 | | |
| 0235 | 13-56-0369 | COUPLER HEAD WELDMENT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0D069253001 | | |
| 0236 | 13-56-0385 | VALVE, BALL COCK 3/8" VENTED, USED FOR PIPE ASSEMBLY, 12", W/CHECK VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 567598 | | |
| 0237 | 13-58-0022 | PORTION-PIPE BRACKET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 0587153 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------------|------------|---------------|---------|---------|
| 0238 | 13-60-0691 | CONNECTOR PLUG, FRICTION BRAKE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694049 | | |
| 0239 | 13-60-0961 | ELECTRICAL COUPLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 699304 | | |
| 0240 | 13-60-1350 | LOCK SCREW, MECHANICAL COUPLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58841-3003 | | |
| 0241 | 13-60-2414 | RADIAL CARRIER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 699300 | | |
| 0242 | 13-60-2427 | RESERVOIR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 6994841000 | | |
| 0243 | 13-60-3958 | TRUCK CONTROL UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 699306 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 0244 | 13-60-6681 | ACTUATOR ASSEMBLY, PNEUMATIC | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 693610 | | |
| 0245 | 13-68-4380 | BRACKET, LEFT SIDE, ITEM 26, USED ON TRUCK TYPE R-68A | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670781 | | |
| 0246 | 13-79-0009 | BOARD-RS485MC ENCODER PROGRAMMED (CAB) | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-571771001 | | |
| 0247 | 13-79-0010 | COVER-LON WORKS, BOARD (CAB) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55012 | | |
| 0248 | 13-79-0011 | MODULE, KEY HALL/ CAB & CAB CONTROLS | EA | 00 | 02 | 04 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57932 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 0249 | 13-79-0012 | MODULE-REV HALL RS (CAB) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-57933 |
| 0250 | 13-79-0013 | MODULE-REV HALL LS (CAB) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-57934 |
| 0251 | 13-79-0019 | INVERTER-600 VDC, 15 HP (AUX.ELECTRIC EQUIPMENT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-57047 |
| 0252 | 13-79-0022 | IGBT DRIVER PCB (AUX.ELECTRIC EQUIPMENT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-570471055 |
| 0253 | 13-79-0023 | CONTROLLER PROCESSOR PCB (AUX.ELECTRIC EQUIPMENT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-570471054 |
| 0254 | 13-79-0024 | OUTPUT FILTER CURRENT SENSOR PCB (AUX.ELECTRIC EQUIPMENT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-570471020 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0255 | 13-79-0035 | PRINTED CIRCUIT BOARD, CPU BASE STUFFED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-571780001 | | | | |
| 0256 | 13-79-0045 | PRINTED CIRCUIT BOARD, CPU5274 STUFFED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-525581000 | | | | |
| 0257 | 13-79-0046 | PRINTED CIRCUIT BOARD, IOB STUFFED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-571790001 | | | | |
| 0258 | 13-79-0098 | PRINTED CIRCUIT BOARD, POWER SUPPLY/AUXILIARY ELECTRIC | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-570471053 | | | | |
| 0259 | 13-79-0158 | PRINTED CIRCUIT BOARD, A12 VOLTAGE DETECTION BOARD 48937/AUX.ELECTRIC | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-570470090 | | | | |
| 0260 | 13-79-0159 | PRINTED CIRCUIT BOARD, A13 VOLTAGE DETECTION BOARD 58938R/AUX.ELECTRIC | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-570470100 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------------------|------------|---------------|---------|---------|
| 0261 | 13-88-0001 | BULB, DUPLEX AIR GAUGE IN CAB | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 069298 | | |
| 0262 | 14-60-0001 | LONWORKD BOARD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699714 | | |
| 0263 | 14-60-0002 | SPIRAL ENCODER MODULE | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699715 | | |
| 0264 | 14-60-0148 | LON WORKS PCB, MASTER CONTROLLER | EA | 03- | 05 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-511851000 | | |
| 0265 | 14-60-0706 | BRACKET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 24685 | | |
| 0266 | 14-60-0769 | ENCLOSURE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 24580 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-----------------------------------|-----|---------|---------|---------------|
| 0267 | 14-60-0770 | EVENT RECORDER | EA | 52 | 71 | 23 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 24154P |
| 0268 | 14-60-0773 | FRAME | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 24596 |
| 0269 | 14-60-0775 | HARNESS ASSEMBLY, CONNECTOR PLATE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 24218 |
| 0270 | 14-60-0785 | LABEL, BARCODE, BLANK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 24726 |
| 0271 | 14-60-0786 | LABEL, BARCODE, PRINTED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 24618 |
| 0272 | 14-60-0787 | LABEL, BARCODE, PRINTED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 24637 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 0273 | 14-60-0788 | LABEL, BARCODE, PRINTED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 24638 |
| 0274 | 14-60-0791 | LABEL, BARCODE, PRINTED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 24796 |
| 0275 | 14-60-0824 | PRINTED CIRCUIT BOARD ASSEMBLY, AVMU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 24549P |
| 0276 | 14-60-0825 | PRINTED CIRCUIT BOARD ASSEMBLY, CPU/POWER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 24196 |
| 0277 | 14-60-0826 | PRINTED CIRCUIT BOARD ASSEMBLY, DIGITAL INPUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 24198P |
| 0278 | 14-60-0827 | PRINTED CIRCUIT BOARD ASSEMBLY, LON IHMSIRJS | EA | 00 | 00 | 01 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 24197 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------------------|------------|---------------|---------|---------|
| 0279 | 14-60-0832 | RING, NUT PART | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06400820000 | | |
| 0280 | 14-60-0839 | S-TAP SCREW, AB4X3/8 PHI, PNH, SST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 9536 | | |
| 0281 | 14-60-0841 | STRAP ASSEMBLY, GROUND | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 24617 | | |
| 0282 | 14-60-0845 | TRANSFORMER, 37V/13V, EFD3 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 24585 | | |
| 0283 | 14-60-0846 | TUBE BLK 1/4 DUA ALPHA, PRECUT LENGTH | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 931P | | |
| 0284 | 14-79-0059 | PRINTED CIRCUIT BOARD, CONTROLLER | EA | 00 | 00 | 00 |
| | | INTERFACE BOARD/AUX. | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|--------------------|------------|---|-----|---------|---------|---------------|
| ELECTRIC EQUIPMENT | | | | | | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 1-570471052 |
| 0285 | 14-88-0041 | MODULE-FET3, ELECTRONIC UNIT, PART OF BRAKE CONTROL UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 1-534861001 |
| 0286 | 14-88-0042 | MODULE-FET2, PRINTED CIRCUIT BOARD, ELECTRONIC UNIT, PART OF BRAKE CONTROL UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 1-534861004 |
| 0287 | 14-88-0043 | BOARD-STUFFED CPU 360, PRINTED CIRCUIT BOARD, ELECTRONIC UNIT, PART OF BRAKE CONTROL UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 1-54441BASE |
| 0288 | 14-88-0044 | PRINTED CIRCUIT BOARD PC-COM2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 1-549571000 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0289 | 14-88-0045 | MODULE-REV HALL RS, FOR MASTER CONTROLLER | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-552771000 | | | | |
| 0290 | 14-88-0046 | MODULE-REV FOR MASTER CONTROLLER | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-552772000 | | | | |
| 0291 | 14-88-0047 | MODULE-KEY HALL, FOR MASTER CONTROLLER | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-552921000 | | | | |
| 0292 | 14-88-0049 | PRINTED CIRCUIT BOARD, CPU/POWER ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 28592P | | | | |
| 0293 | 14-88-0167 | MCM3 CPU MODULE, FOR R142A AND R188 ALL COMPONENTS AND DAUGHTER BOARD COMES WITHOUT SOFTWARE. COMPLETE WITH | EA | 17 | 01 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-547511001 | | | | |
| 0294 | 15-02-4350 | BRAKE ASSEMBLY, SHOE AND LINING R.H., FOR BRAKE LINING, R-11 S.S. CARS, WAB | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | NO. 8610 468 | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | --- --- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| | | | | | | |
| 0295 | 15-08-4168 | BOOT, CYLINDER, FOR BRAKE CYLINDER ON DISC. BRAKES, R11 CARS, S.S. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | --- --- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| | | | | | | |
| 0296 | 15-14-4965 | CUP, PACKING, FOR BRAKE CYLINDER ON DISC BRAKES DWG. D86-08844, R 11 CARS, S.S., WABCO NO. 549903 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | --- --- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| | | | | | | |
| 0297 | 15-32-0372 | STUD USED WITH BUDD PIONEER III TRUCKS FOR DISC BRAKES ON CARS NO. 3946-47-48-49 , MACHINE SHOP C.I., WAB 8605177 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | --- --- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| | | | | | | |
| 0298 | 15-42-3020 | ASSEMBLY, THIRD RAIL CURRENT COLLECTOR, LEFT HAND | EA | 13 | 00 | 05 |
| | | QPL CODE MFG - NAME | | | | |
| | | --- --- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-------|-----|-----|
| 0299 | 15-42-3021 | ASSEMBLY, THIRD RAIL CURRENT COLLECTOR, RIGHT HAND | EA | | 13 | | 00 | | 07 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0693456-3004 REV. E | | | | | | | |
| 0300 | 15-42-3058 | BOOT, DUST | EA | | 01 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532100510 | | | | | | | |
| 0301 | 15-42-3059 | PARKING BRAKE ASSEMBLY USED WITH R142 TBU | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110900 | | | | | | | |
| 0302 | 15-42-3107 | CURRENT COLLECTOR SUBASSEMBLY, RIGHT HAND | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06935733002 | | | | | | | |
| 0303 | 15-42-3108 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 1/2 - 13 UNC-2A X 2.5 IN LG | EA | | 900 | | 1,684 | | 240 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000001-4663 | | | | | | | |
| 0304 | 15-42-3109 | EXTENSION, BUSS, BAR | EA | | 23 | | 08 | | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0693623 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0305 | 15-42-3110 | LOCKWASHER, SST 18-8, 0.50 IN NOM ID X 0.844 IN NOM OD X 0.125 IN THK | EA | 5,400 | 7,500 | 1,440 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 019779-4048 | | | | |
| 0306 | 15-42-3111 | BOLT, HEX HD MACHINE, BRONZE, 1/2-13 UNC-2A X 1.25 IN LG | EA | 900 | 1,252 | 242 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000001-4375 | | | | |
| 0307 | 15-42-3113 | NUT, HEX, BRONZE, 1/2 -13 UNC-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4023 | | | | |
| 0308 | 15-42-3115 | BOLT, CARRIAGE SST 18-8, 1/2-13 UNC-2A X 1.75 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000001-4527 | | | | |
| 0309 | 15-42-3119 | LOCKNUT, ELASTIC, STL, ZN PLD, YEL, 3/8-16 UNC-2B | EA | 4,552 | 4,830 | 245 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4061 | | | | |
| 0310 | 15-42-3120 | WASHER, FLAT, STL, ZN PLD, YEL, 0.375 IN NOM ID X 0.875 IN NOM ID X 0.078 IN THK | EA | 3,438 | 3,975 | 244 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4591 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 0311 | 15-42-3123 | WASHER, HEIGHT ADJUSTABLE WASHER, (SPECIAL) | EA | 40 | 134 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 053654-4001 | | |
| | N | P | WABCO | 53654-4001 | | |
| 0312 | 15-42-3127 | CHANNEL, MOUNTING | EA | 17 | 09 | 03 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06945434001 | | |
| 0313 | 15-42-3258 | CLAMP, HOSE | EA | 2,512 | 2,690 | 62 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000008-4375 | | |
| 0314 | 15-42-3262 | CABLE GLAND ASSEMBLY (INCLUDES PARTS 36, 37, 40 & 41) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 054766-3001 | | |
| 0315 | 15-42-3270 | BUSHING, OILITE | EA | 7,940 | 7,500 | 1,000 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0565534 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 0316 | 15-42-3273 | HANGER ASSEMBLY, BRAKE HEAD, FLANGED, LEFT HAND | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-523680001 | | |
| 0317 | 15-42-3274 | HANGER ASSEMBLY, BRAKE HEAD, FLANGED, RIGHT HAND | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-523680002 | | |
| 0318 | 15-42-3275 | HANGER, BRAKE HEAD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0674242 | | |
| 0319 | 15-42-3276 | RING, RETAINING, STL, ZN PLD, YEL, 1.150 FREE DIA X 1.25 FREE DIA X 0.093 IN THK | EA | 7,940 | 7,503 | 1,000 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06742961250 | | |
| 0320 | 15-42-3278 | HOOK, SPRING, LH | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0674849 | | |
| 0321 | 15-42-3279 | HOOK, SPRING, RH | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0674850 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0322 | 15-42-3280 | SPRING, RELEASE, USED ON BRAKE HANGER ASSEMBLY, 4.55 IN LONG, MAX OUTER DIA 2.10 IN, 12.5 TURNS, RIGHT HAND WINDING, SHOT PEEN | EA | 3,970 | 3,751 | 85 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0674853 | | | | |
| 0323 | 15-42-3281 | BOSS, LOCATING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55082 | | | | |
| 0324 | 15-42-3282 | SPRING, BRAKE HEAD POSITIONING, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0676507 | | | | |
| 0325 | 15-42-3283 | BOLT, SHOULDER, (SPECIAL) | EA | 00 | 08 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0678054 | | | | |
| 0326 | 15-42-3284 | HOUSING, BFC | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100017 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 0327 | 15-42-3285 | PISTON, 15.5 DEGREES, PRE-TBU UPGRADE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100331 | | |
| 0328 | 15-42-3286 | SPINDLE, COMPACT, (SPECIAL) | EA | 1,050 | 1,750 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100399 | | |
| 0329 | 15-42-3287 | SOCKET, CONTROL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100411 | | |
| 0330 | 15-42-3288 | CABLE, TIE, SST (LOCKING TAG), 0.140 DIA X 8 IN LG | EA | 707 | 384 | 129 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100531 | | |
| 0331 | 15-42-3289 | BOOT, DUST | EA | 23 | 28 | 06 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100690 | | |
| 0332 | 15-42-3290 | HOUSING, INTERMEDIATE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06935340009 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0333 | 15-42-3291 | SPRING, STL, OD 6.5" MAX; ID 5.3" MIN; FL 15.72" +/- .38 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110261 | | | | | | | |
| 0334 | 15-42-3292 | SPRING, STL, OD 5.35" MAX; ID 4.1" MIN; FL 16.75" +/- .38 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110262 | | | | | | | |
| 0335 | 15-42-3293 | GASKET, PARKING BRAKE | EA | | 21 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110450 | | | | | | | |
| 0336 | 15-42-3294 | SENSOR, SPEED T-CABLE | EA | | 01 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0694386 | | | | | | | |
| 0337 | 15-42-3295 | BRACKET ASSEMBLY, MANUAL RELEASE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-54685 | | | | | | | |
| 0338 | 15-42-3729 | SENSOR, MAGNETIC SPEED, FOR TRAILER TRUCK | EA | | 50 | | 63 | | 14 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0693447 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 0339 | 15-42-3874 | TUBING, SHRINK, 1.57 IN. NOMINAL DIAMETER X 8 IN. LONG | EA | 900 | 1,250 | 263 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06998106080 | | |
| 0340 | 15-42-3938 | BRAKE SHOE HEAD HANGER PIN | EA | 3,970 | 3,750 | 500 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0674244 | | |
| 0341 | 15-42-3939 | DOWEL PIN, STAINLESS STEEL, .125 BY 1.5 INCH LONG | EA | 451 | 466 | 186 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06993201500 | | |
| 0342 | 15-42-3941 | PADDLE MOUNT, UNMODIFIED, TO BE USED AS SALVAGE FOR ITS INDIVIDUAL PARTS. NOT A COMPLETE ASSEMBLY | EA | 00 | 10 | 01 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06935503001Z | | |
| 0343 | 15-42-3946 | SCREW, ADJUSTING (SPECIAL) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0574685 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0344 | 15-42-3973 | BRACKET, POSITIONER MOUNTING, RIGHT HAND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06977050001 | | | | |
| 0345 | 15-42-3974 | BRACKET, POSITIONER MOUNTING, LEFT HAND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06977050002 | | | | |
| 0346 | 15-42-4003 | CAPSCREW, HEX HD SOCKET, SST 18-8, 3/8-16 UNC-3A X 1.25 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06748570125 | | | | |
| 0347 | 15-42-4076 | BODY ASSEMBLY, CYLINDER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0698269 | | | | |
| 0348 | 15-42-4077 | BODY, ACTUATOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0698272 | | | | |
| 0349 | 15-42-4079 | CAP, ACTUATOR BODY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0698260 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 0350 | 15-42-4085 | PINION, SHAFT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0698263 |
| 0351 | 15-42-4086 | PISTON AND RACK ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0698266 |
| 0352 | 15-42-4087 | PLATE, BLANKING (INCLUDES PN 50 AND 51) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0698914 |
| 0353 | 15-42-4089 | SET SCREW, BEARING RETAINER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0698258 |
| 0354 | 15-42-4090 | SUPPORT, RACK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0698256 |
| 0355 | 15-42-4208 | WASHER, PIVOT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-51938 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0356 | 15-42-4209 | NUT LOCK, STOVER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 054774-4009 | | | | | | | |
| 0357 | 15-42-4210 | RING, RELEASE | EA | | 00 | | 11 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 1-523043001 | | | | | | | |
| 0358 | 15-42-4211 | BOLT, RELEASE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 1-519374001 | | | | | | | |
| 0359 | 15-42-4212 | WASHER, RETAINING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 1-51939 | | | | | | | |
| 0360 | 15-42-4213 | STOVER NUT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 054774-4008 | | | | | | | |
| 0361 | 15-42-4231 | PARKING BRAKE ASSEMBLY USED WITH R142A BFC TBU STRAIGHT WEDGE DESIGN | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 06935340902 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|------|------------|-----|-----|-----|-----|-----|---------------|
| 0362 | 15-42-4232 | PLATE, MOUNTING | | EA | | 07 | | 09 | | 01 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | N | P | WABCO | | | | | | 1-54151 |
| 0363 | 15-42-4233 | SHAFT, LEVER | | EA | | 07 | | 12 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | N | P | WABCO | | | | | | 1-54183 |
| 0364 | 15-42-4234 | PIN, FULCRUM | | EA | | 35 | | 04 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | N | P | WABCO | | | | | | 1-54031 |
| 0365 | 15-42-4235 | BUSHING, 0.25" NOMINAL DIAMETER | | EA | | 352 | | 91 | | 03 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | N | P | WABCO | | | | | | 1-54197 |
| 0366 | 15-42-4236 | BRACKET ASSEMBLY USED FOR R160 SPRING PARKING BRAKE | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | N | P | WABCO | | | | | | 0693534 0510 |
| 0367 | 15-42-4237 | SPRING PARKING BRAKE ASSEMBLY USED FOR R160 | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | N | P | WABCO | | | | | | 0693534 1030 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD | |
|------|------------|--|--|---------|---------|---------|----|
| 0368 | 15-42-4249 | HANGER ASSEMBLY, BRAKE HEAD WITH BUSHINGS, FOR LEFT AND RIGHT BRAKE HEAD HANGER ASSEMBLY | EA | 00 | 00 | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | |
| | | N P WABCO 1-52369 | | | | | |
| 0369 | 15-42-4250 | HANGER, BRAKE HEAD, FOR LEFT AND RIGHT BRAKE HEAD HANGER ASSEMBLY | EA | 00 | 00 | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | |
| | | N P WABCO 1-52370 | | | | | |
| 0370 | 15-42-4253 | HEAD, BRAKE, FLANGED, RIGHT HAND | EA | 00 | 00 | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | |
| | | N P WABCO 1-516080002 | | | | | |
| 0371 | 15-42-4254 | POSITIONER, BRAKE HEAD, LEFT HAND AND 27), USED ONLY ON PART HANGER ASSEMBLY) | (INCLUDES ITEMS 21A, 22, 23, 24, 25 26 #1-523680001, (LEFT HAND BRAKE HEAD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | |
| | | N P WABCO 06991410001 | | | | | |
| 0372 | 15-42-4255 | POSITIONER, BRAKE HEAD, RIGHT HAND AND 27), USED ON PART #1-523680002 ASSEMBLY) | (INCLUDES ITEMS 21B, 22, 23, 24, 25, 26 ONLY, (RIGHT HAND BRAKE HEAD HANGE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | |
| | | N P WABCO 06991410002 | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 0373 | 15-42-4256 | BRACKET, POSITIONER, LEFT HAND ONLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06991420001 | | |
| 0374 | 15-42-4257 | BRACKET, POSITIONER, RIGHT HAND ONLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06991420002 | | |
| 0375 | 15-42-4258 | PIN, SPR SS HD 3/16 X 1 | EA | 3,500 | 3,097 | 1,606 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0698865 | | |
| 0376 | 15-42-4259 | PIN SHOULDER, BRAKE HEAD POSITIONER | EA | 3,500 | 3,650 | 1,200 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699143 | | |
| 0377 | 15-42-4260 | STOPNUT, ELASTIC, 3/8-16 UNC-2B, (DOES NOT HAVE MARKINGS), ZN PLD, YEL, USED ON TREAD BRAKE HANGER ASSEMBLY, LEFT AND RIGHT ASSEMBLIES. | EA | 3,995 | 3,620 | 500 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000003-4068 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 0378 | 15-42-4261 | CAPSCREW, HEX HD SOCKET, 3/8-16 UNC-2A X 1.75" LONG, GR 8, STL, ZN PLD, YEL OR CLR. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699612 | | |
| 0379 | 15-42-4262 | SCREW, HEX HD. MACHINE, GR 8, STL, ZN PLD, YEL, 3/8-16 UNC-2A X 4" LONG | EA | 3,999 | 3,761 | 500 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0581647 | | |
| 0380 | 15-42-4263 | BOLT, SHOULDER, 3/4-10 UNC-2A X 1.313" LONG, 0.9902" NOM DIA X 4.65 SHOULDER LG, STL, ZN PLD, YEL OR CLR | EA | 1,277 | 1,890 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06780541000 | | |
| 0381 | 15-42-4264 | KIT, BRAKE HEAD HANGER, LEFT-HAND THROUGH 31) (INCLUDES ITEMS 10 THROUGH 19, 20A, 28 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-523710001 | | |
| 0382 | 15-42-4265 | KIT, BRAKE HEAD HANGER, RIGHT-HAND THROUGH 31) (INCLUDES ITEMS 10 THROUGH 19, 20B, 28 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-523710002 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0383 | 15-42-4266 | KIT, HANGER (0674242) (INCLUDES ITEMS 4, 5, AND 6), FOR LEFT AND RIGHT BRAKE HEAD HANGER ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694653 | | | | |
| 0384 | 15-42-4267 | HEAD, BRAKE, FLANGED, LEFT HAND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-516080001 | | | | |
| 0385 | 15-42-4278 | KIT, BRAKE HEAD, SPECIAL, LEFT-HAND, U/O R142A TREAD BRAKE UNITS ONLY | EA | 05 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-541870001 | | | | |
| 0386 | 15-42-4303 | BRACKET, LATERAL RESTRAINT, LH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-516110001 | | | | |
| 0387 | 15-42-4304 | BRACKET, LATERAL RESTRAINT, RH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-51611002 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0388 | 15-42-4305 | PLATE, WEAR USED ON LATERAL RESTRAINT BRACKET | EA | 941 | 975 | 128 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-51612 | | | | |
| 0389 | 15-42-4306 | SCREW, CAP, FL CSKH, 3/8-16 X 1.750 IN LG, STL, MECH ZINC | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-52367 | | | | |
| 0390 | 15-42-4307 | STOPNUT, HVY, 3/8-16 UNC-3B, ELASTIC, STL, ZN PLD, YEL OR CIR | EA | 1,880 | 1,900 | 240 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 0576257 | | | | |
| 0391 | 15-42-4308 | WASHER, FLAT, 0.649 IN NOM ID X 1.17 IN NOM OD X 0.237 IN NOM THK, HARDENED, STL, ZN PLD, YEL OR CIR, PACKAGED 250 PER BAG | EA | 2,820 | 2,850 | 360 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-53929 | | | | |
| 0392 | 15-42-4309 | SCREW, HEX HD, 0.625-11 X 1.50, GRADE 8, WITH PATCH | EA | 1,950 | 2,850 | 460 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-52127 | | | | |
| 0393 | 15-42-4310 | WASHER, NON-STD, 0.656 IN NOM ID X 1.312 IN NOM OD X 0.150 IN NOM THK | EA | 2,820 | 2,850 | 582 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 0589302 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 0394 | 15-42-4323 | SHOE, CONTACT, ICE SCRAPER, BLADE COLLECTOR ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695907-3001 |
| 0395 | 15-43-0008 | CURRENT COLLECTOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 054424-3001 |
| 0396 | 15-43-0304 | BAR, POSITIONER, BRAKE HEAD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697706 |
| 0397 | 15-43-0306 | PIN, BRAKE HEAD POSITIONER | EA | 03 | 01 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697713 |
| 0398 | 15-43-0311 | SCREW, CAP, HEX HD, GR 8, STL, ZN PLD, YEL, 3/8-16 UNC-2A X 1.25 IN. LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697995 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0399 | 15-43-0312 | SCREW, CAP, HEX SOCKET HD SHOULDER, GR 5, STL, BLACK OXIDE, 3/8-13 UNC-2A X 0.625 IN. THREAD LG X 2.125 IN. OVERALL LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0698188 | | | | |
| 0400 | 15-43-0383 | BODY, TREAD BRAKE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06935330013 | | | | |
| 0401 | 15-43-0408 | BOLT, HEX HD, 1/2-13 UNC-2A X 3 1/2 IN. LG, GR5, ZN PLD, YEL, STL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0578996 | | | | |
| 0402 | 15-43-0495 | CASTLE NUT 0501826, 3/4" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 23515-03501 | | | | |
| 0403 | 15-43-0496 | LOCK WASHER 0514415, 3/4" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 23516-03501 | | | | |
| 0404 | 15-43-0497 | COTTER PIN 03-4359, 3/16" X 1-3/4" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 23514-03501 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|-------------------|---------|---------|
| 0405 | 15-44-0478 | WASHER, FLAZ, 3/4" X 1/8" THK. R-44 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 8214 | | |
| 0406 | 15-46-0703 | ASSEMBLY, L.H. & R.H. COLLECTOR, FOR OHIO BRASS COUPLER PARTS, R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54506-3001 (R.H.) | | |
| | N | P | WABCO | 54506-3002 (L.H.) | | |
| 0407 | 15-46-0707 | MOUNTING, BRACKET, FOR OHIO BRASS COUPLER PARTS, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54497-4001 | | |
| 0408 | 15-46-0709 | COVER, FOR OHIO BRASS MODEL HPT-2 TRUCKS, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54325-4001 | | |
| 0409 | 15-46-0710 | PADDLE, COLLECTOR, FOR OHIO BRASS COUPLER PARTS, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54487-4001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0410 | 15-46-0711 | RACHET, FOR CONTACT RAIL COLLECTOR PARTS, R46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54525-4001 | | | | |
| 0411 | 15-46-0716 | ROLLER, TORSION LOCK, FOR OHIO BRASS CURRENT COLLECTOR, R-46 CARS, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54657-4001 | | | | |
| 0412 | 15-46-0717 | BRACKET, TERMINAL, FOR OHIO BRASS CONTACT RAIL COLLECTOR J4506-3002, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54503-4001 | | | | |
| 0413 | 15-46-0719 | SHUNT, COPPER STRIP, FOR OHIO BRASS COUPLER PARTS, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54505-4001 | | | | |
| 0414 | 15-46-0720 | SHIM, FOR OHIO-BRASS CONTACT RAIL COLLECTOR, 54506-3002, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54222 4002 | | | | |
| 0415 | 15-46-0721 | BRACKET, FUSE SUPPORT, FOR OHIO BRASS CONTACT RAIL COLLECTOR#54506-3002 R-46 CAR MTCE DATE 123184 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54850-4001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0416 | 15-46-0722 | BRACKET, FUSE MOUNTING, FOR OHIO BRASS CONTACT RAIL COLLECTOR, #54506-3002, R-46 EA CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 54864-4001 | | | | |
| 0417 | 15-46-0724 | SHEAR PIN, 3/16" X 1-1/ " LONG, FOR OHIO BRASS CURRENT COLLECTOR, R 46 CARS, MTCE DATE 123184 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 54412-4001 | | | | |
| 0418 | 15-46-0725 | BUSHING, SPLINE, FOR OHIO-BRASS CONTACT RAIL COLLECTOR #54506-3002, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 54419-4001 | | | | |
| 0419 | 15-46-0726 | PIN, STEEL GROOVE, FOR OHIO-BRASS CONTACT RAIL COLLECTOR #54506-3002, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 21-4552 | | | | |
| 0420 | 15-46-0727 | ASSEMBLY, WASHER, FOR OHIO BRASS CONTACT RAIL COLLECTOR #54506-3002, FOR R-46 CA EA RS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 54434-3001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0421 | 15-46-0731 | BRACKET ASSEMBLY, FOR OHIO-BRASS CONTACTRAIL COLLECTOR 54506-3002, R-46 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54502-3001 | | | | |
| 0422 | 15-46-0732 | BOLT, STOP, FOR OHIO-BRASS CONTACT RAIL COLLECTOR 54506-3002, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54495-3001 | | | | |
| 0423 | 15-46-0736 | STRAP, FOR CONTACT RAIL COLLECTOR ASS'Y 54506-3002, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54853-4001 | | | | |
| 0424 | 15-56-0027 | TREAD BRAKE UNIT, BFC | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 2033556 | | | | |
| 0425 | 15-56-0028 | TREAD BRAKE UNIT, BFCF | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 2033557 | | | | |
| 0426 | 15-60-0064 | BOLT, SHOULDER, 3/4-10 UNC-2A (SPECIAL) | EA | 6,590 | 5,332 | 1,353 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER L678054 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-------|-----|-------|-----|---------------|
| 0427 | 15-60-0526 | HANGER, BRAKE HEAD | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0699140 |
| ----- | | | | | | | | | |
| 0428 | 15-60-0527 | KIT, HANGER, BRAKE HEAD | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0699609 |
| ----- | | | | | | | | | |
| 0429 | 15-60-0528 | KIT, HANGER, BRAKE HEAD | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0699610 |
| ----- | | | | | | | | | |
| 0430 | 15-60-0529 | HOUSING, TREAD BRAKE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 06935330017 |
| ----- | | | | | | | | | |
| 0431 | 15-60-0530 | DRAIN, STRAIGHT, NEOPRENE, 1/8 NPT NOM. ID X 4 IN TIBE | EA | | 1,237 | | 2,016 | | 521 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-532100661 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0438 | 15-60-0538 | CAPSCREW, HEX SOCKET, HD, STL, ZN PLD. YEL, 5/8-11 INC-3A X 0.750 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 000001-52128 | | | | | | | |
| 0439 | 15-60-0539 | WASHER, FLAT, STL, ZN PLD, YEL, 0.625 IN NOM ID X 1.000 IN NOM OD X 0.074 IN THK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 000001-52129 | | | | | | | |
| 0440 | 15-60-0540 | RING, PULL | EA | | 977 | | 649 | | 190 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-54009 | | | | | | | |
| 0441 | 15-60-0541 | CAPLUG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 000008-4080 | | | | | | | |
| 0442 | 15-62-0413 | BUSHING, U/O HIGH FORCE BRACKET OF TRUCK HANDBRAKE RIGGING ASSEMBLY | EA | | 65 | | 10 | | 03 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 589860 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0443 | 15-62-0414 | BUSHING, U/O HIGH FORCE BRACKET OF TRUCK HANDBRAKE RIGGING ASSEMBLY | EA | 65 | 10 | 03 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 589861 | | | | |
| 0444 | 15-79-0031 | SPRING, U/O TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0662574 | | | | |
| 0445 | 15-79-0032 | SPRING, USED ON TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 583172 | | | | |
| 0446 | 15-79-0033 | SCREW, USED ON TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 670566 | | | | |
| 0447 | 15-79-0034 | NUT, USED ON TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 383139 | | | | |
| 0448 | 15-79-0035 | SCREW, U/O TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0670563 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0449 | 15-88-0135 | COVER, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-230.405 | | | | | | | |
| 0450 | 15-88-0140 | PISTON W/WEDGES, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-230.481 | | | | | | | |
| 0451 | 15-88-0149 | CASING, WORKING NUT, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER MZ-230214W | | | | | | | |
| 0452 | 15-88-0150 | CASING, WORKING NUT END, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-230.222W | | | | | | | |
| 0453 | 15-88-0151 | NUT, WORKING, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-230.220W | | | | | | | |
| 0454 | 15-88-0152 | SPINDLE, WORKING, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-230.462 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0455 | 15-88-0153 | GUIDE, CLUTCH, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-230.221 | | | | | | | |
| 0456 | 15-88-0154 | SPRING, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 662361 | | | | | | | |
| 0457 | 15-88-0155 | SPRING, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 662367 | | | | | | | |
| 0458 | 15-88-0156 | SPRING SEAT, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-230.223 | | | | | | | |
| 0459 | 15-88-0157 | SPRING, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 0662974 | | | | | | | |
| 0460 | 15-88-0158 | SPRING, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 662974 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 0467 | 15-88-0165 | O-RING, USED ON THE TBU, BCRK, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 602337 | | |
| 0468 | 15-88-0166 | WASHER, USED ON THE TBU, BCRK, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.474 | | |
| 0469 | 15-88-0167 | RING, RETAINING, USED ON THE TBU, BCRK, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 662789 | | |
| 0470 | 15-88-0168 | RING, RETAINING, USED ON THE TBU, BCRK, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 662745 | | |
| 0471 | 15-88-0169 | GUIDE, END, USED ON THE TBU, BCRK, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.232W | | |
| 0472 | 15-88-0170 | RING, RETAINING, USED ON THE TBU, BCRK, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 662365 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0473 | 15-88-0172 | SPRING, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 662747 | | | | | | | |
| 0474 | 15-88-0173 | GUIDE, SPRING, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-230.230W | | | | | | | |
| 0475 | 15-88-0174 | SPRING, SEAT, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-230.487W | | | | | | | |
| 0476 | 15-88-0175 | SPRING, SUPPORT, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-230.486W | | | | | | | |
| 0477 | 15-88-0176 | BEARING, USED ON THE TBU, BCRK, NEW CAR | EA | | 11 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 663292 | | | | | | | |
| 0478 | 15-88-0177 | RING, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-328.494 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0479 | 15-88-0178 | RING, RETAINING, USED ON THE TBU, BCRK, NEW CAR | EA | | 11 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 369632 | | | | | | | |
| 0480 | 15-88-0179 | SUPPORT, SLACK ADJUSTER WITH SLEEVES, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-230.236W | | | | | | | |
| 0481 | 15-88-0180 | HOUSING, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-230.456W | | | | | | | |
| 0482 | 15-88-0181 | BOLT, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 668491 | | | | | | | |
| 0483 | 15-88-0182 | BOLT, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 668497 | | | | | | | |
| 0484 | 15-88-0183 | WASHER, USED ON THE TBU, BCRK, NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 318442 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 0491 | 15-88-0191 | BOLT, USED ON THE TBU, BCRK, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 668493 | | |
| 0492 | 15-88-0199 | PISTON GUIDE USED FOR TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.141W1 | | |
| 0493 | 15-88-0200 | WORKING SPINDLE, PS USED FOR TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.121 | | |
| 0494 | 15-88-0201 | CLUTCH, PS, USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.148 | | |
| 0495 | 15-88-0202 | WORKING NUT, PS, USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-237.787W | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 0496 | 15-88-0203 | AXIAL, BEARING USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 321699 | | |
| 0497 | 15-88-0204 | SPRING USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 588172 | | |
| 0498 | 15-88-0205 | SPRING SEAT USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | MZ-327789 | | |
| 0499 | 15-88-0206 | SPRING PIN USED FOR THREAD BRAKE UNIT, PBBCRK W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 590452 | | |
| 0500 | 15-88-0207 | GUIDE, USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.122 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 0501 | 15-88-0208 | GUIDE RING USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 550256 | | |
| 0502 | 15-88-0209 | RETAINING RING W/GUIDE USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-327.776 | | |
| 0503 | 15-88-0210 | GUIDE RING, USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 553727 | | |
| 0504 | 15-88-0211 | PACKING CUP, USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 661861 | | |
| 0505 | 15-88-0212 | BOLT, USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 668488 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 0506 | 15-88-0215 | WEDGE GUIDE, USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-327 794H | | |
| 0507 | 15-88-0216 | STOP NUT, USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 668504 | | |
| 0508 | 15-88-0217 | PULL RING, USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 195 | 389 | 75 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | MZT669254 | | |
| 0509 | 15-88-0222 | O-RING USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 313831 | | |
| 0510 | 15-88-0223 | VALVE SEAT USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.159 | | |
| 0511 | 15-88-0224 | SEAL USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | MZT0419923 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|------------------|-----|-----|-----|-----|---------------|-----|
| 0512 | 15-88-0225 | CONNECTION W/VALVE SEAT USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABTEC PASSENGER | | | | | K-230.157W | |
| 0513 | 15-88-0226 | SPRING, SEAT USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | | 00 | | 01 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABTEC PASSENGER | | | | | K-230.142W | |
| 0514 | 15-88-0227 | SPRING USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | | 00 | | 01 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABTEC PASSENGER | | | | | 662743 | |
| 0515 | 15-88-0228 | SPRING USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | | 00 | | 01 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABTEC PASSENGER | | | | | 661483 | |
| 0516 | 15-88-0229 | PISTON GUIDE END USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABTEC PASSENGER | | | | | K-230.141W2 | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 0517 | 15-88-0230 | ROUNDED WEDGE USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.149 | | |
| 0518 | 15-88-0231 | SPRING PIN USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 311596 | | |
| 0519 | 15-88-0232 | PISTON GUIDE USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.131 | | |
| 0520 | 15-88-0233 | GUIDE RING GUIDE USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 609374 | | |
| 0521 | 15-88-0234 | PACKING CUP GUIDE USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 661856 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 0522 | 15-88-0235 | PISTON GUIDE USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.146W | | |
| 0523 | 15-88-0236 | BOLT USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 668502 | | |
| 0524 | 15-88-0237 | WASHER, DIN 433, USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 0669223 | | |
| 0525 | 15-88-0238 | SEAL USED FOR THREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 661849 | | |
| 0526 | 15-88-0239 | AXIAL BEARING USED FOR THREAD BRAKE INIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 0331198 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0527 | 15-88-0240 | VALVE SEAT, COMPLETE USED FOR THREAD BRAKE, NEW CAR | EA | 00 | 00 | 03 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER K-230.160 | | | | |
| 0528 | 15-88-0241 | NAKED BOLT/TREAD BRAKE UNIT/ PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER K-230.143 | | | | |
| 0529 | 15-88-0242 | RETAINING RING/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 330922 | | | | |
| 0530 | 15-88-0243 | SPINDLE SEAT/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 05 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER K-230.245 | | | | |
| 0531 | 15-88-0244 | AXIAL BEARING/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 344141 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 0532 | 15-88-0246 | SCREW, CAP, HEX SOCH, 5/8-11 UNC-3A X 1.5 IN LG, STL, ZN PLD, YEL | EA | 1,020 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-570571500 | | |
| 0533 | 15-88-0247 | BOLT, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 668499 | | |
| 0534 | 15-88-0248 | WASHER, DIN 433, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 0669220 | | |
| 0535 | 15-88-0249 | SPRING, TREAD BARKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 325376 | | |
| 0536 | 15-88-0250 | SPRING PIN, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 317888 | | |
| 0537 | 15-88-0251 | WASHER, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 05 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-327.793H | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 0538 | 15-88-0252 | RETAINING RING, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 06 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 330892 | | |
| 0539 | 15-88-0253 | DUST PROTECTOR, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 663341 | | |
| 0540 | 15-88-0254 | WEDGE, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.124H | | |
| 0541 | 15-88-0255 | BOLT, DOUBLE SIDED, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 05 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-327.767 | | |
| 0542 | 15-88-0256 | O-RING, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 661845 | | |
| 0543 | 15-88-0257 | BUSH, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.207T | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0544 | 15-88-0258 | PACKING CUP, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 569216 | | | | |
| 0545 | 15-88-0259 | GUIDE BAND, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 588539 | | | | |
| 0546 | 15-88-0261 | BUSH, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER K-230.119 | | | | |
| 0547 | 15-88-0262 | CLAMP, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 349003 | | | | |
| 0548 | 15-88-0263 | DUST PROTECTOR, TREAD BREAK UNIT, PBBCRK W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 666545 | | | | |
| 0549 | 15-88-0264 | RING, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 04 | 01 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER K-230.208 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 0550 | 15-88-0265 | AXIAL BEARING, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 331198 | | |
| 0551 | 15-88-0266 | GAP BUSH, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.209W | | |
| 0552 | 15-88-0267 | PLASTIC CLAMP, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 04 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 423041 | | |
| 0553 | 15-88-0268 | RING, TREAD BRAKLE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.227K | | |
| 0554 | 15-88-0269 | RETAINING RING, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 373605 | | |
| 0555 | 15-88-0270 | WORKING NUT CASING, TREAD BRAKE UNIT, PBBCRK, W/SPRING PARKING BRAKE, NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K230.214W | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 0556 | 15-88-0287 | BUSH/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.213 | | |
| 0557 | 15-88-0289 | GUIDE/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.231 | | |
| 0558 | 15-88-0290 | RETAINING RING/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 661723 | | |
| 0559 | 15-88-0291 | SPRING/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 666527 | | |
| 0560 | 15-88-0292 | CYLINDER/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.136W | | |
| 0561 | 15-88-0293 | MIDDLE PLATE/TREAD BRAKE UNIT, PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.116WR | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 0562 | 15-88-0295 | RETAINING RING/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 320552 | | |
| 0563 | 15-88-0296 | WASHER/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.117 | | |
| 0564 | 15-88-0297 | GUIDE BAND/TREAD BRAKE UNIT/PBB CRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 662945 | | |
| 0565 | 15-88-0298 | PACKING CUP/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 661858 | | |
| 0566 | 15-88-0299 | WASHER/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.118 | | |
| 0567 | 15-88-0300 | RETAINING RING/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 320579 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0568 | 15-88-0640 | PLATE/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 0669229 | | | | | | | |
| 0569 | 15-88-0641 | LEVER/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 0669234 | | | | | | | |
| 0570 | 15-88-0642 | AXLE/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 0669242 | | | | | | | |
| 0571 | 15-88-0643 | BUSHING/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 0669245 | | | | | | | |
| 0572 | 15-88-0644 | SPLIT PIN/TREAD BRAKE UNIT/PBBCRK W/SPRING PARKING BRAKE NEW CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 0669238 | | | | | | | |
| 0573 | 16-11-0001 | ELECTRICAL CONTACT INSULATION BLOCKS /COUPLERS, DRAWBARS & DRAFT GEAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC CORPORATION 1-571264002 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0574 | 16-11-0002 | ELECTRICAL HEAD COVERS/ COUPLERS, DRAWBARS & DRAFT GEAR. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC CORPORATION 06979413502 | | | | | | | |
| 0575 | 16-11-0018 | ASSEMBLY DOOR, SHUTTER / ELECTRIC COUPLER ASSEMBLY. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06979413502-0775170 | | | | | | | |
| 0576 | 16-11-0019 | GASKET, BOTTOM COVER / COVER ASSEMBLY / ELECTRIC COUPLER ASS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06980274001 | | | | | | | |
| 0577 | 16-11-0020 | ASSEMBLY, HEATER, COUPLER / ELECTRIC COUPLER ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-571253002 | | | | | | | |
| 0578 | 16-11-0021 | CONTACT BLOCK FOR HEATER, HEATER ASS. / ELECTRIC COUPLER ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-571254002 | | | | | | | |
| 0579 | 16-11-0022 | GASKET, EP FRAME / ELECTRIC COUPLER ASS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06908434008 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|---------------------|
| 0580 | 16-11-0023 | ENCLOSURE / ELECTRIC COUPLER ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-571613504-0775610 |
| ----- | | | | | | | | | |
| 0581 | 16-11-0024 | HARNESS, WIRING / CARRIAGE & HARNESS ASS./ ELECTRIC COUPLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-573723004 |
| ----- | | | | | | | | | |
| 0582 | 16-11-0025 | GASKET, BACK COVER FOR WIRING HARNESS ASS/ ELECTRIC COUPLER.. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-571554004 |
| ----- | | | | | | | | | |
| 0583 | 16-11-0026 | HARNESS, ETHERNET LH /CONTACT BLOCK ASS./ CARRIAGE & HARNESS ASS./ ELECTRIC | EA | | 00 | | 00 | | 00 |
| | | COUPLER ASS. | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-529424012 |
| ----- | | | | | | | | | |
| 0584 | 16-11-0027 | HARNESS, ETHERNET LH / CONTACT BLOCK / CARRIAGE 7 HARNESS ASS./ ELECTRIC | EA | | 00 | | 00 | | 00 |
| | | COUPLER ASS. | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-529424013 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0585 | 16-11-0028 | ENCLOSURE, DRUM SWITCH / DRUM SWITCH ASS./ COUPLER SYSTEM. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06959284001-0775610 | | | | | | | |
| 0586 | 16-11-0029 | ASSEMBLY, HARNESS , WIRE, DRUM SWITCH / HARNESS COVER ASSEMBLY./COUPLER SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06970853002 | | | | | | | |
| 0587 | 16-11-0030 | HARNESS, DRUM SWITCH / DRUM SWITCH WIRE HARNESS ASSEMBLY / COUPLER SYSTEM. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-601473001 | | | | | | | |
| 0588 | 16-11-0031 | KIT, WIRE MARKER / DRUM SWITCH WIRE HARNESS ASSEMBLY /COUPLER SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-601473301 | | | | | | | |
| 0589 | 16-11-0032 | CARRIER RADIAL / RADIAL CARRIER ASS./ DRAWBAR & DRAFTGEAR ASS. / COUPLER SYSTEM. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06993014001 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0590 | 16-11-0033 | BUMPER , DRAWBAR / DRAWBAR/DRAFTGEAR ASS., COUPLER. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 057522-4016 | | | | |
| 0591 | 16-11-0034 | ASSEMBLY, DRAWBAR, TWO PIECE /DRAWBAR/DRAFTGEAR ASS. COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-51952 | | | | |
| 0592 | 16-11-0035 | BUSHING, DRAWBAR TAIL/ DRAWBAR/ DRAFTGEAR ASS./ COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 057703-4066 | | | | |
| 0593 | 16-11-0036 | BUSHING, WEAR / YOKE/DRAFT GEAR ASS./COUPLER SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-601494001 | | | | |
| 0594 | 16-11-0037 | LINK BAR BODY, PAINTED/ LINK BAR ASSEMBLY/ COUPLER SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-538943502-0775170 | | | | |
| 0595 | 16-11-0038 | RING, EMERGENCY RELEASE / LINK BAR ASSEMBLY/ COUPLER SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 059759-4008 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0596 | 16-11-0039 | RING, RETAINING SPECIAL / LINK BAR ASSEMBLY / COUPLER SYSTEM. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-52305 | | | | | | | |
| 0597 | 16-11-0040 | MANIFOLD PNEUMATIC / LINK BAR ASSEMBLY / COUPLER SYSTEM. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-601484001 | | | | | | | |
| 0598 | 16-11-0041 | LEVER LOCK / COUPLER ADAPTER ASSEMBLY / COUPLER SYSTEM | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 058842-4004 | | | | | | | |
| 0599 | 16-11-0042 | SPRING, CENTERING DEVICE, STEEL, (SPECIAL) / CENTERING DEVICE ASSEMBLY / COUPLER SYSTEM. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 054290-3005 | | | | | | | |
| 0600 | 16-21-5240 | BLOCK, TERMINAL, U/O BL-26-C ELECTRICAL PORTION. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 83467 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|------|------------|-----|------------------------|-----|-----|-----|
| 0601 | 16-23-3365 | BUSHING, COUPLER, APPROX. 5-7/8" LG. X 2 -49/64" ID X 3-1/4" OD, CASE HARDENED STEEL, WRIST PIN, USED WITH H-2-C CAR COUPLER & LINKBAR ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | |
| | | N | P | WABCO | | 588509 (FOR REF. ONLY) | | | |
| | | N | D | NYCTS | | 352-4008-A | | | |
| 0602 | 16-25-6410 | CONNECTION U/W WABCO AIR BRAKE EQUIPT | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | |
| | | N | P | WABCO | | 71713 | | | |
| 0603 | 16-25-6655 | CONNECTOR, COUPLER, SET FOR ELECTRIC PORTION BL-25-A, "R" CARS, U/W WABCO AUTOMATIC CAR COUPLER TYPE H-2-A | SET | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | |
| | | N | P | WABCO | | 90684 | | | |
| 0604 | 16-29-1545 | GUIDE, SPRING (BALL JOINT) FOR H2C-MCB COUPLER ADAPTER | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | |
| | | N | P | WABCO | | 65035 | | | |
| 0605 | 16-29-1546 | GUIDE, SPRING (HINGE JOINT) FOR H2C-MCB COUPLER ADAPTER | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | |
| | | N | P | WAB CO | | 65036 | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0606 | 16-29-3105 | HANDLE, FOR ADAPTER MCB TO H2A COUPLER, FOR TRAILER TANK, TRAILER HOPPER, TANK W EA EED & SPRAY, DIESEL LOCOS, RAIL GRINDING CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO. A566097 | | | | |
| 0607 | 16-29-5996 | HEAD, COUPLER, U/W WAB AUTOMATIC CAR COUPLER TYPE H-2-A, REPAIRED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO. 83403 OR 550106 | | | | |
| 0608 | 16-29-9135 | INSULATION, COUPLER, TERMINAL FOR ELECTRIC, PORTION BL-22, U/W WAB AUTOMATIC CAR EA , COUPLER TYPE H-2-A | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 83433 | | | | |
| 0609 | 16-30-4345 | KNUCKLE, FOR TOP OPERATED COUPLER HADADY CORPORATION #XE-206-HT, F/R45, EA 48 AND 53 CRANE CARS, F/R49 AND 51 FLAT CARS. | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06619 | | | | |
| 0610 | 16-31-3475 | NUT, COUPLER FLUSH, F/ELECTRIC PORTION BL-25-B U/W W.A.B. AUTOMATIC CAR EA COUPLER TYPES H2B-H2C | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 70488 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0611 | 16-33-3440 | INSULATOR, TERMINAL STUD, U/W BL-33-E, BL-25-B, BL-26-C ELECTRIC PORTION FOR H2C CAR COUPLER. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 83442 | | | | | | | |
| 0612 | 16-33-6295 | PLUNGER, F/COUPLER & DRAFT GEAR ELECTRIC COUPLER, R62A CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 83768 | | | | | | | |
| 0613 | 16-35-3935 | RING, RETAINING, TAPPET, FOR TYPE H2C AUTOMATIC COUPLER | EA | | 00 | | 02 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 78984 | | | | | | | |
| 0614 | 16-35-4185 | RIVET, FOR ADAPTER MCB TO H2A COUPLER C, 1/2 IN. X 1-15/16 IN., FOR TRAILER TANK, TRAILER HOPPER, TANK WEED & SPRAY, DIESEL LOCO. RAIL GRINDING CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | A68177 | | | | | | | |
| 0615 | 16-37-3000 | SHAFT, LATCH FOR H-2-C TO MCB COUPLER ADAPTER, FOR TRAILER TANK, TRAILER HOPPER, TANK WEED & SPRAY, DIESEL LOCOS, RAIL GRINDING CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | N D WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | A566096 | | | | | | | |
| | | BA83678-1 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 0616 | 16-37-8935 | SLEEVES, 3/8 IN. O.D. PIPE COUPLING, WAB CO. NO. 541512 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 541512 | | |
| 0617 | 16-37-8937 | SLEEVE, COUPLING, PIPE, 5/8 IN. O.D., FOR H-2-B ANC COUPLER, W.A.B. CO. PC. NO. 541514 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 541514 | | |
| 0618 | 16-39-3290 | SPRING, COUPLER LATCH, U/W WABCO AUTOMATIC CAR COUPLER TYPE H-2-A | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0028548 | | |
| 0619 | 16-39-3530 | SPRING, PLUNGER, F/ELECTRIC COUPLER F/COUPLER & DRAFT GEAR, R62A CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83448 | | |
| 0620 | 16-39-3580 | SPRING, F/COUPLER & DRAFT GEAR ELECTRIC COUPLER, R62A CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83769 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0626 | 16-42-1020 | PLATE, HOUSING BOTTOM CARRIER, FOR WAUGH TYPE WM-E4-CLA DRAFT GEAR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06906 | | | | |
| | | N D DRESSER TRANS CO 8F7463 | | | | |
| 0627 | 16-42-2032 | MECHANICAL COUPLER | EA | 33 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057719-3002 REV. E | | | | |
| 0628 | 16-42-2033 | GEAR, DRAFT, ASSEMBLY | EA | 18 | 08 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057712-3003 | | | | |
| 0629 | 16-42-2050 | BAR, LINK | EA | 05 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 060300-3002 | | | | |
| 0630 | 16-42-2053 | YOKE, BUSHED AND WELDED. SHOULD INCLUDE BODY (16-42-2253), TWO BUSHINGS (16-42-2269), WEAR PLATE (16-42-2408), AND LINER (16-42-2345) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057712-3004 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------------------|------------|----------------|---------|---------|
| 0643 | 16-42-2067 | ASSEMBLY, GEAR, DRAWBAR/DRAFT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693455 REV. E | | |
| 0644 | 16-42-2068 | DEVICE, CENTERING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 057754-3005 | | |
| 0645 | 16-42-2073 | DRUM SWITCH UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693454 | | |
| 0646 | 16-42-2074 | VALVE, SOLENOID | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 055448-3501 | | |
| 0647 | 16-42-2078 | PNEUMATIC OPERATING UNIT, NO.2 END | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693452 | | |
| 0648 | 16-42-2079 | DRAWBAR ASSEMBLY | EA | 02 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694769 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0649 | 16-42-2081 | RADIAL CARRIER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0693539 | | | | |
| 0650 | 16-42-2091 | VEAM CONNECTOR/ ELECTRICAL HEAD COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694910 | | | | |
| 0651 | 16-42-2092 | CONNECTOR, VEAM, ELECTRICAL HEAD COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694911 | | | | |
| 0652 | 16-42-2100 | COUPLER ADAPTER ASSEMBLY, COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057730-3003 | | | | |
| 0653 | 16-42-2101 | SWITCH, DRUM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0693437 | | | | |
| 0654 | 16-42-2102 | VALVE UNIT ASSY, SOLENOID 'A' CAR ASSY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0674711 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|
| 0655 | 16-42-2211 | CONTACT TIPS | EA | | 116 | | 53 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0693614 | | | | | | | |
| 0656 | 16-42-2223 | SWITCH FOR DRUM SWITCH | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695104 | | | | | | | |
| 0657 | 16-42-2225 | KIT, FOR DRAWBAR/DRAFT GEAR ASSEMBLY | KT | | 645 | | 444 | | 140 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06934550002 | | | | | | | |
| 0658 | 16-42-2240 | ACTUATOR ASSEMBLY, WITH HANDLE | EA | | 02 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0693609 | | | | | | | |
| 0659 | 16-42-2241 | ADAPTER, COUPLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 57730 | | | | | | | |
| 0660 | 16-42-2242 | ANGLE, SLOTTED | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0694865 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0661 | 16-42-2243 | BEARING, CAM SHAFT / ELECTRIC COUPLER ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0693880 | | | | |
| 0662 | 16-42-2244 | BEARING, FRONT SHAFT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696193 | | | | |
| 0663 | 16-42-2245 | BEARING, REAR SHAFT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696192 | | | | |
| 0664 | 16-42-2246 | BEARING, SUPPORT ROD / CARRIAGE ASSEMBLY / ELECTRIC COUPLER ASS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0693636 | | | | |
| 0665 | 16-42-2247 | BLOCK, RELEASE | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 052049-4002 | | | | |
| 0666 | 16-42-2248 | BODY, ACTUATOR (INCLUDES 6) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696196 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-----------------------------------|------------|---------------|---------|---------|
| 0667 | 16-42-2249 | BODY, LINK BAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 060300-3502 | | |
| 0668 | 16-42-2250 | BODY, MAIN VALVE | EA | 127 | 63 | 33 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 059562-4003 | | |
| 0669 | 16-42-2251 | BODY, PLUNGER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 055448-5004 | | |
| 0670 | 16-42-2252 | BODY, VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 055448-5016 | | |
| 0671 | 16-42-2253 | BODY, YOKE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 057711-3002 | | |
| 0672 | 16-42-2254 | BOLT, SECONDARY EMERGENCY RELEASE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 053521-3005 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-------|-----|-------|-----|---------------|
| 0673 | 16-42-2255 | BOLT, EYE, GALV, STL, GR 5, 1/2-13 UNC-2A X 1.25 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 057128-4024 |
| ----- | | | | | | | | | |
| 0674 | 16-42-2256 | BOLT, SUPPORT SPRING, (SPECIAL) | EA | | 1,368 | | 1,720 | | 330 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 057634-4001 |
| ----- | | | | | | | | | |
| 0675 | 16-42-2257 | BOOT, CONNECTOR | EA | | 01 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0694616 |
| ----- | | | | | | | | | |
| 0676 | 16-42-2258 | BRACKET, HORIZONTAL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0694194 |
| ----- | | | | | | | | | |
| 0677 | 16-42-2259 | BRACKET, VERTICAL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0694193 |
| ----- | | | | | | | | | |
| 0678 | 16-42-2260 | BUSHING, COMPOSITE / CYLINDER | EA | | 00 | | 00 | | 00 |
| | | UNCOUPLING / MECHANICAL COUPLER HEAD | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | ASS. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 053932-4010 | | | | |
| 0679 | 16-42-2261 | BUSHING, COMPOSITE / CYLINDER UNCOUPLING / MECHANICAL COUPLER HEAD ASS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 053932-4011 | | | | |
| 0680 | 16-42-2263 | BUSHING, LINK BAR & COUPLER, COMPOSITE, 2.75 IN. NOM. ID. X 5.50 IN. NOM. LG. /MECHANICAL COUPLER HEAD ASS. | EA | 1,651 | 1,841 | 406 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057522-4006 | | | | |
| 0681 | 16-42-2264 | BUSHING, RELEASE BLOCK | EA | 08 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057522-4009 | | | | |
| 0682 | 16-42-2266 | BUSHING, TAPPET VALVE, STAINLESS STEEL, 0.880 IN NOM ID X 1.249 IN NOM OD X 0.43 EA 0 IN THICK | EA | 04 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 059561-4002 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0683 | 16-42-2267 | BUSHING, TAPPET VALVE, STAINLESS STEEL, 1.442 IN NOM ID X 1.194 IN NOM OD X 0.82 EA 1 IN THICK | EA | | 09 | | 06 | | 05 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 059561-4005 | | | | | | | |
| 0684 | 16-42-2268 | BUSHING, TAPPET VALVE, STAINLESS STEEL, 1.692 IN NOM ID X 1.880 IN NOM OD X 0.83 EA 6 IN THICK | EA | | 09 | | 04 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 059561-4003 | | | | | | | |
| 0685 | 16-42-2269 | BUSHING, YOKE. COMPOSITE, 2.75IN. NOM ID.X 1.50 IN. NOM LG./YOKE DRAFT GEAR ASS. / COUPLER SYSTEM. | EA | | 418 | | 133 | | 34 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 057522-4005 | | | | | | | |
| 0686 | 16-42-2270 | CABLE, CONDUCTOR, 49 INCHES LONG, (DOES NOT INCLUDE CONNECTORS OR RECEPTACLES) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0693619 | | | | | | | |
| 0687 | 16-42-2272 | CAM, HANDLE / ELECTRIC COUPLER ASSEMBLY. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0693641 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0688 | 16-42-2273 | CAM, HOOK | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 057761-4001 | | | | | | | |
| 0689 | 16-42-2274 | CAP, PLUNGER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 055448-5003 | | | | | | | |
| 0690 | 16-42-2275 | CAP, SPRING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0675232 | | | | | | | |
| 0691 | 16-42-2276 | CAP, VALVE BODY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 059561-4001 | | | | | | | |
| 0692 | 16-42-2277 | CAPSCREW, FLAT HD SOCKET, 3/4-10 X INSTALLATION OF DRAWBAR/DRAFT GEAR | EA | | 00 | | 00 | | 00 |
| | | 5-1/2" LG, STL, ZN PLD, YEL. USED ON ASSEMBLY | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 053592-4071 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0693 | 16-42-2279 | SCREW, CAP, HEX HD SOCKET, SST 18-8, 1/4-20 UNC-2A X 0.875 IN. LG | EA | | 01 | | 32 | | 100 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 6942410875 | | | | | | | |
| 0694 | 16-42-2280 | SCREW, HEX. SOCKET CAP, SST .250-28 UNF X 1.00" LONG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06917261000 | | | | | | | |
| 0695 | 16-42-2281 | SCREW, CAP, HEX HD SOCKET, SST 18-8, 1/4-20 UNC-2A X 3.25 IN. LG | EA | | 04 | | 07 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000001-4744 | | | | | | | |
| 0696 | 16-42-2283 | SCREW, CAP, HEX HD SOCKET, SST 18-8, 5/16-18 UNC-2A X 1.75 IN. LG | EA | | 00 | | 04 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000001-4753 | | | | | | | |
| 0697 | 16-42-2284 | CAPSCREW, HEX HD SOCKET, SST 18-8, GR 5, 1/4-20 UNC-3A X 1.5 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 6739621500 | | | | | | | |
| 0698 | 16-42-2285 | SCREW, CAP, HEX HD, GRADE 5, STL, ZN PLD, YEL, 1/4-20 UNC-2A X 1.5 IN. LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000001-4570 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0699 | 16-42-2287 | SCREW, CAP, HEX HD, GRADE 5, STL, ZN PLD, YEL, 3/4-10 UNC-3A X 3.5 IN. LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 053592-4011 | | | | |
| 0700 | 16-42-2288 | SCREW, CAP, HEX HD, GRADE 5, STL, ZN PLD, YEL, 7/6-14 UNC-2A X 0.625 IN. LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000001-4655 | | | | |
| 0701 | 16-42-2289 | SCREW, CAP, HEX HD, SST 18-8, 1/2-13 UNC-2A X 6.5 IN. LONG | EA | 377 | 380 | 130 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4870 | | | | |
| 0702 | 16-42-2290 | SCREW, CAP, HEX HD, SST 18-8, 1/4-20 UNC-2A X 0.75 IN. LONG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4797 | | | | |
| 0703 | 16-42-2291 | SCREW, CAP, HEX HD, SST 18-8, 3/8-16 UNC-2A X 1.5 IN. LONG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P000002027C | | | | |
| 0704 | 16-42-2293 | SCREW, CAP, HEX HD, SST 18-8, 5/16-18 UNC-2A X 1 IN. LONG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4811 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 0711 | 16-42-2300 | CASE, ELECTRIC COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0693639 |
| 0712 | 16-42-2301 | CLIP, RING TERMINAL, NO 8 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0539805 |
| 0713 | 16-42-2302 | COIL, SOLENOID VALVE, FOR COUPLER. PARTS NEED TO BE INDIVIDUALLY PACKAGED | EA | 36 | 23 | 17 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 055448-5007 |
| 0714 | 16-42-2303 | COUPLING, ACTUATOR SHAFT / HARNESS COVER ASSEMBLY / DRUM SWITCH ASS./COUPLER SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 057474-4003 |
| 0715 | 16-42-2304 | COVER ASSEMBLY, REAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0696190 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------------------|-----|---------|---------|---------|
| 0740 | 16-42-2332 | JAMNUT, HEX, SST 18-8, 5/16-18 UNC-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4126 | | | | |
| 0741 | 16-42-2333 | JAW, WEAR PLATE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057713-4004 | | | | |
| 0742 | 16-42-2334 | KIT, ACTUATOR END CAP (INCLUDES 10) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696127 | | | | |
| 0743 | 16-42-2335 | KIT, PISTON RACK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696195 | | | | |
| 0744 | 16-42-2336 | LABEL, -ADVANCE- | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06950934005 | | | | |
| 0745 | 16-42-2337 | LABEL, -COUPLE- | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06794080003 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0752 | 16-42-2344 | LEVER, UNCOUPLING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057777-3002 | | | | |
| 0753 | 16-42-2345 | LINER, POCKET, 4.25 IN. NOM ID. X 1.50 IN. NOM LG/YOKE/DRAFTGEAR ASSEMBLY/ COUPLER SYSTEM. | EA | 867 | 1,473 | 261 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057526-4001 | | | | |
| 0754 | 16-42-2346 | WASHER, LOCK, 0.75" ID, 1.25" OD, 0.188" THICK, STEEL, ZINC PLATED, USED WITH DRAWBAR/DRAFT GEAR ASSEMBLY | EA | 5,456 | 5,559 | 1,462 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0514415 | | | | |
| 0755 | 16-42-2348 | WASHER, LOCK, SST 18-8, 0.190 IN. NOM ID X 0.30 IN. NOM OD X 0.055 IN. THK | EA | 290 | 385 | 150 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 019779-4016 | | | | |
| 0756 | 16-42-2349 | WASHER, LOCK, SST 18-8, 0.25 IN. NOM ID X 0.065 IN. THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P0001700001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0757 | 16-42-2350 | WASHER, LOCK, SST 18-8, 0.25 IN. NOM ID X 0.469 IN. NOM OD X 0.0625 IN. THK | EA | 220 | 602 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 019779-4025 | | | | |
| 0758 | 16-42-2351 | WASHER, LOCK, SST 18-8, 0.313 IN. (0.375 IN. NOM ID X 0.288 IN. NOM OD X 0.0625 IN. THK) | EA | 1,160 | 1,540 | 600 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 019779-4033 | | | | |
| 0759 | 16-42-2352 | WASHER, LOCK, SST 18-8, 0.313" I.D. | EA | 580 | 680 | 140 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 019779-4032 | | | | |
| 0760 | 16-42-2353 | LOCKWASHER, SST 18-8, NO.10 (0.219 IN NOM ID X 0.300 IN NOM OD X 0.04 IN THK) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P0001720004 | | | | |
| 0761 | 16-42-2355 | WASHER, LOCK, SST 18-8, NO 8 IN. NOM ID X 0.141 IN. NOM OD X 0.0313 IN. THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 019779-4012 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0762 | 16-42-2356 | WASHER, LOCK, SST, 0.25 IN. NOM ID X 0.469 IN. NOM OD X 0.047 IN. THK | EA | 1,160 | 1,540 | 600 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 019779-4028 | | | | |
| 0763 | 16-42-2357 | WASHER, LOCK, STL, ZN PLD, YEL, 0.19 IN. NOM ID X 0.3 IN. NOM OD X 0.040 IN. THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 019779-4015 | | | | |
| 0764 | 16-42-2358 | WASHER, LOCK, STL, ZN PLD, YEL, 0.438 IN. NOM ID X 0.75 IN. NOM OD X 0.109 IN. THICK, U/O FLEXIBLE COUPLING | EA | 943 | 2,200 | 1,600 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0576129 | | | | |
| 0765 | 16-42-2359 | MANIFOLD ASSEMBLY, SOLENOID VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 058569-3002 | | | | |
| 0766 | 16-42-2360 | MANIFOLD, SOLENOID VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 058569-4001 | | | | |
| 0767 | 16-42-2361 | MARKER, CRITCHLEY WIRE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06942033152 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 0768 | 16-42-2362 | MARKER, TERMINAL STRIP, 5 POST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06924450005 | | |
| 0769 | 16-42-2363 | NIPPLE, HEX, BRS, 3/8 NPT X 1.41 IN LONG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 055222-4002 | | |
| 0770 | 16-42-2364 | NIPPLE, PIPE, STL, HDG, 3/4 NPT X 4.5 IN LONG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0134895 | | |
| 0771 | 16-42-2365 | NUT, EXHAUST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 055448-5009 | | |
| 0772 | 16-42-2366 | NUT, GRIP, (SPECIAL) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694456 | | |
| 0773 | 16-42-2367 | NUT, GRIP, BOWMALLOY, 3/4-10 UNC-2B | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 057593-4018 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0779 | 16-42-2374 | NUT, TAIL STUD, (SPECIAL) ZINC FLAKE COATING IS BEING ADDED TO THE TAIL PLUG NUT AND STUD NUT TO RESIST SEIZING OF OVERHAUL. | EA | 45 | 282 | 96 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 059757-4002 | | | | |
| 0780 | 16-42-2375 | NUT, TERMINAL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06949650750 | | | | |
| 0781 | 16-42-2376 | O RING, 0.30L IN NOM ID X 0.441 IN NOM OD X 0.0625 | EA | 1,112 | 800 | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000023-4488 | | | | |
| 0782 | 16-42-2377 | O-RING, 0.921 INCHES INSIDE DIAMETER BY 0.139 INCHES THICK +/-0.005 INCHES | EA | 290 | 385 | 150 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000023-4494 | | | | |
| 0783 | 16-42-2378 | O RING, 1.239 IN NOM ID X 1.379 IN NOM OD X 0.0625 IN TK | EA | 06 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000023-4479 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0790 | 16-42-2387 | PIN, COTTER, STEEL, ZINC PLATED, YELLOW, 0.125 IN NOM DIA X 1.5 IN LONG | EA | 380 | 380 | 130 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4344 | | | | |
| 0791 | 16-42-2388 | PIN, COTTER, STEEL, ZINC PLATED, LONG YELLOW, 0.1875 IN NOM DIA X 0.625 IN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4462 | | | | |
| 0792 | 16-42-2390 | PIN, CYLINDRICAL SPRING, STAINLESS STEEL 18-8, 0.375 IN NOM DIA X 1.75 IN LONG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06949661750 | | | | |
| 0793 | 16-42-2391 | PIN, DOWEL, STEEL, ZINC PLATED, YELLOW, 0.375 IN NOM DIA X 0.525 IN LONG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000021-4555 | | | | |
| 0794 | 16-42-2392 | PIN, GUIDE, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 008002-4002 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 0795 | 16-42-2393 | PIN, GUIDE, (SPECIAL) | EA | | 00 | | 02 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 054353-4003 |
| ----- | | | | | | | | | |
| 0796 | 16-42-2394 | PIN, HEAVY SPIRAL, STAINLESS STEEL 18-8, 0.50 IN NOM DIA X 4 IN LONG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 056956-4027 |
| ----- | | | | | | | | | |
| 0797 | 16-42-2395 | PIN, HOOK | EA | | 56 | | 89 | | 64 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 057534-4001 |
| ----- | | | | | | | | | |
| 0798 | 16-42-2396 | PIN-3/8" X 5/8", STAINLESS STEEL, DOWEL | EA | | 98 | | 147 | | 43 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 000021-4554 |
| ----- | | | | | | | | | |
| 0799 | 16-42-2397 | PIN, VEAM, MALE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 060256-4017 |
| ----- | | | | | | | | | |
| 0800 | 16-42-2398 | PINION, SHAFT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0696194 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-------------------------|-----|---------|---------|---------------|
| 0801 | 16-42-2399 | PISTON, SIDE SHUTOFF | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 059563-4002 |
| 0802 | 16-42-2401 | PLATE, COVER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 057220-3001 |
| 0803 | 16-42-2402 | PLATE, FRONT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0693597 |
| 0804 | 16-42-2403 | PLATE, MACHINED SUPPORT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0693620 |
| 0805 | 16-42-2404 | PLATE, PLUNGER SWITCH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 057778-4002 |
| 0806 | 16-42-2405 | PLATE, REAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0693598 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0807 | 16-42-2406 | PLATE, REAR FOLLOWER | EA | 2,330 | 3,080 | 608 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 013669-4004 | | | | |
| 0808 | 16-42-2407 | PLATE, STOP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 057724-4006 | | | | |
| 0809 | 16-42-2409 | PLATE, WEAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 057713-4009 | | | | |
| 0810 | 16-42-2410 | PLATE, WEAR | EA | 330 | 394 | 130 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 06775564001 | | | | |
| 0811 | 16-42-2411 | PLUG, CHOKE, STAINLESS STEEL 18-8, 1/8 NPT X 0.0292 IN DRILL DIA | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 058963-4001 | | | | |
| 0812 | 16-42-2412 | PLUG, PIPE, BRASS, 1/4-18 NPT X 0.84 INCHES LONG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 1-546120250 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0819 | 16-42-2421 | RING, NUT / DRUM SWITCH ASS./ COUPLER SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 058546-4005 | | | | |
| 0820 | 16-42-2422 | ROD, SUPPORT /CARRIAGE ASS./ELECTRIC COUPLER ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 054354-4003 | | | | |
| 0821 | 16-42-2423 | ROLLER, STEEL, ZINC PLATED, YELLOW, 0.75 IN NOM ID X 1.50 IN NOM OD X 1.25 IN THICK | EA | 00 | 01 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057780-4003 | | | | |
| 0822 | 16-42-2424 | SCREW, BEARING RETAINER SET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696197 | | | | |
| 0823 | 16-42-2425 | SCREW, BUTTON HD SOCKET, SST 18-8, 1/4-20 UNC-2A X 0.625 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06942410625 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0824 | 16-42-2426 | SCREW, FLAT HD MACHINE, GR 5, STL, ZN PLD, YEL, NO 8-32 UNC-2A X 0.525 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000002-4094 | | | | | | | |
| 0825 | 16-42-2427 | SCREW, FLAT HD SOCKET, STEEL, ZINC PLATED, 1/2-13 UNC-3A X 1 IN LG | EA | | 00 | | 212 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 056210-4705 | | | | | | | |
| 0826 | 16-42-2429 | SCREW, PAN HD PHILLIPS, SST 18-8, NO 8-32 UNC-2A X 0.625 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 6900340625 | | | | | | | |
| 0827 | 16-42-2430 | SCREW, PAN HEAD PHILLIPS, SST 18-8, NO 8-32 UNC-2A X 1 IN. LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 6900341000 | | | | | | | |
| 0828 | 16-42-2431 | SCREW, PAN HEAD PHILLIPS, SST 18-8, NO 8-32 UNC-2B X 0.50 IN. LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 6747660050 | | | | | | | |
| 0829 | 16-42-2432 | SCREW, PAN HD PHILLIPS, SST 18-8, NO 8-32 UNC-3A X 0.75 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 675406 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0830 | 16-42-2433 | SCREW, PHILLIPS HD MACHINE, GR 5, STL, ZN PLD, YEL, NO 10-24 UNC-2B X 1.25 IN LG EA | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06912641250 | | | | | | | |
| 0831 | 16-42-2434 | SCREW COUPLER HD ASSEMBLY, SHOULDER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06739190375 | | | | | | | |
| 0832 | 16-42-2435 | SCREW, SOCKET HD SHOULDER, STL, 1/2-13 UNC-2A X 1 IN.LONG | EA | | 380 | | 380 | | 130 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000024-4434 | | | | | | | |
| 0833 | 16-42-2437 | SEAL | EA | | 290 | | 400 | | 220 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 055448-5023 | | | | | | | |
| 0834 | 16-42-2439 | SEAL, GRIP / WIRING HARNESS ASSEMBLY / ELECTRIC COUPLER ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0694455 | | | | | | | |
| 0835 | 16-42-2440 | SEAL, ACTUATOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0696128 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0836 | 16-42-2441 | WASHER, EL/ PORTION SWITCH SEAL/ ELECTRIC COUPLER ASS. | EA | 04 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057749-4010 | | | | |
| 0837 | 16-42-2442 | SEAT, PLUNGER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 055448-5006 | | | | |
| 0838 | 16-42-2444 | SET SCREW, BUTTON HD SOCKET, STAINLESS STEEL 18-8, 3/8-16 UNC-2A 0.375 IN LONG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06946290750 | | | | |
| 0839 | 16-42-2445 | SHAFT, RETRACTING / CARRIAGE ASSEMBLY / ELECTRIC COUPLER ASS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 058549-4004 | | | | |
| 0840 | 16-42-2446 | SHIELD, TERMINATION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06743630437 | | | | |
| 0841 | 16-42-2447 | SLEEVE, CRIMP U/W DRAWBAR/DRAFT GEAR ASSEMBLY | EA | 155 | 54 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000024-4424 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 0842 | 16-42-2448 | SLEEVE, SOLDER SHRINK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 06743630275 |
| ----- | | | | | | | | | |
| 0843 | 16-42-2449 | SLEEVE, WEAR | EA | | 60 | | 51 | | 16 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 059756-4002 |
| ----- | | | | | | | | | |
| 0844 | 16-42-2450 | SLEEVE, YOKE WEAR | EA | | 22 | | 10 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 059703-4002 |
| ----- | | | | | | | | | |
| 0845 | 16-42-2451 | SPACER, PLUNGER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 055448-5005 |
| ----- | | | | | | | | | |
| 0846 | 16-42-2452 | SPACER, STAINLESS STEEL, 0.527 IN NOM ID X 0.625 IN NOM OD X 0.25 IN THICK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 057780-4007 |
| ----- | | | | | | | | | |
| 0847 | 16-42-2454 | SPRING, BRAKE, STAINLESS STEEL 18-8, 1.10 IN NOM ID X 0.128 IN WIRE DIA X 3.50 I | EA | | 290 | | 385 | | 150 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | N FREE HGT | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057751-4001 | | | | |
| 0848 | 16-42-2455 | SPRING, CONTACT, SST 18-8, 0.31 IN NOM 10 X 0.041 IN NOM WIRE DIA X 1.62 IN FREE HGT. | EA | 02 | 07 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694383 | | | | |
| 0849 | 16-42-2457 | SPRING, RIGHT HAND COUPLER HEAD ASSEMBLY WITH YELLOW MARKER | EA | 07 | 08 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 050405-4001 | | | | |
| 0850 | 16-42-2458 | SPRING, LEFT HAND COUPLER HEAD ASSEMBLY, WITHOUT YELLOW MARKER | EA | 12 | 05 | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 050405-4002 | | | | |
| 0851 | 16-42-2459 | SPRING, HOOK, (SPECIAL) | EA | 760 | 760 | 260 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 008481-4001 | | | | |
| 0852 | 16-42-2460 | SPRING, TORSION (SPECIAL) | EA | 380 | 380 | 130 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057787-4001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|---------------|
| 0870 | 16-42-2483 | TERMINAL, CONTACT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 059585-4001 |
| ----- | | | | | | | | | |
| 0871 | 16-42-2484 | TERMINAL, NO 6-14 WIRE, NO 10 STUD | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 000025-4285 |
| ----- | | | | | | | | | |
| 0872 | 16-42-2485 | TERMINAL, PANDUIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 000025-4290 |
| ----- | | | | | | | | | |
| 0873 | 16-42-2486 | TIE CABLE, BLK NYL, 0.09 IN NOM DIA X 3.62 IN LONG. PACKAGED IN QUANTITY OF 50. 50 EACH PER PACKAGE | PKG | | 02 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0691251 |
| ----- | | | | | | | | | |
| 0874 | 16-42-2488 | SOLENOID, VALVE ASSEMBLY / SOLENOID VALVE UNIT ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 055448-3511 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0875 | 16-42-2489 | WASHER, FLAT, BRS, NO 8 (0.20 IN. NOM ID X 0.438 IN. NOM OD X 0.039 IN. THK) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 015710-4008 | | | | |
| 0876 | 16-42-2491 | WASHER, NO. 6 FLAT, SST | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P0001750005 | | | | |
| 0877 | 16-42-2492 | WASHER, FLAT, SST, 0.25 IN. (0.283 IN. NOM ID X 0.525 IN. NOM OD X 0.0625 IN. TH K) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P0001750002 | | | | |
| 0878 | 16-42-2493 | WASHER, FLAT, SST, 0.25 IN. (0.283 IN. NOM ID X 0.525 IN. NOM OD X 0.0625 IN. TH K) | EA | 1,520 | 1,520 | 436 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P0001790003 | | | | |
| 0879 | 16-42-2494 | WASHER, FLAT, SST, 0.406 IN. NOM ID X 0.813 IN. NOM OD X 0.0625 IN. THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4600 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0880 | 16-42-2495 | WASHER, FLAT, SST, 0.438 IN. NOM ID X 1.125 IN. NOM OD X 0.120 IN. THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4599 | | | | |
| 0881 | 16-42-2496 | WASHER, FLAT, SST, NO 8 | EA | 3,975 | 1,418 | 351 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4575 | | | | |
| 0882 | 16-42-2497 | WASHER, FLAT, STL, ZN PLD, YEL, 0.375 IN. NOM ID X 0.625 IN. NOM OD X 0.047 IN. THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4996 | | | | |
| 0883 | 16-42-2498 | WASHER, FLAT, STL, ZN PLD, YEL, 0.50 IN. NOM ID X 0.75 IN. NOM OD X 0.047 IN. THK | EA | 760 | 810 | 260 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4997 | | | | |
| 0884 | 16-42-2500 | WASHER, FLAT, STL, ZN PLD, YEL, 0.625 IN. NOM ID X 1.00 IN. NOM OD X 0.047 IN. THK | EA | 380 | 480 | 130 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4998 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-------|-----|-------|-----|-----|-----|
| 0885 | 16-42-2501 | WASHER, FLAT, STL, ZN PLD, YEL, 0.75 IN. (0.813 IN. NOM ID X 1.5 IN. NOM OD X 0.143 IN. THK) | EA | 380 | | 430 | | 130 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 575988 | | | | | | | |
| 0886 | 16-42-2502 | WASHER, FLAT, STL, ZINC PLATED, YELLOW, 0.75" NOM.ID X 1.12" NOM.OD X 0.047" THK. (WABCO) | EA | 1,231 | | 1,416 | | 280 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000003-4999 | | | | | | | |
| 0887 | 16-42-2503 | WASHER, FLAT, STL, ZN PLD, YEL, 0.813 IN. NOM ID X 2 IN. NOM OD X 0.148 IN. THK | EA | 100 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 8214 | | | | | | | |
| 0888 | 16-42-2506 | WASHER, 1.91" NOM ID X 2.88" OD X 0.19 THICK, FLAT, STEEL, ZINC PLATED, YELLOW | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 055533-4014 | | | | | | | |
| 0889 | 16-42-2507 | WASHER, FLAT, STL, ZN PLD, YEL, 13 MM NOM ID | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 3033213.954 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 0890 | 16-42-2508 | WASHER, HEAVY FLAT, SST 18-8, 0.406 IN NOM ID X 0.75 IN NOM OD X 0.094 IN THK | EA | | 22 | | 56 | | 16 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06739200375 | | | | | | | |
| 0891 | 16-42-2509 | WIRE, TRANSIT WIRE, NO 14 AWG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO C020503 | | | | | | | |
| 0892 | 16-42-2510 | SPIRAL WRAP. (EACH IS A ONE FOOT PRECUT LENGTH) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695318 | | | | | | | |
| 0893 | 16-42-2514 | SPACER U/W RADIAL CARRIER ASSEMBLY | EA | | 100 | | 02 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 056718-4003 | | | | | | | |
| 0894 | 16-42-2515 | SCREW, FLAT HEAD, SOCKET, GR8, STEEL ZN PLD, YEL, 3/4,-10 UNC-3A X 4 IN LG U/W RADIAL CARRIER ASSEMBLY. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53592-4098 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 0895 | 16-42-2518 | PIN, COTTER, STEEL, ZINC PLATED, YELLOW, 0.125 IN NOM DIA X 1 IN LONG | EA | | 00 | | 00 | | 500 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000003-4342 | | | | | | | |
| 0896 | 16-42-2519 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 1/2-13 UNC-2A X 2.25 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000003-4862 | | | | | | | |
| 0897 | 16-42-2521 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 1/2-13 UNC-2A X 1.375 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 053592-4009 | | | | | | | |
| 0898 | 16-42-2522 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 5/8-11 UNC-2A X 1.25 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 053592-4065 | | | | | | | |
| 0899 | 16-42-2523 | BOLT, FLAT HEX SOCKET HD, STL, ZN PLD, YEL, 5/8-11 UNC-2A X 3.75 IN LG | EA | | 386 | | 500 | | 103 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO I53592-4099 | | | | | | | |
| 0900 | 16-42-2525 | CLIP, RETAINER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 055531-4015 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0901 | 16-42-2526 | CAPSCREW, FLT SOCKET HD, GR 5, STL, ZN PLD, YEL, 1/4-20 UNC-3A X 1.50 IN LG | EA | 1,533 | 1,520 | 800 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 056210-4211 | | | | |
| 0902 | 16-42-2527 | BUSHING, DRAWBAR TAIL | EA | 1,040 | 981 | 196 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057703-4003 | | | | |
| 0903 | 16-42-2528 | JAW, WEAR PLATE | EA | 00 | 19 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057713-4006 | | | | |
| 0904 | 16-42-2529 | SPACER, JAW | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057713-4008 | | | | |
| 0905 | 16-42-2530 | PLATE, WEAR | EA | 546 | 1,173 | 104 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057713-4010 | | | | |
| 0906 | 16-42-2531 | PLATE, STOP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057720-4003 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD | |
|------|------------|----------------------------------|---------------------------|---------|---------|---------------|----|
| 0907 | 16-42-2532 | PLATE, STOP | EA | 00 | 00 | 00 | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO | |
| | | N P WABCO | | | | 057724-4007 | |
| 0908 | 16-42-2535 | GASKET, RECEPTACLE / DRUM SWITCH | ASSEMBLY / COUPLER SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO | |
| | | N P WABCO | | | | 060256-4030 | |
| 0909 | 16-42-2536 | RETAINER, CAPTIVE SCREW | EA | 00 | 00 | 00 | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO | |
| | | N P WABCO | | | | 0679224 | |
| 0910 | 16-42-2537 | CASE, ENCLOSURE | EA | 00 | 00 | 00 | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO | |
| | | N P WABCO | | | | 0693867 | |
| 0911 | 16-42-2538 | CARRIER, RADIAL, (PAINTED) | EA | 00 | 00 | 00 | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO | |
| | | N P WABCO | | | | 06940134001 | |
| 0912 | 16-42-2539 | ACTUATOR ASSEMBLY, WITH HANDLE | EA | 00 | 00 | 00 | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO | |
| | | N P WABCO | | | | 0694401 | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-----------------------------------|-----|---------|---------|---------|
| 0919 | 16-42-2546 | LABEL, -J2- | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06950934007 | | | | |
| 0920 | 16-42-2547 | COVER, FRONT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695101 | | | | |
| 0921 | 16-42-2549 | BRACKET, HORIZONTAL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695106 | | | | |
| 0922 | 16-42-2550 | COVER, BOTTOM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695107 | | | | |
| 0923 | 16-42-2551 | GASKET, ACTUATOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695108 | | | | |
| 0924 | 16-42-2552 | GASKET, SIDE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695109 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 0931 | 16-42-2559 | BODY, ACTUATOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0696586 |
| 0932 | 16-42-2560 | PINION, SHAFT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0696587 |
| 0933 | 16-42-2562 | WASHER, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697072 |
| 0934 | 16-42-2564 | HEATER ASSEMBLY E/P. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 06972053001 |
| 0935 | 16-42-2565 | SCREW, FLAT HD MACHINE, SST 18-8, NO 6-32 UNC-2A X 0.31 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697262 |
| 0936 | 16-42-2566 | KIT ASSEMBLY, ACTUATOR BEARING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697971 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0943 | 16-42-2766 | KIT, EMERGENCY MECHANISM RELEASE, 16-43-0003 WABTEC # L53521-3006 (1); 000003-4638 (1); NUT LOCK, STOVER | EA | 3,214 | 4,653 | 820 |
| | | CONSISTS OF EMERGENCY RELEASE BOLT WASHER FLAT 16-43-0005 WABTEC # 15-42-4213, WABTEC # 054774-4008 (1) | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699198 | | | | |
| 0944 | 16-42-2775 | NUT, JAM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4131 | | | | |
| 0945 | 16-42-2776 | WASHER, LOCK | EA | 01 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 019779-4038 | | | | |
| 0946 | 16-42-2777 | SCREW, HEX HEAD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4813 | | | | |
| 0947 | 16-42-2778 | WASHER, LOCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 197794032 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 0948 | 16-42-2780 | WIRE, TWISTED RESTRAINING, 0.051 INCHES DIAMETER FOR COUPLER SYSTEM 144 FOT PER ROL | RO | 19 | 22 | 01 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | C010903 |
| 0949 | 16-42-2781 | PLATE, BUMPER FOR COUPLER SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 057552-4012 |
| 0950 | 16-42-2787 | CLIP, RING TERMINAL, NO 10 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0540043 |
| 0951 | 16-42-2788 | GASKET, RECEPTACLE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 060256-4031 |
| 0952 | 16-42-2791 | MARKER, TERMINAL STRIP, 5 POST | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06976540005 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 0953 | 16-42-2792 | SWITCH, PLUNGER | EA | 02 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694388 | | |
| 0954 | 16-42-2796 | PLUG ASSEMBLY, USED ON COUPLER | EA | 86 | 73 | 23 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06969224001 | | |
| 0955 | 16-42-2801 | WASHER, FLAT, 1.062 ID X 2.50 OD X 0.172IN THK, WITH MECHANICAL ZINC PLATING | EA | 3,564 | 4,801 | 833 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | ODO6064-009 | | |
| 0956 | 16-42-2803 | BODY, COMPLETED WITH BUSHING 16-42-2266 AND CHOKE PLUG 16-42-2411, TAPPET VALVE ASSEMBLY, MECHANICAL COUPLER HEAD ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 059562-3003 | | |
| 0957 | 16-42-2821 | GASKET, INSPECTION COVER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-554744001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 0958 | 16-42-2825 | GASKET, MOUNTING, BACK PANEL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 587857 |
| ----- | | | | | | | | | |
| 0959 | 16-42-2826 | SWITCH, MANUAL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-554623001 |
| ----- | | | | | | | | | |
| 0960 | 16-42-2828 | GASKET, SIDE ACCESS COVER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-554674001 |
| ----- | | | | | | | | | |
| 0961 | 16-42-2829 | HARNESS, DRUM SWITCH, COMMON | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-557973001 |
| ----- | | | | | | | | | |
| 0962 | 16-42-2834 | ACTUATOR, CPLR CTL UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-554694001 |
| ----- | | | | | | | | | |
| 0963 | 16-42-2837 | GASKET, ACTUATOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-554704001 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 0969 | 16-43-0003 | EMERGENCY RELEASE BOLTS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | L53521-3006 |
| 0970 | 16-43-0005 | WASHER, SPECIAL, FLAT, STL, ZN PLD, YEL 1.125" NOM I.D. X 2.00" NOM O.D. X 0.100" THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 000003-4638 |
| 0971 | 16-43-0006 | CARRIER, RADIAL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695920 |
| 0972 | 16-43-0007 | GASKET, COVER, BOTTOM /DRUM SWITCH ASSEMBLY / COUPLER SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695929 |
| 0973 | 16-43-0008 | GASKET, COVER, DRUM SWITCH /HARNESS COVER ASS./ COUPLER SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695931 |
| 0974 | 16-43-0009 | COVER, DRUM SWITCH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695932 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 0975 | 16-43-0010 | SWITCH, TWIN STACK, 32 ADC/48 VDC | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697075 | | | | |
| 0976 | 16-43-0011 | COVER, BOTTOM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697086 | | | | |
| 0977 | 16-43-0012 | RECEPTACLE, VEAM, 24 PIN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697094 | | | | |
| 0978 | 16-43-0013 | CABLE ASSEMBLY, GRAY, 2 X NO 18 AWG INSUL CPR, BLK/WHT, NO 36 AWG CPR SHLD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697096 | | | | |
| 0979 | 16-43-0014 | CABLE, CONDUCTOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697160 | | | | |
| 0980 | 16-43-0015 | CABLE, CONDUCTOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697161 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 0987 | 16-43-0022 | RECEPTACLE, VEAM, 1/4-TURN, 34 PIN, NORMAL INDEX | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0697223 |
| ----- | | | | | | | | | |
| 0988 | 16-43-0023 | ENCLOSURE, ELECTRIC COUPLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0697237 |
| ----- | | | | | | | | | |
| 0989 | 16-43-0024 | SHUNT ASSEMBLY, DRUM SWITCH | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0697266 |
| ----- | | | | | | | | | |
| 0990 | 16-43-0025 | DECAL, DRUM SWITCH SCHEMATIC | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0697326 |
| ----- | | | | | | | | | |
| 0991 | 16-43-0026 | BRACKET, DRUM SWITCH | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0697501 |
| ----- | | | | | | | | | |
| 0992 | 16-43-0027 | ACTUATOR, DRUM SWITCH / HARNESS COVER ASS. / COUPLER SYSTEM. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0697565 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 0993 | 16-43-0028 | GUARD, HANDLE /HARNESS COVER ASSEMBLY/ COUPLER SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697566 | | | | |
| 0994 | 16-43-0029 | GUARD ASSEMBLY, HANDLE / HARNESS COVER ASS./ DRUM SWITCH ASS./ COUPLER SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697567 | | | | |
| 0995 | 16-43-0030 | GASKET, ACTUATOR / HARNESS COVER ASSEMBLY / COUPLER SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697568 | | | | |
| 0996 | 16-43-0031 | HANDLE, DRUM SWITCH / HARNESS COVER ASS./ DRUM SWITCH ASS./ COUPLER SYSTEM. | EA | 08 | 05 | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697702 | | | | |
| 0997 | 16-43-0032 | SPRING, DOOR PROP (SPECIAL)/ ELECTRIC COUPLER ASSEMBLY | EA | 06 | 01 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697829 | | | | |
| 0998 | 16-43-0033 | ACTUATOR SEAL KIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697905 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------------|------------|---------------|---------|---------|
| 0999 | 16-43-0034 | RETAINER, SCREW | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06979224 | | |
| 1000 | 16-43-0036 | GASKET, BOTTOM COVER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0698027 | | |
| 1001 | 16-43-0037 | COVER ASSEMBLY, BOTTOM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0698028 | | |
| 1002 | 16-43-0038 | ACTUATOR BEARING ASSEMBLY, KIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0698083 | | |
| 1003 | 16-43-0040 | SUPPORT, RACK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0698257 | | |
| 1004 | 16-43-0041 | PLATE, TRANSTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0698261 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|-------------------------------------|-----|-----|-------|-----|-------|-----|---------------|
| 1005 | 16-43-0042 | GEAR, SHAFT ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0698264 |
| ----- | | | | | | | | | |
| 1006 | 16-43-0043 | PISTON AND RACK ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0698267 |
| ----- | | | | | | | | | |
| 1007 | 16-43-0044 | BODY ASSEMBLY, CYLINDER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0698270 |
| ----- | | | | | | | | | |
| 1008 | 16-43-0045 | BODY, ACTUATOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0698273 |
| ----- | | | | | | | | | |
| 1009 | 16-43-0046 | ENCLOSURE ASSEMBLY, DRUM SWITCH | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 695927 |
| ----- | | | | | | | | | |
| 1010 | 16-43-0047 | SCREW-HEX SOCKET, FLAT COUNTERSUNK | EA | | 1,370 | | 3,301 | | 00 |
| | | HEAD, 0.75-10 X 4.75 INCHES, STEEL, | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| | | MECH ZINC PLATING, MEETING ASTM F835. ALL DELIEVERIES MUST INCLUDE CERTIFICATIONS. | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO L53592-4083 | | | | | | | |
| 1011 | 16-43-0048 | SCREW, SOCKET, FLAT, COUNTERSUNK HEAD, CAP, 1/2-13 UNC-3A X 1.75 IN. LG | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 053592-4103 | | | | | | | |
| 1012 | 16-43-0049 | SCREW, CAP, SOCKET HD, GR 5, STL, ZN PLD, YEL, 1/4-20 UNC-3A X 1.50 IN. LG | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 056210-4208 | | | | | | | |
| 1013 | 16-43-0050 | SCREW, CAP, FLAT HD SOCKET, 1/4"-20 UNC-2A X 1.5" LG, STEEL, YELLOW ZINC PLATED | EA | 760 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06715761500 | | | | | | | |
| 1014 | 16-43-0051 | SCREW, PAN HEAD MACHINE, GR 5, STL, ZN PLD, YEL, NO 6-32 UNC-3A X 0.625 IN. LG | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06963040625 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1015 | 16-43-0052 | SETSCREW, BEARING RETAINER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0698259 | | | | |
| 1016 | 16-43-0053 | COVER, BOTTOM, USED FOR COVER ASSEMBLY ON ELECTRIC COUPLER HEAD ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06980264001 | | | | |
| 1017 | 16-43-0054 | HEATER ASSEMBLY, ELECTRIC COUPLER HEAD ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06971853001 | | | | |
| 1018 | 16-43-0055 | SCREW, CAP, HEX HD, SST, 18-8, 5/16-18 UNC-2A X 0.75 IN. LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000001-4585 | | | | |
| 1019 | 16-43-0056 | NUT, STOP, ELASTIC, SST 18-8, 3/8-16 UNC 3B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4047 | | | | |
| 1020 | 16-44-0001 | DOOR ASSEMBLY, FOR ELECTRIC COUPLER ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 058957-3001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1021 | 16-44-1000 | ASSEMBLY, DRAWBAR & DRAFT GEAR COMPLETE R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53873-3001 | | | | |
| 1022 | 16-44-1005 | ASSEMBLY, ANCHORAGE, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53900-3001 | | | | |
| 1023 | 16-44-1009 | STUD, EMERGENCY RELEASE, 7/8" DIA., FOR #53865-3001 DRAWBAR & DRAFTGEAR ASSY ON OHIO BRASS FORM 70 COUPLER, R44 CARS | EA | 00 | 24 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 51487-4008 | | | | |
| | | N D NYCTA 563-39-B ITEM 3 | | | | |
| 1024 | 16-44-1010 | LOCKWASHER, FOR 53873-3001 DRAWBAR & DRAFTGEAR ASSEMBLY, I.D. OF 1-1/4" & O.D. OF 2-1/16", AND THICKNESS OF 3/8" | EA | 70 | 50 | 10 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53875-4002 | | | | |
| 1025 | 16-44-1012 | SCREW, LOCKING, CLEVIS GUIDE FOR FORM 70 COUPLER DRAW-BAR & DRAFT GEAR ASSY. R-4 4 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 2-4639 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1026 | 16-44-1014 | WELDED ASSEMBLY, DRAWBAR, (WITH TAIL EYE), FOR FORM 70 COUPLER DRAWBAR & DRAFTGEAR ASSY., R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53864-3001 | | | | |
| 1027 | 16-44-1016 | TAIL-EYE, FOR FORM 70 COUPLER DRAWBAR & DRAFTGEAR ASSY, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53871-4001 | | | | |
| 1028 | 16-44-1017 | BUSHING, TAIL EYE, FOR DRAFT GEAR, OHIO BRASS #53873-3001, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53885-4004 | | | | |
| 1029 | 16-44-1018 | CENTERING DEVICE, WEAR PLATE, FOR FORM 70 COUPLER DRAWBAR & DRAFTGEAR ASSY, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53866-4005 | | | | |
| 1030 | 16-44-1019 | RIVET, TAIL EYE, FOR FORM 70 COUPLER DRAW-BAR & DRAFT GEAR ASSY, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO **** PART NO. NOT AVAILABLE **** | | | | |
| | | N D WABCO 4-4332 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|----------------------------------|---------|---------|
| 1031 | 16-44-1020 | YOKE, ROTATION WEAR PLATE, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 053866-4002 | | |
| 1032 | 16-44-1021 | WEARPLATE, DRAW-BAR CARRIER, FOR FORM 70 COUPLER DRAW-BAR & DRAFT GEAR ASSY, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53866-4001 | | |
| 1033 | 16-44-1022 | RIVET, DRAWBAR CARRIER FOR FORM 70 COUPLER DRAWBAR & DRAFTGEAR ASSY, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | **** PART NO. NOT AVAILABLE **** | | |
| | N | D | WABCO | 4-4452 | | |
| 1034 | 16-44-1023 | RADIAL HOUSING, ONLY, FOR FORM 70 COUPLER DRAWBAR & DRAFTGEAR ASSY., R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53860-4001 | | |
| 1035 | 16-44-1025 | ASSEMBLY, DRAFT GEAR YOKE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53863-3001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1041 | 16-44-1034 | YOKE ASSEMBLY, WELDED, FOR #538633001 DRAFT GEAR YOKE ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53905-3001 | | | | |
| 1042 | 16-44-1035 | SUPPORT, SPRING, FOR OHIO BRASS FORM 70 COUPLER DRAFT GEAR YOKE ASSEMBLY, DWG. #53873 | EA | 01 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53909-3001 | | | | |
| 1043 | 16-44-1036 | ELEMENT, DRAFT GEAR, FOR FORM 70 COUPLER DRAFT GEAR YOKE ASSEMBLY | EA | 108 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 059515-3001 | | | | |
| 1044 | 16-44-1037 | BUSHING, YOKE PIN, FOR FORM 70 COUPLER DRAFT GEAR YOKE ASSY., R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53885-4003 | | | | |
| 1045 | 16-44-1039 | TAIL STUD, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53906-4001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1046 | 16-44-1040 | ASSEMBLY, CENTERING DEVICE, COMPLETE, FOR FORM 70 COUPLER, #1 END, "A" CAR, R-44 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53877-3001 | | | | |
| 1047 | 16-44-1042 | ROLLER SHAFT, FOR OHIO BRASS FORM 70 COUPLER CENTERING DEVICE ASSY, #53877-3001, R44 & UP CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53870-4001 | | | | |
| 1048 | 16-44-1044 | BRACKET, MOUNTING, FOR OHIO BRASS FORM 70 COUPLER CENTERING DEVICE ASSY. #53877-3001, R44 & UP CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53869-4001 | | | | |
| 1049 | 16-44-1045 | BUSHING, FOR OHIO BRASS FORM 70 COUPLER CENTERING DEVICE ASSY #53877-3001, R44 & UP CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53932-4003 | | | | |
| 1050 | 16-44-1046 | ASSEMBLY, ROLLER, FOR OHIO BRASS FORM 70 COUPLER CENTERING DEVICE ASSEMBLY #53877-3001, R44 & UP CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53926-3001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1051 | 16-44-1047 | ROLLER, FOR OHIO BRASS FORM 70 COUPLER CENTERING DEVICE ASSEMBLY #53877-3001, R-44 & UP CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53933-4001 | | | | | | | |
| 1052 | 16-44-1048 | BUSHING, FOR OHIO BRASS FORM 70 COUPLER CENTERING DEVICE ASSEMBLY #53877-3001, R-44 & UP CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 7-4128 | | | | | | | |
| | | N D WABCO 7-4128 | | | | | | | |
| 1053 | 16-44-1049 | BOLT, FOR OHIO BRASS FORM 70 COUPLER CENTERING DEVICE ASSEMBLY #53877-3001, R44 & UP CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 84063-4098 | | | | | | | |
| | | N D WABCO 84063-4098 | | | | | | | |
| 1054 | 16-44-1050 | ASSEMBLY, DRAWBAR CARRIER, FOR OHIO BRASS DRAWBAR EQUIP. R44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53874-3001 | | | | | | | |
| 1055 | 16-44-1052 | ASSEMBLY, DRAWBAR CARRIER, FOR FORM 70 COUPLER DRAWBAR CARRIER ASSY. R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 54252-3001 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1056 | 16-44-1053 | PIN, ROLL 3/16", 1-3/4" LONG. FOR OHIO BRASS FORM 70 COUPLER CENTERING DEVICE ASSEMBLY, R-44 & UP CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO **** PART NO. NOT AVAILABLE **** | | | | |
| | | N D WABCO 21-4673 | | | | |
| 1057 | 16-44-1056 | ROLLER, SHAFT BOOT, FOR OHIO BRASS FORM 70 COUPLER CENTERING DEVICE ASSY. DWG. #54062 FIG. P1, PG. 2, R44 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53928-4001 | | | | |
| 1058 | 16-44-1057 | WASHER, NYLON, FOR OHIO BRASS CO. FORM 70 COUPLER CENTERING DEVICE ASSY. R-44 & 46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO **** PART NO. NOT AVAILABLE **** | | | | |
| | | N D WABCO 3-4988 | | | | |
| 1059 | 16-44-1058 | CARRIER, DRAW BAR, FOR FORM 70 COUPLER DRAW BAR CARRIER ASSY., R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54254-4001 | | | | |
| 1060 | 16-44-1059 | MOUNTING BOLT, CARRIER, FOR FORM 70 COUPLER DRAWBAR CARRIER ASSY. R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54253-4001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1061 | 16-44-1060 | PLATE, OUTER WEAR, FOR OHIO BRASS DRAW- BAR CARRIER ASSY #53874-3001, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53866-4003 | | | | |
| 1062 | 16-44-1061 | PLATE, INNER-WEAR, FOR OHIO BRASS DRAW- BAR CARRIER ASSY. #53874-3001, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53866-4004 | | | | |
| 1063 | 16-44-1062 | NUT, HEX, FOR OHIO BRASS DRAWBAR CARRIER ASSY. #53874-3001, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 78860-4007 | | | | |
| 1064 | 16-44-1063 | BOLT, CARRIER MOUNTING, FOR DRAWBAR CARRIER ASSY, OHIO BRASS #53874-3001, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53904-4001 | | | | |
| 1065 | 16-44-1064 | RIVET, COUNTERSUNK HEAD, FOR OHIO BRASS DRAWBAR ASSY, #53874-3001, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 4-4453 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1066 | 16-44-1066 | CARRIER, DRAWBAR, FOR OHIO BRASS DRAWBARCARRIER ASSY #53874-3001, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53921-3001 | | | | |
| 1067 | 16-44-1070 | ASSEMBLY, ANCHORAGE & BUSHING, FOR FORM 70 COUPLER, R-44 CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53898-3001 | | | | |
| 1068 | 16-44-1071 | ANCHORAGE CASTING, ONLY, FOR FORM 70 COUPLER ASSY, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 053898-3001 | | | | |
| 1069 | 16-44-1073 | WASHER, STEEL, SHIM, R-44 CARS, OHIO BRASS CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53896-4001 | | | | |
| 1070 | 16-44-1074 | WASHER, NYLON, SHIM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53872-4001 | | | | |
| | | N D WABCO 53872-4001 | | | | |
| 1071 | 16-44-1076 | BOLT, HEX. HD., 5/8"-11, 3-3/4" LONG, STEEL, ZINC PLATED, GRADE 5, | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | (THREAD TO BE 1-5/8" LONG, WITH A 7/32" HOLE DRILLED 23/64" FROM END TO CENTER OF HOLE), FOR OHIO BRASS FORM 70 COUPLER (ANCHORAGE ASSEMBLY) | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53859-4111 | | | | |
| | | N D WABCO 53859-4111 | | | | |
| 1072 | 16-44-1077 | BUSHING, ANCHORAGE PIN, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53932-4004 | | | | |
| 1073 | 16-44-1078 | CAP, GREASE, FOR OHIO BRASS FORM TO COUNTER (ANCHORAGE ASSY). DWG. & PART #53900-3001, R-44 CARS | EA | 380 | 382 | 128 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 8-4076 | | | | |
| 1074 | 16-44-1098 | PATENT PLATE, FOR FORM 70 COUPLER DRAWBAR & DRAFTGEAR ASSY., R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53938-4001 | | | | |
| 1075 | 16-44-1108 | CLEVIS, CABLE SUPPORT, FOR REAR SUPPORT BRACKET ASSEMBLY ON FORM 70 COUPLER, R44 & 46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 15500-2000 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1076 | 16-44-1109 | EYE, CABLE SUPPORT, FOR REAR SUPPORT BRACKET ASSEMBLY ON FORM 70 COUPLER, R44, R46, CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 15499-2000 | | | | |
| 1077 | 16-44-1117 | STUD, SUPPORT PIVOT, FOR REAR SUPPORT BRACKET ASSEMBLY ON FORM 70 COUPLER, R44, 46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54047-4001 | | | | |
| 1078 | 16-44-1119 | HEX NUT F/REAR SUPPORT BRACKET ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 2-4753 | | | | |
| 1079 | 16-44-2000 | COUPLER HEAD, MECHANICAL, REFURBISHED WITH THREE (3) INTEGRAL PNEUMATIC TAPPET VALVES AND ELECTRIC COUPLER WITH CABLE RECEPTACLES. (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58524-3001 | | | | |
| 1080 | 16-44-2001 | KIT, PARTS FOR OVERHAUL OF THE DRAWBAR/ DRAFT GEAR, RADIAL CARRIER, AND ANCHOR ASSEMBLY. INCLUDES THE SPRING CENTERINGDEVICE AND BRACKETS. (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58833-3001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1081 | 16-44-2002 | C-BOX, A NO. 1 (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58552-3001 | | | | |
| 1082 | 16-44-2003 | MANIIFOLD, PNEUMATIC, U/O NO. 1 END "A" CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58554-3001 | | | | |
| 1083 | 16-44-2004 | C-BOX, A NO. 2 (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58588-3001 | | | | |
| 1084 | 16-44-2005 | MANIFOLD, PNEUMATIC, U/O NO. 2 END "A" CARS, U/O NO. 1 AND NO. 2 END "B" CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58551-3001 | | | | |
| 1085 | 16-44-2006 | C-BOX, B NO. 1 (DO NOT BUY UNTIL DE- DESCRIPTION IS UPDATED, 3-1-90) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58550-3001 | | | | |
| 1086 | 16-44-2010 | COUPLER ASSEMBLY, ELECTRIC, WITH VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58537-3001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-------------------|---------------|---------|---------|
| 1087 | 16-44-2015 | COUPLER, TAPPET VALVE ASSEMBLY, COMPLETE | EA | 09 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58951-3001 | | |
| 1088 | 16-44-2016 | COUPLER, BRAKE TAPPET VALVE ASSEMBLY, COMPLETE | EA | 01 | 01 | 01 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58952-3001 | | |
| 1089 | 16-44-2061 | GASKET, PISTON, USED WITH COUPLER TAPPETVALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 57746-4002 | | |
| 1090 | 16-44-2063 | BLOCK, FRONT, USED WITH BRAKE TAPPET VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58522-4003 | | |
| 1091 | 16-44-2064 | PISTON, USED WITH COUPLER TAPPET VALVE | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58964-4001 | | |
| 1092 | 16-44-2065 | GASKET, BODY, USED WITH COUPLER TAPPET VALVE | EA | 20 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WEST AIR BRK/WABC | 58958-4001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1093 | 16-44-2066 | SEAT, VALVE, USED WITH COUPLER TAPPET VALVE ASSEMBLY AND BRAKE TAPPET VALVE ASSEMBLY | EA | 04 | 07 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 058961-4001 | | | | |
| 1094 | 16-44-2069 | SPRING, FOR USE IN CONJUNCTION WITH THE BRAKE TAPPET VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58962-4001 | | | | |
| 1095 | 16-44-2070 | O RING, PISTON, FOR USE IN CONJUNCTION WITH THE BRAKE TAPPET VALVE ASSEMBLY | EA | 873 | 1,155 | 450 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000023-4490 | | | | |
| 1096 | 16-44-2071 | O-RING, SEAT, USED WITH BRAKE TAPPET VALVE ASSEMBLY | EA | 280 | 385 | 160 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000023-4489 | | | | |
| | | N P WABCO 23-4489 | | | | |
| 1097 | 16-44-2072 | VALVE, BODY, USED WITH BRAKE TAPPET VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58522-4001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1098 | 16-44-2073 | PISTON, USED WITH BRAKE TAPPET VALVE ASSEMBLY | EA | 02 | 03 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58523-4001 | | |
| 1099 | 16-44-2074 | BUSHING, USED WITH BRAKE TAPPET VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 058961-4004 | | |
| | N | P | WABCO | 58961-4004 | | |
| 1100 | 16-44-2080 | CONTACT CARRIAGE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58539-3001 | | |
| 1101 | 16-44-2088 | CAM, USED WITH ELECTRIC COUPLER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53627-4005 | | |
| 1102 | 16-44-2091 | BLOCK, INSULATION, USED WITH ELECTRIC COUPLER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54351-4001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1103 | 16-44-2092 | GASKET, USED WITH ELECTRIC COUPLER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54949-4001 | | |
| 1104 | 16-44-2099 | HARNESS WIRING ASSEMBLY, USED WITH CONTACT CARRIAGE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58538-3001 | | |
| 1105 | 16-44-2100 | SHAFT, SUPPORT, USED WITH CONTACT CARRIAGE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58549-4001 | | |
| 1106 | 16-44-2102 | PLATE, SUPPORT, USED WITH CONTACT CARRIAGE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58965-3001 | | |
| 1107 | 16-44-2103 | PIN, GUIDE, USED WITH CONTACT CARRIAGE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54353-4002 | | |
| 1108 | 16-44-2104 | ROD, SUPPORT, USED WITH CONTACT CARRIAGEASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54354-4002 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1109 | 16-44-2105 | SPRING, U/W CONTACT CARRIAGE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 021895-4005 | | |
| | N | P | WABCO | 21895-4005 | | |
| 1110 | 16-44-2110 | CONTACT ASSEMBLY, U/W WIRING HARNESS ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 60112-3001 | | |
| 1111 | 16-44-2111 | RECEPTACLE, NORMAL, U/W WIRING HARNESS ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58548-3001 | | |
| 1112 | 16-44-2112 | RECEPTACLE, W/INDEX, U/W WIRING HARNESS ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 59373-3009 | | |
| 1113 | 16-44-2113 | BLOCK, INSULATION, U/W WIRING HARNESS ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54352-4001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1114 | 16-44-2114 | PLATE BACKING, U/W WIRING HARNESS ASSEMBLY | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 58546-4005 | | | | | | | |
| 1115 | 16-44-2131 | ASSEMBLY, VALVE, SHUT-OFF, AIR PILOTED, USED ON COUPLING SYSTEM | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 059790-3001 | | | | | | | |
| | | N D WABCO 59790 | | | | | | | |
| 1116 | 16-44-2135 | SPRING ASSEMBLY, LEFT HAND AND RIGHT HAND, USED ON CENTERING DEVICE FOR COUPLER. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 054290-3003 | | | | | | | |
| 1117 | 16-44-2139 | PANEL, CONTROL BOX, GUB, "A" CAR, #1 END | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 58553-3001 | | | | | | | |
| 1118 | 16-44-2147 | BOARD, TERMINAL, U/W CONTROL BOX SUB-PANEL ASSEMBLY | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 57910-3001 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1119 | 16-44-2148 | ASSEMBLY, TIMER, DRUM SWITCH WITH LABELS / COUPLER SYSTEM. | EA | 98 | 101 | 23 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 058555-3001 | | | | |
| | | N P WABCO 058555-3003 | | | | |
| | | N P WABCO 58555-3001 | | | | |
| 1120 | 16-44-2150 | RELAY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 57504-3001 | | | | |
| 1121 | 16-44-2151 | SWITCH, ROTARY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58594-3001 | | | | |
| 1122 | 16-44-2152 | ACTUATOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 59181-3001 | | | | |
| 1123 | 16-44-2155 | HARNESS, WIRING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58568-3002 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------|-----|---------|---------|---------------|
| 1124 | 16-44-2167 | MANIFOLD ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 58577-3001 |
| 1125 | 16-44-2174 | VALVE, SPEED CONTROL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 57797-3001 |
| 1126 | 16-44-2177 | MANIFOLD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 58578-4001 |
| 1127 | 16-44-2178 | VALVE, SOLENOID | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 58560-3501 |
| 1128 | 16-44-2189 | PUSHBUTTON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 58576-3002 |
| 1129 | 16-44-2193 | BUZZER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 7-4811 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------------------|------------|---------------|---------|---------|
| 1142 | 16-44-2230 | KIT, ASSEMBLY, FOR DRAW BAR, "A" CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 699353 | | |
| 1143 | 16-44-2231 | KIT, ASSEMBLY, FOR DRAW BAR, "B" CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 699354 | | |
| 1144 | 16-44-2235 | ELECTRIC COUPLER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 058540-3001 | | |
| 1145 | 16-44-2236 | ELEC. COUPLER CASE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 058541-3001 | | |
| 1146 | 16-44-2237 | REAR COVER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 058545-3001 | | |
| 1147 | 16-44-2238 | RETRACTING HANDEL ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 058547-3001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1154 | 16-44-2246 | SCREW, CAP PHIL HD, 5/16" X 3/4" LONG, SSTL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000001-4862 | | |
| 1155 | 16-44-2248 | SCREW, #8 FL HD SOCKET X 3/4" LONG, STL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 056210-4050 | | |
| 1156 | 16-44-2249 | SCREW, #8 SELF TAPPING X 3/4" LONG, STL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000001-4976 | | |
| 1157 | 16-44-2250 | WASHER, LOCK, 3/4" STL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 019779-4060 | | |
| 1158 | 16-44-2251 | WASHER, LOCK, 5/18" STL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 019779-4030 | | |
| 1159 | 16-44-2253 | LOCKWASHER, #8 SHKPRF | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000003-4494 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1160 | 16-44-2254 | ROLL PIN, 1/4" DIA X 1-5/8" LONG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 21-4710 | | |
| 1161 | 16-44-2255 | ROLL PIN, 3/8" DIA X 1-3/4" LONG, STL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000021-4724 | | |
| 1162 | 16-44-2256 | COTTER PIN, 3/16" DIA X 1/2" LONG, SST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000021-4462 | | |
| 1163 | 16-44-2257 | BEARING X 1" LONG, STL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000007-4131 | | |
| 1164 | 16-44-2258 | BEARING X 3/4" LONG, STL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000007-4132 | | |
| 1165 | 16-44-2260 | CAPLUG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000008-4120 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------|------------|---------------|---------|---------|
| 1166 | 16-44-2261 | TY-RAP | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000025-4599 | | |
| 1167 | 16-44-2262 | PROTECTIVE CAP | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 055266-4001 | | |
| 1168 | 16-44-2263 | COUPLER HEAD SUB-ASSY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 058527-3001 | | |
| 1169 | 16-44-2264 | HOOK, ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 058533-3001 | | |
| 1170 | 16-44-2265 | UNCOUPLING LEVER ASS'Y | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 058530-3001 | | |
| 1171 | 16-44-2266 | CAM, C, STL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 058528-4001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|---------------------------------------|-----|-----|-----|-----|-----|---------------|
| 1178 | 16-44-2274 | UNCOPLING LINK ASSY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 058752-3001 |
| 1179 | 16-44-2292 | DRAWBAR (COUPLER END), USED ON R44 | MARRIED PAIR CAR SET | EA | | 00 | | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | OD12470 |
| 1180 | 16-44-2293 | DRAW BAR (LINK BAR END), USED ON R44 | MARRIED PAIR CAR SET | EA | | 00 | | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | OD12469 |
| 1181 | 16-44-2294 | WASHER, SUPPORT. USED ON SIRTOA R44 | DRAWBAR AND RADIAL CARRIER PARTS KIT | EA | | 00 | | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 53908-4001 |
| 1182 | 16-44-2295 | KIT, OVERHAUL, DRAWBAR AND RADIAL | CARRIER PARTS. USED ON SIRTOA R44 CAR | KT | | 00 | | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 060293-3001 |
| 1183 | 16-44-2296 | KIT-HARDWARE FORM 9070. USED ON SIRTOA | R44 DRAWBAR AND RADIAL CARRIER PARTS | KT | | 00 | | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-----------------------------------|-----|---------|---------|---------|
| | | KIT | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 60293-3101 | | | | |
| 1184 | 16-44-2297 | BUSHING, UPPER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 053932-4009 | | | | |
| 1185 | 16-44-2298 | CAM, PIN, STL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 058531-4001 | | | | |
| 1186 | 16-44-2299 | HOOK SPRING, STL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 053886-4001 | | | | |
| 1187 | 16-44-2300 | HOOK, PIN, STL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 053884-4001 | | | | |
| 1188 | 16-44-2301 | NUT, 1/2" HEX, SLOTTED, STL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 400002-4757 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1201 | 16-44-2316 | ELBOW, 1/2" NPT X 90 DEG, STL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000010-4110 | | |
| 1202 | 16-44-2317 | PIPE, NNIPPLE, 1/2", STL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000021-4831 | | |
| 1203 | 16-44-2318 | CAPLUG, PLASTIC | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000006-4091 | | |
| 1204 | 16-44-2319 | FLAT WASHER, 1/2", STL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000003-4609 | | |
| 1205 | 16-44-2320 | COTTER PIN, 3/16" X 1" LONG, SST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000003-4463 | | |
| 1206 | 16-44-2321 | CAPSCREW, HEX HEAD, 3/8" X 2-3/4" LONG, STL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000001-4641 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|--|-----|-----|-----|-----|-----|-----|---------------|
| 1207 | 16-44-2322 | CAPSCREW, SOC HD, 3/8" X 2"-1/2" LONG, STL | | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | | |
| | | ---- ---- ----- | | | | | | | | |
| | | N P WABCO | | | | | | | | |
| | | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | | ----- |
| | | | | | | | | | | 056210-4518 |
| ----- | | | | | | | | | | |
| 1208 | 16-44-2323 | LOCKWASHER, 3/8", SST | | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | | |
| | | ---- ---- ----- | | | | | | | | |
| | | N P WABCO | | | | | | | | |
| | | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | | ----- |
| | | | | | | | | | | 019779-4036 |
| ----- | | | | | | | | | | |
| 1209 | 16-44-2325 | TERMINAL BRASS | | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | | |
| | | ---- ---- ----- | | | | | | | | |
| | | N P WABCO | | | | | | | | |
| | | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | | ----- |
| | | | | | | | | | | 58954-4001 |
| ----- | | | | | | | | | | |
| 1210 | 16-44-2326 | HEAT SHRINK TUBING | | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | | |
| | | ---- ---- ----- | | | | | | | | |
| | | N P WABCO | | | | | | | | |
| | | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | | ----- |
| | | | | | | | | | | 25-4598 |
| ----- | | | | | | | | | | |
| 1211 | 16-44-2328 | HOT FOIL 200 FT/C | | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | | |
| | | ---- ---- ----- | | | | | | | | |
| | | N P WABCO | | | | | | | | |
| | | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | | ----- |
| | | | | | | | | | | 11-4503 |
| ----- | | | | | | | | | | |
| 1212 | 16-44-2329 | #10 SHKPRF LOCKWASHER SSTL | | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | | |
| | | ---- ---- ----- | | | | | | | | |
| | | N P WABCO | | | | | | | | |
| | | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | | ----- |
| | | | | | | | | | | 3-4501 |
| ----- | | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 1213 | 16-44-2330 | RETAINER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 58549-4002 |
| 1214 | 16-44-2332 | BEARING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 000007-4133 |
| 1215 | 16-44-2333 | SCREW, CAP, SOCKETHEAD, .75 IN X .375 IN -16 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 056210-4505 |
| 1216 | 16-44-5020 | DIODE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 58560-5020 |
| 1217 | 16-46-1004 | DRAWBAR, YOKE, USED WITH RADIAL CARRIER COUPLING DEVICE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | OD07226 |
| 1218 | 16-46-1013 | PIN, DRAWBAR YOKE, USED WITH COUPLING DEVICE RT-111P | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | OD07097 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1219 | 16-46-1014 | NUT, HEX, HEAVY, JAM, 2-4 1/2 UNC-2B, ASTM-A-307, FOR DRESSER TRUCK PARTS, USED WITH COUPLING DEVICE RT-111P | EA | | 08 | | 06 | | 04 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | ODO-6068-011 | | | | | | | |
| 1220 | 16-46-1015 | PLATE, WEAR, USED ON DRAW BAR ANCHOR ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | OD07054 | | | | | | | |
| 1221 | 16-46-1016 | PLATE, WEAR, USED ON DRAW BAR ANCHOR ASSEMBLY | EA | | 00 | | 00 | | 21 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | OD07055 | | | | | | | |
| 1222 | 16-46-1021 | ASSEMBLY, BUMPER, USED WITH DRAW BAR, YOKE AND DRAFT GEAR ASSEMBLY, WAUGH TYPE R EA T-111P COUPLING, R-46 CARS | | | 91 | | 389 | | 67 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | OD06440 | | | | | | | |
| 1223 | 16-46-1024 | ROD, INDICATOR, R46 CAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | OD06965 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1224 | 16-46-1025 | YOKE, R46 CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | OD07192 | | |
| 1225 | 16-46-1027 | BUSHING, YOKE, USED WITH DRAWBAR, YOKE AND DRAFT GEAR ASSEMBLY | EA | 06 | 05 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | OD06405 | | |
| 1226 | 16-46-1040 | ASSEMBLY, CENTERING DEVICE, ADJUSTABLE TO RIGHT OR LEFT HAND, USED WITH COUPLING DEVICE, FOR DRESSER TRUCK PARTS. NYCTA WILL SPECIFY LEFT OR RIGHT DURING PROCUREMENT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | OD065683002 | | |
| 1227 | 16-46-1062 | PLATE, WEAR, OUTER, USED ON DRAW BAR ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | OD06455 | | |
| 1228 | 16-46-1063 | PLATE, WEAR, INNER, USED ON DRAW BAR ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | OD06454 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1229 | 16-46-1064 | BOLT, RADIAL CARRIER, 7/8"-9 UNC-2A FOR DRESSER TRUCK PARTS, R 46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06056-001 | | | | |
| 1230 | 16-46-1095 | "O" RING, NEOPRENE, SEAL ASS'Y, SIZE APPROXIMATELY 1 3/16 I.D. X 1 5/16 O.D. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06024-011 | | | | |
| 1231 | 16-46-1104 | HOUSING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06635 | | | | |
| 1232 | 16-46-1106 | BUSHING, FOR WAUGH TYPE RT-111P COUPLING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06360 | | | | |
| 1233 | 16-46-1108 | BUSHING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD02000-234 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 1234 | 16-46-1109 | BUSHING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | OD02000-235 |
| 1235 | 16-46-1110 | BUSHING, HOUSING GUIDE, FOR WAUGH TYPE RT-111P RAPID TRANSIT MECHANICAL & PNEUMATIC COUPLING DRESSER #RTC-201P | EA | 00 | 01 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | OD06634 |
| 1236 | 16-46-1116 | SPRING, TORSION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | OD06724 |
| 1237 | 16-46-1118 | CAM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | OD06637 |
| 1238 | 16-46-1121 | SCREW, CAP, HEX, 1/2"-13 UNC-2A, 3/4" LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-4656 |
| 1239 | 16-46-1122 | BUSHING AIR COUPLING, FOR DRESSER TRUCK PARTS, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | OD06415 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1240 | 16-46-1125 | GROMMET, AIR COUPLING, FOR DRESSER TRUCKPARTS, R-46 CARS | EA | 01 | 18 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06678 | | | | |
| 1241 | 16-46-1127 | ASSEMBLY, AIR CYLINDER, USED ON DRESSER TRUCK PARTS | EA | 01 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06609 | | | | |
| 1242 | 16-46-1135 | LINK, OPERATING, EXTENSION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06718 | | | | |
| 1243 | 16-46-1136 | ROLLER, LEVER, U/W HEAVY DUTY SUBWAY COUPLER, POWER OPERATED TYPE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06721 | | | | |
| 1244 | 16-46-1140 | LEVER, OPERATING, FOR WAUGH TYPE RT-111PRAPID TRANSIT MECHANICAL AND PNEUMATIC COUPLING, DRESSER #RTC-201P | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06714 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD | |
|------|------------|--|--|---------------------------------|---------|---------|----|
| 1245 | 16-46-1151 | BOOT | EA | 00 | 60 | 21 | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABCO | ODO6507 | | | |
| 1246 | 16-49-0101 | COUPLER, WITH 5" X 7" SHANK, TOP R45, 48 & 53 CRANE CARS, R49, 51 | OPERATED, 15" FACE KNUCKLES, USED WITH FLAT CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABCO | OD06925 | | | |
| 1247 | 16-51-2905 | WEAR PLATE, INNER, MANGANESE STEEL, 1000) | RADIAL CARRIER BAR, (FOR R36 USE 16-36- | EA | 01 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABCO | 0D06489 | | | |
| | N | D | NYCTA | R32-1083 REV A | | | |
| | N | D | NYCTA | R38-11230 REV A (FOR REF. ONLY) | | | |
| | N | D | NYCTA | R42-1239 REV A (FOR REF. ONLY) | | | |
| 1248 | 16-56-0000 | MCB TO H2C LIGHTWEIGHT COUPLER COUPLING TO H2C EQUIPPED PASSENGER CARS | ADAPTER FOR USE ON LOCOMOTIVES WHEN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABCO | 1-58032 | | | |
| 1249 | 16-56-0002 | DRAWBAR YOKE AND DRAFT GEAR ASSEMBLY | | EA | 02 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABCO | OD20028 | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1256 | 16-60-0007 | DRAWBAR ASSEMBLY, TWO PIECE. USED ON DRAWBAR/DRAFT GEAR ASSEMBLY, COUPLER. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699303 | | | | |
| 1257 | 16-60-0008 | BODY. USED ON DRAWBAR/DRAFT GEAR ASSEMBLY, COUPLER. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699235 | | | | |
| 1258 | 16-60-0009 | BOLT, SHEAR (SPECIAL). USED ON DRAWBAR/DRAFT GEAR ASSEMBLY, COUPLER. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO L55555-4006 | | | | |
| 1259 | 16-60-0010 | VEAM CONNECTOR, X-KEYED, RIGHT HAND (TOP VIEW DOWN) IN CARRIAGE AND HARNESS ASSEMBLY OF ELECTRIC COUPLER | EA | 05 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697220 | | | | |
| 1260 | 16-60-0011 | VEAM CONNECTOR, NORMAL KEYED, LEFT HAND (TOP VIEW DOWN) IN CARRIAGE AND HARNESS ASSEMBLY OR ELECTRIC COUPLER | EA | 05 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697219 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1261 | 16-60-0012 | SHUTTER SWITCH, FOR ELECTRICAL COUPLER SWITCH (NOTE: TO REPLACE LOCKING RING USE NYCT # 16-42-2197) | EA | 11 | 10 | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057798-3004 | | | | |
| 1262 | 16-60-0014 | ADAPTER, COUPLER, MACHINED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057784-4003 | | | | |
| 1263 | 16-60-0015 | BAR, RADIAL CARRIER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699301 | | | | |
| 1264 | 16-60-0016 | BARRIER, SWITCH, HALF /DRUM SWITCH WIRE HARNESS ASSEMBLY/ COUPLER SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06970810001 | | | | |
| 1265 | 16-60-0017 | BEARING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 057780-4004 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 1266 | 16-60-0018 | BLOCK ASSEMBLY, CONTACT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0697169 |
| 1267 | 16-60-0021 | CAP, SPRING, ALUM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0697572 |
| 1268 | 16-60-0022 | CAPLUG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 000008-4083 |
| 1269 | 16-60-0023 | CAPLUG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 000008-4086 |
| 1270 | 16-60-0024 | CARRIAGE ASSEMBLY /CARRIAGE & HARNESS ASS,/ ELECTRIC COUPLER ASS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693617 |
| 1271 | 16-60-0025 | CHAIN #6 ROUND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0591573 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 1272 | 16-60-0026 | CHAIN, SASH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | C018555 |
| 1273 | 16-60-0027 | CONNECTOR, STRAIN RELIEF | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697173 |
| 1274 | 16-60-0028 | COUPLING-END / MECHANICAL COUPLER HEAD ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0591574 |
| 1275 | 16-60-0029 | COVER ASSEMBLY, BOTTOM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695937 |
| 1276 | 16-60-0030 | COVER, BOTTOM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 06980264501 |
| 1277 | 16-60-0031 | COVER, WIRE HARNESS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695390 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-------------------------------------|-----|---------|---------|---------|
| 1284 | 16-60-0040 | HARNESS ASSEMBLY, WIRE, DRUM SWITCH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697085 | | | | |
| 1285 | 16-60-0041 | HARNESS, DRUM SWITCH UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06970853001 | | | | |
| 1286 | 16-60-0042 | HARNESS, ELECTRIC COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06971683001 | | | | |
| 1287 | 16-60-0043 | HARNESS, ELECTRIC COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06971683002 | | | | |
| 1288 | 16-60-0044 | HARNESS, ELECTRIC COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06971683003 | | | | |
| 1289 | 16-60-0045 | HEATER ASSEMBLY, COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06989533001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------|-----|---------|---------|---------------|
| 1296 | 16-60-0052 | KIT, WIRE MARKER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06971683302 |
| 1297 | 16-60-0053 | KIT, WIRE MARKER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06971683303 |
| 1298 | 16-60-0054 | LABEL, "GROUND" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06976530002 |
| 1299 | 16-60-0055 | LABEL, "ISOLATE" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06950934008 |
| 1300 | 16-60-0056 | LABEL, "J-3" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06950934010 |
| 1301 | 16-60-0057 | LABEL, HANDLE MOVEMENT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0697781 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 1302 | 16-60-0058 | LABEL, TERMINAL STRIP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06976530003 |
| 1303 | 16-60-0059 | LATCH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 058878-4001 |
| 1304 | 16-60-0060 | LEVER, LOCK / LOCK SCREW ASS. / COUPLER SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 058842-4003 |
| 1305 | 16-60-0061 | LEVER, LOCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 58842-4004 |
| 1306 | 16-60-0062 | ASSEMBLY, LOCKING PIN / COUPLER ADAPTER ASSEMBLY / COUPLER SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 058832-3001 |
| 1307 | 16-60-0064 | PIN, CONTACT, NO 14-18 AWG, SIZE 12 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 060256-4024 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1308 | 16-60-0065 | PIN, CONTACT, NO 14-16 AWG, SIZE 16 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 060256-4019 | | |
| 1309 | 16-60-0066 | PIN, COTTER, 0.148 IN NOM DIA X 2.69 IN LG, SST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000021-4548 | | |
| 1310 | 16-60-0068 | PIN, GUIDE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 054315-4001 | | |
| 1311 | 16-60-0070 | PLATE, COVER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 055448-5012 | | |
| 1312 | 16-60-0072 | PLUG, THREADED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696921 | | |
| 1313 | 16-60-0073 | RECEPTACLE, SQUARE FLANGE, 38 X NO 10-12 AWG SOCKETS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 059373-3012 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------------|-----|---------|---------|---------------|
| 1314 | 16-60-0075 | SPACER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 055538-4002 |
| 1315 | 16-60-0076 | SPRING, COMPRESSOR SOLENOID | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0693213 |
| 1316 | 16-60-0078 | STOP, DRAWBAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 057720-4004 |
| 1317 | 16-60-0079 | STRIP, TERMINAL MARKER, 2 POST | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 06924450002 |
| 1318 | 16-60-0080 | STRIP, TERMINAL 2 POST | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 06924440002 |
| 1319 | 16-60-0081 | SWITCH ASSEMBLY, DRUM SWITCH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697228 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|-------------|
| 1320 | 16-60-0082 | SWITCH, SHUTTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | 0697651 |
| 1321 | 16-60-0083 | TERMINAL, NO. 10, NO. 22-18 AWG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | 000025-4276 |
| 1322 | 16-60-0084 | TERMINAL, PANDUIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | 000025-4305 |
| 1323 | 16-60-0085 | TIE CABLE, BLK NYL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | 000025-4600 |
| 1324 | 16-60-0087 | TUBE, HEAT SHRING, 0.5 UB BIN, UD X 2.25 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | 000025-4598 |
| 1325 | 16-60-0088 | TUBING, HEAT SHRINK, PLAS, 0.188 IN NOM. DIA X 0.812 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | 000025-4604 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1331 | 16-62-1010 | YOKE ASSEMBLY, USED ON DRAFT GEAR ARRANGEMENT, KHI# 6A0146-0-000 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06988 | | | | |
| 1332 | 16-62-1011 | YOKE, U/O DRAFT GEAR ARRANGEMENT. KHI# 6A0146-0-000. F/R62 CARS. | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06766 | | | | |
| 1333 | 16-62-1013 | SHIM, NYLON, USED ON DRAFT GEAR ASSEMBLY, KHI #6A0146-0-000 | EA | 821 | 1,590 | 740 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD07178 | | | | |
| | | N D NYCTA R62-901 DET 2 | | | | |
| 1334 | 16-62-1016 | CARRIER, PLATE, ASSEMBLY, BOTTOM, INCLUDING WEAR PLATES, USED WITH DRAWBAR, YOKE AND DRAFT GEAR ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06631 | | | | |
| 1335 | 16-63-1800 | DRAWBAR, COMPLETE WITHOUT TAIL PIN, U/W H2C COUPLER, R12 TO R36 IRT CARS ONLY & R58 FLATCAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO OD06854 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1336 | 16-68-0001 | DRAWBAR, YOKE AND DRAFT GEAR ASSEMBLY F/R68 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0D07072 | | | | |
| 1337 | 16-68-0002 | BAR ASSEMBLY, RADIAL CARRIER FOR R68 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0D07059 | | | | |
| 1338 | 16-68-0004 | DRAWBAR, U/W DRAFT GEAR EQUIPMENT. F/R68CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0D07053 | | | | |
| 1339 | 16-68-0005 | BAR, RADIAL CARRIER U/W DRAFT GEAR EQUIPMENT. F/R68 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0D07061 | | | | |
| 1340 | 16-68-0029 | DRAWBAR ANCHOR ASSEMBLY, U/W COUPLER AND DRAFT GEAR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0D07238 | | | | |
| 1341 | 16-68-0052 | SPRING ASSEMBLY, COUPLER, INNER AND OUTER, USED ON DRAW BAR ASSEMBLY | KT | 132 | 81 | 41 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | CONSISTS OF PART NO. 6392 (INNER) AND PART NO. 6393 (OUTER) | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| | | | | | | |
| 1342 | 16-68-0076 | WASHER, SPECIAL, 2" OD, 1-1/16" ID, 3/8" THICK, USED TO RESOLVE SAGGING | EA | 08 | 37 | 150 |
| | | PROBLEM WITH COUPLER | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 1343 | 16-72-0125 | DRAWBAR, YOKE, AND DRAFTGEAR ASSEMBLY, FOR FLAT CAR | EA | 00 | 00 | 00 |
| | | | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 1344 | 16-79-0016 | ELECTRICAL COUPLER | EA | 00 | 00 | 00 |
| | | | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 1345 | 16-79-0017 | CONTACT-MOVABLE (COUPLER, DRAWBAR) | EA | 00 | 05 | 00 |
| | | | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| 1346 | 16-79-0019 | CONTACT, BLOCK REAR/CARRIAGE AND HARNESS ASSEMBLY/COUPLER & DRAWBAR | EA | 00 | 01 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|----------|------------|--|-----|---------|---------|---------------|
| ASSEMBLY | | | | | | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 1-571524001 |
| 1347 | 16-79-0020 | CONTACT, BLOCKN FRONT/ELECTRICAL ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 1-571264001 |
| 1348 | 16-79-0027 | CAPSCREW, FLAT HEAD COUNTERSUNK SOCKET, STEEL, ZN PLD, YEL, 3/4-10 UNC-3A X 6.000 IN LONG. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABTEC PASSENGER | | | | L53592-4104 |
| 1349 | 16-79-0141 | WASHER, FLAT, BRASS, NO. 6 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 015710-4002 |
| 1350 | 16-79-0142 | STUD, 15.50" / YOKE / DRAFT GEAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 053906-4003 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 1351 | 16-79-0143 | SCREW, LOCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 058841-3503 |
| 1352 | 16-79-0144 | COVER ASSEMBLY, HARNESS, DRUM SWITCH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695930 |
| 1353 | 16-79-0145 | HARNESS, ELECTRIC COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 06971683004 |
| 1354 | 16-79-0146 | COVER, BOTTOM / ELECTRIC COUPLER ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 06980280001 |
| 1355 | 16-79-0147 | HANDLE, RETRACTION / ELECTRIC COUPLER ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 06981373501 |
| 1356 | 16-79-0148 | SCREW, RETAINING RING, CYLINDER BODY / DRUM SWITCH ACTUATOR ASSY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0698255 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1357 | 16-79-0149 | GRIP, CORD / CABLE HARNESS/ CARRIAGE & HARNESS ASS,/ ELECTRIC COUPLER. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-52567 | | | | | | | |
| 1358 | 16-79-0150 | BAR, RADIAL CARRIER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-57110 | | | | | | | |
| 1359 | 16-79-0151 | HEATER UNIT / ELECTRIC COUPLER ASSY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-571253001 | | | | | | | |
| 1360 | 16-79-0152 | HEATER, CONTACT BLOCK / ELECTRIC COUPLER ASSY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-571254001 | | | | | | | |
| 1361 | 16-79-0153 | CARRIAGE AND HARNESS ASSEMBLY / ELECTRIC COUPLER ASSY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-571513001 | | | | | | | |
| 1362 | 16-79-0154 | BLOCK ASSEMBLY, CONTACT / ELECTRIC COUPLER ASSY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-571523001 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1363 | 16-79-0155 | GASKET, BACK COVER / ELECTRIC COUPLER ASSY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-571554001 | | |
| 1364 | 16-79-0156 | COVER, PAINTED BLACK / ELECTRIC COUPLER ASSY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-571554901 | | |
| 1365 | 16-79-0157 | CASE / ELECTRIC COUPLER ASSY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-571614901 | | |
| 1366 | 16-79-0158 | RECEPTACLE, HARTING, HOOD / CARRIAGE AND HARNESS ASSY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-574274001 | | |
| 1367 | 16-79-0159 | FITTING, PMA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-574284001 | | |
| 1368 | 16-79-0160 | CONDUIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-574304001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|---------------|
| 1369 | 16-79-0161 | CABLE, MULTICONDUCTOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-574313001 |
| ----- | | | | | | | | | |
| 1370 | 16-79-0162 | KIT, RADIAL CARRIER ASSY / COUPLER | KT | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-571093401 |
| ----- | | | | | | | | | |
| 1371 | 16-88-0000 | ELECTRICAL COUPLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-55909 |
| ----- | | | | | | | | | |
| 1372 | 16-88-0002 | PLUG, THREADED USED ON THE MECHANICAL COUPLER ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 6969214001 |
| ----- | | | | | | | | | |
| 1373 | 16-88-0003 | BLOCK, FRONT, CONTACT USED ON THE ELECTRIC COUPLER ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 06971744001 |
| ----- | | | | | | | | | |
| 1374 | 16-88-0004 | RECEPTACLE, 1/4 TURN, REAR MOUNT USED ON THE SIDE ACCESS COVER ON THE COUPLER | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | AND DRAWBAR | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-554750001 | | | | |
| 1375 | 16-88-0005 | GASKET, HARNESS COVER FOR THE COUPLER AND DRAWBAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-554714001 | | | | |
| 1376 | 16-88-0006 | KIT, FOR YOKE/DRAFT GEAR ASSEMBLY | KT | 1,332 | 1,598 | 386 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 057712-3203 | | | | |
| 1377 | 16-88-0007 | KIT, FOR DRAWBAR ASSEMBLY | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 6947690001 | | | | |
| 1378 | 18-01-1425 | ADAPTER, COUPLER, U/W TYPE MCB AND H-2 COUPLER FOR TOWING WORK & PASSENGER CARS IN TROUBLE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 564741 | | | | |
| 1379 | 18-01-2150 | ADJUSTER, SLACK, K-1, AUTOMATIC, COMPLETE, WITHOUT PIPE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 519062 (FOR REF. ONLY) | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1380 | 18-01-2300 | SLACK ADJUSTER, COMPLETE FOR TYPE C-3 BRAKE UNIT W.A.B. PC. NO. 536606 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 536606 | | | | |
| 1381 | 18-01-2325 | ADJUSTER, SLACK, AUTOMATIC ASSEMBLY, USED ON WABCO TYPE C-15-D. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO. 548457-20000 | | | | |
| 1382 | 18-01-2331 | ADJUSTER, SLACK, AUTOMATIC ASSY, WABCO TYPE C-15-D1 & C-15D, FOR R30 CARS, 6" X 6" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560670-2000 | | | | |
| 1383 | 18-01-3000 | AFTER COOLER UNIT USED WITH WAB TYPE A-1 AIR COMPRESSOR UNIT COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 534409 | | | | |
| 1384 | 18-01-3062 | AFTER COOLER UNIT, F/TYPE A-6 COMPRESSORFOR AFTER COOLER R-29-36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563819 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1385 | 18-02-2025 | ARM, PAWL FOR TYPE A-1 OPERATING UNIT, W.A.B. CO. NO. 83219 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83219 | | | | |
| 1386 | 18-02-2050 | ARM, U/W WAB CO TYPE A-1 VARIABLE LOAD VALVE ADJUSTING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 83222 | | | | |
| 1387 | 18-02-2095 | ARM, ROLLER FOR TYPE A-1 OPERATING UNIT, W.A.B. CO. NO. 89107 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 89107 | | | | |
| 1388 | 18-02-2100 | ARM, CLEVIS FOR TYPE A-1 OPERATING UNIT, W.A.B. CO. NO. 89108 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 89108 | | | | |
| 1389 | 18-02-2125 | ARM, U/W WABCO TYPE A-1 OPERATING UNIT ROCKER, R16 TO 36 CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 90489 | | | | |
| 1390 | 18-02-2500 | ARM, U/W WABCO TYPE A-1 OPERATING UNIT RHEOSTAT ACTUATING; VARIABLE LOOD PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 533018 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|------|------------|---------------|-----|-----|-----|-----|
| 1391 | 18-02-2525 | ARM, U/W WAB CO TYPE A-1 VARIABLE LOOD OPER MECH LEVER SMEE BRAKE EQUIPMENT R10 & 6P | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 533974 | | | | |
| | | N | D | NYCTA | 102-5004 | | | | |
| 1392 | 18-02-2575 | ARM, U/W WAB CO TYPE A-1 OPERATING UNIT CRANK. VARIABLE LOAD PORTION | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WAB CO | 534719 | | | | |
| 1393 | 18-02-2600 | ARM, U/W WABCO TYPE A-1 OPERATING UNIT ADJUSTING VARIABLE LOAD PORTION. | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 535213 | | | | |
| 1394 | 18-02-5125 | ARM, ROLLER, COMPLETE FOR VARIABLE LOAD VALVE, PC. 90787, WAB CO. | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 90787 | | | | |
| 1395 | 18-03-1050 | ARMATURE, U/W ELEC. PNEUMATIC COMPRESSOR SWITCH TYPE A6 | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 23630 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 1396 | 18-03-1100 | ARMATURE, U/W APPLICATION AND RELEASE MAGNET VALVE, A-1 TYPE 21A | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 676769 |
| 1397 | 18-03-5290 | ARMATURE ASSEMBLY, FOR WABCO TYPE A-3 COMPRESSOR, 600 VOLT MOTOR #557503, R33 & EA 36 CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 556781 |
| 1398 | 18-03-5340 | ASSEMBLY, AFTER COOLER, FOR TYPE A3 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 564794 |
| 1399 | 18-03-5345 | ASSEMBLY, AFTERCOOLER, II TUBES, FOR CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | A563818 |
| 1400 | 18-03-5420 | ARC CHUTE ASSEMBLY, USED WITH WABCO. COMPRESSOR GOVERNOR TYPE S-20 | EA | 150 | 30 | 99 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 561068 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|--|-----|---------|---------|---------------|
| 1401 | 18-03-5462 | ASSEMBLY, GROUND BRUSH COMPLETE, FOR COMPRESSOR MOTOR TYPE NO. A2, W.A.B.CO. NO. EA 561623 -RELIANCE ELEC. CO.- | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 561623 |
| <hr/> | | | | | | |
| 1402 | 18-03-5507 | CONTACTOR BOARD ASSEMBLY, LEFT HAND, USE WITH WAB ME-42 BRAKE VALVE, TYPE B. EA NOTE: ITEM MUST BE INDIVIDUALLY PACKAGED | | 00 | 00 | 01 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 549864 |
| <hr/> | | | | | | |
| 1403 | 18-03-5516 | BRACKET ASSEMBLY, PIPE, PORTION, FOR TYPE ME42B BRAKE VALVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 561198 |
| <hr/> | | | | | | |
| 1404 | 18-03-5519 | PIPE BRACKET ASSY., F/ABDW VALVE. | FOT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 587154 |
| <hr/> | | | | | | |
| 1405 | 18-03-5557 | ASSEMBLY, PNEUMATIC SELF LAPPING VALVE, U/W W.A.B. ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 561162 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1406 | 18-04-2500 | BASE, FINGER, FOR TYPE L ELEC. COMP. GOVERNOR, WAB CO. NO. 10230 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 10230 | | | | | | | |
| 1407 | 18-04-2750 | BASE, U/W WAB ELECTRIC COMPRESSOR GOVNOR TYPE 5-16 FINGER W/INSULATION | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 555490 | | | | | | | |
| 1408 | 18-04-3150 | BASE, U/W WAB CO. OPERATING UNIT TYPE A-1 PIPE BRACKET CONTACT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 534256 | | | | | | | |
| 1409 | 18-04-3200 | BASE, USED WITH WABCO OPERATING UNIT TYPE A-1, APPLICATION & RELEASE | EA | | 00 | | 00 | | 00 |
| | | MAGNET VALVE #533599 CONTACT | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 534257 | | | | | | | |
| 1410 | 18-04-3250 | BASE, FOR BRAKE VALVE ME-42 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 535587 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1411 | 18-04-3310 | BASE, FINGER, COMPLETE, U/W WAB TYPE S-16 & S-16C COMPRESSOR GOVERNOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 555488 | | | | |
| 1412 | 18-05-1250 | CAM SHAFT BEARING FOR ME-42 BRAKE VALVE PC. NO. 548960. WESTINGHOUSE AIR BRAKE C O. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 548960 | | | | |
| 1413 | 18-05-3750 | BEARING, CAR COMPRESSOR CRANSHAFT WAB TYPE D-2F REAR PG. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 76337 | | | | |
| 1414 | 18-05-3850 | BEARING, FOR WABCO TYPE D-3-F AIR COMPRESSOR TO BE RE-LINED AND FINISHED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 76329 | | | | |
| 1415 | 18-06-4200 | BLOCK, U/W WABCO. TYPE A-1 OPERATING UNIT SECTOR WEDGE, VARIABLE LOAD PORTION MTCE. DATE: 021082 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533006 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1416 | 18-06-4400 | BLOCK, U/W WABCO TYPE ME-42 BRAKE VALVE T ERMINAL SELF LAPPING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533775 | | | | |
| 1417 | 18-06-4500 | BLOCK, TERMINAL FOR A-1 AIR COMPRESSOR UNIT S M E E EQUIP. REF. 67, A-2419-1 SHEET 3 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533827 | | | | |
| 1418 | 18-06-4665 | BLOCK, TERMINAL, FOR TYPE A-1 OPERATING UNIT, R17 & R-21 TYPE CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535016 | | | | |
| 1419 | 18-06-7000 | BOARD, U/W WAB CO. TYPE A-6 COMPRESSOR SWITCH FINGER FOR 67 FEET MODIFIED CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 10232 | | | | |
| 1420 | 18-06-8100 | BOARD, USED WITH WABCO TYPE ME-42, BRAKE VALVE CONTACT, RIGHT COMPLETE | EA | 00 | 01 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533780 | | | | |
| 1421 | 18-07-1250 | BODY, BUSHED, FOR 1" TRIP COCK #56946, -FLAT & L.V. CARS- | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 15323 | | | | |

USER-ID : CHU
 FILE-ID : WABP2024
 PROG-ID : ◆

NEW YORK CITY TRANSIT AUTHORITY
 COMMODITY MANAGEMENT SYSTEM

PAGE : 256
 DATE : 04/12/2024
 VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1422 | 18-07-1800 | BODY, FOR W.A.B. CO. TYPE UE-5, UNIVERSAL VALVE, PC. NO. 550598 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | ---- - | | | | | | | |
| | | N P WABCO 67270 | | | | | | | |
| 1423 | 18-07-2350 | BODY, U/W WABCO TYPE UFT 10 X 8 BRAKE CYLINDER, W/MOUNTING FLANGE DRILLED 25/32" EA , WAB CO. PC #99625 | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | ---- - | | | | | | | |
| | | N P WABCO 99625 | | | | | | | |
| 1424 | 18-07-2900 | BODY, COMPLETE FOR POPPET TRIP COCK, TYPE C-1, W.A.B. CO. PC. NO. 0 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | ---- - | | | | | | | |
| | | N P WABCO 501817 | | | | | | | |
| 1425 | 18-07-3300 | BODY, U/W WABCO TYPE J AIR FILTER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | ---- - | | | | | | | |
| | | N P WABCO 515376 | | | | | | | |
| 1426 | 18-07-3450 | BODY, U/W WAB CO. TYPE FA-4 LOCKOUT MAGNET R17-29 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | ---- - | | | | | | | |
| | | N P WABCO 527374 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1427 | 18-07-3550 | BODY, USED WITH WABCO TYPE D-1 TRIP COCK BUSHED | EA | | 83 | | 58 | | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 532591 | | | | | | | |
| 1428 | 18-07-3650 | BODY, U/W WAB CO. TYPE A-1, SUPPLY UNIT PC. NO. 532933 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 532933 | | | | | | | |
| 1429 | 18-07-3700 | BODY, FOR TYPE A-1 SUPPLY UNIT COMPLETE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 532978 | | | | | | | |
| 1430 | 18-07-3850 | BODY, USED WITH W.A.B. CO TYPE UAHT 7 X 6 BRAKE CYLINDER, 2-1/2 OR 3 IN. PISTON T RAVEL, R1-9 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533442 | | | | | | | |
| 1431 | 18-07-3870 | BODY, TRIP COCK, WABCO TYPE D-1-A, BUSHED | EA | | 76 | | 75 | | 13 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 0533684 | | | | | | | |
| | | Y D NYCTA 102-1017 (FOR REF. ONLY) | | | | | | | |
| | | Y S NYCTA PALLET SPEC | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 1432 | 18-07-3900 | BODY, U/W WABCO TYPE A-1 OPERATING UNIT, VARIABLE LOAD PORTION MTCE DATE 100984 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | Y P WABCO | | | | 533910 |
| 1433 | 18-07-4110 | BODY, ELEC. CONTACT PORTION, USED WITH TYPE A-1-A OPERATING UNIT FOR ME-42A BRAK E VALVE FOR R-10 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 551520 |
| 1434 | 18-07-4120 | BODY, FOR 6" X 6 UAHT BRAKE CYLINDER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 551559 |
| 1435 | 18-07-4125 | BODY, SLACK ADJUSTER, FOR TYPE C-15-D1 SLACK ADJUSTER. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 560672 |
| 1436 | 18-07-4127 | BODY, ELECTRIC PORTION USED WITH WAB COMPRESSOR GOVERNOR, TYPE S-20, R-26, 28, 29 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 561065 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1437 | 18-07-4131 | BODY, OIL PUMP, FOR WAB TYPE 2CY3B COMPRESSOR, R-10 TO 36 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 565752 | | | | | | | |
| 1438 | 18-07-4132 | BODY, FOR 2CY3B COMPRESSOR, R-10 TO 36 CARS, W.A.B. CO. NO. 565977 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 565977 | | | | | | | |
| 1439 | 18-07-6100 | BODY, VALVE U/W WAB CO TYPE E-1 SAFETY VALVE BUSHED | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 10528 | | | | | | | |
| 1440 | 18-07-6700 | BODY, VALVE U/W WAB CO. TYPE M-3 FEED VALVE COMPLETE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 80614 | | | | | | | |
| 1441 | 18-07-6775 | AIR BRAKE PARTS, W.A.B. COS TYPE A-1 VARIABLE LOAD VALVE, BODY, RELAY PILOT VALV E -PLUGGED-, NO. 84077, INCL. 83182 & 17180 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 84077 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1442 | 18-07-6900 | BODY ASSEMBLY, U/W WABCO TYPE M-3 27, 29, 33, 36 COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 91568 | | | | |
| 1443 | 18-07-6925 | BODY, FOR TYPE B-3-C CONDUCTORS VALVE W. A. B. CO. NO. 93496 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 93496 | | | | |
| 1444 | 18-07-7025 | BODY, UNLOADING VALVE FOR COMP. W.A.B. CO. PC. NO. 182070 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 182070 | | | | |
| 1445 | 18-07-7375 | BODY, VALVE U/W WAB CO. TYPE A-1 AUTOMATIC DRAIN VALVE, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 517106 | | | | |
| 1446 | 18-07-7450 | BODY, VALVE U/W WAB CO. TYPE FB-2 MAGNET VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 531634 | | | | |
| 1447 | 18-07-7550 | BODY, VALVE, U/W WABCO TYPE A-1 OPERATING UNIT INSHOT VALVE, BUSHED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533526 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1448 | 18-07-7575 | BODY, VALVE, USED WITH WABCO TYPE A-1 OPERATING UNIT APPLICATION RELEASE MAGNET VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 533597 | | | | |
| 1449 | 18-07-7600 | BODY, VALVE USED WITH WAB CO. TYPE ME-42 BRAKE VALVE APPLICATION VALVE WAB CO. N O. 533662 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 533662 | | | | |
| 1450 | 18-07-7650 | BODY, VALVE U/W WAB CO. TYPE ME-42 BRAKE VALVE SELF LAPPING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 533679 | | | | |
| 1451 | 18-07-7675 | BODY, VALUE U/W WABCO TYPE A-1 OPERATING INIT CHECK VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 533683 | | | | |
| 1452 | 18-07-7730 | BODY, VALVE FOR WAB CO. MAGNET VALVE, TYPE FB-2 ASSEMBLY, COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 534824 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1453 | 18-07-7775 | BODY, SELF-LAPPING VALVE, W.A.B. CO. PC#. #538121 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 538121 | | |
| 1454 | 18-07-7780 | BODY, FOR TYPE FA-4 MAGNET VALVE, A-1-A OPERATING UNIT. | EA | 03 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 679736 | | |
| 1455 | 18-07-7825 | BODY, FOR ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551507 | | |
| 1456 | 18-07-7867 | BODY, UNIT, U/W W.A.B. ME-42 BRAKE VALVE, TYPE B. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561145 | | |
| 1457 | 18-07-7871 | BODY, PNEUMATIC SELF LAPPING, U/W WAB ME-42 BRAKE VALVE, TYPE B. FOR R-28 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561163 | | |
| 1458 | 18-07-7872 | BODY, UNIT F/ELEC. SELF LAPPING UNIT FOR WAB ME-42 BRAKE VALVE, TYPE B. FOR R-28 | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1464 | 18-08-2070 | BOLT, "T", U/W WAB 10" X 12" BRAKE CYLINDER HEAD, 1/2" X 2-1/8", W/SQUARE NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 9701 | | | | |
| 1465 | 18-08-2193 | BOLT, 1/2"-13 UNC, TEE HEAD, 1-7/8" LONGSTEEL GRADE 5. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 10831 | | | | |
| 1466 | 18-08-2318 | BOLT, "T", U/W WAB COMPRESSOR, 1/2" X 1-3/4" ROUGH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 11001 | | | | |
| 1467 | 18-08-2322 | BOLT, -T- U/W WABCO 7" X 6" "NAHT" BRAKE CYLINDER, 1/2" X 2-3/8" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 11005 | | | | |
| 1468 | 18-08-2324 | BOLT, 1/2 INCH X 3-3/4 INCH T HEAD, U/W WABCO BLOWOUT COIL COMPRESSION GOVERNOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 11009 | | | | |
| 1469 | 18-08-2350 | BOLT, FOR TYPE ME-23 BRAKE VALVE, WAB CO. NO. 12505 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 12505 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1470 | 18-08-2415 | BOLT, MACHINE, USED WITH WABCO TYPE H2A COUPLER, 7/8"-9 X 6" | EA | | 80 | | 180 | | 80 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06737610600 | | | | | | | |
| 1471 | 18-08-2430 | BOLT, MACHINE, 3/8 IN. -16 X 1-3/8 IN. WITH HEX NUT WAB CO. NO. 24009 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 24009 | | | | | | | |
| 1472 | 18-08-2436 | NUT, SQUARE HEAD, 5/8-11, U/W AGA COMPRESSOR UNIT #565998, R26 TO R36 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1514 | | | | | | | |
| 1473 | 18-08-2445 | BOLT, MACHINE U/W WESTINGHOUSE AIR BRAKE VALVE PORTION, 3/8 IN. - 16 X 5-1/2" | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 25350 | | | | | | | |
| 1474 | 18-08-3040 | BOLT, MACHINE U/W WABCO 3/8" CUT-OUT COCK W/SHORT HANDLE AND WABCOTITE | EA | | 00 | | 00 | | 00 |
| | | FITTINGS W/NUT 3/8-16 NC THD 3-1/4" LG. THREADED 7/8" LG. | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1296 | | | | | | | |
| | | N P WABCO 25412- | | | | | | | |
| | | N P WABCO 38-32-4012 | | | | | | | |
| | | N D WABCO (NUT) | | | | | | | |
| | | N D WABCO (SCREW) | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1475 | 18-08-5350 | BOLT, USED WITH WABCO TYPE 2CY3B COMPRESSOR, TIE, INTAKE FILTER TYPE 6W 1/4", WI TH PIN | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 517229 | | | | | | | |
| 1476 | 18-08-5650 | BOLT, REACH ROD ADJUSTING FOR TYPE A-1 OPERATING UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 535890 | | | | | | | |
| 1477 | 18-09-1100 | BOOT, DUST FOR STRUT CYLINDER, U/W WABCO TYPE A-1 OPERATING UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 532972 | | | | | | | |
| 1478 | 18-09-1200 | BOOT, SLACK ADJUSTER, FOR WAB TYPE GP-90TREAD BRAKE UNIT AND ASF TREAD BREAK UNIT BRAKE ASSEMBLY | EA | | 252 | | 93 | | 146 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 676151 | | | | | | | |
| 1479 | 18-09-3500 | BOX, REGULATING SPRING, FOR M-3 SINGLE PRESSURE FEED VALVE, ON OPERATING UNIT (O DD), FOR R-36 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO **** PART NO. NOT AVAILABLE **** | | | | | | | |
| | | N P WABCO 81274 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1480 | 18-10-0300 | DESICCANT, AIR DRYER, USED ON R110A CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 673557 | | |
| 1481 | 18-10-0302 | PINS, ELECTRIC COUPLER, | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 60112-3002 | | |
| 1482 | 18-10-0305 | B-1 BRAKE PIPE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 673745 | | |
| 1483 | 18-10-0850 | M-1 OPERATING UNIT ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 673744 | | |
| 1484 | 18-10-0853 | VALVE, TRANSFER, USED ON M-1 OPERATING UNIT ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674599 | | |
| 1485 | 18-10-0854 | GASKET, MOUNTING, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674582 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1486 | 18-10-0855 | TRANSDUCER, PRESSURE, FOR USE ON TRANSDUCER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672857 | | |
| 1487 | 18-10-0860 | GASKET, FOR USE ON PANEL MOUNTED CUT OUT COCK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674716 | | |
| 1488 | 18-10-0861 | COCK, CUT-OUT, PANEL MOUNTED, FOR USE ON M-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674400 | | |
| 1489 | 18-10-0862 | SWITCH, PRESSURE, ASSEMBLY, FOR USE ON M-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674598 | | |
| 1490 | 18-10-0868 | PIN, DOWEL, 3/16" X 1/2", FOR USE ON M-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535657 | | |
| 1491 | 18-10-0869 | BUSHING, 1/2" TO 1/4", FOR USE ON TRANSDUCER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672858-5025 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1492 | 18-10-0870 | GASKET, USED ON M-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0674602 | | |
| 1493 | 18-10-0871 | GASKET, USED ON M-1 OPERATING UNIT | EA | 3,740 | 824 | 611 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0588515 | | |
| 1494 | 18-10-0872 | VALVE, MAGNET, ASSEMBLY, USED ON M-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674439 | | |
| 1495 | 18-10-0873 | VALVE, VARIABLE LOAD, FOR USE ON M-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 676782 | | |
| 1496 | 18-10-0874 | VALVE, EMERGENCY TRANSFER, FOR USE ON M-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674447 | | |
| 1497 | 18-10-0875 | VALVE, MODULATION, FOR USE ON M-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674680 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1498 | 18-10-0882 | GASKET, VALVE BODY, FOR USE ON MODULATION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674700 | | |
| 1499 | 18-10-0885 | CABLE ASSEMBLY, TRANSDUCER, FOR USE ON M-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 675223 | | |
| 1500 | 18-10-0887 | CAPNUT, 2-1/8", FOR USE ON M-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0674674 | | |
| 1501 | 18-10-1203 | ELEMENT, MODULATION VALVE FILTER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674675 | | |
| 1502 | 18-10-1206 | BODY, BUSHED AND PLUGGED, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671851 | | |
| 1503 | 18-10-1207 | VALVE, STOP CHECK, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671756 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1504 | 18-10-1208 | SPRING, COMPRESSION, 0.057 DIA, 1.05 FREE HEIGHT, FOR R-5-D MAGNET VALVE | EA | 15 | 17 | 06 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671757 | | |
| 1505 | 18-10-1209 | ROD, PISTON, USED ON TRANSFER VALVE | EA | 00 | 03 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0585701 | | |
| 1506 | 18-10-1210 | PISTON, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582146 | | |
| 1507 | 18-10-1211 | DIAPHRAGM, USED ON TRANSFER VALVE | EA | 415 | 387 | 216 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582437 | | |
| 1508 | 18-10-1212 | FILTER, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582149 | | |
| 1509 | 18-10-1213 | BODY, SOLENOID VALVE, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 587567 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1510 | 18-10-1214 | SOLENOID, CARTRIDGE ASSEMBLY, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582665 | | |
| 1511 | 18-10-1215 | GUIDE, SOLENOID VALVE, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671686 | | |
| 1512 | 18-10-1219 | SPRING, CONICAL, SOLENOID CARTRIDGE, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670702 | | |
| 1513 | 18-10-1220 | VALVE, SOLENOID CARTRIDGE, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671687 | | |
| 1514 | 18-10-1222 | SEAT, POLE AND VALVE, SOLENOID CARTRIDGE, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582652 | | |
| 1515 | 18-10-1224 | SEAT, SOLENOID, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670703 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1516 | 18-10-1226 | VARISTOR, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 589936 | | |
| 1517 | 18-10-1228 | PLUNGER, SOLENOID, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582651 | | |
| 1518 | 18-10-1229 | O-RING, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582939 | | |
| 1519 | 18-10-1230 | GASKET, SOLENOID COVER, USED ON TRANSFER VALVE | EA | 15 | 17 | 06 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582147 | | |
| 1520 | 18-10-1231 | COVER, SOLENOID, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582153 | | |
| 1521 | 18-10-1232 | ELBOW, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 583147 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1522 | 18-10-1233 | RECEPTACLE, USED ON TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582217 | | |
| 1523 | 18-10-1234 | BODY, INCLUDING STUDS AND BUSHING, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674531 | | |
| 1524 | 18-10-1236 | BUSHING, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 676783 | | |
| 1525 | 18-10-1237 | PISTON, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 676784 | | |
| 1526 | 18-10-1239 | COVER, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 690532 | | |
| 1527 | 18-10-1240 | NUT ASSEMBLY, ADJUSTING(SPECIAL). USED ON R142A VARIABLE LOAD VALVE ASS'Y. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0576253 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1528 | 18-10-1241 | SPRING, 45/64" OD, 1/8" DIAMETER, 1-7/8"FREE HEIGHT, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 71929 | | | | |
| 1529 | 18-10-1242 | PISTON, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588011 | | | | |
| 1530 | 18-10-1243 | SPRING, 1-23/32" OD, 5/32" DIAMETER, 11"FREE HEIGHT, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 507328 | | | | |
| 1531 | 18-10-1244 | HANDLE, FOR USE ON PANEL MOUNTED CUT OUT COCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 674073 | | | | |
| 1532 | 18-10-1245 | CAP, FOR USE ON PANEL MOUNTED CUT OUT COCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 674074 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1538 | 18-10-1251 | O-RING, FOR USE ON PANEL MOUNTED CUT OUT COCK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 676314 | | |
| 1539 | 18-10-1252 | SEAT, FOR USE ON PANEL MOUNTED CUT OUT COCK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 676315 | | |
| 1540 | 18-10-1253 | O-RING, USED ON STEM, FOR USE ON PANEL MOUNTED CUT OUT COCK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 676316 | | |
| 1541 | 18-10-1254 | SEAT, FOR USE ON PANEL MOUNTED CUT OUT COCK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 676317 | | |
| 1542 | 18-10-1255 | O-RING, FOR USE ON PANEL MOUNTED CUT OUT COCK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 676318 | | |
| 1543 | 18-10-1256 | BODY, FOR USE ON EMERGENCY TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674595 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1544 | 18-10-1257 | COVER, FOR USE ON EMERGENCY TRANSFER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674453 | | |
| 1545 | 18-10-1258 | VALVE, "VX" VENT PORTION, FOR USE ON B-1 BRAKE PIPE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660372 | | |
| 1546 | 18-10-1259 | BODY, FOR USE ON "VX" VENT VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660378 | | |
| 1547 | 18-10-1260 | O-RING, 5-1/4" OD, USED ON "VX" VENT VALVE | EA | 740 | 240 | 150 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 592975 | | |
| 1548 | 18-10-1261 | PLATE, DIAPHRAGM CLAMPING, FOR USE ON "VX" VENT VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660382 | | |
| 1549 | 18-10-1262 | DIAPHRAGM, FOR USE ON "VX" VENT VALVE PORTION | EA | 740 | 240 | 150 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660381 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1550 | 18-10-1263 | SPRING, CONTROL, 11/16" OD, 1/16" WIRE DIAMETER, 1-13/32" FREE HEIGHT | EA | 740 | 240 | 150 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0592864 | | |
| 1551 | 18-10-1264 | PIECE, FILLING, FOR USE ON "VX" VENT VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660367 | | |
| 1552 | 18-10-1265 | WASHER, FOR USE ON "VX" VENT VALVE | EA | 740 | 240 | 150 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660391 | | |
| 1553 | 18-10-1266 | PISTON, FOR USE ON "VX" VENT VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660390 | | |
| 1554 | 18-10-1267 | PLUG, CHOKE, 1/8" X 1.44MM DRILL, FOR USE ON "VX" VENT VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 592968 | | |
| 1555 | 18-10-1268 | FOLLOWER, DIAPHRAGM, FOR USE ON "VX" VENT VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660384 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1556 | 18-10-1269 | STEM, PISTON, FOR USE ON "VX" VENT VALVE PORTION | EA | 12 | 06 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0660373 | | |
| 1557 | 18-10-1270 | SEAL, VENT PROTECTOR, FOR USE ON "VX" VENT VALVE PORTION | EA | 740 | 240 | 150 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0660476 | | |
| 1558 | 18-10-1272 | VALVE, EXHAUST, FOR USE ON "VX" VENT VALVE PORTION | EA | 740 | 240 | 150 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660370 | | |
| 1559 | 18-10-1273 | SEAL, EXHAUST VALVE, FOR USE ON "VX" VENT VALVE PORTION | EA | 740 | 263 | 150 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0660387 | | |
| 1560 | 18-10-1274 | HOUSING, VENT VALVE, FOR USE ON "VX" VENT VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660535 | | |
| 1561 | 18-10-1275 | SPRING, FOR USE ON "VX" VENT VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660536 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1562 | 18-10-1276 | O-RING, 11/32" O.D., FOR USE ON "VX" VENT VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 525367 | | |
| 1563 | 18-10-1277 | STEM, VALVE, FOR USE ON "VX" VENT VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660534 | | |
| 1564 | 18-10-1278 | HOUSING, BLEED VALVE, FOR USE ON "VX" VENT VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660532 | | |
| 1565 | 18-10-1279 | COVER, PISTON, FOR USE ON H-7 RELAY AIR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 584902 | | |
| 1566 | 18-10-1280 | PISTON FOLLOWER ASSEMBLY, FOR USE ON H-7 RELAY AIR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 541542 | | |
| 1567 | 18-10-1281 | SPRING, OUTER, FOR USE ON H-7 RELAY AIR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 528787 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1568 | 18-10-1282 | SPRING, INNER, FOR USE ON H-7 RELAY AIR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 541465 | | |
| 1569 | 18-10-1283 | PISTON, TOP, FOR USE ON H-7 RELAY AIR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 584875 | | |
| 1570 | 18-10-1284 | VALVE, SUPPLY, FOR USE ON H-7 RELAY AIR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 651099 | | |
| 1571 | 18-10-1285 | VALVE, EXHAUST, FOR USE ON H-7 RELAY AIR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 651104 | | |
| 1572 | 18-10-1286 | BODY, RELAY AIR VALVE, FOR USE ON H-7 RELAY AIR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 527587 | | |
| 1573 | 18-10-1288 | RETAINER, SUPPLY, FOR USE ON H-7 RELAY AIR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 651098 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1574 | 18-10-1293 | SCREW, ADJUSTING, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 588009 | | |
| 1575 | 18-10-1294 | WASHER, FLAT, SST. 0.170 IN. NOM ID X 0.683 IN. NOM OD X 0.015 IN. THK. USED OR142A VARIABLE LOAD VALVE ASS'Y | EA | 50 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0569346 | | |
| 1576 | 18-10-1550 | BODY, ASSEMBLY, FOR USE ON MAGNET VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674591 | | |
| 1577 | 18-10-1551 | COVER, CUT OFF, FOR USE ON MAGNET VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674441 | | |
| 1578 | 18-10-1552 | VALVE, SOLENOID, FOR USE ON MAGNET VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674442 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1579 | 18-10-1553 | O-RING, SOLENOID VALVE, FOR USE ON MAGNET VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 676935 | | |
| 1580 | 18-10-1554 | CONNECTOR, BOX MOUNTED, FOR USE ON MAGNET VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674443 | | |
| 1581 | 18-10-1555 | GASKET, RECEPTACLE, FOR USE ON MAGNET VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674748 | | |
| 1582 | 18-10-1556 | COVER, SOLENOID, FOR USE ON MODULATION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674703 | | |
| 1583 | 18-10-1557 | RECEPTACLE, FOR USE ON MODULATION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674603 | | |
| 1584 | 18-10-1558 | SOLENOID, 32 OHMS, FOR USE ON MODULATION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674670 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1585 | 18-10-1559 | GASKET, SOLENOID MOUNTING, FOR USE ON MODULATION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674694 | | |
| 1586 | 18-10-1560 | BLOCK, SOLENOID MOUNTING, FOR USE ON MODULATION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674677 | | |
| 1587 | 18-10-1561 | PLATE, MOUNTING, FOR USE ON MODULATION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674702 | | |
| 1588 | 18-10-1562 | GASKET, VALVE BODY, FOR USE ON MODULATION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674701 | | |
| 1589 | 18-10-1563 | VALVE, 3 POSITION, FOR USE ON MODULATION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674681 | | |
| 1590 | 18-10-1565 | SPOOL AND SLEEVE ASSEMBLY, FOR USE ON MODULATION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 676321 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1591 | 18-10-1567 | PLATE, MOUNTING, FOR USE ON MODULATION VALVE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 674676 | | | | | | | |
| 1592 | 18-10-1568 | VALVE, MAGNET, N-3-D PORTION | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 673999 | | | | | | | |
| 1593 | 18-10-1569 | PLUNGER, FOR USE ON N-3-D MAGNET VALVE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 578751 | | | | | | | |
| 1594 | 18-10-1570 | BODY, BUSHED, FOR USE ON N-3-D MAGNET VALVE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 672233 | | | | | | | |
| 1595 | 18-10-2555 | ACTUATOR, TYPE A-2-H, 25 TO 55 PSI PRESSURE RANGE, U/O AIR BRAKE SYSTEM. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 532998 | | | | | | | |
| 1596 | 18-10-4100 | BRACKET, U/W WABCO TYPE M3 3M-3A FEED VALVE & C-6LB-6 FEED VALVES PIPE TYPE H1 | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 542010 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1597 | 18-10-4300 | BRACKET, PIPE FOR TYPE ME 30 BRAKE VALVE, WAB CO. NO. 84812 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 84812 | | |
| 1598 | 18-10-5500 | MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0674725 | | |
| 1599 | 18-10-7005 | TRANSDUCER, ASSEMBLY, FOR USE ON M-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 675220 | | |
| 1600 | 18-10-7006 | PLATE, MOUNTING, FOR USE ON TRANSDUCER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 675221 | | |
| 1601 | 18-10-7007 | RECEPTACLE, FOR USE ON TRANSDUCER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 675222 | | |
| 1602 | 18-10-7010 | COVER, FOR USE ON TRANSDUCER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 673018 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1603 | 18-10-7011 | RETAINER, TRANSDUCER COVER, FOR USE ON TRANSDUCER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 673019 | | |
| 1604 | 18-10-7013 | COVER, U/O PRESSURE SWITCH ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670650 | | |
| 1605 | 18-10-7014 | SWITCH, PRESSURE, 25 P.S.I.U/O PRESSURE SWITCH ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671625 | | |
| 1606 | 18-10-7015 | RECEPTACLE U/O PRESSURE SWITCH ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674579 | | |
| 1607 | 18-10-7016 | PIN, CONTACT FOR U/O PRESSURE SWITCH ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 584867 | | |
| 1608 | 18-10-7017 | SOCKET, HOUSING, 3 CONTACT, U/O AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0573846 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1609 | 18-10-7018 | PIN, HOUSING U/O PRESSURE SWITCH ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 573483 | | | | |
| 1610 | 18-10-7019 | SOCKET, U/O PRESSURE SWITCH ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 584868 | | | | |
| 1611 | 18-10-7020 | O-RING, FOR USE ON PRESSURE SWITCH ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 671185 | | | | |
| 1612 | 18-10-7021 | SWITCH, U/O PRESSURE SWITCH ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 670038 | | | | |
| 1613 | 18-10-7022 | CONNECTOR, 90 DEGREE, FOR USE ON TRANSDUCER CABLE ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 672102 | | | | |
| 1614 | 18-10-7023 | ADAPTER, FLEX CONDUIT, 1/2" DIAMETER, 13" LONG, FOR USE ON TRANSDUCER CABLE | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|----------|------------|---|-----|---------|---------|---------------|
| ASSEMBLY | | | | | | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 675099 |
| 1615 | 18-10-7027 | CONNECTOR, STRAIGHT, 1/2", FOR USE ON TRANSDUCER CABLE ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 675224 |
| 1616 | 18-10-7031 | PLUG, CHOKE, 3/8 NPT, #50 DR., FOR USE ON B-1 BRAKE PIPE UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 79799 |
| 1617 | 18-10-7032 | VALVE, H-7 RELAY AIR, FOR USE ON B-1 BRAKE PIPE UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 584877 |
| 1618 | 18-10-7033 | KIT, RUBBER CONVERSION, FOR USE ON B-1 BRAKE PIPE UNIT | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 593138 |
| 1619 | 18-10-7034 | GASKET, FOR USE ON H-7 RELAY AIR VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 572900 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1620 | 18-10-7039 | GASKET, COVER, FOR USE ON B-1 BRAKE PIPE UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0673171 | | | | |
| 1621 | 18-10-8485 | BRACKET U/W WABCO TYPE B-3 UNCOUPLING VALVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533169 | | | | |
| 1622 | 18-10-8495 | MOUNTING BRACKET ASSEMBLY, FOR TYPE D-1-A TRIP COCK ASSEMBLY NO. 533567 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 534402 | | | | |
| 1623 | 18-10-8800 | BRACKET, U/W WABCO TYPE A-1 VARIABLE LOAD OPER. MECHANISM, FULCRUM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533979 | | | | |
| 1624 | 18-10-8900 | BRACKET, ROLLER, U/W WABCO TYPE A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 534933 | | | | |
| 1625 | 18-10-9085 | BRACKET, COMPRESSOR, MOUNTING, FOR TYPE A5 COMPRESSOR UNIT NO.560472, R 26 AND U | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | P CARS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560829 | | | | |
| 1626 | 18-10-9090 | PIPE, U/W TYPE ME-42B BRAKE VALVE FOR R26, 27, 28 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561199 | | | | |
| 1627 | 18-11-0001 | ELEMENT, AIR FILTER | EA | 00 | 02 | 35 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 06754450001 | | | | |
| 1628 | 18-11-0003 | DIAPHRAGM, VX VENT VALVE PORTION /AIR BRAKE SYSTEM. | EA | 00 | 00 | 270 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 0668199 | | | | |
| 1629 | 18-11-0011 | HORN WITH DEBRIS GUARD/ HORN ASSEMBLIES/ FRICTION BRAKING & AIR SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-60756 | | | | |
| 1630 | 18-11-0012 | ASSEMBLY, HEATER /DRAIN VALVE HEATER ASSEMBLIES | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 3469-561 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1631 | 18-11-2000 | BUS BAR, TERMINAL BOARD, FOR TYPE ME42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535734 | | | | |
| 1632 | 18-11-2050 | BAR, BUSS, U/W A1A & A1E OPER. UNITS, R29, 32, 33, 36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535747 | | | | |
| 1633 | 18-11-4450 | BUSHING, CONNECTING ROD, FOR MOTOR, DRIVEN AIR COMPRESSOR TYPE D-3-F W.A.B. CO. EA PC. NO. 39703 | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 39703 | | | | |
| 1634 | 18-11-4625 | BUSHING, 5/8" BALL CHECK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563042 | | | | |
| 1635 | 18-11-4675 | BUSHING, PISTON, U/W WABCO COMPRESSOR GOVERNOR TYPE S-16 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 72922 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1636 | 18-11-4725 | BUSHING, TUBE, VENTURI, 5/16 IN., FOR FEED VALVE TYPE M-3, W.A.B. CO. NO77970 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 77970 | | | | | | | |
| 1637 | 18-11-4775 | BUSHING, PISTON & SLIDE VALVE, U/W WABCO FEED VALVE TYPE M-3 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 80666 | | | | | | | |
| 1638 | 18-11-4925 | BUSHING APPLICATION VALVE, FOR VARIABLE LOAD VALVE TYPE A-1-A | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 83230 | | | | | | | |
| 1639 | 18-11-6625 | BUSHING, RATCHET NUT, U/W WABCO AUTOMATIC SLACK ADJUSTER C-15-D | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 506883 | | | | | | | |
| 1640 | 18-11-6681 | BUSHING, U/W R-20 FLAT CARS & SPINO RAIL GRINDER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 518777 | | | | | | | |
| 1641 | 18-11-6825 | BUSHING PILOT VALVE, USED WITH WAB CO. TRIP COCK, D-1 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 532599 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1642 | 18-11-6850 | HOUSING, MAGNET, APPLICATION & RELEASE, MAGNET VALVE, MAB 533599 U/W WABCO OPERATING UNIT TYPE A-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 534228 | | | | |
| 1643 | 18-11-6875 | BUSHING, FOR USED WITH WABCO TRIP COCK D-1 | EA | 23 | 51 | 43 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | Y P WABCO 0539173 | | | | |
| 1644 | 18-11-6900 | BUSHING, FOR D-1 TRIP COCK | EA | 04 | 08 | 04 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0539174 | | | | |
| 1645 | 18-11-6915 | BUSHING U^W TYPE D-5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 551006 | | | | |
| 1646 | 18-11-6925 | BUSHING, DOUBLE CHECK VALVE, U/W DOUBLE CHECK PORTION OF A.B., A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 901835 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1647 | 18-11-6991 | BUSHING, END COVER F/2CY3B COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 183334 | | |
| 1648 | 18-11-7036 | BUSHING, DIAPHRAGM STEM, U/W ME-42-B BRAKE VALVE, STYLE #533799, R-TYPE CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 531718 | | |
| 1649 | 18-11-7048 | BUSHING FOR CHECK VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551516 | | |
| 1650 | 18-11-7049 | BUSHING, FOR CHECK VALVE SEAT U/W ME-42-B BRAKE VALVE, STYLE #533799 R-TYPE CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551517 | | |
| 1651 | 18-11-7050 | BUSHING, FOR CHECK VALVE SEAT U/W ME-42-B BRAKE VALVE, STYLE #533799 R-TYPE CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551518 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1652 | 18-12-1900 | CAGE, U/W WABCO TYPE 2CY3B AIR COMPRESSOR SPRING. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO PC | 517267 | | |
| 1653 | 18-12-5500 | CAM, W.A.B. CO. PC. NO. 533742 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533742 | | |
| 1654 | 18-12-5600 | CAM, U/W WABCO BRAKE VALVE ME-42, INTERLOCK, NO. 2 | EA | 02 | 00 | 02 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533763 | | |
| 1655 | 18-12-5800 | CAM, EMERGENCY FOR TYPE ME-42 BRAKE VALVE - W.A.B. CO. NO. 535451 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535451 | | |
| 1656 | 18-12-5900 | CAM, U/W WAB CO. BRAKE VALVE, ME-42, ADJUSTABLE, COMPLETE -NO. 6- | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO. | 535452 | | |
| 1657 | 18-12-6000 | CAM, U/W W.A.B. CO BRAKE, VALUE ME-42, ADJUSTABLE, PINNED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO. | 535456 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1658 | 18-12-6150 | CAM, NO. 6, USED WITH TYPE 42B BRAKE VALVE F/R-28 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561183 | | |
| 1659 | 18-12-6155 | CAM, NO. 7, USED WITH TYPE ME 42B BRAKE VALVE, F/R-28 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561184 | | |
| 1660 | 18-12-6160 | CAM, NO. 8, USED WITH TYPE ME 42B BRAKE VALVE, F/R-28 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561185 | | |
| 1661 | 18-12-6165 | CAM, NO. 9, USED WITH TYPE ME 42B BRAKE VALVE. F/R-28 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561186 | | |
| 1662 | 18-12-6170 | CAM, ADJUSTING SELF-LAP USED WITH TYPE ME 42B BRAKE VALVE, F/R-28 CARS | EA | 04 | 05 | 02 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561187 | | |
| 1663 | 18-12-6175 | CAM, EMERGENCY VALVE, USED WITH TYPE ME 42B BRAKE VALVE, F/R-28 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561189 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1664 | 18-13-2550 | CAP, FOR A6 ELECT. PNEUMATIC COMPRESSOR SWITCH, COVER F/VALVE BODY & CASING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 23628 | | | | |
| 1665 | 18-13-2950 | CAP, MAGNET, FOR APPLICATION MAGNET ON TYPE UE-5 UNIVERSAL VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 33745 | | | | |
| 1666 | 18-13-3250 | CAP, INLET VALVE, U/W WAB COMPRESSOR MOTOR, TYPE D-3-F | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 49964 | | | | |
| 1667 | 18-13-5500 | CAP, VALVE, DISCHARGE, L.P., U/W WABCO AIR COMPRESSOR TYPE 2CY3B, R10 TO 36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 182061 | | | | |
| 1668 | 18-13-5550 | CAP, OIL, CONTROL VALVE, FOR 2C3YB COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 183219 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1669 | 18-13-7200 | CAP, PIN, CROSSHEAD, FOR SLACK ADJUSTER, TYPE C-15-D | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501953 | | |
| 1670 | 18-13-7445 | CAP, UPPER CASE, U/W R-20 FLAT CARS & SPENO RAIL GRINDER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 506135 | | |
| 1671 | 18-13-7564 | CAP, FOR DOUBLE CUT-OUT COCK NO. 555999 R-20 FLAT CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 75632 | | |
| 1672 | 18-13-7568 | CAP, REAR BEARING, FOR A3 MOTOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 556780 | | |
| 1673 | 18-13-7569 | CAP, OIL DRAW, FOR 2CY3B COMPRESSOR, R-10 TO 36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 559569 | | |
| 1674 | 18-14-1100 | CARRIER, U/W W.A.B. CO. TYPE ME-42 BRAKE VALUE, SELF TAPPING CAM W/NUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535453 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1675 | 18-14-1231 | CARTRIDGE, GREASE, FOR VARIABLE LOAD VALVE ON A-1 OPER. UNIT R-28 AND UP CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 554208 | | | | |
| 1676 | 18-14-2200 | CASE, USED WITH TYPE ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 40215 | | | | |
| 1677 | 18-14-2603 | CASE, SHECK VALVE, FOR WABCO TYPE "AB" FREIGHT EQUIP-SERVICE PORTION #522696 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 95048 | | | | |
| 1678 | 18-14-2608 | CASE, UPPER, U/W R-20 FLAT CARS & SPINO RAIL GRINDER. W.A.B. CO. NO. 506133 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 506133 | | | | |
| 1679 | 18-14-2609 | CASE, VENT VALUE U/W R-20 FLAT CARS & SPINO RAIL GRINDER. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 506134 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1685 | 18-14-6616 | CHOKE, QA BLOWDOWN, 1/8" (#76 DR), FOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 567206 | | |
| 1686 | 18-14-6630 | CHOKE, INSHOT VOLUME, 1/8" (#30 DRILL), FOR WABCO AB FR. BRAKE EQUIP. W/ABD CONT. VALVE EMERG. PORT #567195. FOR FLAT CARS NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFAC- TURER'S NAME & PART #, PURCHASE ORDER #, DATE OF MANUFACTURE AND NYCTA COMMODITY NO. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 77882 | | |
| 1687 | 18-14-7350 | CHUTE, ARC, USED WITH W.A.B. COMPRESSOR. GOVERNOR TYPE S-20 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 558538 | | |
| 1688 | 18-15-0746 | PLUG, PIPE, 3/4", FOR WABCO D-C AIR COMP. & MOTOR PORTION #577008, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 41821 | | |
| 1689 | 18-15-1217 | BUSHING, HANDLE GUARD, FOR TYPE ME-42 BRAKE VALVE, R-15 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533635 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1690 | 18-15-1550 | CLAMP, LEAD, U/W TYPE ME42B BRAKE VALVE, FOR R-28 CARS | EA | 17 | 33 | 20 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561332 | | |
| 1691 | 18-15-3375 | CLEVIS, U/W A-2-H ACTUATOR ASSY, FOR R43 & 47 DIESEL LOCO | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 521102 | | |
| 1692 | 18-15-4150 | CLIP, TERMINAL, U/W A-1-A OPERATING UNITF/R30-36 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54369 | | |
| 1693 | 18-15-4470 | CLIP, TERMINAL FOR TYPE ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534996 | | |
| 1694 | 18-15-7125 | COCK CUTOOUT M.I. SCREWED 1-1/4 IN. W/O HANDLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571576 | | |
| 1695 | 18-15-7150 | COCK, CUTOOUT, M.I. SCREWED, 1 INCH LEVER HANDLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570478 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1701 | 18-15-7405 | COCK, (A-2-B) 1" TRIP, WITH HEAVY SPRING FOR KEY, COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 76834 | | |
| 1702 | 18-15-7500 | COCK, CUT-OUT, BRASS SCREWED, 1 IN. WITH LEVER HANDLE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 90562 | | |
| 1703 | 18-15-7525 | COCK 1"CUTOUT W/MTR&FTG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 92676 | | |
| 1704 | 18-15-7750 | STRAINER, W/CHOKE (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 572463 | | |
| 1705 | 18-15-7800 | COCK, 1/4" CUT-OUT, WITH VENT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582938 | | |
| 1706 | 18-15-7875 | COCK, ANGLE, SELF LOCKING M.I. SCREWED LEVER HANDLE 1-1/4 IN. X 1-1/4 IN. W/SUPP | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| | | ORTING FLANGE | | | | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 550991 |
| 1707 | 18-15-7925 | COCK, 1 IN. TRIP, NEW POPPET TYPE WITH PIN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 504473 |
| 1708 | 18-15-7950 | COCK, CUTOUT, FLANGED, 3/4", LEVER HANDLE, W/O FITTING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 569297 |
| 1709 | 18-15-8200 | COCKS, 3/8 IN. CUT-OUT BRASS, FLANGED, LEVER HANDLE, W/O FITTINGS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 570820 |
| 1710 | 18-15-8225 | COCK, TRIP, COMPLETE ASSEMBLY, WABCO TYPE D-1-A, USED ON IRT DIVISION CARS (INTERCHANGABLE WITH 18-62-9597). | EA | 02 | 02 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | Y P WABCO | | | | 583158 |
| | | Y D NYCTA | | | | R157-5158 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1711 | 18-15-8231 | COCK, DOUBLE CUT-OUT-COMP. ASSY. R-20 FLAT CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571973 | | |
| 1712 | 18-16-1245 | UNIT, ELEC. SELF LAPPING UNIT, COMPLETE FOR TYPE ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533787 | | |
| 1713 | 18-16-4200 | COIL, ELECTRICAL, MAGNETIC, FOR APPLICATION AND RELEASE MAGNET VALVE A1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 534231 | | |
| 1714 | 18-17-1200 | COLLAR WABCO SPRING U/W FEED VALVE TYPE M-3 COLLAR R-12-36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 77992 | | |
| 1715 | 18-17-2450 | COOLER, UNIT, USED WITH AFTER COOLER ASSY. NO. 560987 FOR R-26 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560988 | | |
| 1716 | 18-17-5100 | CONDUIT, FLEXIBLE, 22 IN. LONG FOR TYPE A-1 COMPRESSOR UNIT W.A.B. CO. NO. 53618 | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| | 2 | | | | | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 536182 | | |
| 1717 | 18-17-5200 | CONDUIT, FLEX 10 IN. LONG, W.A.B. CO. PC. NO. 536184 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 536184 | | |
| 1718 | 18-17-8077 | CONNECTOR, HALF, W/OUT DOWEL, FOR TYPE A3 COMPRESSOR MOTOR 600 VOLTS, 7-1/2 H.P. EA, #566611, R33-36 CARS. | EA | 180 | 85 | 50 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 51491 | | |
| 1719 | 18-18-1500 | CONTACT TIP, WEST. AIR BRAKE CO. PC. NO. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 32805 | | |
| 1720 | 18-18-3400 | CONTACT, U/W PNEUPHONIC HORN TYPE D-5 | EA | 45 | 00 | 18 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0514090 | | |
| 1721 | 18-18-3450 | FINGER, COMPLETE FOR ME-23 BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 514433 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1722 | 18-19-2100 | CORE, MAGNET, FOR TYPE A6 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 23498 | | |
| 1723 | 18-19-2200 | CORE, USED WITH WAB CO. TYPE C-3 MAGNET VALVE POLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 23629 | | |
| 1724 | 18-19-2800 | CORE USED WITH WABCO TYPE A-1 OPERATING UNIT MAGNET VALVE & RELEASE MAGNET VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534928 | | |
| 1725 | 18-19-4100 | COUPLER, RHEOSTAT SHAFT R-16-36 CARS, U/W W.A.B. CO. A-1 COMPRESSOR OPERATING UNIT, VARIABLE LOAD PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533017 | | |
| 1726 | 18-19-4200 | COUPLING, U/W WAB CO AIR BRAKE EQUIPT. 3/8 INCH COMPRESSION COUPLING 3/8 INCH O. D. PIPE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 86105 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1727 | 18-19-4251 | COUPLING, REF. #8, FOR WABCO 3/8"-1/2" & 3/4" DIAPHRAGM COCKS ON A.B. TEST RACK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 96751 | | | | | | | |
| 1728 | 18-19-4265 | COUPLING, REF #8, FOR WABCO 3/8"-1/2" & 3/4" DIAPHRAGM COCKS ON AB TEST RACK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 96765 | | | | | | | |
| 1729 | 18-19-4266 | COUPLING, REF #8 FOR WABCO 3/8"-1/2" & 3/4" DIAPHRAGM COCKS ON AB TEST RACK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 96766 | | | | | | | |
| 1730 | 18-19-4300 | COUPLING, COMPRESSION, WITH CHOKE FOR BL-25 ELECTRICAL PORTION OF H2B | EA | | 40 | | 90 | | 40 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 535529 | | | | | | | |
| 1731 | 18-20-2275 | COVER, SPECIAL, FOR WAB CO. ELEC. PNEU. COMPR. SWITCH, A-6 BODY, VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 23627 | | | | | | | |
| 1732 | 18-20-2625 | COVER, SPECIAL CYLINDER FOR, WAB CO. COMPRESSOR, D-3-F | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 49845 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1733 | 18-20-3125 | COVER, U/ W A-1-A OPERATING UNIT. F/R30 -R36 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 81276 | | |
| 1734 | 18-20-3200 | COVER, SPECIAL FOR: WABCO VARIABLE LOAD VALVE A-1 HOLE INSPECTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83221 | | |
| 1735 | 18-20-3275 | COVER, SPECIAL, FOR: WABCO VARIABLE LOAD VALVE, A-L, CHAMBER, SPRING FOLLOWER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 84301 | | |
| 1736 | 18-20-3425 | COVER, SPECIAL, FOR: WABCO. VARIABLE LOAD VALVE A-1-A, SIDE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 90408 | | |
| 1737 | 18-20-3600 | COVER, SPECIAL, FOR WABCO OPERATING UNIT A-1, BEARING, BRAKERELAY VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 97348 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1738 | 18-20-3650 | COVER, EXHAUST VALVE, FOR RELAY PORTION OF A-1 OPER. UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 99677 | | |
| 1739 | 18-20-5260 | COVER, FILTER FOR OPERATING UNIT TYPE A-1, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 515471 | | |
| 1740 | 18-20-5275 | COVER, DIAPHRAGM, FOR A1 AUTO. DRAIN VALVE, WAB CO. PC. NO. 517109 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 517109 | | |
| 1741 | 18-20-5300 | COVER, SPECIAL FOR WABCO OPERATING UNIT A-1 DIAPHRAGM, CHARGING VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 518813 | | |
| 1742 | 18-20-5350 | COVER, SPECIAL, FOR WABCO PNEUPHONIC HORN D-3 & D-5 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0522242 | | |
| 1743 | 18-20-5375 | COVER, SPECIAL FOR: WABCO OPERATING UNIT A-1 PISTON BRAKE RELAY VALVE RELAY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 527060 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1749 | 18-20-5525 | COVER, SPECIAL FOR: WABCO OPERATING UNIT A-1 VALVE, VARIABLELOAD BUSHED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533012 | | |
| 1750 | 18-20-5550 | COVER, FOR WAB CO. OPERATING UNIT, A-1, RHEOSTAT MTCE DATE 031985 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533020 | | |
| 1751 | 18-20-5575 | COVER, FOR WAB OPERATING UNIT A-1 HOUSING INSHOT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533539 | | |
| 1752 | 18-20-5600 | COVER, SPECIAL, FOR WABCO OPERATING UNIT A1, INSHOT, W/PIN MTCE DATE 021485 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533540 | | |
| 1753 | 18-20-5625 | COVER, FILTER, "J", FOR A-1 OPER. UNIT, W.A.B. CO. PC. COVER FOR WAB OPERATING U NIT A-1 FILTER (TYPE J) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533590 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1754 | 18-20-5650 | COVER, VALVE PORTION FOR TYPE 00000PERG ONI0- WAB CO. NO. 533602 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 533602 | | | | | | | |
| 1755 | 18-20-5675 | COVER, FOR WAB OPERATING UNIT, A-1 VALVE EMERGENCY CHECK PLUGGED | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 533606 | | | | | | | |
| 1756 | 18-20-5700 | COVER, SPECIAL FOR WAB CO. COMPRESSOR 2CY3B FILTER, WITH TIE BOLT & PIN. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 533625 | | | | | | | |
| 1757 | 18-20-5725 | COVER, SPECIAL FOR WAB CO BRAKE VALVE ME- 42 CONTACT W/GASKET | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 533634 | | | | | | | |
| 1758 | 18-20-5775 | COVER, ME-42 BR. VALVE, COVER FOR WAB BRAKE VALVE ME-42 CONTACT, ELECTRIC | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 533686 | | | | | | | |
| 1759 | 18-20-5850 | COVER, SPECIAL FOR WAB CO. COMPRESSOR UNIT A-1 HEADER, AFTER COOLER -L.H.- COVER | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | SPECIAL FOR WAB COMPRESSOR UNIT A-1 HEADER AFTERCOOLER | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 534390 | | | | |
| 1760 | 18-20-5900 | COVER, SPECIAL FOR WAB BRAKE VALVE ME-42 BOARD TERMINAL WITH GASKET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535581 | | | | |
| 1761 | 18-20-6025 | COVER, U/W TYPE B3 RELAY VALVE, APPLICATION VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 551459 | | | | |
| 1762 | 18-20-6032 | COVER, SPRING, U/W W.A.B. ME-42 BRAKE VALVE, TYPE B. FOR R-28 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 551526 | | | | |
| 1763 | 18-20-6033 | COVER, EMERGENCY VALVE FOR TYPE ME-42-A BRAKE VALVE R-22 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 551527 | | | | |
| 1764 | 18-20-6037 | COVER, CHECK VALVE, FOR TYPE ME-42-A BRAKE VALVE, R-22 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 551530 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1765 | 18-20-6065 | COVER, BOTTOM U/W WAB TYPE "J" RELAY VALV E F/R-26 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 556446 | | | | | | | |
| 1766 | 18-20-6072 | COVER, PISTON, USED WITH WAB COMPRESSOR GOVERNOR, TYPE S-20, R-26, 28, 29 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 561062 | | | | | | | |
| 1767 | 18-20-6080 | COVER, USED WITH TYPE ME 42B BRAKE VALVE, F/R-28 CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 561159 | | | | | | | |
| 1768 | 18-20-6092 | COVER, FRONT U/W W.A.B. ME-42 BRAKE VALVE, TYPE B. FOR R-28 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 561201 | | | | | | | |
| 1769 | 18-20-6100 | COVER, USED WITH TYPE ME 42B BRAKE VALVE, F/R-28 CARS. W.A.B. NO. 561875. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 561875 | | | | | | | |
| 1770 | 18-20-6105 | COVER, USED WITH TYPE ME 42B BRAKE VALVE, F/R-28 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 561876 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1771 | 18-20-6150 | COVER, WAB CO. PC. NO.562266, -RELIANCE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562266 | | | | |
| 1772 | 18-20-6180 | COVER, HEADER DISCHARGE FOR TYPE A-6 COMPRESSOR UNIT, R-33 & 36 CARS CORONA SERVICE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563814 | | | | |
| 1773 | 18-20-6304 | COVER, UNLOADING W/1/2" HOLE AND LEVER SUPPORT FOR 2CY3B COMPRESSOR R10-R36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 565939 | | | | |
| 1774 | 18-20-6310 | COVER, FRONT BEARING FOR TYPE D-3 AIR COMPRESSOR UNIT, W.A.B. CO. NO. 569778 #32227-09 AND FAN ATTACHMENTS, F/R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569778 | | | | |
| 1775 | 18-20-6320 | COVER, EMERGENCY PORTION W/2 INSHOT PISTON SPRING SHIMS NO. 94837 FOR WABCO "AB" VALVES EMERGENCY PORTION NO. 502807 ON FLAT CARS AND WORK CARS, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 511829 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1776 | 18-20-6350 | COVER, SERVICE PORTION, COMPLETE 95998- FOR WAB CO. -AB- VALVES SERVICE WORK CARS, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 95050 | | | | |
| 1777 | 18-20-6351 | COVER, FOR 3/4" DIAPHRAGM COCK ON "WAB" TEST RACK, #3219-5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 96750 | | | | |
| 1778 | 18-21-2350 | CROSSHEAD, FOR SLACK ADJUSTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501367 | | | | |
| 1779 | 18-21-2600 | CROSS HEAD, U/W WABCO TYPE C-15-D SLACK ADJUSTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 502034 | | | | |
| 1780 | 18-21-4215 | CUP, STRUT CYL. PACKING U/W WABCO TYPE VARIABLE LOAD VALVE, FOR R28, R30 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561246 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1781 | 18-21-4220 | CUP, PISTON PACKING LATCH, U/W WABCO TYPE VARIABLE LOAD VALVE, FOR R28 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561262 | | | | |
| 1782 | 18-21-7100 | CUSHION U/W WABCO TYPE D-3-F COMPRESSOR SUSPENSION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 7483 | | | | |
| 1783 | 18-22-0015 | RESERVOIR ASSEMBLY, (INCL #87), FOR TYPEA3 COMPRESSOR #556064 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 556756 | | | | |
| 1784 | 18-22-0085 | CONTACTOR, U/W A-3 COMPRESSOR, R-22 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 556683 | | | | |
| 1785 | 18-22-1720 | CYLINDER HIGH PRESSURE U/W WAB AIR COMPRESSOR 2C4-3-B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 184405 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1786 | 18-22-1802 | PROTION ELECTRIC BL-25B, 26 HOLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 536231 | | |
| 1787 | 18-22-1848 | COVER, BODY, U/W H-2-C CAR COUPLER. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533839 | | |
| 1788 | 18-22-1885 | ROD COUPLER LATCH R16-R38 CARS U/W WAB AUTOMATIC CAR COUPLER TYPE H-2-C #537545 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83424 | | |
| 1789 | 18-22-2200 | CYLINDER, U/W WABCO AUTOMATIC SLACK ADJUSTER TYPE C-15-D E LINE, R10-17 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 511394 | | |
| 1790 | 18-22-2380 | CYLINDER, STANDARD H.P., FOR 2CY3B COMPRESSOR, R10 TO 36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565990 | | |
| 1791 | 18-22-4200 | CYLINDER, BRAKE 6" X 6" SIZE - TYPE ARRANGED FOR 2-1/2", 3", OR 3-1/2" -U.A.H.T.- W/O SLACK ADJUSTER LUG PISTON TRAVELOO | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533582 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1792 | 18-22-4350 | CYLINDER, BRAKE, 7" X 6" SIZE, FOR WABCO TYPE "UAHT" COMPLETE, ARRANGED FOR 2-1/2" 3" OR 3-1/2" PISTON TRAVEL, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533441 | | | | |
| 1793 | 18-22-4355 | CYLINDER BRAKE 7X6 BMT, IND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562021 | | | | |
| 1794 | 18-22-4525 | CYLINDER, BRAKE, 10 IN. WITH LEVER BRACKET HEAD & LEVER BRACKET, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO A569023 | | | | |
| | | N D WABCO FA-83850-51 | | | | |
| 1795 | 18-22-4600 | CYLINDER, BRAKE, 12" X 12" SIZE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 28434 | | | | |
| 1796 | 18-22-6100 | CYLINDER & CRANKCASE U/W WABCO AIR COMPRESSOR TYPE D-4-EGW COMPRESSOR COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 7966 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1797 | 18-23-3300 | DIAPHRAGM, COCK USED WITH W.A.B. DIAPHRAGM, COCK 1/2 INCH W.A.B. NO. 81807 | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 81807 | | | | | | | |
| 1798 | 18-23-3375 | DIAPHRAGM, FOR 3/8 IN. DIAPHRAGM COCK | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 85821 | | | | | | | |
| 1799 | 18-23-3535 | DIAPHRAGM, USED WITH W.A.B. TYPE -AB- VAL VE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 94889 | | | | | | | |
| 1800 | 18-23-4275 | DIAPHRAGM, NO. 514088, PNEUPHONIC HORN PTS. WAB CO. TYPE D-5 | EA | 45 | | 00 | | 18 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0514088 | | | | | | | |
| 1801 | 18-23-4400 | DIAPHRAGM, 1 COCK U/W WAB DIAPHRAGM COCK3/4" | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 529707 | | | | | | | |
| 1802 | 18-23-4425 | DIAPHRAGM, COCK, U/W WAB DIAPHRAGM COCK, 3/4" | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 531345 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1803 | 18-23-4450 | DIAPHRAGM, UNVENTED U/W WAB DIAPHRAGM COCK 3/8" | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 531392 | | | | | | | |
| 1804 | 18-23-4500 | DIAPHRAGM, COMPLETE, VALVE, EXHAUST, FOR W.A.B. CO. BRAKE VALVE, TYPE ME-42 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 538128 | | | | | | | |
| 1805 | 18-23-4525 | DIAPHRAGM, COCK U/W WAB DIAPHGRAM COCK 1/ 2" | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 539781 | | | | | | | |
| 1806 | 18-23-4550 | DIAPHRAGM, C-6 FEED VALVE, VAR. LOAD PORTION | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 542003 | | | | | | | |
| 1807 | 18-23-4788 | DIAPHRAGM, EMERGENCY PISTON FOR WABCO AB FR. BRAKE EQUIP WITHABD CONTINUE VALVE E MERGENCY PORT. PC. 567195 FOR FLAT CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 564588 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1808 | 18-23-4796 | DIAPHRAGM, FOR WABCO TYPE AB-FR BRAKE #566 172 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570907 | | |
| 1809 | 18-23-4797 | DIAPHRAGM, FOR WABCO AB, FOR BRAKE VALVE P C #566198 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570908 | | |
| 1810 | 18-24-1260 | DISC, F/WABCO A, B 3/4 COCK ON AB TEST RACK, AIR ROOM. MTCE: 060782 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 96748 | | |
| 1811 | 18-24-3200 | DOG, FOR TYPE ME-42 BRAKE VALVE CAM. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561870 | | |
| 1812 | 18-24-3250 | DOG, U/W WABCO TYPE D-1, D-1-A & B, TRIPCOCK CAM | EA | 2,181 | 2,885 | 585 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0532603 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1813 | 18-24-3300 | BRAKE VALVE PARTS ME-42 DOG CAM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533665 | | |
| 1814 | 18-25-1105 | ELBOW, 3/8" COMPRESSOR FITTING, FOR 3 YC AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 72694 | | |
| 1815 | 18-25-1113 | ELBOW, FOR COMPRESSOR, 62-638, 1/2 IN. COMPRESSION, TAPPED ELBOW, 3/8 IN. F.P.T. EA, R33-36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 86911 | | |
| 1816 | 18-25-1116 | ELBOW, U/W WAB CO. AIR BRAKE EQUIPT. 3/8 IN. COMPRESSION 1/2 IN. PIPE, COMPLETE. EA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 86914 | | |
| 1817 | 18-25-1117 | ELBOW, COMPRESSION, 3/8 IN. W.A.B. CO. PC. NO. 86915 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 86915 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1818 | 18-25-1133 | ELBOW, FOR 2CY3B COMPRESSOR R10 TO R36 CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 89124 | | | | | | | |
| 1819 | 18-25-1134 | ELBOW, COMPRESSION, ASSY., FOR 2CY3B COMPRESSOR, R-10 TO 36 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 89125 | | | | | | | |
| 1820 | 18-25-4200 | EXCLUBER U/W WABCO TYPE D-1 & D-1-A TRIP COCK & EMERGENCY VALVE PORTION OF A-1 OPERATING UNIT WASP | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WAB CO 507270 | | | | | | | |
| 1821 | 18-26-0090 | FERRULE, FOR TYPE A5 COMPRESSOR AFTER COOLER R26-R28 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO A185675 | | | | | | | |
| 1822 | 18-26-1190 | PLUG, PIPE, 1/4", U/W MOTOR & FAN | EA | | 11 | | 06 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 99 405 | | | | | | | |
| 1823 | 18-26-3300 | FILTER, ELEMENT, USED WITH WABCO TYPE FB-2 MAGNET VALVE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 522170 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1824 | 18-26-5400 | FILTERS, COMPLETE, TYPE J, LESS FITTINGS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 533591 | | | | | | | |
| 1825 | 18-26-5500 | FILTER, UNIT U/W WABCO COMPRESSOR TYPE 2C 73B INTAKE 1 1/4" LW COMPLETE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 533626 | | | | | | | |
| 1826 | 18-26-6199 | FINGER SMALL-COMPLETE FOR ME-42 BRAKE VALVE | EA | | 04 | | 00 | | 09 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 531722 | | | | | | | |
| 1827 | 18-26-6200 | FINGER U/W WABCO TYPE DE-24-T BRAKE VALVE SMALL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 531723 | | | | | | | |
| 1828 | 18-26-6300 | FINGER U/W WABCO TYPE DE-24-7 BRAKE VALVE LARGE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 531736 | | | | | | | |
| 1829 | 18-26-6327 | FINGER, LARGE - COMPLETE (INCLUDES 212, 213, FOUR OF 199 AND 200), FOR TYPE | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| | | ME-42 BRAKE VALVE | | | | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 533797 |
| 1830 | 18-27-1125 | FITTING, U/W WABCO ILL DUPLX AIR GAUGE 4 5582 UNION TAPPED 1/4" WITH SWIVEL & 1/6 4 CHOKE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 56294 |
| 1831 | 18-27-1150 | FITTING, U/W WABCO INSPECTORS AIR TEST GAUGE EXTENSION 1/4" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 59564 |
| 1832 | 18-27-1200 | FITTING, U/W WABCO 3/4" CUT OUT COCK 5309 24 3/4 WABCOTITE COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 93843 |
| 1833 | 18-27-1220 | FITTING, 3/8" WABCOSEAL, FOR A.B. BRAKE VALVE, R-20 SERVICE CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 563569 |
| | | N D NYCTA | | | | 5X5908 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1834 | 18-27-1225 | FITTING, U/W WAB CO. TYPE A-5-A APPLICATION VALVE, 3/8" WABCOTITE, COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 93844 | | | | |
| 1835 | 18-27-1230 | FITTING, 1-1/4" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 94915 | | | | |
| 1836 | 18-27-1275 | FITTING, U/W WAB CO. TYPE A-1 SUPPLY UNIT, 1/2" WABCOTITE SWEAT, 1/2" OD TUBE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 503427 | | | | |
| 1837 | 18-27-1300 | FITTING, U/WITH WABCO 1/2" CUT OUT COCK 1/2" WABCOTITE SWEAT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 503684 | | | | |
| 1838 | 18-27-1305 | FITTING, SWEAT U/W VARIABLE LOAD OPERATING MECH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 503685 | | | | |
| 1839 | 18-27-1325 | FITTING, U/W WABCO 3/8" CUT OUT COCK 3/8 WABCOTITE SWEAT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 504721 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1840 | 18-27-1380 | FITTING, USED ON COMPRESSOR UNIT FOR R-33 AND 36 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 515255 | | |
| 1841 | 18-27-1420 | FITTING, FOR D1 AUTO. DRAIN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563804 | | |
| 1842 | 18-27-2100 | FITTING, BODY, U/W WAB 3/4" CUT OUT COCK, 3/4" FITTING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 93834 | | |
| 1843 | 18-27-2125 | FITTING, BODY USED WITH WAB CO. 1/2 IN. C UTOUT COCK 1/2 IN. FITTING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 93835 | | |
| 1844 | 18-27-2150 | FITTING, BODY U/W WABCO TYPE C-15-D SLACK ADJUSTOR & TYPE A-1 AUTOMATIC DRAIN VALVE, 1/4" WABCOTITE GRIPSEAL FITTING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565185 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 1845 | 18-27-3071 | GAUGE, AIR, DUPLEX, USED ON R134 WORK CAR IN MOTORMAN CAB | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 671112 | | | | | | | |
| 1846 | 18-27-3077 | FITTING, TEST | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 576429 | | | | | | | |
| 1847 | 18-27-3080 | VALVE, VARIABLE LOAD | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 674756 | | | | | | | |
| 1848 | 18-27-3083 | GASKET, RECEPTACLE, USED ON B-1 BRAKE PIPE UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0672061 | | | | | | | |
| 1849 | 18-27-4175 | BODY, ELBOW, 3YC AIR COMPRESSOR, FITTINGELBOW U/W WABCOTITE TYPE 2C43B AIR COMPRESSOR 3/8 COMPRESSION 1/2 COPPER PIPE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 86848 | | | | | | | |
| 1850 | 18-27-4375 | FITTING, ELBOW U/W WABCO TYPE B-3 UNCOUPLING VALVE 3/8 WABCOTITE SWEAT | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | 5/8 OD TUBE. | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | 51386 |
| 1851 | 18-27-4400 | FITTING, ELBOW U/W WABCO TYPE UFT 10X8 BRAKE CYLINDER 1/4 CONNECTION, WABCOTITE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | 525206 |
| 1852 | 18-27-4425 | FITTING, ELBOW U/W WABCO TYPE ME-42 BROKE VALVE SPECIAL 1/4" WABCOTITE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | 533622 |
| 1853 | 18-27-4475 | FITTING, INLET, FOR 2CY3B COMPRESSOR, R-10 TO 36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | 563657 |
| 1854 | 18-27-6275 | FITTING, 5/8" VENTURI TUBE, U/W WABCO TYPE M-3 FEED VALVE #84208 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | 77971 |
| 1855 | 18-27-6400 | FITTING NUT, USED WITH SLACK ADJUSTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | 502237 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|------|------------|------------------------------|-----|-----|-----|-----|
| 1856 | 18-27-6450 | FITTING, NUT USED WITH WABCO 5/8" AIR HOSE W/THD NIPPLE & TAPPED UNION NIPPLE 1/2 UNION | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 532780 | | | | |
| | | N | D | NYCTA | IND-562-131, REV. B, DET. #3 | | | | |
| 1857 | 18-27-6475 | FITTING, NUT USED WITH WAB CO. 5/8 AIR HOSE W/THD NIPPLE & TAPPED UNION NIPPLE 3 EA /4 UNION | | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 532781 | | | | |
| | | N | D | NYCTA | IND-562-131 REV. B | | | | |
| | | N | S | NYCTA | 2086-PROD-96 REV.B | | | | |
| 1858 | 18-27-7325 | STUD-UNION-FITTING STUD U/W WABCO AIR GAUGE 1/4 TAPPED UNION | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 520854 | | | | |
| 1859 | 18-27-8250 | FITTING, SWIVEL U/W WABCO TYPE REDUCING UNION. | | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 14294 | | | | |
| 1860 | 18-27-8375 | FITTING, SWIVEL, USED WITH WABCO 7/8" AIR HOSE WITH THREADED NIPPLES & TAPPED UNION NIPPLES 7/8" FEMALE UNION, AAR SPEC. | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 532765 | | | | |
| | | N | D | NYCTA | IND 562-131 REV. B, DET#2 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1861 | 18-27-9125 | FITTING, UNION USED WITH W.A.B. CO. TYPEJ, FILTER 3/4 IN. FLANGED, SWEAT 7/8 OD COPPER PIPE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 502093 | | | | |
| 1862 | 18-27-9150 | FITTING, UNION, 1 IN. FLANGED SWEAT, U/W WAB CO. TYPE A-2, RELAY VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 502094 | | | | |
| 1863 | 18-27-9225 | FITTING, UNION U/W WABCO TYPE A-2 EMERG ENCY VALVE, 3/8- #FLANGED WABCOTITE SWEAT, 1/2- #O.D. COPPER TUBE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 515956 | | | | |
| 1864 | 18-27-9250 | FITTING, STUD, 1/4" TAPPED UNION, COMPLETE, FOR AIR GAUGE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 520853 | | | | |
| 1865 | 18-28-0018 | BALLAST RESISTOR ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561014 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1866 | 18-28-0152 | BODY AIR PORTION ASSEMBLY FOR TYPE S-20 ELECTRIC COMPRESSOR GOVERNOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563280 | | |
| 1867 | 18-28-0251 | COVER, UNLOADER END, FOR TYPE 2CY3B AIR COMPRESSOR, #566020 W.A.B. CO. #188242 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 188242 | | |
| 1868 | 18-28-1200 | FLANGE, U/W WABCO TYPE 2CY3B AIR COMPRESSOR SHAFT END R10 TO 36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565692 | | |
| 1869 | 18-28-1245 | FLANGE, USED WITH W.A.B. CO. TYPE 3YC AIR COMPRESSOR, FLEXIBLE HOSE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 519188 | | |
| 1870 | 18-28-3150 | FOLLOWER, PISTON U/W WAB BRAKE CYLINDER 6", | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1238 | | |
| 1871 | 18-28-3250 | FOLLOWER PISTON U/W WAB VARIABLE LOAD MECHANISM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 78348 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1872 | 18-28-3425 | FOLLOWER, PISTON, STRUT CYLINDER, VARIABLE LOAD PORTION, USED WITH WABCO OPERATING UNIT, TYPE A-1. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 87402 | | |
| 1873 | 18-28-3450 | FOLLOWER, LATCH PISTON, FOR VARIABLE LOAD VALVE TYPE A-1-A | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 89482 | | |
| 1874 | 18-28-3725 | DIAPHRAGM, FOLLOWER, BRAKE VALVE PORTION U/W WAB BRAKE VALVE TYPE ME-42. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565366 | | |
| 1875 | 18-28-3750 | DIAPHRAGM, FOLLOWER, BRAKE VALVE PORTION U /W WAB BRAKE VALVE TYPE ME-42 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 538126 | | |
| 1876 | 18-28-3829 | DIAPHRAGM, FOLLOWER, FOR WABCO AB FOR BRAK E EQUIP WITH ABD CONTINUE VALVE-RELEASE VALVE PC #566198 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562908 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1877 | 18-28-3831 | DIAPHRAGM, FOLLOWER, FOR WABCO TYPE AB FOR BRAKE EQUIP WITH ABD CONT VALVE SERVICE PORT #566172 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 566193 | | | | |
| 1878 | 18-28-3836 | DIAPHRAGM, FOLLOWER, FOR WABCO AB-FR BRAKE EQUIP WITH ABD-CONT VALVE SERVICE PORT #566172 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 566467 | | | | |
| 1879 | 18-28-3843 | DIAPHRAGM, FOLLOWER, FOR WABCO TYPE AB-FR BRAKE EQUIP WITH ABD CONT VALVE SERVICE PORT #566172 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 566181 | | | | |
| 1880 | 18-28-3851 | DIAPHRAGM, FOLLOWER, FOR WABCO AB-FOR BRAK E EQUIP WITH ABD CONT VALVE EMERG PORT P C#567195 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 567210 | | | | |
| 1881 | 18-28-3861 | DIAPHRAGM, FOLLOWER, FOR WABCO AB FOR BRAK E EQUIPMENT WITH ABD CONT VALVE EMERG PO RT PC# 567195 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 567223 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1882 | 18-28-8100 | FULCRUM, U/W WABCO TYPE S-16 GOVERNOR LATCH | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 72908 | | |
| 1883 | 18-28-8125 | FULCRUM, F/WABCO 1/2 COCK ON AB TEST RACK. MTCE: 062382 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 97298 | | |
| 1884 | 18-28-8275 | BRACKET, MOUNTING, U/O D-4 COMPRESSOR. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672435 | | |
| 1885 | 18-28-8276 | BRACKET, MOUNTING, U/O D-4 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672436 | | |
| 1886 | 18-28-8277 | PORTION, ELECTRIC, BL33H WITH LAMINATED SLIDE FRAME WITH 25 FEET OF 19 CONDUCTOR CABLE WIRED TO ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672907-8006 | | |
| | N | S | NYCTA | 2064PROD89 | | |
| | N | S | NYCTA | 2064PROD89A | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1887 | 18-28-8278 | BUSHING, NON-PRESSURE HEAD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551504 | | |
| 1888 | 18-29-1420 | BRAKE HEAD, FOR WAB "GI" TYPE BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566575 | | |
| 1889 | 18-29-4350 | GOVERNOR, WABCO TYPE R-14 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 162613 | | |
| 1890 | 18-29-5165 | GROMMET, FOR TYPE A-3 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560661 | | |
| 1891 | 18-29-5416 | NAMEPLATE, BRAKE VALVE, U/O ME42B BRAKE VALVE, SNOW BRAKE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671132 | | |
| 1892 | 18-29-6300 | HANDLE GUARD, FOR ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 533778 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1893 | 18-29-6400 | GUARD, HANDLE U/W TYPE ME-42 BRAKE VALVE R10-16 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 549109 | | | | | | | |
| 1894 | 18-29-6450 | GUARD, HANDLE, USED WITH TYPE ME 42B BRAKE VALVE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 561174 | | | | | | | |
| 1895 | 18-29-6991 | GASKET, FILLING PIECE FOR WABCO TYPE AB-FOR BRAKE EQUIP WITH ABD-CONT VALVE SERVICE PORT #566172 FOR FLAT CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 563997 | | | | | | | |
| 1896 | 18-29-7375 | GUIDE, U/W WAB CO. TYPE A-1 OPERATING UNIT SPRING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 87428 | | | | | | | |
| 1897 | 18-29-7568 | GUIDE, VALVE, PILOT U/W R-20 FLAT CARS & SPINO RAIL GRINDER W.A.B. CO. NO. 506145 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 506145 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1898 | 18-29-7625 | GUIDE, U/W WABCO TYPE A-1 OPERATING UNIT IN SHOT VALVE UPPER DIAPHRAGM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 533530 | | | | |
| 1899 | 18-29-7650 | GUIDE, DIAPHRAGM SPRING, U/W OPERATING UNIT TYPE A-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 547057 | | | | |
| 1900 | 18-29-7671 | GUIDE, PISTON SPRING FOR WABCO TYPE AB- FOR BRAKE EQUIP WITH ABD CONT. VALVE SERVICE PORT # 566172 FOR FLAT CARS NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFAC- Turer's name & part #, purchase order #, date of manufacture and NYCTA Turer's name & part #, purchase order have been inspected in accordance with A quality assurance program that has been certified by the AAR against AAR M-1003. Certification is to be supplied by vendor with each shipment that material has been inspected and is in compliance." | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563919 | | | | |
| 1901 | 18-29-7692 | GUIDE, CHECK VALVE SPRING, FOR WABCO TYPE "AB" FRIEGHT EQUIP - SERVICE PORTION #322696 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 94849 | | | | |
| 1902 | 18-30-0615 | VALVE ASSEMBLY, VARIABLE LOAD FOR TYPE A-1 OPERATING PORTION, R27-30 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562589 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1903 | 18-30-0654 | SCREW | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 19210 | | |
| 1904 | 18-30-0704 | PORTION, CHARGING VALVE, USED ON S-4-B VARIABLE LOAD VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569930-0035 | | |
| 1905 | 18-30-1787 | VALVE, J-14D RELAY, COMPLETE, WITH 8 LB OFFSET (N-2 REDUCING VALVE SET FOR 8 LBS.) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 670786 | | |
| 1906 | 18-30-1788 | SPRING, DIAPHRAGM, USED ON "N-1" REDUCING VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 99478 | | |
| 1907 | 18-30-1789 | VALVE, RELAY, PORTION, USED WITH J-14-D, LESS "N-1" REDUCING VALVE PORTION. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 592578 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1908 | 18-30-1790 | HOUSING, BOTTON FOR WABCO BL-33 ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 558920 | | | | |
| 1909 | 18-30-1791 | FRAME, SLIDE FOR WABCO BL-33 ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 591366 | | | | |
| 1910 | 18-30-1792 | BOLT, FOR WABCO ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 589365 | | | | |
| 1911 | 18-30-1795 | BODY, U/O J-14-D, RELAY VALVE PORTION. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | Y P WABCO 592520 | | | | |
| 1912 | 18-30-1823 | TUBE COUPLER TRID CYLINDER FOR ELECTRIC PORTION BL-25-B U/W WAB AUTOMATIC CAR CUPLER #561100, R10-R38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535873 | | | | |
| 1913 | 18-30-1830 | CONNECTOR FEED VALVE AIR U/W ELECTRIC CIRCUIT OF H-2-C COUPLER RIGHT HAND FOR R2 | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | 6-R30 A CARS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 560913 | | | | |
| 1914 | 18-30-1840 | COVER, FEED VALVE, ON TYPE H-2-C AUTOMATIC CAR COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561297 | | | | |
| 1915 | 18-30-2002 | LEVER, BRAKE ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571765 | | | | |
| 1916 | 18-30-3100 | HANDLE 1 IN. CUT OUT COCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 2103 | | | | |
| 1917 | 18-30-3200 | HANDLE, USED WITH 1/2 IN. DRAIN COCK, 1/2. CUT OUT COCK. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 9035 | | | | |
| 1918 | 18-30-3300 | HANDLE, USED WITH BRAKE VALVE TYPE K-14-A INDEPENDENT PORTION M.I. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 18754 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 1919 | 18-30-3750 | HANDLE, COMBINATION 1- #CUT OUT COCK & 1" X 3/8- #DOUBLE CUT OUT COCK FOR MAIN RESERVOIR & BRAKE PIPE BRANCHES TO UNIVERSAL VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53687 | | | | | | | |
| 1920 | 18-30-4400 | HANDLE, U.W DIAPHRAGM COCK W/QUICK OPENING HANDLE, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 97131 | | | | | | | |
| 1921 | 18-30-4475 | HANDLE, FOR 3/4" DIAPHRAGM COCK ON "AB" TEST RACK #3219-5 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 96753 | | | | | | | |
| 1922 | 18-30-4550 | HANDLE, USED WITH CUTOUT COCK 3/4 IN. 3 W AY COCK SPLIT TYPE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WAB CO 99210 | | | | | | | |
| 1923 | 18-30-4560 | HANDLE, SPLIT, 1/2 IN. FOR CUT-OUT COCK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WAB CO 99224 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1924 | 18-30-5000 | HANDLE, USED WITH CUTOUT COCK, LIST A-1179-75, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501508 | | | | |
| 1925 | 18-30-5300 | HANDLE, U/W WHISTLE VALVE, TYPE H-4PA. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 532712 | | | | |
| 1926 | 18-30-5350 | HANDLE, CUT OUT COCK, FOR TYPE A-1 SUPPLY UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 532936 | | | | |
| 1927 | 18-30-5400 | HANDLE, USED WITH CUT-OUT COCK CAT. NO. 3216-4 W/SHORT HANDLE & WAB CO. FITTINGS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533456 | | | | |
| 1928 | 18-31-2950 | HEAD, CYLINDER, USED WITH WABCO TYPE A-1 VARIABLE LOAD VALVE STRUT CYLINDER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 78144 | | | | |
| 1929 | 18-31-3552 | HEAD, CYLINDER, H.P., ASSY., FOR WAB TYPE A-2-A COMPRESSOR, WAB #570919 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 570919 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1930 | 18-31-4200 | HEAD, CYLINDER, USED WITH W.A.B. CO. TYPE UAHT 7 X 6 BRAKE CYLINDER NONPRESSURE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533444 | | | | |
| 1931 | 18-31-4250 | HEAD, CYLINDER, U/W WABCO TYPE VAHT 6 X 6 BRAKE CYLINDER NON-PRESSURE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533586 | | | | |
| 1932 | 18-31-4255 | HEAD, NON-PRESSURE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 551562 | | | | |
| 1933 | 18-31-4260 | HEAD, CYLINDER WITH STUDS LOW PRESSURE CYLINDER FOR 2-CY 3B AIR COMPRESSOR R/10 TO R-36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 565938 | | | | |
| 1934 | 18-32-0612 | VALVE ASSEMBLY, VARIABLE LOAD, FOR R9- 23, 9-260 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 570376 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1935 | 18-32-0943 | WASHER #8 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 532986 | | |
| 1936 | 18-32-1225 | HINGE, USED WITH TYPE ME 42B BRAKE VALVE, F/R-28 CARS. | EA | 75 | 143 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561188 | | |
| 1937 | 18-32-3300 | HOLDER, USED WITH 7 IN. X 6 IN. UAHT BRAKE CYLINDER, PUSH ROD. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 502829 | | |
| 1938 | 18-32-3325 | HOLDER, U/W WAB BRAKE CYLINDER 6 IN. X 6 IN. UAHT PUSH ROD HOLDER WAB NO. 506468 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 506468 | | |
| 1939 | 18-32-3330 | HOLDER, USED WITH TYPE ME 42B BRAKE VALVE, F/R-28 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561339 | | |
| 1940 | 18-32-3525 | HOLDER, CARBON, U/W 600V MOTOR ON TYPE D- 2-F COMPRESSOR, STUD WAB #51319 (RELIA NCE ELECTRIC CO.) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 51319 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1941 | 18-32-3600 | HOLDER, CARBON USED WITH WABCO TYPE D-2-F AIR COMPRESSOR MOTOR UPPER CARBON W/PI EA N, | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 69828 | | | | |
| 1942 | 18-32-5100 | HORN, WABCO TYPE D-5 PNEUPHONIC HORN W/ SHORT BELL. "DO NOT BUY". PLEASE SEE 18-88-0006 AS AN ALTERNATIVE | EA | 01 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 0551462 REV.A | | | | |
| 1943 | 18-32-7875 | HOUSING, BOTTOM COMPLETE, W/DOOR, DOOR MECH., & DOOR CIRCUIT BREAKER. FOR BL-25- B, ELEC. PORTION OF H-2-B, H-2-C, AUTO COUPLERS, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 516908 | | | | |
| 1944 | 18-32-7900 | HOUSING, U/W WABCO CO. RESET MAGNET TYPE FB-4 FOR A-1 OPERATING UNIT COIL MAGNET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 521287 | | | | |
| 1945 | 18-32-7950 | HOUSING, U/W WAB CO. INSHOT VALVE NO. 533525, FOR A-1 OPERATING UNIT, SPRING INL ET VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 562309 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1946 | 18-32-8200 | HOUSING, U/W WABCO BRAKE VALVE TYPE ME-42 SPRING INLET VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | Y P WABCO 538120 | | | | |
| 1947 | 18-32-8270 | HOUSING, USED WITH W.A.B. BRAKE VALVE, TYPE ME-42-A TERMINAL, F/R-17 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 551542 | | | | |
| 1948 | 18-32-8310 | HOUSING, SPRING, U/W TYPE ME42B BRAKE VALVE, FOR R28 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561196 | | | | |
| 1949 | 18-32-8315 | HOUSING, USED WITH TYPE ME 42B BRAKE VALVE. F/R-28 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561197 | | | | |
| 1950 | 18-32-8325 | HOUSING, USED WITH TYPE ME 42B BRAKE VALVE. F/R-28 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561205 | | | | |
| 1951 | 18-32-8335 | HOUSING, USED WITH TYPE ME 42B BRAKE VALVE | EA | 00 | 08 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561219 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1952 | 18-32-8340 | HOUSING, U/WITH TYPE ME 42B BRAKE VALVE. F/R-28 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561220 | | | | |
| 1953 | 18-32-8747 | BUSHING, EMERGENCY VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561151 | | | | |
| 1954 | 18-33-2200 | KIT, CONVERSION, VARIABLE, LOAD VALVE (CONVERTS J16 TO J14 RELAY VALVE). | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 671615 | | | | |
| 1955 | 18-33-2504 | NUT, 1/4"-29 HX CAD PL. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WEST. AIR BRK/WABC 203104 | | | | |
| 1956 | 18-33-3000 | INSULATOR, FIBRE U/W FOR USE ON WAB GOVER NOR, ELECT COMPRESSOR TYPE L AS 1/16 THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 10233 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1957 | 18-33-3465 | INSULATOR, TERMINAL CLIP R.H. U/W BL-25 ELEC. PORTION ON H2B AUTO COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 90946 | | | | |
| 1958 | 18-33-3480 | INSULATOR, TERMINAL CLIP, L.H., U/W BL-25 ELEC. PORTION ON H2B AUTO. COUPLER | EA | 04 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 91330 | | | | |
| 1959 | 18-33-3750 | INSULATOR, TERMINAL BLOCK, FOR ME-42 BRAKE VALVE, W.A.B. CO. PC. NO. 531720 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 531720 | | | | |
| 1960 | 18-33-4015 | INTERCOOLER, FOR 2CY3B-A COMPRESSOR, R10-36 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 185948 | | | | |
| 1961 | 18-33-4020 | INTERCOOLERS, COMPLETE, 2CY3B, LESS SAFETY VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 188251 | | | | |
| 1962 | 18-33-4025 | INTERCOOLER, FOR 2CY3B COMPRESSOR R17 TO R29 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 188952 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 1963 | 18-33-6000 | VALVE, VARIABLE LOAD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 575212 | | |
| 1964 | 18-33-6001 | VALVE, EMERGENCY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 590963 | | |
| 1965 | 18-33-6009 | CONNECTOR, LOCKNUT MAGNET VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 575247 | | |
| 1966 | 18-33-6011 | COIL, MAGNET, USED ON MAGNET VALVE FA-4 | EA | 19 | 07 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 589940 | | |
| 1967 | 18-33-6014 | SPRING, PISTON, U/O VARIABLE LOAD VALVE F/R62 CARS. 0.324" NOM. ID X 0.051" WIRE DIA. X 1.25" FREEHEIGHT | EA | 1,080 | 1,314 | 275 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 539587 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1968 | 18-33-6018 | DIODE, U/O AIR PORTION ASSEMBLY N-4-E MAGNET VALVE. F/R62 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 588914 | | |
| 1969 | 18-33-6019 | VALVE, CHECK, USED ON EMERGENCY VALVE PORTION | EA | 09 | 07 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 590543 | | |
| 1970 | 18-33-6020 | VALVE, UPPER, U/W EMERGENCY VALVE PORTION. F/R62 CARS. | EA | 05 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 590542 | | |
| 1971 | 18-33-6021 | SILENCER, U/O EMERGENCY VALVE PORTION. | EA | 01 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577591 | | |
| 1972 | 18-33-6022 | BODY, EMERGENCY VALVE, U/W EMERG VALVE PORTION. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 590964 | | |
| 1973 | 18-33-6023 | PIN, DOWEL, .187 X 1/2 LG, STEEL U/O EMERGENCY VALVE PORTION. F/R33, R62 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 516317 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 1974 | 18-33-6026 | CABLE, TRAINLINE, 240" #1 END, U/O | EA | 00 | 00 | 00 |
| | | BL-26-C ELECTRIC PORTION. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 671528 | | | | |
| 1975 | 18-33-6027 | CABLE, TRAINLINE, 240", #1 END U/O | EA | 00 | 00 | 00 |
| | | BL-26-C ELECTRIC PORTION. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 671529 | | | | |
| 1976 | 18-33-6028 | OPERATING, UNIT, E-2, LESS ACCESSORIES. | EA | 00 | 00 | 00 |
| | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 591906 | | | | |
| 1977 | 18-33-6035 | BODY, BUSH, U/O VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | ASS'Y. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575416 | | | | |
| 1978 | 18-33-6037 | SCREW, ADJUSTING, U/O N-1 REDUCING VALVE | EA | 00 | 00 | 00 |
| | | PORTION. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 587617 | | | | |
| 1979 | 18-33-6038 | SPRING, HOUSING, U/O N-1 REDUCING VALVE | EA | 00 | 00 | 00 |
| | | PORTION. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 587737 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|---------------|
| 1980 | 18-33-6040 | VALVE, RELAY, PORTION, J-14-D, LESS N-1 REDUCING VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 592595 |
| ----- | | | | | | | | | |
| 1981 | 18-33-6041 | PISTON, LARGE, USED ON VARIABLE LOAD VALVE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 670718 |
| ----- | | | | | | | | | |
| 1982 | 18-33-6042 | PIECE, FILLING, USED ON J-14-D RELAY VALVE PORTION. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 670785 |
| ----- | | | | | | | | | |
| 1983 | 18-33-6043 | PORTION, FILLING PIECE, U/O VARIABLE LOAD VALVE ASSEMBLY. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 670924 |
| ----- | | | | | | | | | |
| 1984 | 18-33-6044 | VALVE, VARIABLE LOAD. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | Y P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 671243 |
| ----- | | | | | | | | | |
| 1985 | 18-33-6046 | VALVE, REDUCING, PORTION, N-1 USED WITH GASKETS AND STARINERS, USED ON DIESEL | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | AND ELECTRIC LOCOMOTIVE, PRESSURE SETTING AT 70 PSI | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0529445-0070 | | | | |
| 1986 | 18-33-6047 | ADJUSTER, C-15-D SLACK, U/O BRAKE EQUIPMENT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO PN548457 | | | | |
| 1987 | 18-33-6049 | WASHER, 5/32" I.D., U/O EMERGENCY PORTION | EA | 265 | 125 | 120 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569734 | | | | |
| 1988 | 18-33-6055 | O RING, 2-1/4" O.D., U/O VARIABLE LOAD VALVE. | EA | 00 | 36 | 50 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569402 | | | | |
| 1989 | 18-33-6056 | BUSHING, U/F VARIABLE LOAD CONVERSION KIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 671246 | | | | |
| 1990 | 18-33-6101 | VALVE, COCK, BALL TYPE, 3 WAY, ONE INCH, HANDLE TRAVEL 180 DEGREE, BODY BRASS, STEEL HANDLE, FOR TRIP COCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 672616 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 1991 | 18-33-6102 | CONTACT, BLOCK, COMPLETE, FOR 4 ROW ELECTRIC PORTIONS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 674952 | | | | |
| 1992 | 18-33-6103 | EXHAUST VALVE AND SEAT ASSEMBLY, USE ON ME-42 AND ME-43 BRAKE VALVE | EA | 00 | 21 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0678828 | | | | |
| 1993 | 18-33-6105 | FITTING, 3/4", WITH 3/4P, TAP, FOR USE ON RIDER CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0586622 | | | | |
| 1994 | 18-33-6106 | FLANGE, 1", WABCOTITE BLANKING, FOR USE ON RIDER CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0563434 | | | | |
| 1995 | 18-33-6150 | KIT, VARIABLE LOAD VALVE CONVERSION, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 691793 | | | | |
| 1996 | 18-33-6151 | BUSHING, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 691795 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 1997 | 18-33-6152 | PISTON ASSEMBLY, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 691797 | | |
| 1998 | 18-33-6153 | NAMEPLATE, STENCILLED, FOR USE ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 691798 | | |
| 1999 | 18-33-6154 | VALVE, VARIABLE LOAD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 691794 | | |
| 2000 | 18-34-3100 | JAW, U/W WABCO TYPE A-1 VARIABLE LOAD VALVE PUSH ROD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 73988 | | |
| 2001 | 18-34-3200 | VALVE, DRAIN, R-1, USED ON D-4-S COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 675115 | | |
| 2002 | 18-34-3201 | PISTON, DIAPHRAGM AND HARDWARE, FOR R-1 DRAIN VALVE | EA | 611 | 537 | 73 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06738030001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 2003 | 18-34-6100 | JOINT, KNUCKLE, FOR A-1 COMP. UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 534253 | | | | | | | |
| 2004 | 18-35-2500 | KEY, SPECIAL, FOR 1 IN. CUT OUT COCK, W.A.B. CO. NO. 2139 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 2139 | | | | | | | |
| 2005 | 18-35-2550 | KEY, COCK, FOR 1/2 IN. CUT OUT COCK, WAB CO. PC. NO. 2229 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 2229 | | | | | | | |
| 2006 | 18-35-2850 | KEY, SPECIAL, COCK, FOR 3/8" CUT-OUT COCK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 9056 | | | | | | | |
| 2007 | 18-35-3150 | KEY, SPECIAL COCK FOR 1/2 IN. DRAIN COCK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 32633 | | | | | | | |
| 2008 | 18-35-3200 | KEY, SPECIAL CRANKSHAFT, FOR D2F COMPRESSOR, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 32681 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|------|------------|-----|-----|-----|-----|-----|---------------|
| 2009 | 18-35-3250 | KEY, COCK .840 MAX FOR 1/2" DRAIN COCK # 7716 | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | --- | --- | ----- | | | | | | ----- |
| | | N | P | WABCO | | | | | | 34945 |
| 2010 | 18-35-3600 | KEY, SPECIAL COCK FOR 1" CUTOOUT COCK W/ 1/4" TAPPED SIDE VENT | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | --- | --- | ----- | | | | | | ----- |
| | | N | P | WABCO | | | | | | 43003 |
| 2011 | 18-35-3700 | KEY, SPECIAL PINION FOR TYPE D-3-F COMPRESSOR | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | --- | --- | ----- | | | | | | ----- |
| | | N | P | WABCO | | | | | | 48138 |
| 2012 | 18-35-3960 | KEY, FOR A2B TRIP COCK, | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | --- | --- | ----- | | | | | | ----- |
| | | N | P | WABCO | | | | | | 59685 |
| 2013 | 18-35-4350 | KEY, SPECIAL PULLEY, FOR TYPE A-1 COMPRESSOR UNIT, | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | --- | --- | ----- | | | | | | ----- |
| | | N | P | WABCO | | | | | | 55151 |
| 2014 | 18-35-4745 | KEY, FLY WHEEL, FOR WAB AIR COMPRESSOR TYPE 4ZB ON GE DIESEL 70 TON LOCOS | | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | #12 & #13 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 183287 | | | | |
| 2015 | 18-35-4750 | KEY, SPECIAL, FLYWHEEL, FOR TYPE 2CY3B COMPRESSOR, R10-36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 183461 | | | | |
| 2016 | 18-35-5250 | KEY, COCK FOR 3/8 IN. CUTOUT COCK W/ 3/16 SIDE VENT WABCO NO. 512435 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 512435 | | | | |
| 2017 | 18-35-5450 | KEY, .187" SQUARE X .813" LG, FOR QUADRANT, BRAKE VALVE PORTION | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0521503 | | | | |
| 2018 | 18-35-5500 | KEY, 3/16 IN. X 3/16 IN. X 2-1/8 IN., FOR CHECK VALVE CAMS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 526650 | | | | |
| 2019 | 18-35-5563 | KEY, FOR DOUBLE CUT-OUT COCK #555999 R-20 FLAT CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 528289 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2025 | 18-35-5915 | KIT, RUBBER PARTS, FOR SA-9 BRAKE VALVE NO. 563849, DIESEL LOCO. NO. 35769-72. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562253 | | | | |
| 2026 | 18-35-5918 | KIT, RUBBER REPAIR, FOR WABCO "ABD" FR. BRAKE EQUIP. EMERG. VALVE PORTION #567195, FOR FLAT & OTHER NON-REVENUE CARS, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576393 | | | | |
| 2027 | 18-35-5925 | KIT, REPAIR, FOR TYPE A-1 OPERATING VALVE, CONSISTING OF THE FOLLOWING: #562426, CHECK VALVE #533140, RETAINING RING #528054 | EA | 00 | 00 | 00 |
| | | UNIT VARIABLE LOAD PORTION REGULATING SEAL #80986 PLUNGER #569422, SPRING | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0569423 | | | | |
| 2028 | 18-35-5931 | KIT, RUBBER REPAIR F/WABCO "ABD" SERVICE PORTION FOR FLAT CARS & OTHER MUST HAVE BEEN INSPECTED IN ACCORDANCE HAS BEEN CERTIFIED BY THE AAR AGAINST SUPPLIED BY VENDOR WITH EACH SHIPMENT IN COMPLIANCE. FOR ABD/-T SERVICE SERVICE PORTION, USE 18-72-0153. | KT | 00 | 00 | 00 |
| | | FREIGHT BRAKE EQUIPMENT, "ABD" VALVE NON-REVENUE CARS, MATERIAL SUPPLIED WITH AQUALITY ASSURANCE PROGRAM THAT AAR M-1003. CERTIFICATION IS TO BE THAT MATERIAL HAS BEEN INSPECTED AND IS PORTION, USE 18-72-0152. FOR ABDP/T USE 18-72-0152 OR 18-72-0153 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576392 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2029 | 18-36-0002 | COMPRESSOR, TYPE 2CY3B, FOR R-27-30 CARS, WABCO NO. 566020 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566020 | | | | |
| 2030 | 18-36-0007 | PLATE, FOR TYPE A-6-A COMPRESSOR NO. 565998, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 548122 | | | | |
| 2031 | 18-36-0009 | SPACER, MOTOR RAIL, USED W/TYPE A6A COMRESSOR UNIT #565998, R32,36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560849 | | | | |
| 2032 | 18-36-0025 | KEY, COCK, FOR 1/2 IN. DRAIN COCK R 10 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 512010 | | | | |
| 2033 | 18-36-0028 | NIPPLE, 1/2 X 5-1/4", U/O A6A COMPRESSOR UNIT # 565988 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561010 | | | | |
| 2034 | 18-36-0029 | NIPPLE, 3/8" X 2-1/2", U/O A6A COMPRESSOR UNIT # 565988 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 552928 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2035 | 18-36-0032 | PLUG, CHOKE, 1/8" FOR TYPE D1 AUTOMATIC DRAIN VALVE ASSY. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561349 | | |
| 2036 | 18-36-0047 | TUBE WITH FITTING FOR TYPE A6A COMPRESSOR UNIT #565998 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563807 | | |
| 2037 | 18-36-0051 | TUBE, WITH FITTING, FOR TYPE A6 COMPRESSOR UNIT #563622 AND TYPE A6A COMPRESSOR UNIT #565998, WABCO #564032 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 564032 | | |
| 2038 | 18-36-0056 | NO DESCRIPTION AVAILABLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 549238 | | |
| 2039 | 18-36-0060 | RESISTOR, BALLAST F/TYPE A-6-A, #565998 COMPRESSOR UNIT R32-32A-33-36 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565287 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2040 | 18-36-0066 | CABLE CLAMP, FOR TYPE A6A COMPRSSOR UNIT #565998 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561406 | | |
| 2041 | 18-36-0069 | LEAD, COMPLETE FOR TYPE A6A COMPRESSOR UNIT 565998 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566402 | | |
| 2042 | 18-36-0071 | SCREW, MACHINE, FILLISTER HEAD, 1/2"-20 X3/4, TYPE A6A COMPRESSOR UNIT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 3069 | | |
| 2043 | 18-36-0073 | INSULATOR, RUBBER. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560783 | | |
| 2044 | 18-36-0074 | SLEEVE, INSULATION, 35/64" X 2-5/8" FOR TYPE A6A COMPRESSOR UNIT #565998 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560784 | | |
| 2045 | 18-36-0075 | CONNECTOR, HALF, FOR WABCO. TYPE A-6 COMPRESSOR UNIT, NO 563622, | EA | 93 | 81 | 20 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0534251 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2046 | 18-36-0142 | PLUG, CHOKE, 1/8", FOR #565998, TYPE A64A COMPRESS OR UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 517999 | | |
| 2047 | 18-36-0154 | PIN, CONTACT LEVER PISTON, FOR WAB TYPE S-20 #561017 & S-20A #563685 COMPRESSOR GOVERNORS, R10-46 CARS | EA | 150 | 35 | 75 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579603 | | |
| 2048 | 18-36-0156 | GROOVED PIN, STEEL ZINC PLATED 7/64" DIA (109) X 5/8" (.625") LONG FOR WAB TYPE S.20A #563685 COMPRESSOR GOVERNORS R-10 -46 CARS | EA | 300 | 70 | 150 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579604 | | |
| 2049 | 18-36-0227 | RING, OIL, H.P. U/W WABCO #566020 2CY3-BA COMPRESSOR, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 187730 | | |
| 2050 | 18-36-0251 | COVER, FOR TYPE A-6, #563622 & TYPE A-6-A #563998 COMPRESSOR UNIT, R36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565989 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2051 | 18-36-0253 | PIN LEVER, U/W WABCO #566020 2CY3-BA COMPRESSOR, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 4099 | | | | |
| 2052 | 18-36-0281 | NIPPLE, 3/8" X 6-1/4", U/W WABCO #566020COMPRESSOR 2CY3-BA R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 549375 | | | | |
| 2053 | 18-36-0285 | ASSEMBLY, INTERCOOLER, FOR WAB A-6A COMPRESSOR UNIT #565998, R36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 185632 | | | | |
| 2054 | 18-36-0287 | INTERCOOLER FOR TYPE A-6-A COMPRESSOR UNIT #565998 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 185949 | | | | |
| 2055 | 18-36-0289 | SUPPORT, U/W WABCO #566020 COMPRESSOR 2CY3-BA, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 185 636 | | | | |
| 2056 | 18-36-0290 | CLAMP, U/W WABCO #566020 COMPRESSOR 2CY3-BA, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 185637 | | | | |
| | | N D NYCTA 101-6002 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 2057 | 18-36-0337 | BODY, ELECTRIC PORTION, FOR TYPE S-20A COMPRESSOR GOVERNOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 563691 | | | | | | | |
| 2058 | 18-36-0338 | BODY, ELECTRIC PORTION FOR TYPE S-20 & TY PE S-20-A COMPRESSOR GOVERNORS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 563684 | | | | | | | |
| 2059 | 18-36-0362 | SPRING, VALVE, FOR OIL RELIEF VALVE ASSEMBLY ON TYPE A-6-A COMPRESSOR UNIT #5659 EA | | | 00 | | 00 | | 00 |
| | | 98 | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 188175 | | | | | | | |
| 2060 | 18-36-0380 | CASE, STRAINER, FOR TYPE "LX" AIR FILTER ASSEMBLY #565768 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 565772 | | | | | | | |
| 2061 | 18-36-0381 | LATCH, FOR TYPE -LX- AIR FILTER ASSEMBLY NO. 565768, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 565773 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2062 | 18-36-0382 | PIN, CYLINDER, 3/16 IN. X 1-1/8 IN., FOR TYPE -LX- AIR FILTER ASSEMBLY NO. 565768 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 545231 | | | | |
| 2063 | 18-36-0383 | SPRING, LATCH, FOR TYPE -LX- AIR FILTER ASSEMBLY, NO. 565768, W.A.B. CO. NO. 565774 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 565774 | | | | |
| 2064 | 18-36-0384 | PIN, FULCRUM, FOR TYPE -LX- AIR FILTER ASSEMBLY, NO. 565768, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566691 | | | | |
| 2065 | 18-36-0385 | WASHER, FOR TYPE -LX- AIR FILTER ASSEMBLY, NO. 565768, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 27645 | | | | |
| 2066 | 18-36-0386 | PIN, COTTER, 1/16" X 5/16", U/O "LX" AIR FILTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 515516 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2067 | 18-36-0395 | BUSHING BEARING FOR 2CY3B AIR COMPRESSOR CRANKCASE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | A575268 | | |
| 2068 | 18-36-0396 | BUSHING, BEARING FOR 2CY3B AIR COMPRESSOR CRANKCASE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | A575269 | | |
| 2069 | 18-36-0490 | NUT, CAP FOR WABCO #561409 VARIABLE LOADR17,21,22 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569420 | | |
| 2070 | 18-36-0491 | RING RETAINING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 528054 | | |
| 2071 | 18-36-0492 | VALVE, CHECK, FOR VARIABLE LOAD WABCO # 561409 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533140 | | |
| 2072 | 18-36-0494 | BRACKET, COMP END U/O D-4 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 587489 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 2073 | 18-36-0495 | BRACKET, RIGHT AFTERCOOLER, U/O D-4 COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 587490 | | | | | | | |
| 2074 | 18-36-0496 | BRACKET, LEFT AFTERCOOLER, U/O D-4 COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 587630 | | | | | | | |
| 2075 | 18-36-0497 | COUPLING, 1-1/4", PIPE STEEL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 58102 | | | | | | | |
| 2076 | 18-36-0498 | BOLT, HEX HEAD, WRENCH DRIVE, 5/8"-11 X 2 1/4", GRADE 5 STEEL, CAD PLATED. U/W D4 COMPRESSOR, R29, R33, R36CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 587618 (REF. ONLY) | | | | | | | |
| 2077 | 18-36-0499 | BOLT, HEX HEAD, WRENCH DRIVE, 3/4"-10 X 2 1/4", GRADE 5, STEEL, CAD. PLATED, U/W D4 COMPRESSOR, R29, R33, R36CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 587619 (REF. ONLY) | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2078 | 18-36-0601 | OPERATING UNIT A-1-A. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560715 | | |
| 2079 | 18-36-0603 | OPERATING UNIT A-1-E. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560471 | | |
| 2080 | 18-36-0610 | PORTION, PIPE BRACKET COMPLETE FOR TYPE A-1-A OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560719 | | |
| 2081 | 18-36-0613 | PORTION, PIPE BRACKET-COMPLETE FOR TYPE A-1-E OPERATING UNIT WAB CO. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560721 | | |
| 2082 | 18-36-0617 | STUD 1/2" X 6 3/8" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562601 | | |
| 2083 | 18-36-0627 | NUT, 3/4 IN., HEX, FOR TYPE -J-, RELAY VALVE, | EA | 40 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000002-4817 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2084 | 18-36-0636 | STUD, 1/2" X 7/8" WEST AIR BRK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 554525 | | |
| 2085 | 18-36-0638 | STUD, 1/2 -13 X 4-1/4", U/W A-1-A OPERATING UNIT (ODD), R29-33-36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562598 | | |
| 2086 | 18-36-0641 | BODY ASSEMBLY, U//W A-1-A OPERATING UNIT. F/R30-R36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533004 | | |
| 2087 | 18-36-0645 | BASE, PLUG ASSEMBLY, USED WITH A-1-E OPER. UNIT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534263 | | |
| 2088 | 18-36-0650 | ASSEMBLY, STRUT CYLINDER PISTON, U/W A-1-A OPERATING UNIT. F/R30-36 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 554207 | | |
| 2089 | 18-36-0655 | TERMINAL BOARD ASSY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534411 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2090 | 18-36-0659 | SCREW, 10/24", 1" LONG, FILLISTER HEAD. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 75294 | | |
| 2091 | 18-36-0681 | STRAINER, LARGE, 2-1/8 IN. X 7/8 IN. FOR NO. 560719 PIPE BRACKET PORTION ASSEMBLY, ON TYPE A1A OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551443 | | |
| 2092 | 18-36-0695 | VALVE, FEED M-3 SINGLE PRESSURE, LESS PIPE BRACKET, HOLES SETTING. U/W A-1A OPERATING. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 84208-0110 | | |
| 2093 | 18-36-0715 | PISTON, U/W A-1-A OPERATING UNIT, R29, 33, 36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 96056 | | |
| 2094 | 18-36-0746 | PROTECTOR, BODY, FOR WABCO EMERGENCY VENT-A-1, FOR R36 CARS, REPAIR & O/H | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 532440 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2095 | 18-36-0755 | PORTION, MAGNET COIL ASSEMBLY, U/O A-1-A OPERATING UNIT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 534232 | | | | |
| 2096 | 18-36-0765 | BASE, CONTACT ASSEMBLY, FOR APPLICATION AND RELEASE MAGNET WAB 533599 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 534264 | | | | |
| 2097 | 18-36-0777 | PLATE, BLANKING, USED IN LIEU OF "J" FILTER ON A1E EVEN CARS, R36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560717 | | | | |
| 2098 | 18-36-0780 | MAGNET VALVE ASS'Y | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 529059 | | | | |
| 2099 | 18-36-0783 | SPRING, VALVE, FOR MAGNET VALVE TYPE F-B4 #53395 | EA | 00 | 05 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 551262 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2100 | 18-36-0785 | PIPE BRACKET COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 527463 | | | | |
| 2101 | 18-36-0800 | STUD, 3/8X1-1/2", FOR M3 FEED VALVE WABCO 84208 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 80840 | | | | |
| 2102 | 18-36-0810 | PIN SLIDE VALVE SPRING, FOR M-3 FEED VALVE WABCO 84208 | EA | 00 | 07 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 24155 | | | | |
| 2103 | 18-36-0817 | STEM, U/W A-1-A OPERATING UNIT. F/R30-36CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 92905 | | | | |
| 2104 | 18-36-0860 | PIN, REACH ROD, 1/2" U/W WABCO #561409 VARIABLE LOAD ASSY, R27 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535296 | | | | |
| 2105 | 18-36-0870 | ARM, SECTOR SHAFT AND CRANK, FOR VARIABLE LOAD VALVE WABCO 551553, R21 AND 22 CA EA RS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533007 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2106 | 18-36-0905 | SPRING, BOX WITH KEY, FOR VARIABLE LOAD PORTION ASSEMBLY ON TYPE A-1-A OPERATING UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535214 | | |
| 2107 | 18-36-0915 | TURNBUCKLE ASSY., F/VARIABLE LOAD U/W A1A OPER. UNITS, R29, 33, 36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 536406 | | |
| 2108 | 18-36-0928 | SCREW, CAP. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 26466 | | |
| 2109 | 18-36-0940 | OPERATING MECHANISM ASSEMBLY, COMPLETE, F/R29, 33, 36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 567658 | | |
| 2110 | 18-36-0942 | FITTING, GREASE 1/8" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 537317 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2111 | 18-36-0944 | KEY, 1/8" X 3/4", F/(VARIABLE LOAD) R29-33-26 CARS OPER. MECHANISM, U/W A-1-A OPER. UNIT, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 139547 | | | | |
| 2112 | 18-36-0953 | NUT ASSEMBLY, U/W A-1-A OPERATING UNITS F/R30-36 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 569421 | | | | |
| 2113 | 18-36-0954 | SEAT, U/W A-1-A OPERATING UNIT. F/R30-36CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 569419 | | | | |
| 2114 | 18-36-0955 | PLUNGER, U/W A-1-A OPERATING UNIT. F/R30-36 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 569422 | | | | |
| 2115 | 18-36-1101 | VALVE, COUPLER UNCOUPLING, TYPE B-3, W/OFITTINGS R10-R36 CARS U/W WAB AUTOMATIC CAR COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 533677 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2116 | 18-36-1118 | STUD, 3/8" X 2", USED WITH W.E. 42B BREAK VALVE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 552123 | | |
| 2117 | 18-36-1153 | SCREW, 3/8" X 1", HEX HEAD, CAP, U/W WABCO #561162 PNEUMATIC VALVE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 526014 | | |
| 2118 | 18-36-1163 | MACHINE SCREW FILLISTER HEAD 1/4"X 1/2" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 514278 | | |
| 2119 | 18-36-1168 | ASSEMBLY, ELECTRIC SELF-LAPPING UNIT, FOR TYPE ME-42B BRAKE VALVE #560469 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561165 | | |
| 2120 | 18-36-1400 | CYLINDER, BRAKE, COMPLETE, LESS FITTINGS, ALUMINUM, 6 X 6 UA-HT, R36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551579 | | |
| 2121 | 18-36-1420 | ROD, PUSH, COMPLETE U/O 6" X 6" UAHT LIGHT WEIGHT BRAKE CYLINDER. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 541004 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|---|-----|---------|---------|---------------|
| 2127 | 18-36-1705 | VALVE, REDUCING, PORTION, N-1 USED WITH J-14-D RELAY VALVE PORTION. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 587551-0008 |
| ----- | | | | | | |
| 2128 | 18-36-1706 | KIT, CONVERSION, FOR J-1 OR J16 TO A J14D RELAY VALVE PORTION (8 LB OFFSET) KIT | | 00 | 00 | 00 |
| | | CONSISTS OF: FILLING PIECE - 670785; DIAPHRAGM - 558623; PISTON - 561510; | | | | |
| | | FOLLOWER - 558624; (3) NUT - 569374; COVER - 558625; (2) SCREW - 518319; | | | | |
| | | FITTING-589073; (3) RING GASKET 528764; (5) BOLT - 4110; (2) STUDS - 98334 | | | | |
| | | (PREMOUNTED; N-1 REDUCING VALVE - (587551-0008) AND NAMEPLATE. F/R30 | | | | |
| | | CARS. | | | | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 670783 |
| ----- | | | | | | |
| 2129 | 18-36-1708 | KIT, CONVERSION, FOR J-1 OR J-16 TO A J-14D RELAY VALUE (20 LB OFFSET). KIT | KT | 00 | 00 | 00 |
| | | CONSISTS OF 1 FILLING PIECE-670785; 1 DIAPHRAGM-5586233; 1 PISTON-561510; | | | | |
| | | 1 FOLLOWER-558624; 3 NUTS-569374; 1 COVER-558625; 2 STUDS-98334 (MOUNTED | | | | |
| | | ON FILLING PIECE); 1 FITTING-589073; 2 SCREWS-518319; 5 BELTS -4110; 3 RING | | | | |
| | | GASKETS-528764; 1 N-1 REDUCING VALVE- 587551-0020 AND 1 NAMEPLATE. FOR 36 | | | | |
| | | AND R33S CARS. | | | | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 592570 |
| ----- | | | | | | |
| 2130 | 18-36-1709 | BRACKET, PIPE U/W A-1-A OPERATING UNIT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 527378 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2131 | 18-36-1710 | BODY, U/W A-1-A OPERATING UNIT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 558365 | | |
| 2132 | 18-36-1711 | NAMEPLATE U/W A-1-A OPERATING UNIT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 584819 | | |
| 2133 | 18-36-1713 | COVER, U/W A-1-A OPERATING UNIT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 522590 | | |
| 2134 | 18-36-1714 | CAM, ADJUSTING, SELF-LAPPING, USED ON ME-42-B BRAKE VALVE. | EA | 02 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 591018 | | |
| 2135 | 18-36-1716 | STEM, U/O ME-42-B BRAKE UNIT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 531714 | | |
| 2136 | 18-36-1718 | PORTION, BRAKE VALVE ASSEMBLY, U/W ME-42-B BRAKE VALVE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 592013 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2137 | 18-36-1719 | CAM DOG ASSEMBLY, WITH TAIL, USED WITH ME42B BRAKE VALVE | EA | 00 | 26 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672729 | | |
| 2138 | 18-36-1720 | "O" RING, 1-1/16" I.D., 1-5/16" O.D., U/O VARIABLE LOAD VALVE PORTION | EA | 74 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 536579 | | |
| 2139 | 18-36-1721 | KEY, STEEL, STANDARD, 3/16" X 3/16" X 3/8". USED WITH WAB TYPE ME-42 BRAKE VALVE. | EA | 00 | 00 | 06 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561179 | | |
| 2140 | 18-36-1725 | VALVE, J-14D RELAY, COMPLETE, WITH 20 LB OFFSET, (N-2 REDUCING VALVE SET, FOR 20 LBS) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 650173 | | |
| 2141 | 18-36-1726 | CHOKE, USED WITH J-16-C RELAY VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 79966 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 2142 | 18-36-1727 | VALVE ASSEMBLY, REGULATING, PRELAPPED WITH BUSHING, U/W WABCO M-3 FEED VALVE# 84208. | EA | | 00 | | 07 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 670071 | | | | | | | |
| 2143 | 18-36-1728 | VALVE ASSEMBLY, VARIABLE LOAD, WITH BRACKETS, S-4-B (FOR REFERENCE ONLY- DO NOT PURCHASE) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 674740 | | | | | | | |
| 2144 | 18-36-1730 | TRANSZORB ASSEMBLY, USED ON AN A & R MAGNET VALVE ASSEMBLY. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 676596 | | | | | | | |
| 2145 | 18-36-1740 | VOLTAGE SUPPRESSOR, USED ON APPLICATION AND RELEASE MAGNET VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 693409 | | | | | | | |
| 2146 | 18-36-1741 | BODY, VARIABLE LOAD VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 271678 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2147 | 18-36-1743 | FB4 MAGNET VALVE, USED ON WABCO AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 690447 | | |
| 2148 | 18-36-1820 | TAPPET, FEED VALVE FOR TYPE H-2-C AUTOMATIC CAR COUPLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561296 | | |
| 2149 | 18-36-1861 | ACTUATOR, TYPE A-2-H, 18 TO 61 PSI PRESSURE RANGE, U/O AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563435 | | |
| 2150 | 18-36-2200 | LATCH, COMMUTATOR DOOR, FOR D-3-F COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 68076 | | |
| 2151 | 18-36-2250 | LATCH, S-16 GOVERNOR, WAB CO. PC. NO. 72909 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 72909 | | |
| 2152 | 18-36-2400 | LATCH, U/W WABCO TYPE ME-42 BRAKE VALVE QUADRANT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 536413 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2153 | 18-36-2448 | PIN, FOR COMPOSITION BRAKE SHOES CONVERSION, R33 & R36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 541448 | | |
| 2154 | 18-36-2450 | LATCH, QUADRANT, FOR ME-42 BRAKE VALVE | EA | 70 | 140 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 550604 | | |
| 2155 | 18-36-2465 | LATCH, INSPECTION COVER, COMPLETE FOR COMPRESSOR TYPE A2-A2A, 600 V. MOTOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 550856 | | |
| 2156 | 18-36-2490 | LATCH, COVER U/W WAB COMPRESSOR GOVERNORTYPE S-20, R-26, 28, 29, CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561058 | | |
| 2157 | 18-36-2802 | KIT CONVERSION FOR CONVERTING OLD STYLE WABCO A-2H ACTUATOR #532998, #534808, #549880, #549898, #563435 AND #560978 TONEW STYLE A-2-H ACTUATOR PT "P-57159-10 R10 36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | P-61277 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2158 | 18-36-4770 | ARM ONLY U/W ROLLER ARM ASSY. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533975 | | |
| 2159 | 18-36-5250 | LEAD, ELECTRICAL U/W D3F COMPRESSOR FIELD COIL LEAD. 19-3/4 IN. LG. W/O TERMINAL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 36751 | | |
| 2160 | 18-36-5390 | LEAD, ELECTRICAL USED WITH WAB VARIABLE LOAD VALVE A-1, 3-1/4 IN. LG. W/TERMINAL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 59355 | | |
| 2161 | 18-36-5800 | LEAD, WIRE, COMPLETE, WITH TERMINAL CLIPS - 16-1/2 INCH LONG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535725 | | |
| 2162 | 18-36-5825 | LEAD, 14-1/2" LG., W/TERMINALS, FOR VALVE TYPE ME 42, FOR PIPE BRACKET PORTION, OPERATING UNIT TYPE A-1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535726 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2163 | 18-36-5850 | LEAD, WIRE, COMPLETE WITH TERMINAL CLIPS, 11-1/2 INCHES LONG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535727 | | |
| 2164 | 18-36-5900 | LEAD, ELECTRICAL U/W WAB OPERATING UNIT TYPE A1 FOR RHEOSTAT TO TERMINAL BLOCK VARIABLE LOAD PORTION 11" LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535728 | | |
| 2165 | 18-36-5950 | LEAD, ELECTRICAL U/W WAB BRAKE VALVE TYPE ME-42 10" LONG W/ TERMINALS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535729 | | |
| 2166 | 18-36-6000 | LEAD, ELECTRICAL USED WITH W.A.B. BRAKE VALVE TYPE ME-42, 5-1/2 IN. LG. TERMINAL S | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535730 | | |
| 2167 | 18-36-6005 | FILLING PIECE, BOTTOM, U/W A-1-A OPERATING UNIT. F/R30-36 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 584817 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2168 | 18-36-6006 | PISTON, SMALL DIAPHRAGM W/WEAR TIP, FOR WABCO J-16-C RELAY VALVE #584815. MTCE: 011383 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 585245 | | | | |
| 2169 | 18-36-6007 | DIAPHRAGM, SMALL, FOR WABCO #584815, J-16-C RELAY VALVE, REPAIR OF 441 R36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO A554070 | | | | |
| 2170 | 18-36-6050 | LEAD, WIRE COMPLETE WITH TERMINAL CLIPS, 15 IN. LONG, NO. 535731 ME-42 BRAKE VAV EA LE PTS. WAB CO. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535731 | | | | |
| 2171 | 18-36-6250 | LEAD, ELECTRICAL USED WITH WAB A-1 OPERATING UNIT TYPE A-1 FOR PIPE BRACKET PORT EA ION 4-1/2 IN. LG. W/TERMINAL EACH END | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535991 | | | | |
| 2172 | 18-36-6300 | LEAD, ELECTRICAL, 3-1/4 IN. LONG W/TERMINALS, FOR TYPE ME-42 BRAKE VALVE EA | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 536060 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2173 | 18-36-6350 | LEAD, ELECTRICAL, USED WITH W. A. B. AIR COMPRESSOR, UNIT TYPE A-1, FOR TERMINAL EA BLOCK TO GROUND. 24 INCH LONG | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 536749 | | | | |
| 2174 | 18-36-6400 | LEAD, WIRE, 20-27/32" LG, U/W TYPE ME42B BRAKE VALVE, R28 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 542352 | | | | |
| 2175 | 18-36-6500 | ME-42 BRAKE VALVE PTS. W.A.B. CO. LEAD, WIRE COMPLETE, WITH TERMINAL CLIPS - 7 I EA NCH LONG- NO. 549781 | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 549781 | | | | |
| 2176 | 18-37-2200 | LEVER, SPECIAL, U/W WAB CO. MAIN RESERVIOR & BRAKE PIPE BRANCHES TO UNIVERSAL VALVE, OFFSET OPERATING FOR COMBINATION OF 1" CUT-OUT COCK AND 1" X 3/8" DBLE. CUT-OUT COCK. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 53688 | | | | |
| 2177 | 18-37-2400 | LEVER, SPECIAL, U/W WAB VARIABLE LOAD, VALVE TYPE A-1, EQUALIZING R.H. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 83154 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2178 | 18-37-2450 | LEVER, SPECIAL, U/W WAB CO. VARIABLE LOAD VALVE TYPE A-1, EQUALIZING, L.H. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83155 | | | | |
| 2179 | 18-37-2500 | LEVER, SPECIAL USED WITH WAB CO. VARIABLE LOAD VALVE TYPE A-1 ADJUSTER, R.H. COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83209 | | | | |
| 2180 | 18-37-2550 | LEVER, SPECIAL, U/W WAB CO. VARIABLE LOAD VALVE TYPE A-1, ADJUSTER L.H. COMPLETE, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83210 | | | | |
| 2181 | 18-37-2850 | LEVER, USED WITH WAB CO. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 90674 | | | | |
| 2182 | 18-37-3650 | LEVER, SPECIAL, U/W WABCO AIR COMPRESSOR TYPE 2CY3B, UNLOADER, OPERATING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 181794 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 2183 | 18-37-3700 | LEVER, UNLOADING, OPERATING COMPLETE U/W WAB. CO. AIR COMPRESSOR, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 182068 | | | | | | | |
| 2184 | 18-37-4425 | LEVER, PISTON, FOR "B" RELAY VALVES, W/BEARING, R-17 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 530010 | | | | | | | |
| 2185 | 18-37-4500 | LEVER, SPECIAL, CONTACT, USED WITH WABCO COMPRESSOR. GOVERNOR TYPE S-20. | EA | | 159 | | 35 | | 75 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 558539 | | | | | | | |
| 2186 | 18-37-5021 | VALVE, MAGNET, EMERGENCY, N-3-E COMPLETE, INCL. VALVE, STUD AND BRACKET | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 690765 | | | | | | | |
| 2187 | 18-37-5024 | VALVE, N-3-E MAGNET VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 0690833 | | | | | | | |
| 2188 | 18-37-5030 | COVER, DUST | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 589320 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2189 | 18-37-5031 | COCK, D-1 TRIP WITH MOUNTING BRACKET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 583161 | | | | |
| 2190 | 18-37-5032 | PLUG, PIPE, 1/2" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 512408 | | | | |
| 2191 | 18-37-5033 | SCREW, CAP, 1/2" X 1-1/4" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579434 | | | | |
| 2192 | 18-37-5036 | HOUSING, DIAPHRAGM (BOTTOM) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 0690778 | | | | |
| 2193 | 18-37-5037 | COIL, (24 VOLT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 0690834 | | | | |
| 2194 | 18-37-5043 | WASHER, MAGNET VALVE COIL, NITRIL RUBBER, O.D. 144", 0.032", THICK. | EA | 630 | 242 | 268 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0579047 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2195 | 18-38-0014 | MOUNTING, CENTER, FOR W.A.B. TYPE D-3 COMPRESSOR, #571488 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569870 | | |
| 2196 | 18-38-0016 | FITTING, SUMP MANIFOLD, FOR WABCO #571488 "D-3" AIR COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569903 | | |
| 2197 | 18-38-0018 | ASSEMBLY, INTERCOOLER, FOR WABCO D-3 AIR COMPRESSOR #576272, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 580 356 | | |
| 2198 | 18-38-0020 | SHUNT, MOTOR GROUND, FOR W.A.B. TYPE D-3COMPRESSOR, #571488 | EA | 180 | 85 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569884 | | |
| 2199 | 18-38-0021 | BRACKET, MOUNTING, FOR W.A.B. TYPE D-3 COMPRESSOR, #571488, R16-R38 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569867 | | |
| 2200 | 18-38-0022 | CHANNEL, MOTOR MOUNTING, FOR W.A.B. TYPE D-3 COMPRESSOR, #571488 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569765 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2201 | 18-38-0023 | FRAME, MOUNTING, FOR W.A.B. TYPE D-3 COMPRESSOR, #571488, R16R38 CARS, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569770 | | | | |
| 2202 | 18-38-0029 | VALVE, BY PASS FOR D-4-S COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569894 | | | | |
| 2203 | 18-38-0033 | CLAMP, PIPE TUBING, FOR WAB TYPE D-3 COMPRESSOR #571488, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 570642 | | | | |
| 2204 | 18-38-0034 | TUBE UNLOADER, FOR W.A.B. TYPE D-3 COMPRESSOR #571488, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 570643 | | | | |
| 2205 | 18-38-0035 | BRACKET, DISCHARGE TUBE, FOR W.A.B. TYPE D-3 COMPRESSOR, #571488, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569854 | | | | |
| 2206 | 18-38-0051 | NUT, CAP, FOR TYPE D3 COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 515100 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2207 | 18-38-0053 | PISTON RING FOR NO. 569796 UNLOADER VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 5500300 | | |
| 2208 | 18-38-0054 | PISTON, FOR #569796 UNLOADER VALVE ON D-3 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569804 | | |
| 2209 | 18-38-0056 | SCREW, SOCKET 3/8 IN. X 3/4 IN., FOR TYPE D-3 COMPRESSOR UNIT, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 528817 | | |
| 2210 | 18-38-0057 | RETAINER, SPRING, F/TYPE D-3 COMPRESSOR UNIT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569635 | | |
| 2211 | 18-38-0058 | SCREW, CAP, 1/4 IN. X 1-1/4 IN. HEX. HEAD, FOR TYPE D3 COMPRESSOR UNIT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582990 | | |
| 2212 | 18-38-0060 | VANE, PUMP, FOR TYPE D3 COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569630 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2213 | 18-38-0061 | SPRING, VANE, F/TYPE D-3 COMPRESSOR UNIT | EA | 2,420 | 1,640 | 410 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0569631 | | | | |
| 2214 | 18-38-0063 | PIN, CYLINDER, FOR TYPE D-3 COMPRESSOR UNIT, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 549586 | | | | |
| 2215 | 18-38-0066 | ASSEMBLY, OIL PUMP RELIEF VALVE, FOR TYPE D-3 COMPRESSOR UNIT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569623 | | | | |
| 2216 | 18-38-0068 | STOP, VALVE, FOR TYPE D-3 COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 570640 | | | | |
| 2217 | 18-38-0069 | SPRING, PRESSURE, FOR TYPE D-3 COMPRESSOR UNIT, W.A.B. CO. NO. 569676 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569676 | | | | |
| 2218 | 18-38-0070 | VALVE, PRESSURE FOR TYPE D-3 COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 570983 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2219 | 18-38-0074 | HEAD, CYLINDER INLET -L.P.-FOR TYPE D3 COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569618 | | |
| 2220 | 18-38-0076 | HEAD, CYLINDER, DISCHARGE (L.P.), FOR TYPE D3 COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569589 | | |
| 2221 | 18-38-0077 | CYLINDER, L.P. FOR TYPE D3 COMPRESSOR UNIT. | EA | 636 | 403 | 131 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0571509 | | |
| 2222 | 18-38-0079 | RING, OIL, FOR TYPE D-3 COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570599 | | |
| 2223 | 18-38-0080 | PISTON ASSEMBLY AND ROD, FOR TYPE D-3 AND D-4 COMPRESSOR UNIT | EA | 437 | 527 | 181 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0570383 | | |
| 2224 | 18-38-0081 | HEAD, CYLINDER, INLET FOR TYPE D-3 COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569588 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2225 | 18-38-0083 | HEAD, CYLINDER DISCHARGE, H.P., FOR TYPED3 COMPRESSOR UNIT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569617 | | |
| 2226 | 18-38-0084 | CYLINDER, H.P., FOR TYPE D3 COMPRESSOR UNIT | EA | 605 | 410 | 80 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0569645 | | |
| 2227 | 18-38-0085 | RING, COMPRESSION, FOR TYPE D3 COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570540 | | |
| 2228 | 18-38-0088 | ADAPTER, BREATHER FOR TYPE D3 COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571486 | | |
| 2229 | 18-38-0089 | WOODRUFF KEY, 5/32 INCHES X 5/8 INCHES FOR TYPE D-3 AIR COMPRESSOR | EA | 40 | 08 | 35 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0136157 | | |
| 2230 | 18-38-0095 | VALVE FOR #569796 UNLOADER VALVE ASSY ON D-3 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569801 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2231 | 18-38-0097 | HEAD, CYLINDER, HIGH PRESSURE, D3 COMPLETE 9601 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 9601 | | | | |
| 2232 | 18-38-0099 | HEAD, CYLINDER, LP D3 COMPLETE 9602 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 9602 | | | | |
| 2233 | 18-38-0107 | FITTING, CHOKE (1/16" CHOKE) FOR COMPRESS OR GOVERNOR R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 570631 | | | | |
| 2234 | 18-38-0117 | VALVE CUT-IN FOR COMPRESSOR GOVERNOR TYPE NS16 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563529 | | | | |
| 2235 | 18-38-0118 | VALVE, TAIL, FOR COMPRESSOR GOVERNOR TYPE NS16 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562427 | | | | |
| 2236 | 18-38-0120 | SEAT, TAIL VALVE FOR COMPRESSOR GOVERNOR TYPE NS16 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562428 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2237 | 18-38-0121 | VALVE, CUT-OUT, F/COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563526 | | |
| 2238 | 18-38-0122 | SEAT, CUT-OUT VALVE FOR COMPRESSOR GOVERN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563527 | | |
| 2239 | 18-38-0136 | SCREW, 1/4 IN. X 5/8 IN., ROUND HEAD, FOR TYPE S-20 ELECTRIC COMPRESSOR GOVERNOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 508109 | | |
| 2240 | 18-38-0138 | WASHER, FOR TYPE S-20 ELECTRIC COMPRESSOR GOVERNORS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 3337 | | |
| 2241 | 18-38-0159 | "O" RING, 2" O.D., FOR COMPRESSOR GOVERNOR, R-38 AND R-40 CARS. | EA | 20 | 104 | 95 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0564087 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2242 | 18-38-0162 | CONNECTOR KNUCKLE FOR COMPRESSOR GOVERNOR R-38 AND R-40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 51490 | | |
| 2243 | 18-38-0165 | BODY, ALUMINUM, FOR WABCO S20A GOVERNOR COMPLETE, R38 TO R42 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569874 | | |
| 2244 | 18-38-0171 | BODY, BY-PASS FOR D-4 COMPRESSOR UNIT, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569895 | | |
| 2245 | 18-38-0172 | SEAL, RING, FOR WABCO D-4 COMPRESSOR UNIT, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569896 | | |
| 2246 | 18-38-0173 | SEAT, SPRING, FOR WABCO D-4 COMPRESSOR UNIT, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569897 | | |
| 2247 | 18-38-0174 | SPRING, PISTON, FOR WABCO D-4 COMPRESSOR UNIT | EA | 330 | 585 | 120 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0528710 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2248 | 18-38-0175 | SEAL, VALVE, FOR WABCO D-4 COMPRESSOR UNIT R46 CAR, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569899 | | |
| 2249 | 18-38-0176 | PISTON, FOR WABCO BY-PASS VALVE COMPLETE#569894, R-44 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569898 | | |
| 2250 | 18-38-0177 | SEAT, VALVE, FOR BY-PASS VALVE COMPLETE WABCO #569894, R-44 CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569900 | | |
| 2251 | 18-38-0183 | SPRING, PRESSURE FOR AUTOMATIC DRAIN VALVE PORTION ASSEMBLY ON TYPE D3 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569789 | | |
| 2252 | 18-38-0185 | STEM FOR AUTOMATIC DRAIN VALVE PORTION ASSEMBLY ON TYPE D3 COMPRESSOR, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569752 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2253 | 18-38-0187 | BODY, VALVE FOR AUTOMATIC DRAIN VALVE PORTION ASSEMBLY ON TYPE D3 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570451 | | |
| 2254 | 18-38-0188 | BUSH, BALL CHECK FOR AUTOMATIC DRAIN VALVE PORTION ASSEMBLY ON TYPE D3 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569746 | | |
| 2255 | 18-38-0189 | SCREW, ROUND HEAD, NO. 10 X 3/4 IN. FOR NO. 569741 AUTOMATIC DRAIN VALVE PORTION ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 568871 | | |
| 2256 | 18-38-0193 | SPRING, ROCKER FOR NO. 569741 AUTOMATIC DRAIN VALVE PORTION ASSEMBLY, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569788 | | |
| 2257 | 18-38-0194 | ARM, ROCKER, FOR #569741 AUTOMATIC DRAIN VALVE PORTION ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569751 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2258 | 18-38-0195 | ASSEMBLY, ROCKER ARM SHAFT AND HANDLE FOR NO. 569741 AUTOMATIC DRAIN VALVE PORTI ON ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569748 | | |
| 2259 | 18-38-0197 | HANDLE, FOR NO. 569741 AUTOMATIC DRAIN VA LVE PORTION ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569750 | | |
| 2260 | 18-38-0198 | SHAFT, HANDLE FOR AUTOMATIC DRAIN VALVE PORTION ASSEMBLY ON TYPE D3 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569749 | | |
| 2261 | 18-38-0199 | PLUG, CHOKE, .025 IN. FOR AUTOMATIC DRAIN VALVE PORTION ASSEMBLY ON TYPE D3 COMP RESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570110 | | |
| 2262 | 18-38-0207 | SCREW, FLAT HEAD, #12 X 5/8" U/W D-3 COMPRESSOR, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 25531 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|--------------------------------|---------|---------|
| 2263 | 18-38-0210 | STUD, 1/2" X 1-3/4" FOR 3/4" P FILTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME --- --- --- N P WABCO | | MFG - PART-NO --- 521276 | | |
| 2264 | 18-38-0218 | SCREW, CAP, 3/4" X 4-1/2", HEX HEAD, FOR WAB TYPE D-3 COMPRESSOR #571488 R16-38 CARS, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME --- --- --- N P WABCO | | MFG - PART-NO --- 569872 | | |
| 2265 | 18-38-0220 | WIRE, LOCK, USED WITH COMPRESSOR (D3) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME --- --- --- N P WABCO | | MFG - PART-NO --- 552689 | | |
| 2266 | 18-38-0225 | TUBE, BY-PASS, FOR WABCO TYPE D3 COMPRESSOR R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME --- --- --- N P WABCO | | MFG - PART-NO --- 569902 | | |
| 2267 | 18-38-0227 | SCREW, CAP, HEX. HD., 1/2-13 X 5" LG, PTL STEEL, U/W ME-43 BRAKE VALVE. F/R62 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME --- --- --- N P WABCO | | MFG - PART-NO --- 570633 | | |
| 2268 | 18-38-0228 | FLANGE, FILLER, FOR W.A.B. #571488 "D-3" AIR COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME --- --- --- N P WABCO | | MFG - PART-NO --- 569882 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 2269 | 18-38-0229 | STUD, FLANGE FITTING, FOR W.A.B. #571488 "D-3" AIR COMPRESSOR UNIT, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 570899 | | | | | | | |
| ----- | | | | | | | | | |
| 2270 | 18-38-0230 | HOSE, FLEXIBLE W/FITTINGS FOR D-3 AIR COMPRESSOR UNIT NO. 571488, R38 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 569881 | | | | | | | |
| ----- | | | | | | | | | |
| 2271 | 18-38-0231 | FITTING, COMPRESSION, 3/8" PIPE, FOR INTERCOOLER AND PIPING ON TYPE D3 AIR COMPRESSOR #571488, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 87142 | | | | | | | |
| ----- | | | | | | | | | |
| 2272 | 18-38-0234 | NUT, CAP, TAPPED F/W.A.B. CO. TYPE D-3 COMPRESSOR, #571488, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 569893 | | | | | | | |
| ----- | | | | | | | | | |
| 2273 | 18-38-0236 | HOSE, FLEXIBLE, WITH NIPPLES FOR INTERCOOLER AND PIPING, ON TYPE D3 AIR COMPRESSOR #571488 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 570645 | | | | | | | |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2274 | 18-38-0237 | UNION, 3/8" MALE & FEMALE, FOR INTERCOOLER & PIPING, ON TYPE D3 AIR COMPRESSOR, #571488 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 57896 | | | | |
| 2275 | 18-38-0241 | GROMMET, INTERCOOLER & PIPING, FOR TYPE D3 AIR COMPRESSOR, #571488 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 557660 | | | | |
| 2276 | 18-38-0246 | BOLT, SPECIAL, 7/16 IN., FOR D4 COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0569819 | | | | |
| 2277 | 18-38-0247 | NUT, CAP, 7/8", FOR TYPE D3 COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 522866 | | | | |
| 2278 | 18-38-0250 | FLANGE, 3/8" NPT, FOR WABCO D3 COMPRESSOR, U/W SUMP DRAIN VALVE AND CUT OUT COCK, R33 & R38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 555977 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|---------------|
| 2279 | 18-38-0252 | NUT, CAP, FOR WABCO SELECTOR COCK #577210, R44 CARS, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 569407 |
| ----- | | | | | | | | | |
| 2280 | 18-38-0253 | SCREW, CAP, 3/8" X 3-1/2", FOR WABCO 3/8" CUT-OUT COCK ASSY., #510376, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 25413 |
| ----- | | | | | | | | | |
| 2281 | 18-38-0261 | STRAINER, FLANGED, FOR WAB TYPE D-3 COMPRESSOR, #571488, R16R38 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 571527 |
| ----- | | | | | | | | | |
| 2282 | 18-38-0271 | SCREW, TAPPING, BALLAST AND GOVERNOR MOUNTING, FOR TYPE D-3 AND TYPE A6A COMPRES SORS | EA | | 720 | | 340 | | 200 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 560435 |
| ----- | | | | | | | | | |
| 2283 | 18-38-0273 | COVER, BALLAST RESISTOR, FOR TYPE D3 COMPRESSOR UNIT #571488 AND TYPE A6A COMPRE SSOR UNIT #565998 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 565286 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2284 | 18-38-0275 | WASHER, 1/2" FOR U/W WABCO # 585998 A6A COMPRESSOR UNIT R36 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501831 | | |
| 2285 | 18-38-0276 | WASHER, LOCK, U/W WABCO #560473 H-2-C AUTO COUPLER W/ELEC, R36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 7982 | | |
| 2286 | 18-38-0279 | FITTING, FOR #563229, 1" BRAKE CYLINDER CUT-OUT COCK. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 512045 | | |
| 2287 | 18-38-0282 | BRACKET, RESISTOR, FOR BALLAST AND GOVERNOR MOUNTING ON #571488 COM- PRESSOR, R-38, R-40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569878 | | |
| 2288 | 18-38-0290 | PLATE, SUPPORT, FOR W.A.B. TYPE D-3 COMPRESSOR, #571488 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570651 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2289 | 18-38-0292 | HEADER #1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 549579 | | | | |
| 2290 | 18-38-0293 | HEADER #2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 549582 | | | | |
| 2291 | 18-38-0294 | TUBING, FINNED, 1-3/8" O.D., U/W D-3 COMPRESSOR #571488, R38-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 550524 | | | | |
| 2292 | 18-38-0295 | O RING, 1.296" ID X 1.574" NOM. OD X 0.139" THK. U/O MAIN RESERVOIR, U/W COMPRESSOR PORTION. | EA | 685 | 915 | 270 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 536580 | | | | |
| 2293 | 18-38-0296 | BAR, SPACER, 49-3/16", U/W D-3 COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 549584 | | | | |
| 2294 | 18-38-0297 | SCREW, CAP, HEX HEAD, 1/2" X 1-3/4", U/W D-3 COMPRESSOR, R38-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 524796 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 2295 | 18-38-0298 | WIRE LOCK, 30" | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 550489 |
| ----- | | | | | | | | | |
| 2296 | 18-38-0299 | GRIPSEAL, STRAIGHT FLANGE, 1-1/4" X 1-1/4". | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | N D NYCTA | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 563572 |
| | | | | | | | | | 5X5908 |
| ----- | | | | | | | | | |
| 2297 | 18-38-0602 | SENSOR, A-1 LOAD, R38 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 571631 |
| ----- | | | | | | | | | |
| 2298 | 18-38-0603 | NUT, 1"-2, JAM, STEEL CAD PLATED, HEX, FOR WABCO #571631, A-1 LOAD SENSOR CONTACT BALL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 195201 |
| ----- | | | | | | | | | |
| 2299 | 18-38-0604 | ASSEMBLY, CONTACT BALL, FOR WABCO A-1 LOAD SENSOR #571631, R38 CARS | EA | | 02 | | 01 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 571638 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 2300 | 18-38-0607 | VALVE, CHARGING, FOR TYPE E-1 & E-1-E OPERATING UNITS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 569930-0030 | | | | | | | |
| 2301 | 18-38-0608 | PIN, SPRING, 1/8" X 1", FOR WABCO A-1 LOAD SENROR #571631, R-38 CARS | EA | | 06 | | 63 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 566623 | | | | | | | |
| 2302 | 18-38-0611 | WIPER, ROD, FOR WABCO A-1 LOAD SENSOR #571631, R38 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 571641 | | | | | | | |
| 2303 | 18-38-0612 | VALVE, BY-PASS, FOR TYPE -E-1- AND -EIE-OPERATING UNITS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 569930-0047 | | | | | | | |
| 2304 | 18-38-0614 | ASSEMBLY, VARIABLE LOAD VALVE PORTION, FOR E-1-E OPERATING UNIT NO. 571676, R38 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 571677 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2305 | 18-38-0615 | STEM, FOR WABCO A-1 LOAD SENSOR #571631, R38 CARS | EA | 00 | 20 | 06 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571642 | | | | |
| 2306 | 18-38-0618 | PORTION, NO. 27 CHECK VALVE, FOR TYPE -E-1- AND -E-1-E- OPERATING UNITS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569284 | | | | |
| 2307 | 18-38-0619 | SCREW, ADJUSTING, FOR WABCO A-1 LOAD SENSOR #571631, R38 CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571673 | | | | |
| 2308 | 18-38-0620 | PORTION, 1/2" CHECK VALVE FOR TYPE "E-1" & "E-1-E" OPERATINGUNITS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567923 | | | | |
| 2309 | 18-38-0623 | PORTION M-Y RELEASE MAGNET FOR TYPE "E-1 & E-1-E" OPERATING UNITS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571686 | | | | |
| 2310 | 18-38-0624 | PORTION, -J- RELAY VALVE FOR TYPE -E-1- AND -E-1-E- OPERATING UNITS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 556298 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2311 | 18-38-0627 | PLATE, BLANK FEED VALVE, U/W E1 & E1E | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560716 | | |
| 2312 | 18-38-0628 | SCREW, HEX. HEAD CAP, 1/2" X 1", UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 514285 | | |
| 2313 | 18-38-0630 | PORTION, 3/4" "P" TYPE FILTER FOR TYPE E1 & E-1-E | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569931 | | |
| 2314 | 18-38-0631 | PAD, BLANKING, 3/4", FOR AIR RESERVOIR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 510020 | | |
| 2315 | 18-38-0632 | COVER, W/GUIDE, DOUBLE CHECK VALVE, FOR E-1, E-1E OPERATING UNIT, #570800 & 570801, R38-40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569287 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2316 | 18-38-0634 | DIAPHRAGM, DOUBLE CHECK VALVE, FOR E1, E1E OPERATING UNIT #570800 & 570801, R38-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569292 | | | | |
| 2317 | 18-38-0639 | BODY, W/STOP, FOR E-1 & E-1E OPERATING UNIT #570800 & 570801 R38-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569285 | | | | |
| 2318 | 18-38-0640 | PORTION, EMERGENCY VALVE, COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569711 | | | | |
| 2319 | 18-38-0649 | WASHER, FLAT, FOR TYPE A-13 ELECTRONIC OPERATING UNIT, #576542 R44 CARS, WAB CO EA . #566218 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566218 | | | | |
| 2320 | 18-38-0650 | PISTON, FOR VARIABLE LOAD VALVE PORTION ASSY #571677, R38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571684 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 2321 | 18-38-0660 | STUD, 3/8" X 1-7/8", FOR TYPE E-1 AND E-1-E OPERATING UNITS, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 2322 | 18-38-0662 | PIN, CYLINDER, 3/32" X 1/2", FOR CHARGING VALVE PORTION #569930-0047 | EA | | 340 | | 615 | | 220 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 2323 | 18-38-0663 | COLLAR, HEX, 5/16", FOR CHARGING VALVE PORTION #569930-0047, R38-40 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 2324 | 18-38-0667 | STUD, 1/2" X 5-1/4", FOR TYPE E-1 & TYPE E-1-E OPERATING UNITS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 2325 | 18-38-0670 | NUT, LOCK, JAM 1/2" | EA | | 57 | | 30 | | 12 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| 2326 | 18-38-0679 | SCREW, CAP, 1/2" X 4", HOLDS CUT OUT COCK TO FILTER, FOR TYPE E-1 & E-1-E | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | OPERATING UNITS, #570800 & #570801 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 570632 | | | | |
| 2327 | 18-38-0687 | SCREW, CAP, 3/8" X 1", FOR TYPE GP75-HL,HR, L & R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 514274 | | | | |
| 2328 | 18-38-0688 | COVER, FOR CHARGING VALVE PORTION, NO. 569930-0047 R 38-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 567073 | | | | |
| 2329 | 18-38-0689 | EXCLUDER, WASP, FOR CHARGING VALVE PORTION #569930-0047, R38-40 CARS | EA | 346 | 360 | 120 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 567247 | | | | |
| 2330 | 18-38-0690 | SPRING, CHARGING, U/W CHARGING VALVE PORTION #569930, R-38 TO R-44 CARS | EA | 200 | 530 | 130 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 575925 | | | | |
| 2331 | 18-38-0693 | COVER, BOTTOM, U/W INSHOT VALVE PORTION, FOR TYPE E-1 OPERATING UNIT R38, R40 CA EA RS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 564185 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2332 | 18-38-0694 | BODY, VALVE, FOR CHARGING VALVE PORTION NO. 569930 ON TYPE E-1 & E-1E OPERATING UNITS, R 42 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569949 | | |
| 2333 | 18-38-0705 | COVER, FOR VARIABLE LOAD VALVE PORTION ASSEMBLY, NO. 571677 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 690526 | | |
| 2334 | 18-38-0708 | PIN, CYLINDER, 3/16" X 7/8", FOR VARIABLE LOAD VALVE PORTION ASSY #571677, R38 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 544084 | | |
| 2335 | 18-38-0709 | WIRE COPPER, USED WITH SEAL LEAD FOR BALL VALVE ASSEMBLY (6" LENGTH) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0539160 | | |
| 2336 | 18-38-0723 | SPACER, FLAT, .750 INCHES BY .390 INCHES BY .046 INCHES THICK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0574376 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2337 | 18-38-0724 | COVER, BOTTOM DIAPHRAGM, FOR E1 & E-1E OPERATING UNIT, NO. 570800 & NO. 570801, R38-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 556310 | | | | |
| 2338 | 18-38-0727 | NUT, HEX, 5/8"-18, FOR WABCO 571686 M-4 MAGNET VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 95600 | | | | |
| 2339 | 18-38-0731 | STEM, ARMATURE, FOR E-1 & E-1-E OPERATING UNITS #570800 & 570801, R38-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571700 | | | | |
| 2340 | 18-38-0738 | NUT, CAP, FOR E-1 & E-1E OPERATING UNIT, #570800 & #570801, R38-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571698 | | | | |
| 2341 | 18-38-0742 | GUIDE, ELEMENT, FOR 3/4 IN. P TYPE FILTER PORTION, NO. 569931, R 38-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569946 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|--------|
| 2342 | 18-38-0744 | BAFFLE, FOR 3/4" "P" TYPE FILTER PORTION, 569931, R-38-40 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 570906 |
| ----- | | | | | | | | | |
| 2343 | 18-38-0746 | COVER, FOR 3/4 IN. P TYPE FILTER PORTION, NO. 569931, R 38-40 CARS, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 569947 |
| ----- | | | | | | | | | |
| 2344 | 18-38-0747 | NUT, ADJUSTING, FOR VARIABLE LOAD VALVE PORTION ASSY #571677, R38 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 569966 |
| ----- | | | | | | | | | |
| 2345 | 18-38-0749 | PIN, LEVER FOR -A-1- LOAD SENSOR, ASSY R38 & R40 CARS, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 571674 |
| ----- | | | | | | | | | |
| 2346 | 18-38-0751 | BODY, FOR J-1 RELAY VALVE PORTION ASSY. NO. 556298, INCLUDES NUT, NO. 502369 NUT EA NO. 502365 - PLUG. NO. 78758 - STUD, NO. 538941, STUD, NO. 85475, R38-40 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | Y P WABCO | | | | | | | 556299 |
| ----- | | | | | | | | | |
| 2347 | 18-38-0753 | STUD, 1/2" X 2-3/8", FOR TYPE J-1 RELAY RELAY VALVE PORTION, C.ALUM, ASSY | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | #556298 ON TYPE E-1 & E-1-E OPERATING UNITS, R42 CARS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 538941 | | | | |
| 2348 | 18-38-0754 | STUD, 3/8" X 1-1/4", FOR TYPE J-1 RELAY VALVE PORTION (C. ALUM) ASSEMBLY #556298 EA ON TYPE E-1, E-1-E OPERATING UNITS, R42 CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 85475 | | | | |
| 2349 | 18-38-0757 | STUD, 5/8" X 3-15/16", TO MODIFY AIR BRAKE SYSTEM ON 67 LOCOMOTIVES TO MAKE EA COMPATIBLE WITH SMEE OPERATION | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 557379 | | | | |
| 2350 | 18-38-0758 | BODY, F/"J-1" WABCO #556298 RELAY VALVE W/NUTS AND STUD U/O PIPE BRACKET PORTION EA ASSY., R36, R38, R42 CARS AND TO MODIFY R67 DIESEL AIR BRAKES TO MAKE IT COMPATIBLE WITH THE SMEE OPERATION. | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562444 | | | | |
| 2351 | 18-38-0759 | ARM, LEVER, FOR WABCO A-1 LOAD SENSOR #571631 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571639 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2352 | 18-38-0765 | SEAT, SPRING, FOR VARIABLE LOAD VALVE PORTION ASSY, NO. 571677, R38 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570413 | | |
| 2353 | 18-38-0766 | PIN, SPRING, FOR WAB A-1 LOAD SENSOR, NO. 571631, R 38 CARS, 1/8 IN. X 9/16 IN. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566621 | | |
| 2354 | 18-38-0768 | PIN, ROD END, FOR WAB A-1 LOAD SENSOR, NO. 571631, R 38 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571637 | | |
| 2355 | 18-38-0772 | BOLT, ADJUSTING, FOR WABCO #571631 SENSOR A-1 LOAD, R44 OVERHAUL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571 634 | | |
| 2356 | 18-38-0773 | PIVOT, FOR WAB A-1 LOAD SENSOR, NO. 571631, R 38 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571636 | | |
| 2357 | 18-38-0775 | VALVE ASSEMBLY, -A3A- VARIABLE LOAD FOR E-1-E OPERATING UNIT R-38 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 559777 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|------------------------------------|------------|-----|-----|---------------|-----|-----|-----|
| 2358 | 18-38-0782 | BRACKET, PIPE, FOR WABCO A-1 LOAD | SENSOR #571631 | EA | 00 | | 00 | | | 00 |
| | | QPL | CODE | MFG - NAME | | | MFG - PART-NO | | | |
| | | N | P | WABCO | | | 571632 | | | |
| 2359 | 18-38-0786 | BODY ASSY., U/W M4 MAGNET VALVE | (RELEASE) | EA | 00 | | 00 | | | 00 |
| | | QPL | CODE | MFG - NAME | | | MFG - PART-NO | | | |
| | | N | P | WABCO | | | 571687 | | | |
| 2360 | 18-38-0791 | BODY, PIPE BRACKET PORTION, J1 RELAY | VALVE FOR R77E DIESEL LOCOMOTIVES. | EA | 00 | | 00 | | | 00 |
| | | QPL | CODE | MFG - NAME | | | MFG - PART-NO | | | |
| | | N | P | WABCO | | | 557673 | | | |
| 2361 | 18-38-0793 | BODY, MAGNET, FOR M-4 MAGNET VALVE NO. 571686 R 38 CARS | | EA | 00 | | 00 | | | 00 |
| | | QPL | CODE | MFG - NAME | | | MFG - PART-NO | | | |
| | | N | P | WABCO | | | 571688 | | | |
| 2362 | 18-38-0802 | SCREW, CAP, HEX. HD. 1/2 - 13 X 1 1/4 | LG. | EA | 00 | | 00 | | | 00 |
| | | QPL | CODE | MFG - NAME | | | MFG - PART-NO | | | |
| | | N | P | WABCO | | | 562054 | | | |
| 2363 | 18-38-0806 | STUD, 3/8-16 X 2-7/8, U/O VARIABLE LOAD VALVE. | F/R62 CARS. | EA | 00 | | 00 | | | 00 |
| | | QPL | CODE | MFG - NAME | | | MFG - PART-NO | | | |
| | | N | P | WABCO | | | 559778 | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 2364 | 18-38-0807 | PLUNGER, DIAPHRAGM, FOR VARIABLE LOAD VALVE PORTION ASSY #571667, R38 CARS | EA | | 04 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 571706 | | | | | | | |
| 2365 | 18-38-0811 | BUSHING, A-1 CHECK VALVE, FOR A-1 OPERATING UNIT CHECK VALVE WAB CO. #533727, R 10 TO 36 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 508326 | | | | | | | |
| 2366 | 18-38-0813 | VALVE, SUPPLY, FOR D-24-B, FEED VALVE ASSY, #550016, R38-40 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 525829 | | | | | | | |
| 2367 | 18-38-0815 | SPRING, SUPPLY VALVE, STEEL, FOR D-24-B FEED VALVE ASSY, #550016, 1-3/16" O.D., 3/32" WIRE, 3-1/16" HT., 7 TURNS | EA | | 155 | | 65 | | 95 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | Y P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 58444 | | | | | | | |
| 2368 | 18-38-0816 | STRAINER, U/W D-24-B FEED VALVE #550016, FOR TYPE E-1 OPERATING UNIT #570800, R38, R40 CARS | EA | | 155 | | 65 | | 95 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 525827 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 2369 | 18-38-0819 | SPRING, REGULATING VALVE, 3/8" X 1/16" X 1-11/32", FOR TYPE D24B # 527157 FEED VALVE ASSEMBLY | EA | | 155 | | 65 | | 95 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 545764 | | | | | | | |
| 2370 | 18-38-0821 | VALVE REGULATING USED WITH -D-24-BFEED VALVE NO. 550016, FOR TYPE -E-1- OPERATING UNIT NO. 570800 R38 & R40 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 537804 | | | | | | | |
| 2371 | 18-38-0822 | NUT, RETAINING, FOR TYPE D24B FEED VALVE ASSY #550016 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 537803 | | | | | | | |
| 2372 | 18-38-0823 | SEAT, REGULATING VALVE, FOR TYPE D24B FEED VALVE #550016 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 537802 | | | | | | | |
| 2373 | 18-38-0824 | GASKET, 5/8" RING FOR TYPE D24B FEED VALVE NO. 550016 | EA | | 155 | | 65 | | 90 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 541475 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2374 | 18-38-0825 | PIN, PUSHER, FOR TYPE D24B FEED VALVE #550016 | EA | 155 | 65 | 95 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 537801 | | | | |
| 2375 | 18-38-0826 | VALVE, CHECK FOR VARIABLE LOAD VALVE PORTION ASSY #571677, R38 CARS | EA | 04 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 518772 | | | | |
| 2376 | 18-38-0829 | SEAT, SUPPLY VALVE, FOR TYPE D24B FEED VALVE #550016 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 525832 | | | | |
| 2377 | 18-38-0830 | SEAL, VALVE, FOR TYPE D24B FEED VALVE #550016 | EA | 155 | 65 | 95 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 525831 | | | | |
| 2378 | 18-38-0832 | COVER, DIAPHRAGM, FOR D-24-B, FEED VALVE ASSY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 549173 | | | | |
| 2379 | 18-38-0834 | SPRING, REGULATING, STEEL, FOR D-24-B, FEED VALVE ASSY #550016, R38-40 CARS 1" O | EA | 155 | 65 | 95 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | .D. 7/32" WIRE 2-3/4" H.T. 10 TURNS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 91637 | | | | |
| 2380 | 18-38-0840 | COVER, TOP FOR EMERGENCY VALVE PORTION #5 69711 R-38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569722 | | | | |
| 2381 | 18-38-0844 | SEAL, FOR EMERGENCY VALVE PORTION #569711, R38 CARS | EA | 265 | 125 | 80 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 514500 | | | | |
| 2382 | 18-38-0845 | NUT, HEX, LOCK, 9/16", FOR EMERGENCY VALVE PORTION ON TYPE E1 AND E-1E OPERATING UNITS | EA | 265 | 124 | 121 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 568965 | | | | |
| 2383 | 18-38-0846 | DIAPHRAGM, FOLLOWER, FOR EMERGENCY VALVE PORTION #569711, R38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569721 | | | | |
| 2384 | 18-38-0848 | PISTON, FOR EMERGENCY VALVE PORTION #569711, R38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569720 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2390 | 18-38-0866 | INLET & EXHAUST VALVE ASSEMBLY, FOR WAB A-1 LOAD SENSOR, CONTROL PORTION 571644 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571648 | | | | |
| 2391 | 18-38-0871 | PIN PIVOT FOR WAB A-1 LOAD SENSOR CONTROL PORTION 571644 R3840 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0591796 | | | | |
| 2392 | 18-38-0872 | ROLLER, FOR WABCO A-1 LOAD SENSOR CONTROL PORTION #571644, R38-40 CARS | EA | 230 | 117 | 109 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 528058 | | | | |
| 2393 | 18-38-0873 | LEVER, W/TIP, FOR WABCO A1 LOAD SENSOR, CONTROL PORTION #571644, R38-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571597 | | | | |
| 2394 | 18-38-0874 | STEM, PISTON, FOR EMERGENCY VALVE PORTION #569711 | EA | 10 | 04 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569717 | | | | |
| 2395 | 18-38-0875 | BODY, CONTROL FOR WABCO A-1 LOAD SENSOR CONTROL PORTION 571644 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571645 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2396 | 18-38-0876 | COVER, FOR EMERGENCY VALVE PORTION, #569711, R38 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569724 | | | | |
| 2397 | 18-38-0877 | STUD, 5/16" X 1-5/16", FOR CONTROL PORTION ON TYPE A-1 LOAD SENSOR #571631 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 500166 | | | | |
| 2398 | 18-38-0881 | PISTON, F/EMERGENCY VALVE PORTION 5697111 R38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569727 | | | | |
| 2399 | 18-38-0882 | SPRING, FOR EMERGENCY VALVE PORTION 569711 R-38 CARS | EA | 265 | 125 | 98 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 504931 | | | | |
| 2400 | 18-38-0883 | NUT, CAP FOR EMERGENCY VALVE PORTION 569711 R-38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569726 | | | | |
| 2401 | 18-38-0892 | VALVE, BODY, FOR EMERGENCY VALVE PORTION, NO. 569711. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569714 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 2402 | 18-38-0894 | CHOKE, PLUG 1/8" FOR EMERGENCY VALVE PORTION 569711 R-38 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 571153 | | | | | | | |
| 2403 | 18-38-0895 | STUD 3/8" X 1-1/2" FOR EMERGENCY VALVE PORTION #569711 R-38 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 549585 | | | | | | | |
| 2404 | 18-38-0897 | STUD, 1/2" X 2-1/4", FOR EMERGENCY VALVE PORTION #569711 8 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 551201 | | | | | | | |
| 2405 | 18-38-0950 | BLOCK, TERMINAL, FOR TYPE "E1", #570800 AND TYPE (E1E), #570801 OPERATING UNITS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 534087 | | | | | | | |
| 2406 | 18-38-1110 | BRACKET ASSEMBLY, PIPE, PORTION FOR ME-43 BRAKE VALVE ASSY R-38 & R40 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 571594 | | | | | | | |
| 2407 | 18-38-1112 | STRAINER, PORT 21, FOR ME-43 BRAKE VALVE ASSEMBLY | EA | | 90 | | 40 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 552071 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|---------------|
| 2408 | 18-38-1113 | SPRING, FOR TYPE B-3-C EMERGENCY BRAKE VALVE | EA | | 185 | | 37 | | 30 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 547806 |
| ----- | | | | | | | | | |
| 2409 | 18-38-1117 | SCREW, DUST GUARD, FOR TYPE ME-43 BRAKE VALVE NO. 570799 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 571390 |
| ----- | | | | | | | | | |
| 2410 | 18-38-1118 | SEAL, GUARD FOR ME-43 BRAKE VALVE, ASSY. R-38 & R-40 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 571630 |
| ----- | | | | | | | | | |
| 2411 | 18-38-1120 | COVER, GUARD DUST, FOR ME-43 BRAKE VALVE ASSY. R 38-40 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 571628 |
| ----- | | | | | | | | | |
| 2412 | 18-38-1121 | SCREW, OVAL FIL. HEAD, 1/4-20 X 7/8" LONG, PLT. STEEL. USED ON ME-43 BRAKE VALUE. FOR R62 CARS. | EA | | 10 | | 259 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 518319 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2413 | 18-38-1125 | SCREW, CAP. HEX. HD. 1/4"X1/2" LG. | EA | 00 | 50 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000001-4562 | | |
| 2414 | 18-38-1131 | SCREW, CAP, HEX HD., 1/2" X 1-1/2", U/W D-4 COMPRESSOR, R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 526010 | | |
| 2415 | 18-38-1133 | GUARD, HANDLE FOR ME-43 BRAKE VALVE ASSY R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571126 | | |
| 2416 | 18-38-1135 | BODY, ELECTRIC CONTROL FOR ME-43 BRAKE VALVE, ASSY. R-38 & R-40 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571124 | | |
| 2417 | 18-38-1142 | SUPPORT FOR ME-43 BRAKE VALVE, ASSY. R-38 & R-40 CARS | EA | 08 | 16 | 08 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571122 | | |
| 2418 | 18-38-1148 | SPACER FOR ME-43 BRAKE VALVE, ASSY R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571113 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2419 | 18-38-1151 | PIN CYLINDER FOR ME-43 BRAKE VALVE, ASSY. R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 564157 | | |
| 2420 | 18-38-1152 | SPACER FOR ME-43 BRAKE VALVE, ASSY. R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571115 | | |
| 2421 | 18-38-1153 | CAM, NO. 4- B.P. CHARGING FOR ME-43 BRAK E VALVE, ASSY. R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571116 | | |
| 2422 | 18-38-1154 | SPACER FOR ME-43 BRAKE VALVE, ASSY. R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571120 | | |
| 2423 | 18-38-1155 | CAM, NO.5- AIR EX. FOR ME-43 BRAKE VALVE, ASSY. R-38 & R40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571117 | | |
| 2424 | 18-38-1156 | CAM, NO.6- AIR SUPPLY FOR ME-43 BRAKE VA LVE, ASSY R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571118 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2425 | 18-38-1157 | CAM, NO.7- DEADMANS FOR ME-43 BRAKE VALV E, ASSY R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571119 | | | | |
| 2426 | 18-38-1158 | SPACER FOR ME-43 BRAKE VALVE, ASSY. R-38 & R40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571121 | | | | |
| 2427 | 18-38-1159 | CAM, NO.3- EMERGENCY VALVE FOR ME-43 BRA KE VALVE, ASSY. R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571114 | | | | |
| 2428 | 18-38-1160 | SHAFT, CAM FOR ME-43 BRAKE VALVE, ASSY. R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571111 | | | | |
| 2429 | 18-38-1162 | ASSEMBLY, PNEUMATIC SELF-LAPPING VALVE, FOR TYPE ME-43 BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 692601 | | | | |
| 2430 | 18-38-1163 | SCREW, FOR TYPE ME-43 BRAKE VALVE ASS'Y NO. 570799. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 523365 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2431 | 18-38-1164 | ASSEMBLY, ELECTRIC SELF-LAPPING VALVE F/ TYPE ME-43 BRAKE VALVE MTCE DATE 101684 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 571133 | | | | |
| 2432 | 18-38-1165 | STRAP CONDENSER FOR ME-43 BRAKE VALVE, ASSY. R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 571132 | | | | |
| 2433 | 18-38-1169 | TAG, SET TERMINAL FOR CONDENSER FOR ME-43 BRAKE VALVE, ASSY. R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 569220 | | | | |
| 2434 | 18-38-1170 | BLOCK ASSEMBLY, TERMINAL, FOR ME-43 BRAKE VALVE, ASSY, R-38 & R-62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 571539 | | | | |
| 2435 | 18-38-1172 | BASE, TERMINAL BLOCK FOR ELECTRIC SELF-LAPPING UNIT, ASSY. NO. 571133 R-38 & R-40 CARS | EA | 05 | 06 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 571540 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2436 | 18-38-1174 | GUARD, ELECT. SELF-LAPPING UNIT FOR CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571131 | | | | |
| 2437 | 18-38-1175 | SUPPORT, DUST COVER, U/O ME 43 BRAKE VALVE. F/R38 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 572449 | | | | |
| 2438 | 18-38-1176 | SCREW, FILLISTER HD MACHINE, NO 10-32 UNF-2A X 1.25 IN LG, STL, ZN PLD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06734081250 | | | | |
| 2439 | 18-38-1178 | COVER, DUST, USED ON ME-43 BRAKE VALVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 572451 | | | | |
| 2440 | 18-38-1181 | SUPPORT, CAM DOG, FOR TYPE ME-43 BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571109 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2441 | 18-38-1182 | SCREW, MACHINE, FLAT HEAD #10, 1/2", U/W WABCO #560910 ME 42 BRAKE VALVE, R26-36 EA CARS | | 800 | 960 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 519389 | | | | |
| 2442 | 18-38-1183 | COVER, CHECK VALVE FOR ME-43 BRAKE VALVE, ASSY. R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 571130 | | | | |
| 2443 | 18-38-1208 | COVER, EMERGENCY VALVE FOR ME-43 BRAKE VALVE, ASSY. R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 571129 | | | | |
| 2444 | 18-38-1214 | VALVE, EMERGENCY, FOR TYPE ME-43 BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 571128 | | | | |
| 2445 | 18-38-1216 | BODY, BRAKE VALVE, FOR ME-43 BRAKE VALVE, ASSY. R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 571106 | | | | |
| 2446 | 18-38-1217 | SCREW, PHILLIPS, PAN HEAD, #10-32 X 0.500, BRASS | EA | 162 | 35 | 75 |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 06993730500 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2447 | 18-38-1227 | PIN, ROD END FOR PNEUMATIC SELF-LAPPING VALVE, ASSY. R-38 & R-40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562809 | | |
| 2448 | 18-38-1241 | BODY, SELF-LAPPING VALVE FOR PNEUMATIC SELF-LAPPING VALVE, ASSY. R-38 & R-40 CAR S | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571136 | | |
| 2449 | 18-38-1248 | BODY, TOP, FOR ELECTRIC SELF-LAPPING UNIT ASSY., #571133 ON ME-43 BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571134 | | |
| 2450 | 18-38-1250 | DIAPHRAGM ASSEMBLY, WITH LINK & PIN, FOR ELECTRIC SELF-LAPPING UNIT, ASSEMBLY #571133 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533788 | | |
| 2451 | 18-38-1269 | ARM, TERMINAL BLOCK FOR ME-42, ME-43 BRAKE VALVE ELECTRIC SELF LAPPING UNIT ASSY #571133, R38-40 CARS. | EA | 08 | 09 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535588 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2452 | 18-38-1300 | CUTOUT COCK 1/4" B.C. GAUGE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 520850 | | |
| 2453 | 18-38-1301 | ASSEMBLY, CUT-OUT COCK, LEVER OPERATED, 1- #FLANGED WITH 1/4- #SIDE VENT, R38, 4 EA 0, 42 CARS. | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566159 | | |
| 2454 | 18-38-1405 | BODY, CYLINDER ASSY., FOR 7 IN. X 6 IN. -UAHT- BRAKE CYLINDER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551285 | | |
| 2455 | 18-38-1406 | PLUG, SOCKET PIPE, 1/8" FOR 7" X 6" "UAHT" BRAKE CYLINDER, R27 - 38 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0551274 | | |
| 2456 | 18-38-1408 | PISTON AND ROD FOR 7 IN. X 6 IN., -UAHTG- BRAKE CYLINDER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533443 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 2457 | 18-38-1420 | HEAD, NON-PRESSURE, FOR 7" X 6" -UAHT- BRAKE CYLINDER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 551303 | | | | | | | |
| 2458 | 18-38-1428 | ROD PUSH, ASSY. -16-3/8 IN. LENGTH- FOR 7 IN. X 6 IN. -UAHT- BRAKE CYLINDER WAB | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 540650 | | | | | | | |
| 2459 | 18-38-1430 | ROD, 16-3/8 IN., FOR W.A.B. TYPE UAHT, 7 X 6 INCH BRAKE CYLINDER, R10 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533438 | | | | | | | |
| 2460 | 18-38-1441 | FITTING, FOR TYPE UAHT 7 X 6 BRAKE CYLINDER, 1/4" GRIPSEAL, SLACK ADJUSTER, WABCOTITE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 565194 | | | | | | | |
| 2461 | 18-38-1442 | RING COMPRESSION FOR 7" X 6" "UAHT" BRAKE CYLINDER. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 561415 | | | | | | | |
| 2462 | 18-38-1455 | ASSEMBLY, ENGINE, U/O 6" X 6" 'UAHT' LIGHT WEIGHT BRAKE CYLINDER. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 508091 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2463 | 18-38-1456 | PISTON AND PAWL CP ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 508946 | | |
| 2464 | 18-38-1477 | SPRING, PISTON, TRIGGER, FOR ELECTRIC PORTION BL-22 & BL-25R16, USED WITH WABCO AUTOMATIC CAR COUPLER, TYPE H-2-C 537545 | EA | 80 | 25 | 85 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 70985 | | |
| 2465 | 18-38-1478 | CAP, COUPLER CYLINDER TRIGGER FOR ELECTRIC PORTION BL-22 U/W WABCO AUTO CAR COUPLER TYPE H-2-C #561090 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 84466 | | |
| 2466 | 18-38-1479 | PLUG, PIPE, 3/8", FOR WAB SLACK ADJUSTER TYPE C-15-D1, R27-38 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551 275 | | |
| 2467 | 18-38-1511 | SCREW, COVER, U/W FB-2 MAGNET VALVE, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000001-4816 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 2468 | 18-38-1600 | TRIP COCK, COMPLETE ASSEMBLY, WABCO TYPE D-1, USED ON BMT/IND DIVISION CARS | EA | | 09 | | 08 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 673782 | | | | | | | |
| 2469 | 18-38-1608 | PISTON ASSEMBLY, COMPLETE U/O WABCO D-1 AND D-1-A TYPE TRIP COCKS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 583149 | | | | | | | |
| 2470 | 18-38-1617 | SET SCREW, NYLOCK, (FLUSH PLUG) 1/4"-28, 3/8" LONG | EA | | 604 | | 805 | | 260 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 579173 | | | | | | | |
| 2471 | 18-38-1631 | SPRING, COMPRESSION VALVE, BRAKE PIPE CHECK, USED WITH WABCO AUTOMATIC CAR COUPLER 560474 | EA | | 20 | | 70 | | 45 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0066191 | | | | | | | |
| | | N P WABCO 66191 | | | | | | | |
| 2472 | 18-38-1684 | BUSHING "FOR R62 LOAD SENSOR". | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 563161 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2473 | 18-38-1805 | HEAD, COMPLETE WITH BUSHING #54003, #560473 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 588618 | | | | |
| 2474 | 18-38-1806 | SOCKET, COUPLER GASKET COMPLETE R-16-38 CARS FOR AUTO CAR COUPLER TYPE H-2-C | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 537425 | | | | |
| 2475 | 18-38-1807 | YOKE, COUPLER SPRING, SLIDE, COMPLETE, F/ELECTRIC PORTION BL-22 U/W W.A.B. AUTOMATIC CAR, COUPLER TYPE H-2-A | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 70561 | | | | |
| 2476 | 18-38-1809 | PLUNGER COUPLER SPRING SLIDE FOR ELECTRIC PORTION BL-18 U/W WAB AUTO CAR COUPLER 530938, R10-38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 70523 | | | | |
| 2477 | 18-38-1811 | PLUNGER COUPLER SPRING SLIDE FOR ELECTRIC PORTION BL-18 U/W WAB AUTO CAR COUPLE R 530938 R10-38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 70537 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|--|---------|---------|---------|
| 2478 | 18-38-1812 | BUSHING, PISTON, BRAKE PIPE CHECK, FOR TYPE H2B & H2C CAR COUPLER, R16-38 CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533844 | | | | |
| 2479 | 18-38-1813 | PIN, COUPLER, SPRING, PLUNGER, FOR U/W WAB AUTOMATIC CAR COUPLER TYPE | ELECTRIC PORTION BL-22, R10-R38 CARS, H-2-B#560938 | EA | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 70391 | | | | |
| 2480 | 18-38-1814 | LEVER, COUPLER OPERATING SLIDE FOR TYPE H-2-C COUPLER #561090. | ELECTRIC PORTION TYPE BL-22 U/W WABCO | EA | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 70392 | | | | |
| 2481 | 18-38-1816 | VALVE, CHECK, BRAKE PIPE, U/W AUTOMATIC CAR COUPLER #530938, R10-38 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 56622 | | | | |
| 2482 | 18-38-1817 | SEAL, CHECK VALVE, H2C COUPLER WABCO 95904 | EA | 40 | 140 | 90 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 95904 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 2483 | 18-38-1818 | GUIDE, COUPLER, VALVE, CHECK, R10-R38 CARS, U/W WAB AUTOMATIC CAR COUPLER TYPE H-2-B, #530938 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 67509 | | | | | | | |
| 2484 | 18-38-1819 | STEM, COUPLER, VALVE, CHECK R10-R38 CARSU/W WAB AUTOMATIC CAR COUPLER TYPE H-2-B, #530938 | EA | | 00 | | 00 | | 00 |
| | | MTCE DATE (030585) | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 67512 | | | | | | | |
| 2485 | 18-38-1820 | PISTON, COUPLER VALVE, CHECK R26-R38 CARS U/W WABCO AUTOMATIC CAR COUPLER TYPE H-2-C # 560474 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 535450 | | | | | | | |
| 2486 | 18-38-1822 | PIN COUPLER LEVER SLIDE OPERATING FOR ELECTRIC PORTION TYPE BL-22 R10-38 CARS U/W COUPLER TYPE H-2-B #530938 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 70398 | | | | | | | |
| 2487 | 18-38-1823 | ASSEMBLY, CHECK VALVE, AIR CONNECT. FOR H-2-C AUTOMATIC CAR COUPLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 561295 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT


| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2488 | 18-38-1824 | TRIGGER ASSY, WITH SLIDE, FOR WABCO R16-R38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 73697 | | | | |
| 2489 | 18-38-1825 | VALVE, COUPLER CHECK, MAIN RESERVOIR COMPLETE, U/W WABCO AUTOMATIC CAR COUPLER TYPE H-2-A | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 67506 | | | | |
| 2490 | 18-38-1826 | VALVE, CHECK, MAIN RESERVOIR, FOR AUTOMATIC CAR COUPLER TYPE H-2-C #537545, R16-38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 56619 | | | | |
| 2491 | 18-38-1830 | VALVE, COUPLER, CHECK (TAPPED), F/MAIN RESERVOIR, U/W WABCO AUTOMATIC CAR COUPLER TYPE H-2-C #537545, R16-38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 67507 | | | | |
| 2492 | 18-38-1831 | SPRING, COMPRESSION VALVE CHECK MAIN RESERVOIR, USED WITH AUTO CAR COUPLER TYPE H-2-B #530938 | EA | 100 | 100 | 130 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 64133 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 2493 | 18-38-1832 | LINK, SLIDE OPERATING, F/COUPLER & DRAFT GEAR ELECTRIC COUPLER, R62A CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 558911 | | | | | | | |
| 2494 | 18-38-1833 | SCREW, SECURING GASKET SOCKET TO COUPLER, 7/8-9 X 8-3/4 INCH LONG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533854 | | | | | | | |
| 2495 | 18-38-1834 | PIN, COUPLER LINK, LEVER, SLIDE OPERATING, FOR ELECTRIC PORTION TYPE BL-22, R26 - R38 CARS, U/W WABCO COUPLER TYPE H2C, #560473 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 70568 | | | | | | | |
| 2496 | 18-38-1835 | ASSEMBLY, UNCOUPLING CYLINDER PISTON, FOR TYPE H-2-C CAR COUPLER ASSY. NO. 56109 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 557824 | | | | | | | |
| 2497 | 18-38-1836 | PISTON, COUPLER CYLINDER, UNCOUPLING, COMPLETE W/RING R38 CARS U/W WAB AUTOMATIC CAR COUPLER TYPE H-2-# 561090 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 83414 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2498 | 18-38-1837 | PLUNGER, COUPLER, PISTON, UNCOUPLING AUTOMATIC CAR COUPLER #560473 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 83416 | | | | |
| 2499 | 18-38-1838 | RETAINER, COUPLER, RING, U/W WABCO AUTOMATIC CAR COUPLER #561090 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 83417 | | | | |
| 2500 | 18-38-1839 | CYLINDER COUPLER ACTUATING ELECTRIC PORTION #561100 R26-38 CARS U/W AUTO CAR COUPLER TYPE H2C | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 533042 | | | | |
| 2501 | 18-38-1840 | PISTON, COUPLER, ACTUATING, ELECTRIC PORTION BL-22, R38 CARS, U/W WABCO AUTOMATIC CAR COUPLER TYPE H-2-C #561090 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 73699 | | | | |
| 2502 | 18-38-1841 | PISTON, COUPLER, ACTUATING, W/GUIDE ELECTRIC PORTION BL-22 W.A.B. CO. #70572 R16-R38 CARS, U/W W.A.B. AUTOMATIC CAR, COUPLER #537545 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 70572 | | | | |

USER-ID : CHU
 FILE-ID : WABP2024
 PROG-ID : 

NEW YORK CITY TRANSIT AUTHORITY
 COMMODITY MANAGEMENT SYSTEM

PAGE : 455
 DATE : 04/12/2024
 VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|------------|-----|---------------|-----|-----|-----|-----|
| 2503 | 18-38-1842 | LINK, COUPLER, PISTON, COMPLETE FOR ELECTRIC PORTION BH-18, U/W WABCO AUTOMATIC CAR COUPLER TYPE H-2-B #530938 | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 70423 | | | | |
| ----- | | | | | | | | | |
| 2504 | 18-38-1844 | SPRING, COUPLER, CYLINDER, UNCOUPLING, USED WITH WABCO AUTOMATIC CAR COUPLER | EA | | 20 | | 70 | | 45 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 83419 | | | | |
| ----- | | | | | | | | | |
| 2505 | 18-38-1845 | COVER, GASKET SOCKET ASSEMBLY, FOR TYPE H-2-C CAR COUPLER | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 549120 | | | | |
| ----- | | | | | | | | | |
| 2506 | 18-38-1848 | PIN COUPLER, PISTON, ACTUATING, FOR ELECTRIC PORTION BH-18, U/W WABCO AUTOMATIC CAR COUPLER TYPE H-2 #560474 | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 70425 | | | | |
| ----- | | | | | | | | | |
| 2507 | 18-38-1851 | BUSHING, COUPLER PISTON BRAKE PIPE CUTOFF VALVE R16-R38 CARS U/W WAB AUTOMATIC CAR COUPLER TYPES H-2-B & H-2-C | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 536149 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 2508 | 18-38-1852 | CAP, COUPLER CYLINDER 3" DIA ACTUATING ELECTRIC PORTION BL-18 R16-R38 CARS U/W AU TO CAR COUPLER TYPE H-2-C #561090 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 70552 | | | | | | | |
| 2509 | 18-38-1854 | PISTON, COUPLER VALVE BRAKE PIPE CUT-OFF R26-R38 CARS U/W WAB AUTOMATIC CAR COUP LER # 560473 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 536148 | | | | | | | |
| 2510 | 18-38-1855 | VALVE, COUPLER CHECK, BRAKE PIPE CUT-OFF R10-R38 CARS U/W WAB AUTOMATIC CAR COUP LER # 530938 TYPE H2B | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 536146 | | | | | | | |
| 2511 | 18-38-1857 | RETAINER COUPLER VALVE BRAKE PIPE CUTOFF CHECK R-38 CARS U/W AUTO CAR COUPLER #5 61090 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533849 | | | | | | | |
| 2512 | 18-38-1858 | CYLINDER, COUPLER, TRIGGER, FOR ELECTRIC PORTION, USED WITH WABCO AUTOMATIC CAR COUPLER TYPE H-2-C WABCO #561090 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 84453 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2518 | 18-38-1869 | RING, PISTON, FOR W.A.B.AUTOMATIC CAR COUPLER TYPE H2C #561100, R26-R38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 538894 | | | | |
| 2519 | 18-38-1870 | NUT, COUPLER CAP PILOT VALVE PISTON R10-R 38 CARS U/W AUTO CAR COUPLER TYPES H2B # 530938 | EA | 00 | 01 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535897 | | | | |
| 2520 | 18-38-1872 | VALVE COUPLER CHECK R-26-R38 CARS U/W AUTO CAR COUPLER 561100 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 65824 | | | | |
| 2521 | 18-38-1874 | STEM COUPLER VALVE CHECK R-26-R38 CARS U/W AUTO CAR COUPLER TYPE H-2-C #561100 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 65825 | | | | |
| 2522 | 18-38-1875 | SPRING, COUPLER VALVE, PILOT CHECK, USED WITH WABCO AUTOMATIC CAR COUPLER TYPE H-2-C #561100 | EA | 20 | 70 | 45 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 98126 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2523 | 18-38-1876 | NUT, COUPLER, CAP, CHECK VALVE, H2A, H2B-H2C | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535896 | | | | |
| 2524 | 18-38-1877 | STEM, COUPLER, PISTON, 3" TRIGGER, ELEC. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 70984 | | | | |
| 2525 | 18-38-1879 | WASHER, DOUBLE LOCK, FOR TYPE H-2-C AUTO COUPLER | EA | 40 | 70 | 40 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53997 | | | | |
| 2526 | 18-38-1880 | LATCH, U/W WABCO TYPE H-2-C AUTOMATIC R38 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83420 | | | | |
| 2527 | 18-38-1881 | LATCH, SHAFT COUPLER, USED WITH AUTOMATIC CAR COUPLER TYPE H-2-B | EA | 03 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53999 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 2528 | 18-38-1882 | BUSHING, COUPLER SHAFT LATCH, U/W R10-38 CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 54000 | | | | | | | |
| 2529 | 18-38-1885 | BRACKET, COUPLER, LATCH, U/W WABCO AUTOMATIC CAR COUPLER TYPE H-2-C #561090, R16 - 38 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 83421 | | | | | | | |
| 2530 | 18-38-1891 | SPRING, LATCH OUTSIDE FOR DRAW BARS | EA | | 80 | | 40 | | 40 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 83422 | | | | | | | |
| 2531 | 18-38-1892 | SPRING, COUPLER | EA | | 80 | | 40 | | 40 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 83423 | | | | | | | |
| 2532 | 18-38-1893 | NUT, COUPLER ROD LATCH R10-R38 CARS U/W AUTO CAR COUPLER TYPE H-2-B #530938 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 83425 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2538 | 18-38-1904 | PLUNGER COUPLER DOOR UPPER FOR TYPE BL-25-B ELECTRIC DOOR PORTION ON TYPE H-2-B, EA H-2-C AUTO CAR COUPLER | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 90459 | | | | |
| 2539 | 18-38-1905 | KEY, DOOR PLUNGER FOR W.A.B. TYPE H2C AUTOMATIC CAR COUPLER #537545-R16-22 CARS EA | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 90160 | | | | |
| 2540 | 18-38-1906 | SCREW, DOOR PLUNGER FOR W.A.B TYPE H-2-C AUTOMATIC CAR COUPLER #537545, R EA 16-R22 CARS. | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 70431 | | | | |
| 2541 | 18-38-1909 | SCREW, 1/4" X 5/8", HEX HEAD, CAP. EA , WIDTH & DEPTH OF SLOT TO BE SAME AS FOR THE SAME SIZE FILLISTER HD CAP SCREW | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 27031 | | | | |
| 2542 | 18-38-1910 | CAM, COUPLER LOCKING HANDLE FOR ELECTRIC PORTION BL-22 R-16-R38 CARS EA U/W AUTO CAR COUPLER TYPE H-2-C #561090 | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WAB CO 83767 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2543 | 18-38-1915 | HANDLE, COUPLER COMPLETE, FOR ELECTRIC PORTION, FOR TYPE H-2-C COUPLER #561100 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83771 | | | | |
| 2544 | 18-38-1920 | ASSEMBLY, SLIDE W/CONNECTORS FOR #561100ELEC. PORTION ON TYPE H-2-C AUTOMATIC CAR COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561260 | | | | |
| 2545 | 18-38-1921 | FRAME, COUPLER SLIDE, REAR, F/ELECTRIC PORTION BL-25-A, U/W W.A.B. AUTOMATIC CAR COUPLER TYPE H-2 B, #530938, R10-R38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 90547 | | | | |
| 2546 | 18-38-1923 | BUSHING, COUPLER FRAME, REAR SLIDE, FOR ELECTRIC PORTION BL-22, U/W WAB AUTOMATIC CAR COUPLER TYPE H-2-C | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 86259 | | | | |
| 2547 | 18-38-1926 | PLATE, COUPLER, WEAR, FOR ELECTRIC PORTION TYPE BL-22, R38 CARS U/W WAB #561090 COUPLER MTCE. DATE (030585) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83432 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2548 | 18-38-1928 | TERMINAL, INSULATION, U/O H-2-C CAR COUPLER. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83443 | | | | |
| 2549 | 18-38-1929 | TERMINAL WITH HEADS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 91901 | | | | |
| 2550 | 18-38-1930 | FRAME, COUPLER SLIDE FRONT F/ ELECTRIC PORTION BL-22 R10-R38 CARS U/W AUTO | EA | 00 | 00 | 00 |
| | | CAR COUPLER TYPE H-2-B #530938 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83444 | | | | |
| 2551 | 18-38-1931 | INSULATION, FIBRE FRONT, ELECTRIC PORTION BL-22, USED WITH AUTO CAR | EA | 00 | 03 | 00 |
| | | COUPLER TYPE H2A | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588314 | | | | |
| 2552 | 18-38-1935 | NUT, PLUNGER, MOVABLE CONTACT, FOR #BL-22 & BL-25 ELEC PORTIONS, USED WITH | EA | 00 | 00 | 00 |
| | | TYPE H-2-B AUTOMATIC CAR COUPLER #530938 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 524402 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 2553 | 18-38-1937 | SUPPORT, COUPLER GASKET F/ ELECTRIC PORTIONS BL-22-BL-25 R38 CARS U/W AUTO CAR C EA OUPLER #561090 | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 83455 | | | | | | | |
| 2554 | 18-38-1938 | SCREW, SET, 5/16-18 X 5/16" LG, U/W TYPE H-2-C AUTO COUPLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 70562 | | | | | | | |
| 2555 | 18-38-1941 | CLAMP, COUPLER CABLE F/ ELECTRIC PORTION BL-25-B R38 CARS U/W AUTO CAR EA COUPLER H- 2-C | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 90480 | | | | | | | |
| 2556 | 18-38-1942 | SCREW, CABLE CLAMP, FOR #BL-25B ELEC PORTION, USED WITH TYPE H-2-C AUTOMATIC CAR EA COUPLER | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 91791 | | | | | | | |
| 2557 | 18-38-1943 | COVER, CABLE CLAMP, FOR BL-25 ELECTRIC PORTION, USED WITH TYPE H-2-C AUTOMATIC C EA AR COUPLER #561090, R26-38 CARS | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 91787 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2558 | 18-38-1944 | SCREW, COVER 1/4 X 5/8" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000002-4127 | | |
| 2559 | 18-38-1947 | SPRING, RETRIEVING SLIDE FOR ELECTRIC PORTION BL-22 & BL-25 USED WITH TYPE H2A A EA UTOMATIC CAR COUPLER, R-16-38 CARS | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 84890 | | |
| 2560 | 18-38-1949 | INSULATION, CABLE, FOR BL25A & B ELEC PORTIONS, USED WITH TYPE H-2-B AUTOMATIC C EA AR COUPLER #530938, R10-38 CARS | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 90493 | | |
| 2561 | 18-38-1950 | BOLT, CABLE CLAMP, FOR BL-25 A ELEC PORTION, USED WITH TYPE H2A, B & C AUTOMATIC EA CAR COUPLERS, R16-38 CARS | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 90479 | | |
| 2562 | 18-38-1951 | NUT, BOLT, FOR TYPE H-2-C AUTO COUPLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 17151 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2563 | 18-38-1952 | CLAMP, COUPLER CABLE RETAINER BL-25-A ELE C PORTION U/W H-2-C COUPLER #561090 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 94147 | | | | |
| 2564 | 18-38-1954 | BOLT, COUPLER FRAME, SLIDE FOR ELECTRIC PORTION TYPE BL-25-B, 1/4" X 1-1/8" SQ H EA D, STEEL MACHINE BOLT, U/W WABCO TYPE H-2-C COUPLER | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 41960 | | | | |
| 2565 | 18-38-1959 | SCREW, 0.190 X 7/8", U/W WABCO #560473 H-2-C AUTO. COUPLER, R36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 20902 | | | | |
| 2566 | 18-38-1966 | THIMBLE COUPLER CONNECTION COMPRESSION TYPE UNION U/W AUTO COUPLER #561090 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 71727 | | | | |
| 2567 | 18-38-1968 | TUBE COUPLER F/ ELEC PORTION BL-25-B U/W AUTO COUPLER #530938 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533033 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2568 | 18-38-1972 | RAIL, COUPLER F/ELEC. PORTION, R26-R36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83472 | | |
| 2569 | 18-38-1975 | CONTACT, U/W AUTOMATIC CAR COUPLER H-2-C (FOR BL-25-B ELEC. PORTION) DOOR CIRCUIT, COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501383 | | |
| 2570 | 18-38-1977 | CONTACT, ELECTRICAL, USED WITH AUTOMATIC CAR COUPLER TYPE H2C COMPLETE (INCLUDING #691 45 FINGER BASE, #69144 FINGER TIP, #6914 3 FINGER BLADE, #2021 PIN AND #93617 TYP E "ROPE" FINGER SHUNT, FINGER, COMPLETE | EA | 154 | 975 | 254 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 500680 | | |
| 2571 | 18-38-1978 | CONNECTOR, COUPLER FINGER, CONTACT, FOR ELECTRIC PORTION TYPE BL-22, R16-R38 CARS, U/W W.A.B. COUPLER #561090, TYPE H2C NOTE: # FOR REF 521.007 | EA | 07 | 166 | 57 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83492 | | |
| 2572 | 18-38-1984 | ROD, COUPLER, HINGE, DOOR: ELECTRIC PORTION BL-22, R10-38 CARS, U/W WAB AUTOMATIC CAR COUPLER TYPE H-2-B #530938 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83494 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2573 | 18-38-1985 | LEVER, DOOR, RIGHT HAND FOR #561090 AUTOMATIC CAR COUPLER ASSY. R38 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83495 | | |
| 2574 | 18-38-1986 | PLUNGER, COUPLER, STOP, DOOR FOR ELECTRIC PORTION BL-22, R10-R38 CARS, U/W WAB AUTOMATIC CAR COUPLER #530938 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 78883 | | |
| 2575 | 18-38-1987 | SPRING, PLUNGER, 13/16" O.D., 1/8" DIA. WIRE, 2-1/32" FREE HEIGHT, "7.5 ACTIVE COILS" STL U/W BL-26-C ELECTRIC PORTION FOR H-2-CCAR COUPLER# 591607. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 78882 | | |
| 2576 | 18-38-1990 | LEVER, COUPLER DOOR, L.H., F/ELEC. PORTION, U/W W.A.B. CO. TYPE H-2-B, AUTO. COUPLER #530938 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83496 | | |
| 2577 | 18-38-1991 | SHAFT, COUPLER CRANK, DOOR, F/ELECTRIC PORTION BL-22, R10-R38 CARS U/W W.A.B. AUTOMATIC CAR COUPLER TYPE H-2-B, #530938 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83498 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|--|---------|---------|---------|
| 2578 | 18-38-1992 | SPRING, COUPLER DOOR, INSPECTION, U/W W.A.B. AUTOMATIC CAR COUPLER TYPE | F/ELECTRIC PORTION BL-22, R10-R38 CARS H-2B #530938 | EA | 00 | 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | |
| | | N P WABCO | 83508 | | | |
| 2579 | 18-38-1993 | BOLT, COUPLER, EYE, FOR BL-22 ELECTRIC COUPLER TYPE H-2-C, R16-R38 CARS | PORTION, U/W WABCO AUTOMATIC CAR | EA | 00 | 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | |
| | | N P WABCO | 83499 | | | |
| 2580 | 18-38-1994 | PIN, COUPLER COTTERED, DOUBLE R10-R38 TYPE H-2-B #530938 | CARS U/W W.A.B. AUTOMATIC CAR COUPLER | EA | 00 | 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | |
| | | N P WABCO | 84173 | | | |
| 2581 | 18-38-1995 | LINK, COUPLER F/ELECTRIC PORTION BL-22 CAR COUPLER TYPE H-2-C #561100 | R10 - R38 CARS, U/W W.A.B. AUTOMATIC | EA | 00 | 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | |
| | | N P WABCO | 83500 | | | |
| 2582 | 18-38-1996 | LEVER, COUPLER QUADRANT, DOOR PUSH ROD CARS U/W W.A.B. CO. TYPE H-2-C COUPLER | FOR "ELECTRIC PORTION TYPE BL-22 R38 #561090 | EA | 00 | 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | |
| | | N P WABCO | 83501 | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2588 | 18-38-2008 | WASHER, LOCK, 1/16" X 1-1/4" X 2-1/16" FOR H2A AUTO COUPLER | EA | 03 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 70462 | | | | |
| 2589 | 18-38-2010 | DOOR, COUPLER INSPECTION FOR ELECTRIC PORTION BL-22 U/W WAB AUTOMATIC CAR COUPLER TYPE H-2-C, #561090 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83509 | | | | |
| 2590 | 18-38-2015 | LATCH, DOOR, FOR BL-22, ELEC. PORTION OFH-2-B, H-2-C, AUTO COUPLERS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83510 | | | | |
| 2591 | 18-38-2022 | TUBE COUPLER TRIP ELEC PORTION BL-25-B R26-R38 CARS U/W AUTO COUPLER 561100 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535872 | | | | |
| 2592 | 18-38-2023 | PIPE, COUPLER, TRIGGER CYLINDER TRIP, U/W TYPE BL-25-B ELEC PORTION OF H-2-B AUTO CAR COUPLER, R10-R38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 537390 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2593 | 18-38-2027 | BOLT, 7/8" X 6". | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | WAB17160 | | |
| 2594 | 18-38-2028 | NUT, COUPLER, JAM, FOR ELECTRIC PORTION TYPE BL-25, USED WITH WABCO TYPE H-2-B COUPLER #530938 | EA | 160 | 360 | 160 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 589600 | | |
| 2595 | 18-38-2032 | SHUNT, CONTACT, U/W WABCO #560473 H-2-C AUTO. COUPLER R36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 557841 | | |
| 2596 | 18-38-2038 | NUT, BRASS, SILVER PLATED HEX 1/4"-20 U/W WAB COUPLER TYPE # 1-12B # 530938 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534034 | | |
| 2597 | 18-38-2040 | TUBE COUPLER, BENT, 5/8" O.D. U/W WABCO #530938, R10-38 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535871 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2598 | 18-38-2044 | RETAINER, COUPLER, FELT, F/ELECTRIC PORTION BL-25-B, U/W WAB AUTOMATIC CAR COUPLER TYPES H-2 #560473 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 525 802 | | | | |
| 2599 | 18-38-2049 | WASHER, LOCK, U/W WABCO #560473 H-2-C AUTO. COUPLER, R36 CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 536001 | | | | |
| 2600 | 18-38-2110 | GASKET, SOCKET ASSEMBLY, USED FOR H2C AND MCB COUPLERS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 65030 | | | | |
| 2601 | 18-38-2117 | PIN, 3/16 X 2", F/COUPLER & DRAFT GEAR ELECTRIC COUPLER, R62A CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 15325 | | | | |
| 2602 | 18-38-2142 | PIN, 1/4 IN. X 2-1/2 IN. FOR COUPLER ADAPTER, H-2-C & MCB COUPLERS, R-38 CARS, W.A.B. CO. NO. 547512 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 550674 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2603 | 18-38-2143 | SPACER FOR COUPLER ADAPTER, H-2-C & MCB COUPLERS, R-38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566094 | | | | |
| 2604 | 18-38-2144 | PLATE, SUPPORT FOR COUPLER ADAPTER H-2-C & MCB COUPLERS, R-38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566095 | | | | |
| 2605 | 18-38-2145 | BOLT, EYE 3/4 IN. X 3-1/2 IN. FOR COUPLER ADAPTER H-2-C & MCB COUPLERS, R-38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566091 | | | | |
| 2606 | 18-38-2401 | GAGE, AIR, DUPLEX (BP-SAP), F/ME-43 BRAKE VALVE, NO. 570799, 3-1/2 IN., R38, 40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 570803 | | | | |
| 2607 | 18-38-2421 | NUT, CAP, U/W WABCO #551462 D-5 PNEUPHONIC HORN, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 99691 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 2608 | 18-38-2423 | COVER, TOP ASSY. FOR -2-BA-1PILOTAIR VALVE R38 & R40 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 569568 | | | | | | | |
| 2609 | 18-38-2424 | PIN LOCK FOR -2-BA-1- PILOTAIR VALVE R38 - R40 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 569574 | | | | | | | |
| 2610 | 18-38-2425 | DOG, CAM, FOR -2-BA-1- PILOTAIR VALVE R38 & R40 CARS, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 569573 | | | | | | | |
| 2611 | 18-38-2427 | BUTTON, PUSH FOR 2-BA-1 PILOTAIR VALVE R38 & R40 CARS, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 569572 | | | | | | | |
| 2612 | 18-38-2428 | BODY, COVER, FOR -2-BA-1PILOTAIR VALVE R38 & R40 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 57103 | | | | | | | |
| 2613 | 18-38-2429 | PORTION, PILOTAIR ASSY. FOR -2-BA-1- PILOTAIR VALVE R38 & R40 CARS, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 569646 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2614 | 18-38-2430 | SCREW, MACHINE, NO. 6 X 3/8 IN., ROUND HE AD FOR NO. 566379 PILOTAIR VALVE ASSEMBLY TYPE NO. 2-BA-1- | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 568857 | | | | |
| 2615 | 18-38-2432 | FLANGE, V. RETAINER FOR -2-BA-1 PILOTAIR VALVE R38 & R40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569566 | | | | |
| 2616 | 18-38-2434 | GUIDE, PLUNGER FOR 2-BA-1 PILOTAIR VALVE, R38 & R40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577757 | | | | |
| 2617 | 18-38-2435 | PLUNGER VALVE FOR -2-BA-1 PILOTAIR VALVE R38 & R40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P54146-1 | | | | |
| 2618 | 18-38-2436 | SPRING, EXHAUST VALVE FOR -2-BA-1- PILOT AIR VALVE R38 & R40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569563 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2619 | 18-38-2437 | SEAT, INLET VALVE FOR -2-BA-1 PILOTAIR VALVE R38 & R40 CARS, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569562 | | | | |
| 2620 | 18-38-2439 | SPACER, VALVE, W/RETAINING RING PC. NO. 576243, FOR TYPE 2BA1 PILOT AIR VALVE AS EA SY, NO. 566379, WAB NO. 576242 | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576243 | | | | |
| 2621 | 18-38-2440 | VALVE INLET, FOR -2-BA-1PILOTAIR VALVE R38 & R40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569560 | | | | |
| 2622 | 18-38-2441 | SPRING, INLET VALVE FOR -2-BA-1PILOTAIR VALVE R38 & R40 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569559 | | | | |
| 2623 | 18-38-2442 | SPACER VALVE FOR -2-BA-1PILOTAIR VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569558 | | | | |
| 2624 | 18-38-2443 | FILTER, WHISTLE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569557 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2625 | 18-38-2445 | BODY, PORTION FOR 2-BA-1PILOTAIR VALVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569556 | | | | |
| 2626 | 18-38-2451 | ASSEMBLY, "OB-1" STRAINER, 3/8" FOR WABCO STRAINER W/CHOKE FITTING ASSY. #576832 , R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 79452 | | | | |
| 2627 | 18-38-2452 | NUT, CAP, FOR WABCO #576832 3/8" OB-1 STRAINER, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 79455 | | | | |
| 2628 | 18-38-2500 | GRIPSEAL ASSY, 1" X 3/4", REDUCING FITTING, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 564 349 | | | | |
| 2629 | 18-38-2524 | GRIPSEAL, ELBOW COUPLING, 90 DEGREE, 3/4" X 3/4" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578321 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|--|-----|---------|---------|---------------|
| 2630 | 18-38-2527 | RING, COMPRESSION, 3/4" PIPE COMPONENT PART OF GRIPSEAL, STRAIGHT FITTING. WABCO# 563570. F/ALL REVENUE CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 563591 |
| ----- | | | | | | |
| 2631 | 18-38-2528 | RING, SLIP, 3/4" PIPE COMPONENT PART OF GRIPSEA, STRAIGHT FITTING. WABCO# 563570. F/ALL REVENUE CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 563611 |
| ----- | | | | | | |
| 2632 | 18-38-2568 | GRIPSEAL REDUCER 3/4" FI X 1/2" TUBE FOR ST LOUIS AIR PIPING COIL SPRING TRUCK F IG 6.1 R-44 CARS | EA | 06 | 04 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 564348 |
| ----- | | | | | | |
| 2633 | 18-38-2569 | NUT, COMPRESSION, 1/2" PIPE COMPONENT PART OF GRIPSEAL, STRAIGHT FITTING. WABCO #564257. F/ALL REVENUE CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 535765 |
| ----- | | | | | | |
| 2634 | 18-38-2571 | RING, COMPRESSION, 1/2" PIPE COMPONENT PART OF GRIPSEAL STRAIGHT FITTING. WABCO PART NUMBER 564257. FOR ALL REVENUE CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 564450 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2635 | 18-38-2572 | RING, SLIP, 1/2" PIPE COMPONENT PART OF GRIPSEAL, STRAIGHT FITTING. WABCO# 564257. F/ALL REVENUE CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 564451 | | | | |
| 2636 | 18-38-2600 | GRIPSEAL, OFFSET ELBOW, 3/8"X3/8", L.H.,NON REDUCING TYPE. USED ON NON REVENUE CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 564661 | | | | |
| 2637 | 18-38-2609 | GRIPSEAL, ELBOW, 90 DEGREE, 3/8" X 3/8" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 564542 | | | | |
| 2638 | 18-38-2630 | STUD, 3/8-16 UNC X 2-3/8" LONG, USED ON VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 592532 | | | | |
| 2639 | 18-38-2674 | SPRING, SEAT, USED ON ME42-B BRAKE VALVE | EA | 100 | 105 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 591745 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2640 | 18-38-2805 | BOLT, HEX HD. 3/8"-16 NC TMD. 3-1/4 LG. F/DITYPE ACTUATORWE 1075F51H01 & 1075 EA F51H04, R-32 TO 42 CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 562644 | | | | |
| 2641 | 18-38-2806 | COVER, FOR TYPE D-1 ACTUATOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 565034 | | | | |
| 2642 | 18-38-2807 | FOLLOWER, F/ TYPE D-1, ACTUATOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 565038 | | | | |
| 2643 | 18-38-2808 | PISTON, F/TYPE D-1 ACTUATOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 565035 | | | | |
| 2644 | 18-38-2809 | SEAT, SPRING FOR TYPE D-1 ACTUATOR, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 567540 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2645 | 18-38-2810 | SPRING, FOR TYPE D-1 ACTUATOR 25-69 PSI OPERATING RANGE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565785 | | |
| 2646 | 18-38-2811 | SPRING, FOR W.E. #107 D 118 G01 ACTUATORASSY, 15-80 PSI OPERATING RANGE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570269 | | |
| 2647 | 18-38-2813 | SHIM, 1/64" F/TYPE D-1 ACTUATOR, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565828 | | |
| 2648 | 18-38-2814 | SHIM, 1/16' F/TYPE D-1 ACTUATOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 70641 | | |
| 2649 | 18-38-2815 | BODY, FOR TYPE D-1 ACTUATOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565039 | | |
| 2650 | 18-38-2817 | SHIM 1/8" FOR D1 ACTUATOR VALVE R-44 CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 531903 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2651 | 18-38-3150 | LINK, U/W WABCO COMPRESSOR TYPE D-2-F DOOR LATCH LINK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 49124 | | | | |
| 2652 | 18-38-3250 | LINK, U/W W.A.B. CO. EMPTY AND LOAD BRAKE, NOTCH ROD AND LEVER LINK, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54545 | | | | |
| 2653 | 18-38-3300 | LINK, U/W WABCO TYPE A-1 VARIABLE LOAD VA LVE ADJUSTING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83156 | | | | |
| 2654 | 18-38-3350 | LINK, U/W WABCO TYPE A-1 VARIABLE LOAD VA LVE DRAG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83177 | | | | |
| 2655 | 18-38-3400 | LINK, U/W WAB CO. TYPE A-1, VARIABLE LOAD VALVE, FOLLOWER SPRING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83208 | | | | |
| 2656 | 18-38-3450 | LINK, U/W WAB CO. TYPE A-1 VARIABLE LOAD VALVE BALL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83353 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2657 | 18-38-3550 | LINK, ROCKER ARM, FOR A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 89486 | | |
| 2658 | 18-38-3800 | LINK, USED WITH WAB CO. TYPE DE-247 BRAKE VALVE DIAPHRAGM FOLLOWER | EA | 06 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 531715 | | |
| 2659 | 18-38-3850 | LINK, A1 UNIT, WAB CO. PC. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533019 | | |
| 2660 | 18-38-3900 | LINK, ADJUSTING ARM, U/W WABCO TYPE A-1-A VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534723 | | |
| 2661 | 18-38-4740 | SEAT & VALVE ASSEMBLY, USED ON A & R MAGNET VALVE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 582226 | | |
| 2662 | 18-38-5000 | LOCK, KNUCKLE USED WITH WAB TYPE -E- AUTOMATIC COUPLER FOR SERVICE CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | E-40 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2663 | 18-38-5100 | LOCK, U/W WABO TYPE A-1 OPERATING UNIT SPRING PIN, SLIDE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 97378 | | |
| 2664 | 18-38-5150 | WIRE, LOCKING W.A.B. NO. 98151 FOR SELF LAPPING SWITCH ON ME-420 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 98151 | | |
| 2665 | 18-38-6120 | LUBRICATOR, PISTON U/W TYPE UAH-8X8 (506449) BRAKE CYLINDERS FOR GE DIESEL LOCOMOTIVE SER. NOS 33663 & 33664 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 97613 | | |
| 2666 | 18-38-6200 | LUBRICATOR, COMPLETE, FOR TYPE 18 IN. X 12 IN. BRAKE CYLINDER, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501313 | | |
| 2667 | 18-38-6225 | LUBRICATOR, PISTON, FOR 6" X 6" UAHT BRAKE CYLINDER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501593 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-------|-----|-------|-----|-----|-----|
| 2668 | 18-38-6300 | LUBRICATOR, PISTON, FOR 7 IN. X 6 IN. AND 7 IN. X 8 IN., UAHOR SWAB RETAINER NO. 502810 & PISTON LUBRICATOR SWAB NO. 530138 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 502750 | | | | | | | |
| 2669 | 18-38-6350 | RETAINER, U/W WABCO TYPE 3-1/2 X 2-1/2 DUPLEX BRALE CYLINDER, COMPLETE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 505016 | | | | | | | |
| 2670 | 18-38-7001 | GASKET, FLANGE HEADER, F/D-4 COMPRESSOR | EA | 1,986 | | 1,148 | | | 549 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0569811 | | | | | | | |
| 2671 | 18-38-7005 | GASKET, FLANGE, FOR W.A.B. CO. TYPE D-3 COMPRESSOR, #571488 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 565235 | | | | | | | |
| 2672 | 18-38-7006 | GASKET, PUMP FOR TYPE D3 COMPRESSOR UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 569833 | | | | | | | |
| 2673 | 18-38-7007 | GASKET, RELIEF VALVE FOR TYPE D3 COMPRESSOR UNIT, W.A.B. CO. NO. 548837 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WAB CO 548837 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2674 | 18-38-7008 | O RING, (GASKET TYPE), FOR CYLINDER HEAD, ON D-4 COMPRESSOR | EA | 68 | 41 | 08 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06924020006 | | |
| | N | P | WABCO | 0692402006 | | |
| 2675 | 18-38-7011 | GASKET, CYLINDER HEAD (L.P.), FOR TYPE D-4 COMPRESSOR UNIT | EA | 05 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0569785 | | |
| | N | P | WABCO | 569785 | | |
| 2676 | 18-38-7012 | GASKET, CYLINDER, L.P., FOR TYPE D-4 COMPRESSOR UNIT, THICKNESS OF GASKET .060 +/- .008 | EA | 652 | 430 | 101 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0569826 | | |
| 2677 | 18-38-7013 | GASKET, CYLINDER HEAD, H.P., FOR TYPE D-4 COMPRESSOR UNIT | EA | 72 | 53 | 09 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0569827 | | |
| | N | P | WABCO | 569827 | | |
| 2678 | 18-38-7015 | GASKET, END COVER, FOR TYPE D-3 COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569834 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2679 | 18-38-7016 | GASKET, CYLINDER, H.P. FOR D-3 44 AND 46 CARS. WABCO 578910 | EA | 649 | 444 | 78 |
| | | COMPRESSOR UNIT WAB 571488, R38, COMPRESSOR UNIT. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0569825 | | | | |
| 2680 | 18-38-7017 | GASKET, RING, 2.969" NOM ID X 3-1/4" LOAD VALVE PORTION ASSY # 571677, R38 | EA | 1,084 | 1,344 | 325 |
| | | NOM O.D. X 0.125" THK, FOR VARIABLE CARS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0527559 | | | | |
| 2681 | 18-38-7019 | GASKET, RING, 3-1/2" OD, FOR VARIABLE CARS | EA | 1,084 | 1,344 | 325 |
| | | LOAD VALVE PORTION ASSY #571667, R38 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 532699 | | | | |
| 2682 | 18-38-7024 | GASKET, BOTTOM COVER USED WITH -D-2- ASSY. NO . 569741, FOR -D-3- AIR R40 CARS | EA | 00 | 00 | 00 |
| | | TYPE AUTOMATIC DRAIN VALVE PORTION, COMPRESSOR UNIT ASSY. NO. 571488 R38 A | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 572879 | | | | |
| 2683 | 18-38-7030 | GASKET, BODY, FOR TYPE "E1" OPERATING UNIT | EA | 202 | 214 | 11 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567978 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2684 | 18-38-7031 | GASKET, EMERGENCY VALVE, FOR TYPE "E-1" OPERATING UNIT #570800 | EA | 315 | 69 | 01 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565825 | | |
| 2685 | 18-38-7033 | GASKET, PIPE BRACKET, FOR ME-43 BRAKE VALVE ASSEMBLY | EA | 357 | 175 | 34 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 570969 | | |
| 2686 | 18-38-7044 | GASKET, RING, COVER, FOR 3/4" P TYPE FILTER PORTION, NO. 559931 | EA | 165 | 121 | 20 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534650 | | |
| 2687 | 18-38-7052 | GASKET, RING, 5/8", FOR EMERGENCY VALVE PORTION #569711, R38 CARS | EA | 215 | 125 | 120 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 527560 | | |
| 2688 | 18-38-7058 | GASKET, RING, 3" O.D., FOR D-24-B, FEED VALVE ASSY #550016, R38-40 CARS | EA | 155 | 65 | 95 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 525846 | | |
| 2689 | 18-38-7060 | GASKET, RING, FOR WAB A-1 LOAD SENSOR, NO. 571631, R 38 CARS | EA | 464 | 338 | 120 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 558515 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2695 | 18-38-8905 | HIGH PRESSURE SPOOL VALVE TOP RETURN SPRING, USED WITH ABDX EMERGENCY PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0660914 | | |
| 2696 | 18-38-8906 | H.P. SPOOL BOTTOM KICK-UP SPRING, USED WITH ABDX EMERGENCY PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0660917 | | |
| 2697 | 18-38-9203 | PLASTIC SMALL VENT VALVE PISTON | EA | 266 | 126 | 120 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0667846 | | |
| 2698 | 18-39-1100 | MAGNET, USED WITH WAB CO. TYPE UE-5, UNIVERSAL VALVE APPLICATION, 32 VOLT, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 51938 | | |
| 2699 | 18-39-1200 | MAGNET, USED WITH WAB CO. TYPE UE-5 UNIVERSAL VALVE RELEASE COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58947 | | |
| 2700 | 18-39-1300 | VALVE MAGNET C1R-9 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 518023 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2701 | 18-39-1350 | MAGNET, U/W WABCO TYPE FB-4 MAGNET VALVE RESET COMPLETE, R10- R32 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533595 | | | | |
| 2702 | 18-39-4150 | MECHANISM, TYPE A-1 VARIABLE LOAD VALVE MECHANISM OPERATING, COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 532658 | | | | |
| 2703 | 18-39-4300 | MOTOR, COMPLETE, FOR TYPE A-2 & A-2-A COMPRESSOR UNITS, R16-17 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 551499 | | | | |
| 2704 | 18-39-4350 | MOTOR, COMPLETE, F/TYPE A2B, A-3, A-5, COMPRESSOR UNITS, FOR R-26, 27, 28 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560792 | | | | |
| 2705 | 18-39-4365 | MOTOR FOR TYPE A-5 COMPRESSOR UNIT, FOR R-26, 27, 28 CARS MTCE DATE 01/02/85 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562178 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2706 | 18-40-0005 | COCK, 1 INCH SEALED KEY CUT-OUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569298 | | |
| 2707 | 18-40-0403 | PIN, BRAKE, 1-15/64" X 3-7/16", USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 56041 | | |
| 2708 | 18-40-0407 | PIN, BRAKE, 1" X 3-1/16" USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 19697 | | |
| 2709 | 18-40-0409 | ROD, LONG, PULL, USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP75 TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 575313 | | |
| 2710 | 18-40-0412 | PIN 5/8" X 2-1/2" U/W HAND BRAKE RIGGINGKIT, FOR TYPE GP-75 TREAD BRAKE UNIT, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 562680 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|------|------------|------------------------|-----|-----|-----|-----|
| 2711 | 18-40-0414 | CLEVIS, 5/8" X 3-1/2" USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT | EA | | 132 | | 21 | | 06 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WAB CO | 562683 (FOR REF. ONLY) | | | | |
| | | N | D | NYCTA | 102-4023 | | | | |
| 2712 | 18-40-0416 | CLEVIS, 1-1/8" X 3-1/2", USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT | EA | | 130 | | 20 | | 06 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WAB CO | 562682 | | | | |
| 2713 | 18-40-0417 | PIN, BRAKE 1-7/64" X 3-3/8", USED WITH HANDLE BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT 18-46-6417 AND 18-46-6418. | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 16074 | | | | |
| 2714 | 18-40-0420 | LEVER, USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT, | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 575150 | | | | |
| 2715 | 18-40-0430 | BRACKET, HIGH FORCE, USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT, | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 575275 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2716 | 18-40-0433 | PIN, BRAKE, 1-1/8" X 3-1/2", USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 505714 | | | | |
| 2717 | 18-40-0434 | ROD, HIGH FORCE, USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575312 | | | | |
| 2718 | 18-40-0435 | CLEVIS, DOUBLE 1" X 1-1/4", USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575207 | | | | |
| 2719 | 18-40-0437 | BRACKET, TRUCK END, USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 HAND BRAKE UNIT, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575151 | | | | |
| 2720 | 18-40-0440 | SHIM, ONE HOLE, 5/16" USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575315 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2721 | 18-40-0443 | SHIM, TWO HOLE, 3/4" USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAK E UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575314 | | | | |
| 2722 | 18-40-0447 | LEVER, USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575842 | | | | |
| 2723 | 18-40-0448 | BRACKET, LOW FORCE, USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TREAD BRAKE UNIT, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575234 | | | | |
| 2724 | 18-40-0449 | PIN, BRAKE, 63/64" X 3-3/8", USED WITH HAND BRAKE RIGGING KIT, FOR TYPE GP-75 TR EAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 562686 | | | | |
| 2725 | 18-40-0618 | NUT, SLOTTED 5/8 IN. FOR NO. 571677 VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 524092 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2726 | 18-40-0622 | SCREW, ADJUSTING, FOR VARIABLE LOAD VALVE PORTION ASSY #571677, R38, R40, R42 CA RS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569967 | | | | |
| 2727 | 18-40-0625 | PORTION, "D-24-B" FEED VALVE, U/W E-1, E-2, E-2-E OPERATING UNITS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 572157-0110 | | | | |
| 2728 | 18-40-0636 | SPRING, CHECK VALVE, FOR VARIABLE LOAD PORTION ASSY #571677, R38-40 CARS MTCE DATE 122084 | EA | 04 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576992 | | | | |
| 2729 | 18-40-0639 | STUD, 3/8" X 3-3/8", FOR #571677 VARIABLE LOAD VALVE PORTION, R40 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 506706 | | | | |
| 2730 | 18-40-0731 | STEM, ARMATURE, FOR #M-4 MAGNET VALVE ASSY #571686 | EA | 210 | 114 | 90 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574403 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 2731 | 18-40-0734 | PLUG, 1/4" CHOKE, .031", FOR A-1 LOAD SENSOR ASSEMBLY# 571631. | EA | | 33 | | 09 | | 04 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 572576 | | | | | | | |
| 2732 | 18-40-0741 | BODY, FILTER, FOR 3/4" "P" TYPE FILTER #569931 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 569945 | | | | | | | |
| 2733 | 18-40-0745 | BAFFLE, FOR 3/4 INCH -P- TYPE FILTER NO. 569931 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 540906 | | | | | | | |
| 2734 | 18-40-1170 | STRIP, FANNING FOR TYPE ME-43 BRAKE VALVE ASSEMBLY, NO. 570799 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WAB CO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 571719 | | | | | | | |
| 2735 | 18-40-1171 | END, CONTACT BLOCK, FOR TYPE ME-43 BRAKE VALVE ASSY #570799 | EA | | 40 | | 90 | | 03 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 567260 | | | | | | | |
| 2736 | 18-40-1173 | SCREW, 8-32 X 7/16" LG, ROUND HEAD, MACHINE. PTD. STEEL, U/W ME-43 BRAKE | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | VALVE. F/R62 CARS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 568858 | | | | |
| 2737 | 18-40-1412 | WASHER, LOCK, DISC, 1" U/W GP-75-HL, HR, L & R AND GR-90 TREAD BRAKE UNITS (GR-90HR), R40, R44 AND R62 CARS | EA | 42,510 | 44,432 | 3,290 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0579570 | | | | |
| | | N P WABCO 579570 | | | | |
| 2738 | 18-40-1413 | ASSEMBLY, HAND BRAKE, FOR TYPE GP75 HR TREAD BRAKE UNIT, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575611 | | | | |
| 2739 | 18-40-1414 | FULCRUM, HANDBRAKE FOR TYPE GP-75 HR TREAD BRAKE UNIT, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575574 | | | | |
| 2740 | 18-40-1415 | PIN, CLEVIS FOR GP-75-HL, HR, L & R TREAD BRAKE UNITS | EA | 45 | 38 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 562394 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2741 | 18-40-1416 | SPRING, POSITION, FOR WABCO GP-75 AND GR-90 TREAD BRAKE UNIT, R42 AND R44 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 564047 | | |
| 2742 | 18-40-1419 | KEY, BRAKE HEAD, FOR GP-75-HL, HR, L&R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 575576 | | |
| 2743 | 18-40-1420 | BRAKE HEAD FOR TYPE GP-75 TREAD BRAKE UNIT ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 572613 | | |
| 2744 | 18-40-1422 | BODY, UNIT, FOR TYPE GP 75 HR & R TREAD BRAKE UNITS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 574922 | | |
| 2745 | 18-40-1424 | BODY, UNIT, FOR TYPE GP 75 HL & L TREAD BRAKE UNITS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 574933 | | |
| 2746 | 18-40-1425 | GEAR, DRIVER, FOR TYPE GP-75-HL HR, L&R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 574929 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2747 | 18-40-1426 | PROTECTOR, DUST BOOT, FOR TYPE GP75-HL, HR, L & R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 575609 | | |
| 2748 | 18-40-1429 | HANGER FOR TYPE GP-75 TREAD BRAKE UNIT ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 574938 | | |
| 2749 | 18-40-1430 | HANGER FOR TYPE GP-75 TREAD BRAKE UNIT ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 574930 | | |
| 2750 | 18-40-1432 | RING, RETAINING, PROTECTOR, FOR GR-90 TREAD BRAKE UNIT | EA | 276 | 86 | 145 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 534032 | | |
| 2751 | 18-40-1433 | RING, PROTECTOR, FOR GR-90 TREAD BRAKE UNIT | EA | 592 | 118 | 344 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 562058 | | |
| 2752 | 18-40-1438 | LOCKWASHER, 1/2" FOR GP-75-HL & HR TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 506604 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2753 | 18-40-1439 | LOCKWASHER, 1/2", FOR GP-75-L&R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 538371 | | |
| 2754 | 18-40-1440 | RETAINER, DUST BOOT ASSEMBLY FOR TYPE GP-75-HL-HR AND GP-90HR TREAD BRAKE UNIT | EA | 04 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 565488 | | |
| 2755 | 18-40-1441 | SCREW, .190 X 5/8", ROUND HEAD, FOR GP-75-HL&HR TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 544103 | | |
| 2756 | 18-40-1442 | NUT, MACHINE, SQUARE, 190" FOR GP-75-HL&HR TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 91531 | | |
| 2757 | 18-40-1443 | RETAINER, DUST BOOT, FOR GP-75HL & HR TREAD BRAKE UNITS | EA | 18 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 565487 | | |
| 2758 | 18-40-1444 | BOOT, HAND BRAKE, FOR TYPE GP75-HL-HR TREAD BRAKE UNIT, R-40 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560986 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2759 | 18-40-1445 | COVER, TOP FOR GP-75-L & R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 559643 | | |
| 2760 | 18-40-1446 | ASSEMBLY, HAND BRAKE FOR GP-75HL TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 559635 | | |
| 2761 | 18-40-1447 | PIN, 1/8" X 1-3/4" FOR GP-75-HL & HR TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560566 | | |
| 2762 | 18-40-1448 | PIN, FULCRUM, FOR GP-75-HL & HR TREAD BRAKE UNITS | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 559639 | | |
| 2763 | 18-40-1449 | LEVER, FOR GP-75-HL & HR TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 559636 | | |
| 2764 | 18-40-1450 | FULCRUM, HAND BRAKE, FOR GP-75-HL TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 559638 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2765 | 18-40-1452 | PLUG, PIPE 1-1/4" FOR GP-75 TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 82805 | | |
| 2766 | 18-40-1454 | PIN, LEVER, CYLINDER, FOR GP75HL, HR, L & R TREAD BRAKE UNITS | EA | 22 | 16 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO. | 570594 | | |
| 2767 | 18-40-1455 | GEAR, FOR TYPE GP-75 HL, HR, L & R TREAD BRAKE UNITS, WAB CO. #564781 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 564781 | | |
| 2768 | 18-40-1456 | KEY, FOR TYPE GP 75-HL, HR, L&R TREAD BRAKE UNITS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 564897 | | |
| 2769 | 18-40-1458 | ADAPTER, CYLINDER, FOR GP-75R TREAD BRAKE UNIT, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 574924 | | |
| 2770 | 18-40-1461 | CLEVIS, PUSH ROD, FOR GP-75 HL, HR, L & R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 575209 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 2771 | 18-40-1462 | CYLINDER, ASSEMBLY ROTO CHAMBER FOR GP 75 HL, HR, L & R TREAD BRAKE UNITS BENDIX EA -WEST. #229818 WITH MODIFICATION AS PREPARED FOR | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 574970 | | | | | | | |
| 2772 | 18-40-1464 | RING, RETAINER, FOR TYPE GP-75 HL HR, R & L TREAD BRAKE UNITS, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 566848 | | | | | | | |
| 2773 | 18-40-1465 | COVER, BACK, FOR GP 75-HL,HR,L, & R TREAD BRAKE UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 574968 | | | | | | | |
| 2774 | 18-40-1466 | PIN, CYLINDER SPRING, 3/16" X 2", FOR TYPE GP-75 HL, HR, L & R TREAD BRAKE UNITS EA , | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 544083 | | | | | | | |
| 2775 | 18-40-1467 | PIN, FULCRUM, CYLINDER FOR GP75-HL, HR, L & B TREAD BRAKE UNITS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 577394 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2776 | 18-40-1471 | RING, SLACK ADJUSTER, ASSY. FOR GP 75-HL, HR, L & R | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 562991 | | | | |
| 2777 | 18-40-1472 | SPRING, PAWL, FOR TYPE GP-75 AND GR-90 BRAKE UNIT | EA | 245 | 86 | 145 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563163 | | | | |
| 2778 | 18-40-1475 | PAWL, SLACK ADJUSTER, FOR TYPE GP 75 AND GR 90 TREAD BRAKE UNIT | EA | 245 | 86 | 145 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563029 | | | | |
| 2779 | 18-40-1476 | ASSEMBLY, STEM, FOR GP 75 HL, HR, L & R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563003 | | | | |
| 2780 | 18-40-1478 | PIN, ROLLER, FOR GP 75-HL, HR, L & R TREAD BRAKE UNITS, WABCO. #563006 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563006 | | | | |
| 2781 | 18-40-1480 | STEM, FOR GP 75-HL, HR, L & R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563004 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2782 | 18-40-1481 | WASHER, FOR GP 75-HL, HR, L&R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571622 | | |
| 2783 | 18-40-1482 | BODY, SLACK ADJUSTER RING, FOR TYPE GP75 HL, HR, L & R TREAD BRAKE UNITS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562997 | | |
| 2784 | 18-40-1483 | SPACER, FOR WAB TYPE GP-75 HL, HR. L&R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562992 | | |
| 2785 | 18-40-1484 | SCREW, HEX. HEAD SOCKET, 3/8" X 1-1/4" FOR TYPE GP75-HL, HR L & R TREAD BRAKE UNITS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535793 | | |
| 2786 | 18-40-1485 | ASSEMBLY, SLACK ADJUSTER RATCHET NUT FOR TYPE GP-75 HL, HR, L & R TREAD BRAKE UNITS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 574927 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2787 | 18-40-1486 | LINK, PAWL FOR GP75-HL,HR, L & R TREAD BRAKE UNITS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563007 | | |
| 2788 | 18-40-1488 | SEAT, SPRING FOR WAB TYPE GP-75 HL, HR, L&R TREAD BRAKE UNITS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563162 | | |
| 2789 | 18-40-1489 | DETENT, SPRING FOR WAB TYPE GP-75 HL, HR, L & R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563001 | | |
| 2790 | 18-40-1491 | NUT, ADJUSTER RATCHET, FOR TYPE GP 75-HL-HR L&R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 574928 | | |
| 2791 | 18-40-1492 | ASSEMBLY, CYLINDER LEVER, FOR TYPE GP 75-HL & L, TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 574936 | | |
| 2792 | 18-40-1494 | RING, RETAINING, FOR TYPE GR-90 HL-HR- L & R TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566787 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|--------------------------------------|---------------|---------|---------|
| 2793 | 18-40-1495 | SPRING, RETURN, FOR TYPE GP-75 HL, HR, R & L TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 569452 | | |
| 2794 | 18-40-1498 | SHAFT, DRIVER GEAR, FOR TYPE GP75-HL-HR, L & R TREAD BRAKE UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565328 | | |
| 2795 | 18-40-1664 | SPRING, 15-80 PSI U/W A-2-H ACTUATOR, 17KG231A1, R38-40 CARS. | EA | 00 | 00 | 00 |
| | | | WABCO #P-58430 ON GE CONTACTOR GROUP | | | |
| | | | MTCE: 070882 | | | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | P-52789 | | |
| 2796 | 18-40-6000 | COMPRESSOR, AIR, D-4-S, UNIT FOR R-42 OHCARS. COplete WITH HEATER AND MOTOR | EA | 00 | 00 | 00 |
| | | JUNCTION BOXES AND GRAHAM WHITE AIR DRYER. | | | | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670263 | | |
| 2797 | 18-40-6095 | ELECTRIC PORTION & CABLE ASSEMBLY, 52 PIN, (FOR UNIT STORES CONTROL ASSEMBLY) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 6729078040 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2798 | 18-40-6097 | BUSHING, NON-PRESSURE HEAD, FOR WABCO 7X6 BRAKE CYLINDER, ALUMINUM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551283 | | |
| 2799 | 18-40-8001 | BEARING, FULCRUM PIN FOR WAB TYPE GP-75 TREAD BRAKE UNITS AND ASF TREAD UNIT BRAKE ASSY. DWGS. U-1047 AND U-1048. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 562995 | | |
| 2800 | 18-41-0116 | CLEVIS JOINT FOR LINK ASSEMBLY & PUSH ROD/ U/W NYCOPAC 11A BRAKE ASSEMBLIES | EA | 17 | 05 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560879 | | |
| 2801 | 18-41-1125 | NUT, VALVE PART U/W TYPE C-6 SINGLE PRESSURE FEED VALVE CHECK NUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1067 | | |
| 2802 | 18-41-1150 | NUT, SPECIAL VALVE PARTS, U/W TYPE BC3 EMERGENCY BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1738 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2803 | 18-41-1250 | NUT, U/W 1" CUT-OUT COCK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 2140 | | |
| 2804 | 18-41-1273 | NUT, JAM 5/8 IN. USED WITH WAB VARIABLE LOAD VALVE R10-17 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 2520 | | |
| 2805 | 18-41-1300 | NUT, U/W GOVERNOR AUXILLARY VALVE CHECK NUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 2599 | | |
| 2806 | 18-41-1325 | NUT, SPECIAL VALVE GOVERNOR AUX. PARTS AIR BRAKE VALVE S-3 VALVE STEM U/W NUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 2625 | | |
| 2807 | 18-41-1440 | NUT, LOCK, VARIABLE LOAD ARM, 3/4 IN., HEXAGON | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 4722 | | |
| 2808 | 18-41-1450 | NUT, FOR COMPRESSOR PARTS TYPES D-2-E & D-3-F | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 4733 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2809 | 18-41-1475 | NUT, COLLARED, PINION FOR D-2-F COMPRESSORS, W.A.B. CO. NO. 4734 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 4734 | | | | |
| 2810 | 18-41-1650 | NUT, BRONZE, REGULATING VALVE, CAP - IRT DIV. B/P-14091-B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 6509 | | | | |
| 2811 | 18-41-1800 | NUT, CAP, FOR A-6 COMPRESSOR, ELEC. PNEU. SWITCH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 7875 | | | | |
| 2812 | 18-41-2175 | NUT, CAP, FOR TYPE C-1 STRAINER CHECK VALVE, USED ON AB FREIGHT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 14661 | | | | |
| 2813 | 18-41-2375 | NUT, CAP, WAB CO. PC NO. 23635. U/W MAGNET & BRACKET PART TYPE A-1 BODY VALUE SP EA RING RETAINING CAP NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 23635 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2814 | 18-41-2450 | NUT, 1/2" JAM, FOR ROLLER, U/W VARIABLE LOAD PORTION A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 27819 | | |
| 2815 | 18-41-2700 | NUT, BALL CHECK CAP | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 36401 | | |
| 2816 | 18-41-2850 | NUT, SPECIAL VALVE PARTS USED WITH TYPE UE-5, UNIV. VALVE ELEC. PORTION SWITCH C AP NUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 38762 | | |
| 2817 | 18-41-3025 | NUT, SPECIAL CAP, FOR U.E.-5 UNIVERSAL VALVE EQUALIZING PISTON | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 47570 | | |
| 2818 | 18-41-3150 | NUT, SPECIAL FOR TYPE D2F COMPRESSOR MOTOR DRIVEN CRANKSHAFT U/W CASTLE NUT 1-3/ 4 LB. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 49095 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2819 | 18-41-3175 | NUT, COMMUTATOR, FORD2F COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 49143 | | | | |
| 2820 | 18-41-3200 | NUT, COMPRESSOR PARTS TYPE D-3-F COMPRESS OR CRANKSHAFT U/W SLOTTED NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 49856 | | | | |
| 2821 | 18-41-3475 | NUT, SPECIAL FOR D-3 RELAY VALVE, AIR BRAKE PARTS U/W TYPE A-1 VAR. LOAD CAP NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 55692 | | | | |
| 2822 | 18-41-3525 | NUT, CAP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 56726 | | | | |
| 2823 | 18-41-3800 | NUT, CAP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 67177 | | | | |
| 2824 | 18-41-3825 | NUT, SPECIAL VALVE PARTS TYPE UE-5 UNIVERSAL QA QUICK ACTION PORTION PILOT PISTON SEAT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 67993 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2825 | 18-41-3950 | NUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 72322 | | |
| 2826 | 18-41-4000 | NUT, SPECIAL GOVERNOR, COMPRESSOR PARTS TYPE S-16, ELECTRIC ADJUSTING STEM USED WITH ADJUSTING NUT 1/2 OZ., W.A.B. CO. NO. 72938 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 72938 | | |
| 2827 | 18-41-4200 | NUT, WATER SYSTEM, A-1 OPERATING UNIT, CHARGING VALVE, U/W ADJUSTING STEM NUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 77908 | | |
| 2828 | 18-41-4225 | NUT, BY PASS CHOCK CAP, FOR #84208 FEED VALVE-TYPE M3 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 77989 | | |
| 2829 | 18-41-4250 | NUT, BALL CHECK USED WITH CAP NUT - TYPE A-1 VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 78212 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2830 | 18-41-4300 | NUT, REGULATING USED WITH TYPE A-1 VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 78351 | | |
| 2831 | 18-41-4350 | NUT, SPECIAL, VALVE VALVE FEED PARTS, TYPE M-3-A DOUBLE PRESSURE REGULATING VALV E U/W VALVE SPRING RETAINING CAP NUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 80360 | | |
| 2832 | 18-41-4375 | NUT, BRAKE AIR PARTS U/W TYPE A-1 OPERATING UNIT VARIABLE LOAD VALVE CAP | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 80918 | | |
| 2833 | 18-41-4400 | NUT, SPECIAL VALVE PARTS TYPE UE-5 UNIV. VALVE EXHAUST VALVE FILLING PIECE SLIDE VALVE FLUSH NUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 80928 | | |
| 2834 | 18-41-4425 | NUT, SPECIAL, OPERATING UNIT PARTS, TYPE A-1, VARIABLE LOAD PORTION REGULATING V ALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 80995 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2835 | 18-41-4475 | NUT, BRAKE, AIR PARTS TYPE A-1 OPERATING UNIT VARIABLE LOAD VALVE DIAPHRAGM NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83139 | | | | |
| 2836 | 18-41-4500 | NUT, VALVE PARTS FOR A-1 VARIABLE LOAD VALVE, RELAY PILOT VALVE U/W ADJUSTING SCREW NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83142 | | | | |
| 2837 | 18-41-4525 | NUT, SPECIAL BRAKE, AIR PARTS TYPE A-1 VAR. LOAD VALVE PILOT VALVE USED WITH SPRING RETAINING CAP NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83148 | | | | |
| 2838 | 18-41-4600 | NUT, SPECIAL, REGULATING NUT, U/W TYPE M-3-A SINGLE PRESSURE FEED VALVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 84203 | | | | |
| 2839 | 18-41-4625 | NUT, OPERATING UNIT A-1, TYPE M-3-A FEED VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 84209 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2840 | 18-41-4775 | NUT, SPECIAL BALL CHECK CAP NUT U/W TYPE A-1A VAR LOAD, VALVE PARTS, WAB CO. PC. EA NO. 87693. | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 87693 | | | | |
| 2841 | 18-41-4800 | NUT, CAP, SPECIAL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 88064 | | | | |
| 2842 | 18-41-4910 | NUT, STEEL FINISHED, HEX, THICK SLOTTED, PER AMER. STD. B18.2-1960, 1"-14 NS-2B EA OR 1"-4UNS-2B, FOR A-2-A COMPRESSOR UNIT, R36 CARS. | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 90174 OR EQUAL | | | | |
| 2843 | 18-41-4950 | NUT, BALL CHECK CAP NUT FOR TYPE A-1A VAR. LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 90456 | | | | |
| 2844 | 18-41-5025 | NUT, VALVE PARTS TYPE UE-5 UNIV. VALVE EQUALIZING PORTION BALL CHECK CAP NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 92003 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|------------|-----|-----|-----|-----|---------------|-----|
| 2845 | 18-41-5150 | NUT, SPECIAL, CLAMPING U/W 3/4"S CUT-OUT COCK PARTS SIZE 3/4" | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABCO | | | | | 93833 | |
| 2846 | 18-41-5160 | NUT, HEX U/W TYPE 21A MAGNET VALVE | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABCO | | | | | 93871 | |
| 2847 | 18-41-5177 | NUT, INSHOT VALVE, FOR EMERGENCY PORTION ON TYPE AB VALVE | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABCO | | | | | 94834 | |
| 2848 | 18-41-5180 | NUT, ADJUSTING RELEASE INSURING VALVE FOR WAB CO. -AB- VALVES SERVICE PORTION - NO. 522696 ON FLAT CARS & WORK CARS | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABCO | | | | | 96023 | |
| 2849 | 18-41-5185 | NUT, CAP RELEASE INSURINGVALVE FOR WAB CO. -AB- VALVES SERVICE PORTION - NO. 522696 ON FLAT CARS & WORK CARS | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABCO | | | | | 96024 | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2850 | 18-41-5195 | NUT, LOCK RELEASE INSURING VALVE FOR WAB CO. -AB- VALVES SERVICE PORTION - NO. 5 EA 22696 ON FLAT CARS & WORK CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 96022 | | | | |
| 2851 | 18-41-5225 | NUT, HEX, 1/4", USED WITH TYPE 21A & 21B CONTROL VALVE & TYPE A-1 OPERATING UNIT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 97347 | | | | |
| 2852 | 18-41-5275 | NUT, FOR A-1 OPER. UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 97382 | | | | |
| 2853 | 18-41-5300 | NUT, SPECIAL OPERATING UNIT PARTS, RELAY VLVE PORTION, OIL FILLER USED WITH TYPE A-1 CAP NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 97517 | | | | |
| 2854 | 18-41-6150 | NUT, SPECIAL, FOLLOWER NUT U/W SLACK ADJUSTER PARTS, FORM K-1, AUTOMATIC ADJUSTE R BODY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501355 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2855 | 18-41-6175 | NUT, SPECIAL, SLACK, ADJUSTER PARTS, FORM K-1 ADJUSTER BODY, RATCHET NUT U/W | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501370 | | |
| 2856 | 18-41-6225 | NUT, SPECIAL, FOR TYPE ME-42 BRAKE VALVE U/W BRAKE VALVE TYPE ME-39/EA18-41-6285 EA 01 NUT, WAB CO. PC. NO. 501826 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501695 | | |
| 2857 | 18-41-6300 | NUT, FOR FORM J SLACK ADJUSTER, U/W FOLLOWER NUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501873 | | |
| 2858 | 18-41-6400 | NUT, SPECIAL, FOR SLACK ADJUSTER FORM M-1 ADJUSTER SCREW, RATCHET NUT U/W | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 502013 | | |
| 2859 | 18-41-6441 | NUT, HEX, STL, ZN PLD, YEL OR CLR, 1/4-20 UNC-3B | EA | 510 | 205 | 175 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000002-4732 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2860 | 18-41-6445 | NUT, 5/8-11 UNC-2B, HEX HEAD, STEEL, YELLOW ZINC PLATED | EA | 2,180 | 1,230 | 796 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0502387 | | | | |
| 2861 | 18-41-6450 | NUT, SPECIAL, FOR SLACK ADJUSTER TYPE C-1 5-DON AUTOMATIC BRAKE CYLINDER TYPE UAHT 7" X 6" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 502423 | | | | |
| 2862 | 18-41-6525 | NUT, SPECIAL FOR BRAKE VALVE TYPE ME-42 HANDLE GUARD U/W CAPNUT, CAST BRONZE 1/2" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 504679 | | | | |
| 2863 | 18-41-6539 | NUT, SEAT U/W R-20 FLAT CARS & SPINO RAIL GRINDER. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 506144 | | | | |
| 2864 | 18-41-6575 | NUT, SLACK, ADJUSTER PARTS TYPE B-16-D & C-15D ADJUSTER BODY RATCHET NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 541677 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2876 | 18-41-7011 | NUT, HEX-5/16" FOR TYPE A-3 600V COMPRESSOR MOTOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 523744 | | |
| 2877 | 18-41-7025 | NUT, SPECIAL, VALVE BRAKE PARTS, TYPE ME-4Z BRAKE VALVE, PORTION, EMERGENCY VALV E CAP | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 526157 | | |
| 2878 | 18-41-7050 | NUT, SPECIAL, U/W VALVE WHISTLE PARTS TYPE H-4-A, VALVE BODY END SPRING RETAINING CAP NUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 526378 | | |
| 2879 | 18-41-7110 | NUT, LOCK, REAR BEARING, U/W COMPRESSOR UNIT TYPE A2 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 530221 | | |
| 2880 | 18-41-7125 | CAPNUT, STL, ZN PLD, YEL 1-1/16" UN 2A X 1" LG, FOR TRIP COCK | EA | 70 | 63 | 47 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0532915 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 2881 | 18-41-7150 | NUT, SPECIAL SUPPLY UNIT PARTS TYPE A-1, CHECK VALVE, USED WITH SPRING RETAINING , CAP NUT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 532937 | | | | | | | |
| 2882 | 18-41-7175 | NUT, CAP FOR R-17 & 21 CARS A-1 SUPPLY UNITS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 532938 | | | | | | | |
| 2883 | 18-41-7200 | NUT, FOR TYPE ME-42 BRAKE VALVE BUFFER SPRING U/W CAP NUT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 532957 | | | | | | | |
| 2884 | 18-41-7250 | CAPNUT, 1-3/8"-16 UNC-2A, STL, ZN PLD, YEL. USED ON 3/8" CHECK VALVE ASS'Y. A-CAR UNDERCAR INSTALLATION, AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0533800-PT | | | | | | | |
| 2885 | 18-41-7275 | NUT, SPECIAL, BY-PASS VALVE CAP NUT, U/W TYPE A-1 VARIABLE LOAD PORTION | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 535267 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2892 | 18-41-7387 | NUT, 5/8 IN. PIPE COUPLING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 541511 | | |
| 2893 | 18-41-7395 | NUT, U/W SLACK ADJUSTER TYPE C-2-A, B-16D & C-15D ADJUSTING SCREW | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 541 643 | | |
| 2894 | 18-41-7400 | NUT, CAP, 5/8" HEX, BRASS FOR B3A (PT. #93510) BRAKE SYSTEM G.E. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 544 833 | | |
| 2895 | 18-41-7460 | NUT, RETAINER, U/W WAB COMPRESSOR GOVERNOR TYPE S-20, R-26,28,29 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551103 | | |
| 2896 | 18-41-7475 | NUT, LOCK USED WITH WAB COMPRESSOR GOVERNOR, TYPE S-20, R-26,28,29 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561057 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2897 | 18-41-7500 | NUT, ADJUSTING U/W TYPE ME42B BRAKE VALVE FOR R-28 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561180 | | |
| 2898 | 18-41-7505 | NUT, LOCK, USED WITH TYPE ME 42B BRAKE VALVE. F/R-28 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561182 | | |
| 2899 | 18-41-7509 | NUT, BEARING CAP, FOR A-3 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561562 | | |
| 2900 | 18-41-7522 | NUT, STOP, U/W R-20 FLAT CARS & SPINO RAIL GRINDER. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563688 | | |
| 2901 | 18-41-7567 | NUT, CAP, FOR WABCO AB FR. BRAKE EQUIP. W/ABD CONT. VALVE EMERG. PORT #567195 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 567217 | | |
| 2902 | 18-42-0030 | SHAFT, FAN FOR MOTOR ASSEMBLY "DC" TYPE "571490" ON D-3 AIR COMPRESSOR, R-40-42 | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | CARS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576619 | | | | |
| 2903 | 18-42-0042 | KNUCKLE JOINT, USED IN CONNECTION WITH LEAD WABCO #561111, FOR S20 GOVERNOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 534252 | | | | |
| 2904 | 18-42-0110 | PUMP, OIL, ASSY, COMPLETE, FOR TYPE D-3 COMPRESSOR UNIT, FOR R44 CARS MTCE DATE 121984 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574879 | | | | |
| 2905 | 18-42-0115 | HOUSING, ROTOR, COMPLETE, FOR TYPE D3 COMPRESSOR #574879 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO A-574886 | | | | |
| 2906 | 18-42-0117 | PIN, CYLINDER SPRING 3/32" X 7/8" U/W N1-D, N1E, N3-D, & N3-E MAGNET VALVES, ON G4B & G4-C OPERATING UNITS R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0561252 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2907 | 18-42-0130 | SCREEN, STRAINER, FOR TYPE D3 COMPRESSOR, #574879 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | A574883 | | |
| 2908 | 18-42-0152 | SHAFT, FAN, FOR WABCO COMPRESSOR PORTION #573839 R-42 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 572025 | | |
| 2909 | 18-42-0163 | NUT, RETAINING, FOR "D3" AIR COMPRESSOR MOTOR ASSEMBLY, R-42, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571499 | | |
| 2910 | 18-42-0180 | SUMP MANIFOLD, FOR WABCO D3 COMPRESSOR, R42 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 573 866 | | |
| 2911 | 18-42-0201 | AFTERCOOLER ASSEMBLY, FOR WABCO TYPE D-3 COMPRESSOR, #573839 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 573912 | | |
| 2912 | 18-42-0205 | BALLAST, RESISTOR FOR #573839 COMPRESSOR UNIT TYPE D-3 R-42 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569877 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2913 | 18-42-0218 | CLAMP, CABLE U/W D3 COMPRESSOR, #576272,R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 575148 | | |
| | N | P | WABCO | 576272 | | |
| 2914 | 18-42-0228 | MOUNTING, CHANNEL MOTOR, FOR WABCO D3 COMPRESSOR & CRADLE, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 573853 | | |
| 2915 | 18-42-0230 | MOUNTING, FRAME, FOR WABCO TYPE D3 COMPRESSOR & CRADLE, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 573862 | | |
| 2916 | 18-42-0232 | KNIFE, DISCONNECT, U/W WABCO #577181-3150 S-20A COMP GOV. R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 572359 | | |
| 2917 | 18-42-0238 | FITTING, SUMP MANIFOLD, FOR WABCO AIR BRAKE D-3 AIR COMPRESSOR UNIT ASSY., R42 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 573913 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 2918 | 18-42-0252 | CLAMP, TUBE, FOR WAB TYPE D-3 COMPRESSOR, #573839 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 573854 | | |
| 2919 | 18-42-0261 | TEE, FITTING, FOR WABCO TYPE "D3" COMPRESSOR & CRADLE, R-44 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 573857 | | |
| 2920 | 18-42-0286 | KIT, OVERHAUL, 3/8 IN. CHECK VALVE ASSEMBLY | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 05834900004 | | |
| 2921 | 18-42-0295 | ELBOW, CHOKE FITTING, FOR WABCO S20 & S20A GOVENORS R-26 TO 44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 573920 | | |
| 2922 | 18-42-0386 | BODY, VALVE, DI AUTOMATIC DRAIN VALVE, R42 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 516412 | | |
| 2923 | 18-42-0500 | COCK, DRAIN, 1/4" USED WITH TYPE D-3 AIR COMPRESSOR, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 172097 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2924 | 18-42-0585 | STUD, 1/2"-13 X 7-3/4", FOR WABCO E1 & E1E OPERATING UNIT, R36, 40, 42 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 901070 | | | | |
| 2925 | 18-42-0586 | STUD, 1/2"-13 X 3-3/4", FOR WABCO E1 & E1E OPERATING UNIT, R36, 40, 46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 500720 | | | | |
| 2926 | 18-42-0587 | STUD, 1/2"-13 X 4-3/8", FOR WABCO E1 & E1E OPERATING UNIT, R36, 40, 42 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 511014 | | | | |
| 2927 | 18-42-0690 | VALVE, SUPPLY, U/O D-24-B FEED VALVE PORTION. F/R33 CARS. | EA | 155 | 65 | 95 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574295 | | | | |
| 2928 | 18-42-0691 | VALVE, F/AIR BRAKE EQUIP., R62 CAR | EA | 155 | 65 | 95 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0574296-PT | | | | |
| 2929 | 18-42-0692 | SEAT, SUPPLY VALVE, U/O D-24-B FEED VALVE PORTION. F/R33 CARS. NOTE: MUST BE EA | | 155 | 65 | 95 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | INDIVIDUALLY PACKAGED AND PROTECTED FROMDAMAGE DUE TO HANDLING AND SHIPPING. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0574297-PT | | | | |
| 2930 | 18-42-0693 | SCREW, ADJUSTING, U/O D-24-B FEED SUPPLY VALVE. F/R33 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 572158 | | | | |
| 2931 | 18-42-0796 | BUSHING, FOR W.A.B. TYPE M4A MAGNET VALVE, R38-42 CARS, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571697 | | | | |
| 2932 | 18-42-1099 | FILLING PIECE, QUICK ACTION VOLUME, F/WABCO E1E OPERATING UNIT, R38 TO R42 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 573000 | | | | |
| 2933 | 18-42-1114 | WIRE LEAD, 33-9/16" LONG FOR ME 42 & ME 43 BRAKE VALVE, R-42 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571709 | | | | |
| 2934 | 18-42-1115 | WIRE LEAD, 35-7/32" LONG, FOR ME 42 & ME 43 BRAKE VALVE R-42 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571710 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2935 | 18-42-1116 | WIRE LEAD, 34-27/32" LONG, FOR ME 42 & ME 43 BRAKE VALVE R-42 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571711 | | |
| 2936 | 18-42-1117 | WIRE LEAD, 43-3/32" LONG, FOR ME 42 & ME 43 BRAKE VALVE, R-42 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571537 | | |
| 2937 | 18-42-1118 | WIRE LEAD, 9-11/32" LONG, FOR ME 42 & ME 40 BRAKE VALVE, R-42 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 571715 | | |
| 2938 | 18-42-1119 | CAM, DOG, FOR ME 42 & ME 43 BRAKE VALVE, R-42 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561173 | | |
| 2939 | 18-42-1303 | LATCH, BOLT ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53827 | | |
| 2940 | 18-42-1304 | LEVER, OPER. CUT OUT COCK 1/4" SIDE VENT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566158 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 2941 | 18-42-1308 | BOLT, LATCH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 53826 |
| 2942 | 18-42-1309 | HOUSING, HATCH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 54622 |
| 2943 | 18-42-1311 | PIN, COTTER, 3/16" X 7/8", LEVER OPERATED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 20556 |
| 2944 | 18-42-1327 | PIN, 1/8" X 1-1/16 IN, FOR WABCO SELECTOR COCK #577210, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 73006 |
| 2945 | 18-42-1328 | BODY, FOR 1" VENTED CUT-OUT COCK 1/4" SIDE VENT WABCO #569296, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 569437 |
| 2946 | 18-42-1364 | HANDLE ASSEMBLY, SOLID, SHORT, 3-1/2" LONG, FOR 1-1/4" SEALED KEY CUT OUT | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | COCKS, R-4 2 CARS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 97287 | | | | |
| 2947 | 18-42-1427 | SCREW, SET, 5/16", SELF-LOCKING, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571207 | | | | |
| 2948 | 18-42-1453 | PIN, CYLINDER, 3/8" X 2", FOR WABCO TREAD BRAKE UNITS | EA | 15 | 05 | 176 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 572250 | | | | |
| 2949 | 18-42-1484 | STUD, 3/8"X 1-3/4", FOR WABCO G-4B.& G-4C OPERATING UNIT, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 27902 | | | | |
| 2950 | 18-42-1825 | BUSHING, REDUCING, 1-1/4" X 1/2", FOR WABCO #565150 DRAWBAR CONNECTOR LINK, R36 - 38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 55453 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2951 | 18-42-1850 | BUSHING, REDUCING, 1-1/4" X 3/4", FOR WABCO #565150 DRAWBAR CONNECTOR LINK, R36 - 38 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565355 | | |
| 2952 | 18-42-1899 | WEAR PLATE USED WITH H2C COUPLER, LESS ELEC. PORTION FOR R10-42 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 532397 | | |
| 2953 | 18-42-2435 | FITTING, TEE, BC GAUGE, U/W UNDER FR. EQUIP. A AND B CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 89119 | | |
| 2954 | 18-42-3305 | FILTER, IN-LINE | EA | 9,760 | 9,474 | 2,838 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 059227-5007 | | |
| 2955 | 18-42-3308 | TREAD BRAKE UNIT, B F C | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55099 | | |
| 2956 | 18-42-3309 | TREAD BRAKE UNIT, B F C, W/SPRING PARKING BRAKE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55100 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|----------------|---------|---------|
| 2957 | 18-42-3311 | TRIP VALVE, D-1-A, WITH OPTICAL SENSOR/ELECTRICAL PNEUMATIC | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693444 REV. H | | |
| 2958 | 18-42-3313 | BPACU-A-CAR-(BRAKE PIPE AND AUXILLARY CONTROL UNITS) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693435 REV. R | | |
| 2959 | 18-42-3314 | BPACU-B-CAR-(BRAKE PIPE AND AUXILLARY CONTROL UNITS) | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693436 | | |
| 2960 | 18-42-3316 | CONTROL BOX AND BRACKET ASSEMBLY, FOR D-4-AS COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692416 REV. E | | |
| 2961 | 18-42-3317 | VALVE, SOLENOID | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692794 | | |
| 2962 | 18-42-3318 | MOTOR, INCLUDING 4 BOLTS, FOR D-4-A COMPRESSOR | EA | 00 | 29 | 02 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692342 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2963 | 18-42-3321 | VALVE, DOUBLE CHECK, PARKING BRAKE EQUIPMENT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0560504-PT | | |
| 2964 | 18-42-3322 | PUMP, HAND, PARKING BRAKE, PARKING BRAKEEQUIPMENT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693439 | | |
| 2965 | 18-42-3323 | COCK, 3/8" CUTOUT, VENTED | EA | 06 | 18 | 03 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0576598 | | |
| 2966 | 18-42-3324 | PARKING BRAKE AIR GAUGE, 87 TO 200 PSI INDICATION AREA, FOR R142 USE 18-42-5614 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693654 | | |
| 2967 | 18-42-3326 | FILTER, O C-1-B, WITH CHOKE | EA | 06 | 02 | 02 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0673737 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 2968 | 18-42-3327 | COCK, VENTED, 3/4, WITH LOCKING HANDLE (MR) | EA | 09 | 05 | 05 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0576600 | | | | |
| 2969 | 18-42-3329 | CHECK VALVE ASS'Y, 3/8 INCH A AND B CAR, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0583490-PT | | | | |
| 2970 | 18-42-3330 | VALVE, CHECK, 3/4", (SR) | EA | 573 | 464 | 152 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0583684 | | | | |
| | | N P WABCO 0583684-PT | | | | |
| 2971 | 18-42-3332 | FILTER, WITH SEPARATOR | EA | 101 | 110 | 29 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 059227-3002 | | | | |
| 2972 | 18-42-3333 | VALVE, BALL, 3/8" VENTED, WITHOUT LOCKING HANDLE | EA | 445 | 569 | 122 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694472 | | | | |
| 2973 | 18-42-3334 | VALVE, MAGNET, RELEASE, 2 WAY NORMALY CLOSED, SMALL TOP NUT, THREE ORIFICE | EA | 2,822 | 2,962 | 656 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | HOLE | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694060 REV. B | | | | |
| 2974 | 18-42-3335 | SWITCH, BRAKE PIPE PRESSURE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694072 | | | | |
| 2975 | 18-42-3337 | SOLENOID OPERATED VALVE, 3 WAY NORMALLY CLOSED, SMALL TOP NUT, ONE ORIFICE HOLE | EA | 2,670 | 1,915 | 527 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694174 | | | | |
| 2976 | 18-42-3338 | SWITCH, SEQUENTIAL CHARGE PRESSURE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0670656 | | | | |
| 2977 | 18-42-3340 | VALVE, MAGNET, APPLICATION, 2 WAY NORMALLY OPEN, LARGE TOP NUT | EA | 2,879 | 3,017 | 657 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694061 | | | | |
| 2978 | 18-42-3341 | CIRCUIT BOARD (BRAKE), PRINTED, PRESSURE CONTROL ASSEMBLY. | EA | 03- | 03 | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06935821100 REV "A" | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 2979 | 18-42-3347 | INVERTER, BUSBAR BOARD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692456 | | |
| 2980 | 18-42-3354 | HEATER ELEMENT, (DRAIN VALVE, D-4 AIR COMPRESSOR) | EA | 02 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0673952 | | |
| 2981 | 18-42-3357 | COUPLING, DUMMY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695522 | | |
| 2982 | 18-42-3367 | VALVE ASSEMBLY, 3-WAY PILT, 90 PSI | EA | 00 | 22 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695244 | | |
| 2983 | 18-42-3368 | VALVE ASSEMBLY, 3-WAY PILOT, 100 PSI | EA | 00 | 05 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695814 | | |
| 2984 | 18-42-3369 | VALVE, RELAY, C-2-W | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0593640 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|------|------------|-----------------|-----|-------|-----|-----|
| 2985 | 18-42-3370 | SHOE, CONTACT, TOP OF THE SHOES TO BE PAINTED WITH ALKYD, ENAMEL YELLOW GLOSS PAINT (MERCURY PAINT, PART # IMC M12 TARGET YELLOW #13538) AS PER (EA 20-06 REV. A) U/O CURRENT COLLECTORS THAT ARE UNDER WABCO WARRANTY. FOR CURRENT COLLECTORS THAT ARE NOT UNDER WARRANTY (R142, R142A, R143, R160 ETC.) USE 15-43-0529. THIS IS A WARRANTY ISSUE | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | Y | P | WABCO | 0695907A | | | | |
| | | Y | S | NYCTA | EA 20-06 REV. A | | | | |
| 2986 | 18-42-3373 | TRANSDUCER, PRESSURE | EA | | 717 | | 524 | | 65 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 0694057 | | | | |
| 2987 | 18-42-3374 | PORTION, AIR, 2C3YMD | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 0694147 | | | | |
| 2988 | 18-42-3375 | KEY, MASTER CONTROLLER | EA | | 662 | | 1,035 | | 395 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 0674724 | | | | |
| 2989 | 18-42-3376 | CAB INTERFACE UNIT (CIU) | EA | | 24 | | 05- | | 04- |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 0694284 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 2990 | 18-42-3379 | BFC TREAD BRAKE UNIT, FOR UNMODIFIED CARS. DO NOT PURCHASE (REPAIRABLE ONLY) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693445 | | |
| 2991 | 18-42-3380 | BFC TREAD BRAKE UNIT W/SPRING APPLIED PARKING BRAKE USED WITH R142A ONLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55118 | | |
| 2992 | 18-42-3387 | MAINTAINING VALVE / EMERGENCY TRANSDUCER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694175 | | |
| 2993 | 18-42-3394 | VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694772 | | |
| 2994 | 18-42-3396 | BRAKE CONTROL UNIT (A-CAR) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693448 REV.K | | |
| 2995 | 18-42-3397 | PARKING BRAKE RELAY VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694176 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 2996 | 18-42-3398 | FRICITION BRAKE ELECTRONIC CONTROL UNIT (A-CAR) | EA | 04 | 02 | 01- |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-54564 | | | | |
| 2997 | 18-42-3399 | SALVAGE PRINTED CIRCUIT BOARD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694212 | | | | |
| 2998 | 18-42-3400 | BOARD ASSEMBLY, BDI1 (BATTERY TO R143, R188. DIGITAL INPUT # 1). USED ON R142A, | EA | 02 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06942141001 | | | | |
| 2999 | 18-42-3401 | BOARD ASSEMBLY, BDI2 (BATTERY TO R143, R188. DIGITAL INPUT # 2). USED ON R142A, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06942141002 | | | | |
| 3000 | 18-42-3402 | BOARD ASSEMBLY, BDI3 (BATTERY TO R143, R188. DIGITAL INPUT # 3). USED ON R142A, | EA | 02 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06942141003 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------------------|-----|---------|---------|---------------|
| 3001 | 18-42-3403 | RLO1 RELAY OUTPUT MODULE | EA | 02 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06942151001 |
| 3002 | 18-42-3404 | ISOLATED SPEED INPUT MODULE SSI1 | EA | 02 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06942161001 |
| 3003 | 18-42-3405 | ISOLATED SPED INPUT MODULE SSI2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06942161002 |
| 3004 | 18-42-3406 | FET 1 OUTPUT MODULE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06942181001 |
| 3005 | 18-42-3407 | FET 2 OUTPUT MODULE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06942181002 |
| 3006 | 18-42-3408 | ANO1 ANALOG OUTPUT MODULE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06942191001 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 3013 | 18-42-3415 | CAB INTERFACE UNIT MODULE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06950231001 | | |
| 3014 | 18-42-3416 | AIR PORTION, D-4-AS AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0678654 | | |
| 3015 | 18-42-3418 | BRAKE CONTROL UNIT (B-CAR) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693581 REV.J | | |
| 3016 | 18-42-3419 | FRICITION BRAKE ELECTRONIC CONTROL UNIT (B-CAR) | EA | 02 | 04 | 02- |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54565 | | |
| 3017 | 18-42-3437 | CONTACTS-PIN CRIMP, WIRE WELL 10, LENGTH 1.62 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692521 | | |
| 3018 | 18-42-3447 | AIR COMPRESSOR UNIT, MODEL 2CY3M | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692425 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------------------|------------|---------------|---------|---------|
| 3019 | 18-42-3456 | BRAKE HEAD | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0674302 | | |
| 3020 | 18-42-3466 | R-1 DRAIN VALVE W/HEATER & MUFFLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693100-0038 | | |
| | N | P | WABCO | 06931000038 | | |
| 3021 | 18-42-3467 | 3/8" VENTED CUT OUT COCK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696117 | | |
| 3022 | 18-42-3468 | OC-A-B FILTER | EA | 00 | 04 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0673729 | | |
| 3023 | 18-42-3470 | COCK, CUTOUT, 3/4" NON-VENTED | EA | 102 | 97 | 19 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694190 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 3024 | 18-42-3473 | PRESSURE SWITCH (ONLY), SET AT 18 PSI, PART OF 18-42-5144 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696183 | | |
| 3025 | 18-42-3497 | SEAL, BOWL, USED ON AIR LINE FILTER ASSEMBLY | EA | 4,089 | 4,525 | 1,294 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 059227-5003 | | |
| | N | P | WABCO | 59227-5003 | | |
| 3026 | 18-42-3498 | DECAL, AIR GAGE | EA | 167 | 109 | 36 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694739 | | |
| 3027 | 18-42-3500 | CONNECTOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693593 | | |
| 3028 | 18-42-3501 | CRIMP CONTACTS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694749 | | |
| 3029 | 18-42-3502 | CONNECTOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694991 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-------------------------------------|-----|---------|---------|---------------|
| 3030 | 18-42-3503 | FILTER, OC-1-B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692654 |
| 3031 | 18-42-3505 | D-4-AS AIR COMPRESSOR | EA | 272 | 388 | 129 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692356 |
| 3032 | 18-42-3516 | ADAPTER, 1/8 NPT M X NO 4-40 UNC-2A | EA | 07 | 02 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | U75109 |
| 3033 | 18-42-3517 | ADAPTER, 90 DEG. MALE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692549 |
| 3034 | 18-42-3518 | ADAPTER, 90 DEG. MALE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0694144 |
| 3035 | 18-42-3519 | ADAPTER, 90 DEG. MALE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0694145 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|------------------------------------|-----|-----|-----|-----|-----|-----|-----|
| 3036 | 18-42-3520 | ADAPTER, BULKHEAD, M, JIC NUMBER 6 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0694143 | | | | | | | |
| 3037 | 18-42-3522 | ADAPTER, MOTOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0580995 | | | | | | | |
| 3038 | 18-42-3524 | ADAPTER, STRAIGHT | EA | | 00 | | 19 | | 27 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0673682 | | | | | | | |
| 3039 | 18-42-3525 | ADAPTER, STRAIGHT MALE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0692548 | | | | | | | |
| 3040 | 18-42-3526 | ADAPTER, STRAIGHT MALE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0694142 | | | | | | | |
| 3041 | 18-42-3527 | ADAPTER, TEST FITTING | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695132 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------------------|------------|---------------|---------|---------|
| 3042 | 18-42-3528 | DRYER, E-1A TWIN TOWER WITH PANEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06924200010 | | |
| | N | P | WABCO | 0692420A | | |
| 3043 | 18-42-3530 | CONNECTOR ASSEMBLY | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694893 | | |
| 3044 | 18-42-3531 | SWITCH ASSEMBLY | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694994 | | |
| 3045 | 18-42-3533 | BAFFLE, SEPARATOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0690804 | | |
| 3046 | 18-42-3534 | BALL VALVE ASSEMBLY, 1/4 INCH VENTED | EA | 01 | 09 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0309198 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3047 | 18-42-3537 | BALL, CHECK, SST 18-8, 0.50 IN NOM DIA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0085031 | | |
| 3048 | 18-42-3538 | BALL, DIAGONAL VENT, 0.50 IN NOM DIA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0306570 | | |
| 3049 | 18-42-3546 | BEARING, BALL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532110120 | | |
| 3050 | 18-42-3548 | DOOR, BEARING ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693644 | | |
| 3051 | 18-42-3550 | BEARING, REAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100060 | | |
| 3052 | 18-42-3551 | BEARING, THRUST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100290 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------|------------|---------------|---------|---------|
| 3053 | 18-42-3552 | BEARING, THRUST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532110060 | | |
| 3054 | 18-42-3553 | BEARING, THRUST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532110140 | | |
| 3055 | 18-42-3554 | BEARING, YOKE NEEDLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100080 | | |
| 3056 | 18-42-3555 | BLOCK, FRONT | EA | 16 | 06 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 059562-4001 | | |
| 3057 | 18-42-3556 | BLOCK, PISTON SIDE | EA | 02 | 04 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 059562-4002 | | |
| 3058 | 18-42-3557 | BLOCK, PRESSURE MOUNTING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694682 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------|-----|---------|---------|---------------|
| 3059 | 18-42-3558 | BLOCK, PRESSURE SWITCH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0694140 |
| 3060 | 18-42-3559 | BLOCK, TERMINAL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0694126 |
| 3061 | 18-42-3563 | BODY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0520497 |
| 3062 | 18-42-3564 | BODY & BELL, HORN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0551580 |
| 3063 | 18-42-3565 | BODY ASSEMBLY, PISTON | EA | 00 | 01 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0694648 |
| 3064 | 18-42-3567 | BODY, AIR DRYER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0692411 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 3065 | 18-42-3570 | BODY, BYPASS VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0579971 | | |
| 3066 | 18-42-3572 | BODY, 3-WAY PILOT VALVE, 90 PSI, COMPLETE | EA | 11 | 09 | 04 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696111 | | |
| 3067 | 18-42-3573 | BODY, CUTOOUT VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0306190 | | |
| 3068 | 18-42-3574 | BODY, DRAIN COCK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0306239 | | |
| 3069 | 18-42-3575 | BODY, OIL PUMP | EA | 10 | 15 | 07 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0578928 | | |
| 3070 | 18-42-3576 | BODY, PILOT VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695248 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------|-----|---------|---------|---------------|
| 3071 | 18-42-3577 | BODY, PISTON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693892 |
| 3072 | 18-42-3578 | BODY, PISTON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0750391 |
| 3073 | 18-42-3579 | BODY, RELAY VALVE | EA | 01 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0654002 |
| 3074 | 18-42-3581 | BODY, RESET SHAFT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693894 |
| 3075 | 18-42-3584 | BODY, TRIP VALVE | EA | 05 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0533685 |
| 3076 | 18-42-3586 | BODY, VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0306188 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------|-----|---------|---------|---------------|
| 3077 | 18-42-3587 | BODY, VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0673799 |
| 3078 | 18-42-3588 | BODY, VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0672186 |
| 3079 | 18-42-3589 | BODY, VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0672187 |
| 3080 | 18-42-3590 | BODY, VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0750392 |
| 3081 | 18-42-3591 | BODY, VENT PROTECTOR | EA | 10 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0566737 |
| 3082 | 18-42-3592 | BODY, VENT VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | I90540 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|---------------|
| 3083 | 18-42-3593 | BODY, VENT VALVE | EA | | 01 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0752962 |
| ----- | | | | | | | | | |
| 3084 | 18-42-3597 | BOLT, GR 5, STL, ZN PLD, YEL, 1/4-20 UNC-2A X 2.5 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0694138 |
| ----- | | | | | | | | | |
| 3085 | 18-42-3598 | BOLT, HANDLE, (SPECIAL) | EA | | 41 | | 13 | | 07 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0532600 |
| ----- | | | | | | | | | |
| 3086 | 18-42-3599 | BOLT, HEX HD, 5/6-18 UNC-2A X 1 IN LG ASTM F593 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0675394 |
| ----- | | | | | | | | | |
| 3087 | 18-42-3602 | BOLT, SHOULDER, STL, ZN PLD, YEL, GR 8, 5/8-11 UNC-2A X 1.75 IN LG (0.92 IN THREADED) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-532100610 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------------------|-----|---------|---------|---------------|
| 3088 | 18-42-3605 | BOOT, VALVE | EA | 98 | 34 | 01 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692804 |
| 3089 | 18-42-3609 | BRACKET ASSEMBLY, PIPE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 804757 |
| 3090 | 18-42-3612 | BRACKET, CONTROL BOX MOUNTING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692343 |
| 3091 | 18-42-3613 | BRACKET, DRYER PANEL SUPPORT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0694686 |
| 3092 | 18-42-3614 | BRACKET, ENCLOSURE COVER BRACKET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 804909 |
| 3093 | 18-42-3615 | BRACKET, INVERTER SUPPORT, LEFT HAND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695129 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-------------------------|------------|---------------|---------|---------|
| 3094 | 18-42-3616 | BRACKET, MOTOR HANGING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692339 | | |
| 3095 | 18-42-3617 | BRACKET, SOLENOID VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0690650 | | |
| 3096 | 18-42-3618 | BRACKET, TERMINAL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692429 | | |
| 3097 | 18-42-3620 | BUMPER, RADIAL CARRIER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 057522-4010 | | |
| 3098 | 18-42-3621 | BUSHING | EA | 00 | 05 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C66359 | | |
| 3099 | 18-42-3622 | BUSHING, CHECK VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694148 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------|-----|---------|---------|---------------|
| 3100 | 18-42-3623 | BUSHING, FRONT | EA | 00 | 01 | 03 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-532100170 |
| 3101 | 18-42-3624 | BUSHING, GLIDE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-532110040 |
| 3102 | 18-42-3625 | BUSHING, GLIDE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-532110050 |
| 3103 | 18-42-3626 | BUSHING, GUIDE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693889 |
| 3104 | 18-42-3627 | BUSHING, GUIDE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-532110400 |
| 3105 | 18-42-3631 | BUSHING, PIPE, 1 NPT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0006983 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------|-----|---------|---------|---------------|
| 3106 | 18-42-3632 | BUSHING, PISTON | EA | 06 | 06 | 03 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0695249 |
| 3107 | 18-42-3633 | BUSHING, PISTON | EA | 04 | 00 | 03 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0757213 |
| 3108 | 18-42-3634 | BUSHING, RATCHET WHEEL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-532110020 |
| 3109 | 18-42-3635 | BUSHING, REAR | EA | 3,442 | 3,251 | 980 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-532100200 |
| 3110 | 18-42-3636 | BUSHING, SLIDE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-532100100 |
| 3111 | 18-42-3637 | BUSHING, SPLINE | EA | 00 | 08 | 05 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-532110110 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|--|-----|---------|---------|---------------|
| 3112 | 18-42-3638 | BUSHING, TRIP COCK | EA | 3,140 | 4,240 | 650 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0673624 |
| ----- | | | | | | |
| 3113 | 18-42-3640 | BUSHING, VALVE | EA | 86 | 44 | 16 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0532594 |
| ----- | | | | | | |
| 3114 | 18-42-3641 | CABINET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0693899 |
| ----- | | | | | | |
| 3115 | 18-42-3643 | CABLE, EMERGENCY SWITCH | EA | 00 | 01 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0674929 |
| ----- | | | | | | |
| 3116 | 18-42-3644 | CABLE, TIE, 0.140 IN WIDE X 14.5 IN LG | EA | 804 | 558 | 209 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 1-532100530 |
| ----- | | | | | | |
| 3117 | 18-42-3645 | CABLE, TIE, 3.6 MM W X 140 MM LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | B31252/4 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-------------------------------|-----|---------|---------|---------------|
| 3118 | 18-42-3646 | CABLE, TIE, BLACK, 5.62 IN LG | EA | 538 | 124 | 04 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0676043 |
| 3119 | 18-42-3647 | CAGE, EXHAUST VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0562304 |
| 3120 | 18-42-3649 | CAP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | CN98-0064 |
| 3121 | 18-42-3650 | CAP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0306161 |
| 3122 | 18-42-3651 | CAP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0307909 |
| 3123 | 18-42-3652 | CAP, BODY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0307924 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 3130 | 18-42-3660 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 1/2-13 UNC-2A X 2.75 IN LG | EA | | 530 | | 240 | | 150 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0576507 | | | | | | | |
| 3131 | 18-42-3662 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 1/2-13 UNC-3A X 1 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0535570 | | | | | | | |
| 3132 | 18-42-3663 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 1/4-20 UNC-3A X 1.25 IN LG | EA | | 01 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000001-4566 | | | | | | | |
| 3133 | 18-42-3664 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 3/8-16 UNC-2A X 1 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06733131000 | | | | | | | |
| 3134 | 18-42-3665 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 3/8-16 UNC-2A X 1.25 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06733131250 | | | | | | | |
| 3135 | 18-42-3666 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 3/8-16 UNC-2A X 1.375 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06733131375 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-------|-----|-------|-----|-----|
| 3136 | 18-42-3667 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 3/8-16 UNC-2A X 1.5 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06733131500 | | | | | | | |
| 3137 | 18-42-3668 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 3/8-16 UNC-2A X 2.25 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06733132250 | | | | | | | |
| 3138 | 18-42-3669 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 3/8-16 UNF-2A X 1.25 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0750600 | | | | | | | |
| 3139 | 18-42-3671 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 5/6-18 UNC-2A X 0.75 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000001-4577 | | | | | | | |
| 3140 | 18-42-3672 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 5/16-18 UNC-3A X 1.5 IN LG | EA | | 9,720 | | 6,810 | | 330 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0593638 | | | | | | | |
| 3141 | 18-42-3673 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 5/8-11 UNC-2A X 4 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532100551 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3148 | 18-42-3680 | CARTRIDGE, DESICCANT USED WITH THE WABCO MANUFACTURED DESICCANT PROJECT. PART NUMBER 0692424. | EA | 3,290 | 2,263 | 518 |
| | | ACU.DURING THE WARRANTY PERIOD, ONLY CARTRIDGE MUST BE USED FOR THE 179 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0692424 | | | | |
| 3149 | 18-42-3681 | CASING, FILTER | EA | 86 | 101 | 28 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0692464 | | | | |
| 3150 | 18-42-3682 | CHANNEL, MOTOR HANGER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0692367 | | | | |
| 3151 | 18-42-3684 | CHOKE, 0.06 IN ORIFICE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0673738 | | | | |
| 3152 | 18-42-3685 | CLAMP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0581431 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------------------|-----|---------|---------|---------------|
| 3153 | 18-42-3691 | CLAMP, HOSE | EA | 00 | 12 | 04 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0691711 |
| 3154 | 18-42-3692 | CLAMP, HOSE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-532650068 |
| 3155 | 18-42-3693 | CLAMP, INTERCOOLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0694149 |
| 3156 | 18-42-3694 | CLAMP, INTERCOOLER (BOTTOM HALF) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0587094 |
| 3157 | 18-42-3695 | CLAMP, INTERCOOLER (TOP HALF) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0587093 |
| 3158 | 18-42-3696 | CLIP, RING TERMINAL, NO 6 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0532352 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------------|-----|---------|---------|---------------|
| 3159 | 18-42-3697 | CLIP, TERMINAL, NO 8 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0573835 |
| 3160 | 18-42-3698 | COIL, (#43004935), FOR SOLENOID | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0693475 |
| 3161 | 18-42-3699 | COLLAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 059227-5013 |
| 3162 | 18-42-3701 | CONNECTOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 804672 |
| 3163 | 18-42-3702 | CONNECTOR, 1/4 TURN | EA | 01 | 16 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0694271 |
| 3164 | 18-42-3703 | CONNECTOR, 1/4-TURN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0690656 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------|------------|---------------|---------|---------|
| 3165 | 18-42-3704 | CONNECTOR, 1/4-TURN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694269 | | |
| 3166 | 18-42-3705 | CONNECTOR, GASKET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 804671 | | |
| 3167 | 18-42-3706 | CONNECTOR, J-1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 693592 | | |
| 3168 | 18-42-3709 | CONNECTOR, SOLENOID | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0677574 | | |
| 3169 | 18-42-3711 | CONTACT, CRIMP PIN, NO 8 | EA | 17 | 23 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692498 | | |
| 3170 | 18-42-3714 | CORE, AFTERCOOLER | EA | 52 | 124 | 55 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695128 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------|-----|---------|---------|---------------|
| 3171 | 18-42-3715 | COUPLING, FLEXIBLE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692363 |
| 3172 | 18-42-3718 | COVER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | B84254 |
| 3173 | 18-42-3719 | COVER | EA | 22 | 01 | 06 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-532100390 |
| 3174 | 18-42-3720 | COVER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1741544200 |
| 3175 | 18-42-3721 | COVER | EA | 02 | 01 | 14 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-532110250 |
| 3176 | 18-42-3722 | COVER, AIR FILTER | EA | 00 | 08 | 04 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692463 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|-------------------------------|-----|-----|-----|-----|-----|-----|---------------|
| 3177 | 18-42-3725 | COVER, DIAPHRAGM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0654163 |
| ----- | | | | | | | | | |
| 3178 | 18-42-3728 | COVER, FRONT BEARING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0580975 |
| ----- | | | | | | | | | |
| 3179 | 18-42-3731 | COVER, OIL FILTER | EA | | 119 | | 112 | | 28 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0692458 |
| ----- | | | | | | | | | |
| 3180 | 18-42-3735 | COVER, PULL RING NOM OD | EA | | 143 | | 311 | | 105 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-532110410 |
| ----- | | | | | | | | | |
| 3181 | 18-42-3736 | COVER, SENSOR HOUSING | EA | | 06 | | 09 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0693498 |
| ----- | | | | | | | | | |
| 3182 | 18-42-3737 | COVER, TRIP COCK WITH SENSOR | EA | | 52 | | 37 | | 02 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0693501 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-------------------------|-----|---------|---------|---------------|
| 3183 | 18-42-3738 | COVER, TWIN TOWER TIMER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0678645 |
| 3184 | 18-42-3739 | COVER, VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0673800 |
| 3185 | 18-42-3741 | COVER, WATER SEPARATOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692413 |
| 3186 | 18-42-3742 | COVER, WIRE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0693896 |
| 3187 | 18-42-3743 | CRADLE | EA | 02 | 52 | 14 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-532100470 |
| 3188 | 18-42-3745 | CRANKSHAFT | EA | 11 | 21 | 10 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0580974 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------|-----|---------|---------|---------------|
| 3189 | 18-42-3746 | CUP, PACKING | EA | 10 | 08 | 06 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-532100340 |
| 3190 | 18-42-3756 | DEFLECTOR, FILTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 059227-5004 |
| 3191 | 18-42-3757 | DIAPHRAGM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0559771 |
| 3192 | 18-42-3759 | DIAPHRAGM, CUPPED | EA | 1,620 | 1,135 | 55 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0536300 |
| 3193 | 18-42-3762 | DIAPHRAGM, ROLLING | EA | 08 | 02 | 01 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0673804 |
| 3194 | 18-42-3763 | DIODE | EA | 16 | 10 | 07 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0578340 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 3195 | 18-42-3768 | DIVIDER, ENCLOSURE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0694670 |
| 3196 | 18-42-3770 | DRAIN, 90 DEG | EA | 55 | 31 | 01 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-532110440 |
| 3197 | 18-42-3774 | ELBOW, STREET, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 2237604 |
| 3198 | 18-42-3775 | ELBOW, STREET, 90 DEG, 1/4 NPT M X 1/8 NPT F | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 05831470125 |
| 3199 | 18-42-3776 | ELBOW, STREET, GALV, STL, GR 5, 1 NPT X 90DEG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0056816 |
| 3200 | 18-42-3778 | ELBOW, TUBE, 90 DEG, 0.50 IN NOM OD (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0570100 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 3206 | 18-42-3788 | EQUALIZER, SPRING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0748731 |
| 3207 | 18-42-3790 | FAN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0675466 |
| 3208 | 18-42-3791 | FASTENER, WELLNUT, NEOPRENE, 1/4-20 UNC-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0579968 |
| 3209 | 18-42-3794 | FITTING, BULKHEAD ADAPTER | EA | 00 | 03 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692550 |
| 3210 | 18-42-3795 | FITTING, DESSICCANT CARTRIDGE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692415 |
| 3211 | 18-42-3796 | FITTING, FEMALE 1/4 NPT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0693472 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------|------------|---------------|---------|---------|
| 3212 | 18-42-3800 | FITTING, LIQUIDTITE | EA | 00 | 00 | 10 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693099 | | |
| 3213 | 18-42-3801 | FITTING, LIQUIDTITE | EA | 05 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0691976 | | |
| 3214 | 18-42-3802 | FITTING, LIQUIDTITE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0691977 | | |
| 3215 | 18-42-3803 | FITTING, LIQUIDTITE | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692763 | | |
| 3216 | 18-42-3804 | FITTING, LIQUIDTITE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692765 | | |
| 3217 | 18-42-3805 | FITTING, LIQUIDTITE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694150 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---------------------------------------|-----|-----|-------|-----|-------|-----|-----|
| 3218 | 18-42-3806 | FITTING, LIQUIDTITE, ADAPTER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0692767 | | | | | | | |
| 3219 | 18-42-3807 | FITTING, LIQUIDTITE, Y | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0691975 | | | | | | | |
| 3220 | 18-42-3808 | FITTING, MALE, (SPECIAL) | EA | | 00 | | 05 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06760470002 | | | | | | | |
| 3221 | 18-42-3809 | FITTING, MALE, (SPECIAL) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06760470006 | | | | | | | |
| 3222 | 18-42-3811 | FITTING, STRAIGHT, ALEMITE, 1/4-28-NF | EA | | 1,644 | | 2,356 | | 325 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0555493 | | | | | | | |
| 3223 | 18-42-3812 | FITTING, STREET ELBOW PIPE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0583147 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------------------|------------|---------------|---------|---------|
| 3224 | 18-42-3814 | FITTING, TEST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 804596 | | |
| 3225 | 18-42-3815 | FLANGE, BLANKING PAD, 3/4 IN THK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692371 | | |
| 3226 | 18-42-3817 | FOLLOWER, DIAPHRAGM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0564810 | | |
| 3227 | 18-42-3820 | FOLLOWER, UPPER DIAPHRAGM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0559583 | | |
| 3228 | 18-42-3821 | FOOT, REAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692366 | | |
| 3229 | 18-42-3823 | FRAME, AFTERCOOLER, BOTTOM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692337 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------------------|-----|---------|---------|---------------|
| 3230 | 18-42-3824 | FRAME, AFTERCOOLER, LH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0692336 |
| 3231 | 18-42-3825 | FRAME, AFTERCOOLER, RH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0692335 |
| 3232 | 18-42-3826 | FRAME, MOUNTING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0692364 |
| 3233 | 18-42-3830 | GASKET, ACTUATOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 059180-4003 |
| 3234 | 18-42-3831 | GASKET, CONTROL BOX 50 FEET PER RO | RO | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | C031182 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---------------------------------------|-----|-----|-------|-----|-------|-----|---------------|
| 3235 | 18-42-3837 | GASKET, ENCLOSURE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 0694103 |
| ----- | | | | | | | | | |
| 3236 | 18-42-3838 | GASKET, ENCLOSURE COVER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 804913 |
| ----- | | | | | | | | | |
| 3237 | 18-42-3849 | GASKET, PANEL MOUNTING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 0588932 |
| ----- | | | | | | | | | |
| 3238 | 18-42-3851 | GASKET, RECEPTACLE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 0580723 |
| ----- | | | | | | | | | |
| 3239 | 18-42-3852 | GASKET, RECEPTACLE ASSEMBLY D-1A TRIP | EA | | 1,585 | | 2,140 | | 331 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 0587871 |
| ----- | | | | | | | | | |
| 3240 | 18-42-3853 | GASKET, RELAY VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 804760 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------------|------------|---------------|---------|---------|
| 3241 | 18-42-3861 | GASKET, SENSOR HOUSING | EA | 1,580 | 1,883 | 327 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693499 | | |
| 3242 | 18-42-3862 | GASKET, THERMOSTAT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694125 | | |
| 3243 | 18-42-3864 | GASKET, VALVE (LARGE) | EA | 102 | 65 | 13 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0569780 | | |
| 3244 | 18-42-3865 | GASKET, VALVE (SMALL) | EA | 63 | 38 | 07 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0569782 | | |
| 3245 | 18-42-3868 | GEAR, FRONT RESET, (SPECIAL) | EA | 145 | 15 | 43 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100450 | | |
| 3246 | 18-42-3871 | GUARD, COUPLING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0671583 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------|-----|---------|---------|---------------|
| 3247 | 18-42-3872 | GUARD, FAN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692338 |
| 3248 | 18-42-3873 | HANDLE | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0678723 |
| 3249 | 18-42-3874 | HANDLE, EMERGENCY SWITCH | EA | 00 | 01 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0674730 |
| 3250 | 18-42-3875 | HANDLE, LOCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0574291 |
| 3251 | 18-42-3880 | HANGER, COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0580984 |
| 3252 | 18-42-3881 | HANGER, MOTOR MOUNT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692362 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|--------------------|---------|---------|
| 3253 | 18-42-3885 | HEAD, BRAKE | EA | 2,685 | 1,500 | 980 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100460 | | |
| 3254 | 18-42-3894 | HOLDER, CONNECTOR | EA | 00 | 05 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694078 | | |
| 3255 | 18-42-3897 | HOSE, FLEXIBLE, SST 18-8, 2 X 1/4 X 7.8 IN LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06983810073 | | |
| | N | S | NYCTA | 2086-PROD-96 REV.B | | |
| 3256 | 18-42-3899 | HOSE, FLEXIBLE, SST, 18-8, 2 X 3/8" NPT X 11.81" LG. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06983821181 | | |
| | N | S | NYCTA | 2086-PROD-96 REV.B | | |
| 3257 | 18-42-3903 | HOSE, FLEX, 19-3/4" | EA | 00 | 01 | 01 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06931090195 | | |
| | N | S | NYCTA | 2086-PROD-96 REV.B | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-----------------------------|-----|---------|---------|---------------|
| 3258 | 18-42-3904 | HOUSING, BFC | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-532100010 |
| 3259 | 18-42-3905 | HOUSING, CHECK VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06924100001 |
| 3260 | 18-42-3906 | HOUSING, DIAPHRAGM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0762236 |
| 3261 | 18-42-3908 | HOUSING, FILTER | EA | 02 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0673731 |
| 3262 | 18-42-3909 | HOUSING, INLET VALVE SPRING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0754012 |
| 3263 | 18-42-3910 | HOUSING, INTERMEDIATE | EA | 05 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-532110010 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3264 | 18-42-3913 | HOUSING, TRIP COCK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694080 | | |
| 3265 | 18-42-3916 | ISOLATOR, SUSPENSION | EA | 921 | 360 | 225 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692360 | | |
| 3266 | 18-42-3919 | JAMNUT, HEX, STL, ZN PLD, YEL, 1/2-13 UNC-2B | EA | 735 | 414 | 159 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0086626 | | |
| 3267 | 18-42-3920 | JUMPER, TERMINAL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0582626 | | |
| 3268 | 18-42-3921 | KEY | EA | 08 | 17 | 04 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694104 | | |
| 3269 | 18-42-3928 | KIT, 3/8 IN CUTOUT COCK RUBBER PARTS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0576776 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3270 | 18-42-3929 | KIT, CONTROL AIR LINE FOR D-4-AS AIR COMPRESSOR/ E-1A DRYER, TWIN TOWER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0698383 | | | | |
| 3271 | 18-42-3933 | LABEL, -CUT IN/CUT OUT- | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 806411 | | | | |
| 3272 | 18-42-3938 | LABEL, CONNECTOR, J1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695699 | | | | |
| 3273 | 18-42-3940 | LATCH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0693920 | | | | |
| 3274 | 18-42-3941 | LATCH | EA | 02 | 01 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694736 | | | | |
| 3275 | 18-42-3942 | LATCH, ENCLOSURE COVER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 771177 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 3276 | 18-42-3944 | LEVER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0678722 |
| 3277 | 18-42-3947 | LINK, SUSPENSION | EA | 1,065 | 1,187 | 394 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-532100540 |
| 3278 | 18-42-3948 | LINK, SUSPENSION | EA | 1,186 | 1,064 | 454 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-532100550 |
| 3279 | 18-42-3949 | LOCKNUT, BRS ALY, 11/6-32NS-3B X 0.188 IN THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0181904 |
| 3280 | 18-42-3950 | LOCKNUT, ELASTIC DIN 985, GR 5, PLT STL, YEL ZN, M3 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 805243 |
| 3281 | 18-42-3951 | LOCKNUT, ELASTIC DIN 985, GR 5, PLT STL, YEL ZN, M5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 466675 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3282 | 18-42-3954 | STOPNUT, ELASTIC, STL, ZN PLD, YEL OR CLR, 1/2-13 UNC-2B | EA | 2,435 | 1,260 | 465 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0580861 | | | | |
| 3283 | 18-42-3956 | LOCKNUT, ELASTIC, STL, ZN PLD, YEL , 5/8-11 UNC-2B | EA | 01 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100552 | | | | |
| 3284 | 18-42-3958 | STOPNUT, ELASTIC, STL, ZN PLD, YEL OR CLR, NO 8-32 UNC-3B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO KS21044-N0B-C | | | | |
| 3285 | 18-42-3960 | LOCKNUT, SST 18-8, 5/8-11 UNC-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0581850 | | | | |
| 3286 | 18-42-3961 | LOCKWASHER, 0.250 IN NOM DIA | EA | 5,838 | 5,819 | 1,340 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0514279 | | | | |
| 3287 | 18-42-3962 | LOCKWASHER, 0.313 IN NOM ID | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0675393 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3293 | 18-42-3970 | LOCKWASHER, PLT STL, YEL ZN, M5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 805273 | | | | |
| 3294 | 18-42-3974 | LOCKWASHER, SST 18-8, NO 10 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO HW10-0035 | | | | |
| 3295 | 18-42-3975 | LOCKWASHER, SST 18-8, NO 10 | EA | 90 | 45 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0675407 | | | | |
| 3296 | 18-42-3976 | LOCKWASHER, SST 18-8, NO 10 (0.190 IN NOM ID X 0.33 IN NOM OD X 0.030 IN THK) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06747710010 | | | | |
| 3297 | 18-42-3979 | LOCKWASHER, SST 18-8, NO 6 (0.138 IN) NOM ID | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 763578 | | | | |
| 3298 | 18-42-3980 | LOCKWASHER, SST 18-8, NO 6, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO HW06-0018 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3299 | 18-42-3983 | LOCKWASHER, STL, ZN PLD, YEL, 0.312 IN NOM ID | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 805155/312 | | |
| 3300 | 18-42-3984 | LOCKWASHER, STL, ZN PLD, YEL, 0.313 IN NOM ID X 0.691 IN NOM OD X 0.076 IN THK | EA | 2,179 | 636 | 305 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0515370 | | |
| 3301 | 18-42-3987 | LOCKWASHER, STL, ZN PLD, YEL, 0.5 IN NOM ID | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 805155/500 | | |
| 3302 | 18-42-3992 | LOCKWASHER, STL, ZN PLD, YEL, NO 10 NOM ID | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 3300210.954 | | |
| 3303 | 18-42-3993 | LOCKWASHER, STL, ZN PLD, YEL, NO 10 NOM ID | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 805155/190 | | |
| 3304 | 18-42-3996 | LOCKWASHER, WAVE DIN 137B, SST, M4 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 802170 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-------------------------------------|------------|---------------|---------|---------|
| 3305 | 18-42-3998 | MANIFOLD AND HOSE ASSEMBLY, BYPASS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695126A | | |
| 3306 | 18-42-3999 | MANIFOLD, BYPASS, STAINLESS STEEL | EA | 74 | 49 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06754670410 | | |
| 3307 | 18-42-4000 | MANIFOLD ASSEMBLY, BYPASS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695126 | | |
| 3308 | 18-42-4001 | MANIFOLD, E-1A TWIN TOWER AIR DRYER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0678149 | | |
| 3309 | 18-42-4003 | MANIFOLD, KIP VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692412 | | |
| 3310 | 18-42-4004 | MANIFOLD, KIP VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692417 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 3311 | 18-42-4005 | MANIFOLD, MAIN RESERVOIR PRESSURE | EA | 02 | 00 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0692397 | | | | |
| 3312 | 18-42-4006 | MARKER, WIRE, 0.250 IN NOM DIA X 1.5 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06942034152 | | | | |
| 3313 | 18-42-4012 | MOUNT, TIE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 804864 | | | | |
| 3314 | 18-42-4014 | MOUNT, TIE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0579798 | | | | |
| 3315 | 18-42-4015 | MUFFLER, EXHAUST | EA | 02 | 00 | 03 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06738060250 | | | | |
| 3316 | 18-42-4016 | MUFFLER, EXHAUST, STL, YEL, 1/2 NPT X 2.72 IN LG | EA | 118 | 35 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06738060500 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3317 | 18-42-4017 | MUFFLER, SINTERED EXHAUST, 3/8 NPT | EA | 04 | 05 | 12 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06738060375 | | | | |
| 3318 | 18-42-4019 | NIPPLE, PIPE, STL, HDG, 1/4 NPT X 7/8 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0128326 | | | | |
| 3319 | 18-42-4022 | NUT AND PUSHER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0748720 | | | | |
| 3320 | 18-42-4023 | NUT, ADJUSTING, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 01819030070 | | | | |
| 3321 | 18-42-4024 | NUT, ADJUSTING, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 01819030160 | | | | |
| 3322 | 18-42-4025 | NUT, ADJUSTING, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 01819030220 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 3323 | 18-42-4026 | NUT, ADJUSTING, (SPECIAL) | EA | 1,705 | 4,145 | 980 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100180 | | | | |
| 3324 | 18-42-4027 | NUT, CAP, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0566352 | | | | |
| 3325 | 18-42-4028 | NUT, CAP, 1-6-N3, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0520455 | | | | |
| 3326 | 18-42-4029 | NUT, CLINCH, GR 5, STL, ZN PLD, YEL, 5/16-18 UNC-3B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694694 | | | | |
| 3327 | 18-42-4030 | NUT, CLINCH, GR 5, STL, ZN PLD, YEL, NO 10-32 UNF-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0582692 | | | | |
| 3328 | 18-42-4031 | NUT, CLINCH, GR 5, STL, ZN PLD, YEL, NO 8-32 UNF-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0587444 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3329 | 18-42-4032 | NUT, FILTER HOUSING, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0673236 | | | | |
| 3330 | 18-42-4033 | NUT, HANDLE, GR 5, STL, ZN PLD, YEL, 5/16-24 UNF-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0522417 | | | | |
| 3331 | 18-42-4034 | NUT, HEX, #10-32 SST | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO HW10-0037 | | | | |
| 3332 | 18-42-4035 | NUT, HEX, 18-8 SST, NO 10-32 UNC-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 805235 | | | | |
| 3333 | 18-42-4037 | NUT, HEX, STL, ZN PLD, YEL OR CLR, 1/4-20 UNC-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0502349 | | | | |
| 3334 | 18-42-4043 | NUT, HEX, GR 5, STL, ZN PLD, YEL, 5/16-18 UNC-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0514096 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 3335 | 18-42-4044 | NUT, HEX, STL, ZN PLD, YEL OR CLR, 5/16-18 UNC-2B | EA | 9,720 | 6,810 | 330 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0593639 | | | | |
| 3336 | 18-42-4046 | NUT, HEX, STL, ZN PLD, YEL OR CLR, NO 10-32 UNF-3B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0306021 | | | | |
| 3337 | 18-42-4047 | NUT, HEX, SST 18-8, 1/4-20 UNC-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4123 | | | | |
| 3338 | 18-42-4048 | NUT, HEX, SST 18-8, 1/4-20 UNC-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 2233520 | | | | |
| 3339 | 18-42-4049 | NUT, HEX, SST 18-8, NO 6-32 UNC-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0670692 | | | | |
| 3340 | 18-42-4050 | NUT, HEX, SST 18-8, NO 8-32 UNC-2B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO HW08-0031 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3341 | 18-42-4052 | NUT, LEADER, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100220 | | | | |
| 3342 | 18-42-4053 | NUT, MACHINE, STL, ZN PLD, YEL, NO 10-24 UNC-2B X 0.125 IN LG | EA | 4,860 | 3,405 | 165 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0193336 | | | | |
| 3343 | 18-42-4054 | NUT, THIN HEX DIN 439, GR 5, PLT STL, YEL ZN, M3 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 805241 | | | | |
| 3344 | 18-42-4055 | NUT, THIN HEX, SWITCH, GR 5, STL, ZN PLD, YEL, 15/32-32 UNC-2B, 0.09 IN THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695258 | | | | |
| 3345 | 18-42-4065 | O-RING, (SPECIAL) | EA | 00 | 06 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0664683 | | | | |
| 3346 | 18-42-4066 | O-RING, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100120 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3347 | 18-42-4067 | O-RING, 0.125 IN NOM ID X 0.250 IN NOM OD X 0.70 IN THK | EA | 3,335 | 3,535 | 850 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0524609 | | | | |
| 3348 | 18-42-4073 | O-RING, 0.52 IN NOM ID X 0.64 IN NOM OD X 0.06 IN THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532110380 | | | | |
| 3349 | 18-42-4076 | O-RING, 0.612 IN NOM ID X 0.715 IN NOM OD X 0.0939 IN THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06920722114 | | | | |
| 3350 | 18-42-4078 | O-RING, 0.701 IN NOM ID, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694298 | | | | |
| 3351 | 18-42-4079 | O-RING, 0.75 IN NOM ID X 0.875 IN NOM OD X 0.0625 IN THK | EA | 1,570 | 2,120 | 325 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0574171 | | | | |
| 3352 | 18-42-4081 | O-RING, 0.812 IN NOM ID X 1.005 IN NOM OD X 0.0939 IN THK | EA | 575 | 918 | 250 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0672484 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-------|-----|-------|-----|-----|
| 3353 | 18-42-4082 | O-RING, 0.863 IN NOM ID X 1.093 IN NOM OD X 0.116 IN THK | EA | | 101 | | 31 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06722050911 | | | | | | | |
| 3354 | 18-42-4083 | O-RING, 1.114" (+ OR -0.010) I.D. X 0.070" (+ OR -0.003) THICK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06920722024 | | | | | | | |
| 3355 | 18-42-4084 | O-RING, 0.975 IN NOM ID, (SPECIAL) | EA | | 01 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0694299 | | | | | | | |
| 3356 | 18-42-4085 | O-RING, 1 IN NOM ID X 1.125 IN NOM OD X 0.0625 IN THK | EA | | 1,924 | | 2,212 | | 350 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0564425 | | | | | | | |
| 3357 | 18-42-4086 | O-RING, 1.0 IN NOM ID X 1.25 IN NOM OD X.139 IN THK | EA | | 461 | | 398 | | 127 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0524719 | | | | | | | |
| 3358 | 18-42-4087 | O-RING, 1 IN NOM ID X 1-1/6 IN NOM OD X 0.0939 IN THK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0589924 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 3359 | 18-42-4088 | O-RING, 1.001 IN NOM ID X 1.125 IN NOM OD X 0.062 IN THK | EA | 8,664 | 8,775 | 2,050 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0691849 | | |
| 3360 | 18-42-4089 | O-RING, 1.062 IN NOM ID X 1.187 IN NOM OD X 0.0939 IN THK | EA | 01 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0587910 | | |
| 3361 | 18-42-4091 | O-RING, 1.19 IN NOM OD | EA | 2,760 | 2,620 | 600 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0304862 | | |
| 3362 | 18-42-4092 | O-RING, 1.362 IN NOM ID X 1.562 IN NOM OD X 0.0939 IN THK | EA | 2,145 | 3,077 | 575 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693509 | | |
| 3363 | 18-42-4094 | O-RING, 1.424 IN NOM ID X 1.630 IN NOM OD X 0.0939 IN THK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06742660127 | | |
| 3364 | 18-42-4095 | O-RING, 1.424 IN NOM ID X 1.630 IN NOM OD X 0.103 IN THK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100030 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3365 | 18-42-4097 | O-RING, 1.487 IN NOM ID X 1.693 IN NOM OD X 0.103 IN THK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06920722128 | | |
| 3366 | 18-42-4098 | O-RING, 1.5 IN NOM ID X 1.625 IN NOM OD X 0.0625 IN THK | EA | 1,413 | 2,120 | 325 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0304587 | | |
| 3367 | 18-42-4099 | O-RING, 1.688 IN NOM ID X 1.874 IN NOM OD X 0.093 IN THK | EA | 03 | 03 | 01 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0676108-0131 | | |
| 3368 | 18-42-4100 | O-RING, 1.737 IN NOM ID X 1.943 IN NOM OD X 0.103 IN THK | EA | 891 | 1,155 | 450 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000023-4491 | | |
| 3369 | 18-42-4102 | O-RING, 1/2 IN NOM ID, (SPECIAL) | EA | 05 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694297 | | |
| 3370 | 18-42-4103 | O-RING, 17.1 MM NOM ID X 20.66 MM NOM OD X 1.78 MM THK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100050 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 3371 | 18-42-4104 | O-RING, 174.3 MM NOM ID X 185.7 MM NOM OD X 5.7 MM THK | EA | 07 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100370 | | | | |
| 3372 | 18-42-4105 | O-RING, 18.3 MM NOM ID X 22.9 MM NOM OD X 2.3 MM THK. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100440 | | | | |
| 3373 | 18-42-4108 | O-RING, 2.987 IN NOM ID X 3.193 X 0.0939 IN THK | EA | 30 | 20 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0679850 | | | | |
| 3374 | 18-42-4109 | O-RING, 29.8 MM NOM ID X 32.04 MM NOM OD X 2.62 MM THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100091 | | | | |
| 3375 | 18-42-4112 | O-RING, 4.359 IN NOM ID X 4.5 IN NOM OD X 0.125 IN THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06722050942 | | | | |
| 3376 | 18-42-4113 | O-RING, 53 MM NOM ID X 59 MM NOM OD X 3 MM THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100570 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3377 | 18-42-4114 | O-RING, 68.5 MM NOM ID X 74.5 MM NOM OD X 3.0 MM THK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-530960012 | | |
| 3378 | 18-42-4115 | OVERHAUL KIT, VARIABLE LOAD VALVE, (CONTAINS ITEMS MARKED KIT) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0769962 | | |
| 3379 | 18-42-4116 | PACKAGE, LEAF SPRING | EA | 00 | 00 | 10 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100490 | | |
| 3380 | 18-42-4117 | PAD, BLANKING, 1.0 IN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 510019 | | |
| 3381 | 18-42-4118 | PAD, BLANKING, 1.25 IN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 694475 | | |
| 3382 | 18-42-4119 | PANEL ASSEMBLY, ELECTRIC | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692441 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3389 | 18-42-4128 | PIN, CLEVIS, GR 5, STL, ZN PLD, YEL, 0.50 HD DIA X 0.304 SHFT DIA X 1.438 IN LG | EA | 00 | 08 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0675916-1125 | | | | |
| 3390 | 18-42-4129 | PIN, COTTER, 0.188 IN DIA X 1.75 IN LG | EA | 6,286 | 6,158 | 1,542 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 3-4359 | | | | |
| 3391 | 18-42-4130 | PIN, COTTER, SST 18-8, 0.188 IN NOM DIA X 1 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0675413 | | | | |
| 3392 | 18-42-4132 | PIN, COTTER, STL, ZN PLD, YEL, 0.125 IN NOM DIA X 0.75 IN LG | EA | 2,551 | 2,726 | 325 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4340 | | | | |
| 3393 | 18-42-4133 | PIN, COTTER, STL, ZN PLD, YEL, 0.25 IN NOM DIA X 2 IN LG | EA | 114 | 103 | 210 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4369 | | | | |
| 3394 | 18-42-4137 | PIN, CYLINDRICAL SPRING, SST 18-8, 0.0938 IN NOM DIA X 1.375 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0567246 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------|-----|---------|---------|---------------|
| 3401 | 18-42-4150 | PISTON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | C66281 |
| 3402 | 18-42-4151 | PISTON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | C66282 |
| 3403 | 18-42-4153 | PISTON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06935330330 |
| 3404 | 18-42-4154 | PISTON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693891 |
| 3405 | 18-42-4155 | PISTON, CHECK VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06924100002 |
| 3406 | 18-42-4156 | PISTON, CHOKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693470 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------------------|------------|---------------|---------|---------|
| 3407 | 18-42-4157 | PISTON, COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0583149 | | |
| 3408 | 18-42-4158 | PISTON, PARKING BRAKE | EA | 20 | 18 | 07 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532110100 | | |
| 3409 | 18-42-4159 | PISTON, PILOT VALVE | EA | 3,335 | 3,535 | 850 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696109 | | |
| 3410 | 18-42-4160 | PISTON, SPRING ADJUSTING | EA | 03 | 00 | 02 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0757212 | | |
| 3411 | 18-42-4161 | PISTON ONLY, FOR R-1 DRAIN VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0673803 | | |
| 3412 | 18-42-4163 | PLATE, BLANKING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694794 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-------------------------------|-----|---------|---------|---------------|
| 3413 | 18-42-4164 | PLATE, BLANKING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 804627 |
| 3414 | 18-42-4165 | PLATE, COMPRESSOR COVER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0582262 |
| 3415 | 18-42-4166 | PLATE, ELECTRICAL GROUND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0695134 |
| 3416 | 18-42-4169 | PLATE, INVERTER SUPPORT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0694124 |
| 3417 | 18-42-4171 | PLATE, MOUNTING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693909 |
| 3418 | 18-42-4173 | PLATE, TOP, MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 804635 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3419 | 18-42-4174 | PLATE, WARNING HOT SURFACE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695674 | | |
| 3420 | 18-42-4175 | PLUG, CHOKE, BRASS, 1/8 NPT X 0.0380 IN DRILL DIA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0762234 | | |
| 3421 | 18-42-4176 | PLUG, CHOKE, SST 18-8, M8 DIA X 0.0520 IN DRILL DIA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06971560520 | | |
| 3422 | 18-42-4177 | PLUG, CHOKE, SST 18-8, M8 DIA X 0.0938 IN DRILL DIA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06971560938 | | |
| 3423 | 18-42-4179 | PLUG, FLUSH SEATING PRESS, GR 5, STL, ZN PLD, YEL, 1/4-18 IN DIA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06721700250 | | |
| 3424 | 18-42-4180 | PLUG, FLUSH SEATING PRESS, GR 5, STL, ZN PLD, YEL, 3/8-18 IN DIA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06721700375 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 3425 | 18-42-4181 | PLUG, FLUSH SEATING PRESS, STL, ZN PLD, YEL, NO 10-27 NOM DIA | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 06721700062 |
| ----- | | | | | | | | | |
| 3426 | 18-42-4182 | PLUG, INLET, (SPECIAL) | EA | | 108 | | 124 | | 30 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-532110012 |
| ----- | | | | | | | | | |
| 3427 | 18-42-4184 | PLUG, PIPE, SQUARE HD, GR 5, STL, ZN PLD, YEL, 1 NPT X 0.813 IN NOM DIA X 1.25 I N LG | EA | | 06 | | 00 | | 05 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0578964 |
| ----- | | | | | | | | | |
| 3428 | 18-42-4185 | PLUNGER ASSEMBLY | EA | | 290 | | 400 | | 208 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 055448-5002 |
| ----- | | | | | | | | | |
| 3429 | 18-42-4186 | PLUNGER, FOUR FLUTED | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0694296 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 3430 | 18-42-4187 | PLUNGER, SPRING, , STL, BLK OXIDE, 3/8-16 IN NOM DIA | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695818-0001 | | | | | | | |
| 3431 | 18-42-4188 | PLUNGER, TWIN FLUTED | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0694295 | | | | | | | |
| 3432 | 18-42-4191 | PULL RING ASSEMBLY, PARKING BRAKE QUICK RELEASE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110289 | | | | | | | |
| 3433 | 18-42-4193 | RACE, BEARING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110070 | | | | | | | |
| 3434 | 18-42-4194 | RACE, BEARING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110150 | | | | | | | |
| 3435 | 18-42-4195 | CABLE ASSEMBLY, POTTED, WITH CONNECTOR | EA | | 364 | | 494 | | 139 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695912 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------|-----|---------|---------|---------------|
| 3436 | 18-42-4196 | RECEPTACLE, 1/4 TURN | EA | 04 | 01 | 01 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0692500 |
| 3437 | 18-42-4197 | RECEPTACLE, AMPHENOL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0694523 |
| 3438 | 18-42-4198 | RECEPTACLE, QUARTER TURN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0672134 |
| 3439 | 18-42-4200 | RESERVOIR, MAIN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 693442-1000 |
| 3440 | 18-42-4201 | RESERVOIR, SUPPLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 693595-1000 |
| 3441 | 18-42-4202 | RETAINER ASSEMBLY, KEY | EA | 00 | 01 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0694289 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------------|------------|---------------|---------|---------|
| 3448 | 18-42-4215 | RING, JOINTING, (SPECIAL) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100090 | | |
| 3449 | 18-42-4216 | RING, LOCKING, (SPECIAL) | EA | 186 | 222 | 55 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100311 | | |
| 3450 | 18-42-4219 | RING, PRESSURE, (SPECIAL) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100210 | | |
| 3451 | 18-42-4221 | RING, RETAINING, (SPECIAL) | EA | 10 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-524980067 | | |
| 3452 | 18-42-4222 | RING, RETAINING, (SPECIAL) | EA | 10 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532220075 | | |
| 3453 | 18-42-4223 | RING, RETAINING, (SPECIAL) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-524980029 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3454 | 18-42-4224 | RING, RETAINING, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532220060 | | | | |
| 3455 | 18-42-4225 | RING, RETAINING, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-53235031A | | | | |
| 3456 | 18-42-4226 | RING, RETAINING, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532220092 | | | | |
| 3457 | 18-42-4227 | RING, RETAINING, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532220057 | | | | |
| 3458 | 18-42-4228 | RING, RETAINING, INTERNAL, GR 5, STL, ZN PLD, YEL, 1.189 IN NOM ID X 1.319 IN NO EA M OD X 0.50 IN THK | | 00 | 60 | 30 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0553162 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 3459 | 18-42-4233 | RING, RETAINING, INTERNAL, STL, ZN PLD, YEL, 1.658 IN NOM DIA X 0.0625 IN THK | EA | 1,576 | 2,120 | 325 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0557629 | | | | |
| 3460 | 18-42-4236 | RING, RETAINING, SST 18-8, 1.0156 IN NOM DIA X 0.188 IN SECT X 0.0625 IN NOM WIR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0850021 | | | | |
| 3461 | 18-42-4239 | RING, RETAINING, STL, ZN PLD, YEL, 12 MM FREE DIA X 13.2 MM SHFT DIA X 6 MM GAP WIDTH X 1 MM THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532340012 | | | | |
| 3462 | 18-42-4240 | RING, RETAINING, STL, ZN PLD, YEL, 5.1 MM FREE DIA X 6 MM SHFT DIA X 0.8 MM THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-53236006 | | | | |
| 3463 | 18-42-4241 | RING, RIB | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532110230 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 3464 | 18-42-4243 | RING, SLIDE, (SPECIAL) | EA | 10 | 19 | 04 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-532100350 |
| 3465 | 18-42-4245 | RING, TRU-ARC RETAINING, SST 18-8, 1.159 IN NOM ID X 1.259 IN NOM OD X 0.050 IN THK | EA | 77 | 14 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 06914751259 |
| 3466 | 18-42-4247 | RING, WIPER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-532110420 |
| 3467 | 18-42-4249 | RIVET, FLAT HD, (SPECIAL) | EA | 1,570 | 2,050 | 325 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0548320 |
| 3468 | 18-42-4250 | ROD, PULL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-532110360 |
| 3469 | 18-42-4252 | SCOOP | EA | 00 | 16 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692421 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------------------|-----|---------|---------|---------------|
| 3470 | 18-42-4253 | SCOOP, AIR DRYER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0693113 |
| 3471 | 18-42-4254 | SCREEN, AFTERCOOLER | EA | 02 | 02 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692344 |
| 3472 | 18-42-4256 | SCREEN, OIL STRAINER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0584795 |
| 3473 | 18-42-4258 | SCREW, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 055448-5013 |
| 3474 | 18-42-4260 | SCREW, CAP, 0.625 IN X 1.5 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 590980 |
| 3475 | 18-42-4261 | SCREW, DRIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 736869 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 3476 | 18-42-4263 | SCREW, FILLISTER HD MACHINE, STL, ZN PLD, YEL, NO 8-32 UNC-2A X 0.50 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06722550500 | | | | | | | |
| 3477 | 18-42-4264 | SCREW, FILLISTER HD MACHINE, GR 5, STL, ZN PLD, YEL, NO 8-32 UNC-2A X 0.875 IN L EA | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0574058 | | | | | | | |
| 3478 | 18-42-4265 | SCREW, FILLISTER HD MACHINE, SST 18-8, NO 8-32 UNC-2A X 0.50 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06950610500 | | | | | | | |
| 3479 | 18-42-4266 | SCREW, FILLISTER, PHH, # 6-32 X 0.625, STL, ZN YEL | EA | | 20 | | 40 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06993610625 | | | | | | | |
| 3480 | 18-42-4268 | SCREW, FLAT HD, 18-8 SST, M4 X 8 MM LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 805232 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 3481 | 18-42-4269 | SCREW, FLAT HD, GR 5, PLT STL, YEL ZN, M3 X 6 MM LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 805247 | | | | |
| 3482 | 18-42-4270 | SCREW, FLAT HD, GR 5, PLT STL, YEL ZN, M5 X 12 MM LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 805237 | | | | |
| 3483 | 18-42-4271 | SCREW, FLT HD SKT DIN 965, 18-8 SST, M3 X 12 MM LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 805244 | | | | |
| 3484 | 18-42-4272 | SCREW, FRONT RESET, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100430 | | | | |
| 3485 | 18-42-4273 | SCREW, HEX HD FLANGE, GR 5, STL, ZN PLD, YEL, 1/2-13 UNC-2A X 1 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100393 | | | | |
| 3486 | 18-42-4274 | SCREW, HEX HD FLANGE, GR 5, STL, ZN PLD, YEL, 1/2-13 UNC-2A X 3.25 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532110281 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|-------------|
| 3498 | 18-42-4286 | SCREW, PAN HD DIN 7985, GR 5, PLT STL, YEL ZN, M5 X 12 MM LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 805245 |
| ----- | | | | | | | | | |
| 3499 | 18-42-4287 | SCREW, PAN HD MACHINE, GR 5, STL, ZN PLD, YEL, NO 6-32 UNC-2A X 0.375 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 06737900375 |
| ----- | | | | | | | | | |
| 3500 | 18-42-4288 | SCREW, PAN HD MACHINE, GR 5, STL, ZN PLD, YEL, NO 6-32 UNC-2A X 0.50 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 06737900500 |
| ----- | | | | | | | | | |
| 3501 | 18-42-4289 | SCREW, PAN HD MACHINE, NYLON, NO 4-40 UNC-2A X 0.625 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 06949010625 |
| ----- | | | | | | | | | |
| 3502 | 18-42-4290 | SCREW, PAN HD MACHINE, SST 18-8, NO 4-40 UNC-2A X 0.438 IN LG | EA | | 106 | | 212 | | 151 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 06743940437 |
| ----- | | | | | | | | | |
| 3503 | 18-42-4292 | SCREW, PHILLIP PAN HD MACHINE, SST 18-8, NO. 4-40 UNC-2A X 5/8" LONG. USED | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | ON R142, R142A, R143 CONTROL BOX ASS'Y, D-4-AS AIR COMPRESSOR UNIT | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06743940625 | | | | |
| 3504 | 18-42-4293 | SCREW, PAN HD MACHINE, SST 18-8, NO 4-40 UNC-2A X 0.875 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06743940875 | | | | |
| 3505 | 18-42-4294 | SCREW, PAN HD MACHINE, SST 18-8, NO 6-32 UNC-2A X 0.375 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO HW08-0020 | | | | |
| 3506 | 18-42-4295 | SCREW, PAN HD MACHINE, SST 18-8, NO 6-32 UNC-2A X 0.50 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO HW06-0027 | | | | |
| 3507 | 18-42-4296 | SCREW, PAN HD MACHINE, SST 18-8, NO 6-32 UNC-2A X 0.833 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO MS51957-31 | | | | |
| 3508 | 18-42-4297 | SCREW, PAN HD MACHINE, STL, ZN PLD, YEL, NO 8-32 UNC-2A X 0.25 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0650703 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 3509 | 18-42-4299 | SCREW, PAN HD, SST 18-8, NO 6-32 UNC-2A X 0.375 IN LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06748450375 | | |
| 3510 | 18-42-4300 | SCREW, PAN HD, SST 18-8, NO 6-32 UNC-2A X 0.625 IN LG | EA | 00 | 166 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06748450500 | | |
| 3511 | 18-42-4301 | SCREW, PAN HD, SST 18-8, NO 6-32 UNC-2A X 0.625 IN LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06745230625 | | |
| 3512 | 18-42-4302 | SCREW, PAN HD, SST 18-8, NO 8-32 UNC-2A X 1.625 IN LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06748451625 | | |
| 3513 | 18-42-4303 | SCREW, PAN HD, STL, ZN PLD, YEL, NO 10-24 UNC-2A X 0.5 IN LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 757842 | | |
| 3514 | 18-42-4306 | SCREW, RD HD MACHINE, GR 5, STL, ZN PLD, YEL, NO 10-24 UNC-2A X 0.375 IN LG | EA | 09 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000002-4022 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-------|-----|-------|-----|-----|-----|
| 3515 | 18-42-4307 | SCREW, RD HD MACHINE, GR 5, STL, ZN PLD, YEL, NO 10-24 UNC-2A X 1.25 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0581766 | | | | | | | |
| 3516 | 18-42-4310 | SCREW, RETAINING, SPECIAL, (CUSTOM DESIGNED), THREAD #10-24 UNC, HEAT TREATED 416 STAINLESS STEEL, TORQUED TO 35 IN-LBS, U/O C-2-W RELAY VALVE | EA | 4,860 | | 3,405 | | | 165 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0562299 | | | | | | | |
| 3517 | 18-42-4312 | SCREW, SELF TAPPING, GR 5, STL, ZN PLD, YEL, NO 3-48 UNC-2A X 1.25 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0761905 | | | | | | | |
| 3518 | 18-42-4313 | SCREW, SLOT HD, GR 5, STL, ZN PLD, YEL, M4 X 10 MM LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1020410.054 | | | | | | | |
| 3519 | 18-42-4314 | SCREW, SLOT HD, GR 8.8, STL, ZN PLD, YEL, M3 X 20 MM LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1020320.054 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 3520 | 18-42-4315 | SCREW, SLOT HD, GR 8.8, STL, ZN PLD, YEL, M3 X 8 MM LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1020308.054 | | | | |
| 3521 | 18-42-4317 | SCREW, TRUSS HD, SST 18-8, NO 10-24 UNC-2A X 0.5 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000002-4034 | | | | |
| 3522 | 18-42-4319 | SEAL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100630 | | | | |
| 3523 | 18-42-4320 | SEAL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532110200 | | | | |
| 3524 | 18-42-4321 | SEAL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532110210 | | | | |
| 3525 | 18-42-4322 | SEAL | EA | 1,658 | 1,181 | 69 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0850047 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|-------------------------------|-----|---------|---------|---------------|
| 3526 | 18-42-4323 | SEAL, LOWER, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- --- | | | | --- |
| | | N P WABCO | | | | 1-532100560 |
| ----- | | | | | | |
| 3527 | 18-42-4324 | SEAL, OIL | EA | 400 | 345 | 80 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- --- | | | | --- |
| | | N P WABCO | | | | 0580976 |
| ----- | | | | | | |
| 3528 | 18-42-4325 | SEAL, PACKING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- --- | | | | --- |
| | | N P WABCO | | | | 0583152 |
| ----- | | | | | | |
| 3529 | 18-42-4326 | SEAL, PULL RING NOM OD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- --- | | | | --- |
| | | N P WABCO | | | | 1-532110030 |
| ----- | | | | | | |
| 3530 | 18-42-4332 | SEAT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- --- | | | | --- |
| | | N P WABCO | | | | 0306074 |
| ----- | | | | | | |
| 3531 | 18-42-4333 | SEAT | EA | 1,630 | 2,200 | 350 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- --- | | | | --- |
| | | N P WABCO | | | | 0306140 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------------------|-----|---------|---------|---------------|
| 3532 | 18-42-4335 | SEAT, EXHAUST VALVE | EA | 175 | 178 | 36 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0677541 |
| 3533 | 18-42-4336 | SEAT, EXHAUST VALVE | EA | 30 | 28 | 06 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0741241 |
| 3534 | 18-42-4337 | SEAT, INLET VALVE | EA | 295 | 263 | 88 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0691446 |
| 3535 | 18-42-4339 | SEAT, PILOT VALVE BUSHING | EA | 281 | 152 | 33 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693508 |
| 3536 | 18-42-4341 | SEAT, SPRING, USED ON RUBBER SEAT | EA | 144 | 81 | 19 |
| | | CONVERSION KIT, FOR FA-4 MAGNET VALVE | | | | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0691447 |
| 3537 | 18-42-4343 | SHAFT, FAN | EA | 00 | 04 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0675838 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|-------------------------------|-----|---------|---------|---------------|
| 3538 | 18-42-4344 | SHAFT, RESET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0693893 |
| ----- | | | | | | |
| 3539 | 18-42-4345 | SHAFT/BODY ASSEMBLY, RESET | EA | 00 | 01 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0694740 |
| ----- | | | | | | |
| 3540 | 18-42-4347 | SHIM | EA | 00 | 100 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0027644 |
| ----- | | | | | | |
| 3541 | 18-42-4348 | SHIM, COVER SPRING, BRS ALY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0750770 |
| ----- | | | | | | |
| 3542 | 18-42-4350 | SHUNT, GROUND, 11.5 IN LG | EA | 650 | 245 | 150 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 06951450115 |
| ----- | | | | | | |
| 3543 | 18-42-4351 | SHUNT, GROUND, 13 IN LG | EA | 135 | 25 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 06951450130 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---------------------|------|------------|---------------|-----|-----|-----|-----|
| 3544 | 18-42-4352 | SILENCER, 3/4-14 | EA | | 216 | | 188 | | 19 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 06717580075 | | | | |
| | | N | P | WABCO | 671758-0075 | | | | |
| 3545 | 18-42-4353 | SLEEVE | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | C66360 | | | | |
| 3546 | 18-42-4354 | SLEEVE | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 1-532110180 | | | | |
| 3547 | 18-42-4355 | SLEEVE, FRONT GUIDE | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 1-532100130 | | | | |
| 3548 | 18-42-4356 | SLEEVE, GUIDE | EA | | 00 | | 01 | | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | |
| | | N | P | WABCO | 1-532110240 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3567 | 18-42-4381 | SPRING, CHECK-VALVE, STAINLESS STEEL 18-8, 1.02-INCH MIN ID WITH 1.240 INCH MAX OD | EA | 93 | 28 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0674902 | | | | |
| 3568 | 18-42-4386 | SPRING, DIAPHRAGM, (SPECIAL) | EA | 00 | 06 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0752137 | | | | |
| 3569 | 18-42-4389 | SPRING, FRICTION, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100480 | | | | |
| 3570 | 18-42-4390 | SPRING, INLET VALVE, SST, 12, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0754079 | | | | |
| 3571 | 18-42-4391 | SPRING, LEADER, STL, ZN PLD, YEL, 1.516 IN NOM ID X 0.177 IN NOM WIRE DIA X 3.89 EA 8 IN FREE HGT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-532100260 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 3572 | 18-42-4392 | SPRING, PHOS. BRONZE, 0.443 IN NOM ID X 0.025 IN NOM WIRE DIA X 1-5/8 IN FREE HG EA T | | 40 | 90 | 40 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 0543092 |
| 3573 | 18-42-4395 | SPRING, RELAY LOCK, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 0694684 |
| 3574 | 18-42-4396 | SPRING, RETURN, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 1-532100380 |
| 3575 | 18-42-4398 | SPRING, SAFETY VALVE, STL, ZN PLD, YEL, 0.25 IN NOM ID X 0.030 IN NOM WIRE DIA X EA 1.453 IN FREE HGT | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 0181905 |
| 3576 | 18-42-4399 | SPRING, SAFETY VALVE, STL, ZN PLD, YEL, 0.266 IN NOM ID X 0.030 IN NOM WIRE DIA EA X 1.375 IN FREE HGT | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 0521941 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-------|-----|-------|-----|-----|-----|
| 3577 | 18-42-4402 | SPRING, STL, 0.378 IN NOM ID X 0.031 IN NOM WIRE DIA X 0.846 IN FREE HGT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110320 | | | | | | | |
| 3578 | 18-42-4403 | SPRING, STL, 0.41 IN. NOM ID X 0.0625 IN. NOM WIRE DIA. X 1.03 IN. FREE HEIGHT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110371 | | | | | | | |
| 3579 | 18-42-4404 | SPRING, STAINLESS STEEL, 0.656 INCHES INSIDE DIAMETER, 0.657 INCHES OUTSIDE DIAMETER, 0.05 INCHES WIRE DIAMETER, 1.534 INCHES FREE HEIGHT, USED ON 26-C BRAKE VALVE PORTION | EA | 1,621 | | 1,135 | | | 55 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0562295 | | | | | | | |
| 3580 | 18-42-4405 | SPRING, STL, 1.811 IN NOM ID X 0.234 IN NOM WIRE DIA X 2.165 IN FREE HGT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532100250 | | | | | | | |
| 3581 | 18-42-4406 | SPRING, STL, 1.833 IN NOM ID X 0.177 IN NOM WIRE DIA X 2.362 IN FREE HGT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532100240 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-------|-----|-------|-----|-----|
| 3582 | 18-42-4407 | SPRING, STL, 2.894 IN NOM ID X 0.250 IN NOM WIRE DIA X 6.142 IN FREE HGT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532100310 | | | | | | | |
| 3583 | 18-42-4408 | SPRING, STL, OD 5.0" MAX, ID 3.65" MIN; FL 14.14" +/- .25 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110270 | | | | | | | |
| 3584 | 18-42-4412 | SPRING, STL, ZN PLD, YEL, 0.219 IN NOM ID X 0.02 IN NOM DIA X 1.1837 IN FREE HGT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0070575 | | | | | | | |
| 3585 | 18-42-4413 | SPRING, STL, ZN PLD, YEL, 0.333 IN NOM ID X 0.037 IN NOM WIRE DIA X 1.125 IN FRE E HGT | EA | | 1,620 | | 1,135 | | 55 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0562292 | | | | | | | |
| 3586 | 18-42-4415 | SPRING, STL, ZN PLD, YEL, 0.570 IN NOM ID X 0.067 IN WIRE DIA X 2.5 IN FREE HGT | EA | | 00 | | 08 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695238 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 3587 | 18-42-4418 | SPRING, STL, ZN PLD, YEL, .272" ID X .358" OD X 1.470" FREE HEIGHT, WIRE THICKNESS .040" | EA | 493 | 301 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0069313 | | | | |
| 3588 | 18-42-4421 | SPRING, TENSION, (SPECIAL) | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0693890 | | | | |
| 3589 | 18-42-4423 | SPRING, CHOKE VALVE, SST 18-8 (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0678406 | | | | |
| 3590 | 18-42-4424 | STANDOFF, HEX | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0690809 | | | | |
| 3591 | 18-42-4425 | STANDOFF, HEX, SST 18-8, NO 8-32 X 0.50 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO HW08-0070 | | | | |
| 3592 | 18-42-4427 | STEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0307922 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-------|-----|-------|-----|-----|
| 3599 | 18-42-4441 | STOPNUT, ELASTIC, STL, ZN PLD, YEL OR CLR, NO 10-24 UNC-2B | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0579818 | | | | | | | |
| 3600 | 18-42-4442 | STOPNUT, ELASTIC, STL, ZN PLD, YEL, NO 10-32 UNF-3B | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06737121032 | | | | | | | |
| 3601 | 18-42-4443 | STOPNUT, ELASTIC, SST 18-8, 1/4-20 UNC-2B | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO KS51922-001-C | | | | | | | |
| 3602 | 18-42-4445 | STOPNUT, ELASTIC, SST 18-8, NO 4-40 UNC-2A | EA | | 00 | | 00 | | 25 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO P000136004C | | | | | | | |
| 3603 | 18-42-4447 | STOPNUT, ELASTIC, SST 18-8, NO 8-32 UNC-2B | EA | | 2,910 | | 1,834 | | 492 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000003-4062 | | | | | | | |
| 3604 | 18-42-4448 | STOPNUT, THIN, ELASTIC, SST 18-8, NO 8-32 UNC-2B | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06952310832 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3611 | 18-42-4458 | STUD, GR 5, STL, ZN PLD, YEL, 1/4-20 UNC-2A X 1.125 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 804815/1 | | | | |
| 3612 | 18-42-4463 | STUD, GR 5, STL, ZN PLD, YEL, 5/16-18 UNC-2A X 2.0 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 804781 | | | | |
| 3613 | 18-42-4464 | STUD, GR 5, STL, ZN PLD, YEL, 3/8-18 UNC-2A X 2-3/8"LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 761506 | | | | |
| 3614 | 18-42-4465 | STUD, GR 5, STL, ZN PLD, YEL, 1/2-18 UNC-2A X 2-7/8"LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 735439 | | | | |
| 3615 | 18-42-4467 | STUD, GR 5, STL, ZN PLD, YEL, 5/16-18 UNC-2A X 3.75 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 760068 | | | | |
| 3616 | 18-42-4468 | STUD, GR 5, STL, ZN PLD, YEL, 5/16-18 UNC-2A X 4.5 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 766847 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------------------|------------|---------------|---------|---------|
| 3617 | 18-42-4474 | SUPPORT ASSEMBLY, MANUAL RELEASE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532110500 | | |
| 3618 | 18-42-4475 | SUPPORT, CYLINDER | EA | 50 | 11 | 15 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532110280 | | |
| 3619 | 18-42-4476 | SUPPORT, RACK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696191 | | |
| 3620 | 18-42-4478 | SWITCH, NO 8 | EA | 00 | 02 | 02 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | Y80329 | | |
| 3621 | 18-42-4480 | SWITCH, PRESSURE | EA | 122 | 137 | 66 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694128 | | |
| 3622 | 18-42-4483 | THERMOSTAT | EA | 08 | 10 | 04 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0582210 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 3629 | 18-42-4494 | VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0678720 |
| 3630 | 18-42-4495 | VALVE ASSEMBLY, 3-NO MAGNET | EA | 14 | 01 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0690649 |
| 3631 | 18-42-4502 | R-1 DRAIN VALVE WITHOUT HEATER AND MUFFLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0693100 |
| 3632 | 18-42-4504 | VALVE, ANTI-COMPOUND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-532110011 |
| 3633 | 18-42-4506 | VALVE, CHECK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0520452-PT |
| 3634 | 18-42-4508 | VALVE, CHECK | EA | 153 | 72 | 02 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0673801 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|-------------------------------|-----|-----|-----|-----|-----|-----|---------------|
| 3635 | 18-42-4510 | VALVE, CHECK | EA | | 12 | | 17 | | 04 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 0692410 |
| ----- | | | | | | | | | |
| 3636 | 18-42-4511 | VALVE, CHECK, WITH INSERT | EA | | 40 | | 90 | | 40 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 098170 |
| ----- | | | | | | | | | |
| 3637 | 18-42-4512 | VALVE, COMPRESSOR EXHAUST | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 0559412 |
| ----- | | | | | | | | | |
| 3638 | 18-42-4514 | VALVE, CRACK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 0692534 |
| ----- | | | | | | | | | |
| 3639 | 18-42-4517 | VALVE, EXHAUST | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 0748726 |
| ----- | | | | | | | | | |
| 3640 | 18-42-4522 | VALVE, PILOT, WITH SENSOR | EA | | 435 | | 179 | | 125 |
| | | QPL CODE MFG - NAME | | | | | | | MFG - PART-NO |
| | | --- --- ----- | | | | | | | ----- |
| | | N P WABCO | | | | | | | 0693497 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 3647 | 18-42-4531 | WASHER, CONTACT, GR 5, STL, ZN PLD, YEL, 4 MM NOM ID X 11 MM NOM OD X 2.5 MM THK EA | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 3360400.054 | | | | | | | |
| 3648 | 18-42-4532 | WASHER, FLAT DIN 125A, PLT STL, YEL ZN, M3 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 805242 | | | | | | | |
| 3649 | 18-42-4533 | WASHER, FLAT DIN 125A, PLT STL, YEL ZN, M5 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 805246 | | | | | | | |
| 3650 | 18-42-4534 | WASHER, FLAT DIN 125A, PLT STL, YEL ZN, M6 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 805277 | | | | | | | |
| 3651 | 18-42-4535 | WASHER, FLAT, BRASS, NO 8 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0677525 | | | | | | | |
| 3652 | 18-42-4536 | WASHER, FLAT, SST 18-8, 0.138 IN NOM ID | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 763575 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3653 | 18-42-4537 | WASHER, FLAT, SST 18-8, 0.265 IN NOM ID X 0.500 IN NOM OD X 0.032 IN THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4967 | | | | |
| 3654 | 18-42-4538 | WASHER, FLAT, SST 18-8, 1/4 IN NOM ID | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 2236073 | | | | |
| 3655 | 18-42-4539 | WASHER, FLAT, SST 18-8, NO 10 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO HW10-0036 | | | | |
| 3656 | 18-42-4540 | WASHER, FLAT, SST 18-8, NO 6 (0.138 IN NOM ID X 0.375 IN NOM OD X 0.031 IN THK) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06747700006 | | | | |
| 3657 | 18-42-4541 | WASHER, FLAT, SST 18-8, NO 8 (0.164 IN NOM ID X 0.375 IN NOM OD X 0.031 IN THK) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06747700008 | | | | |
| 3658 | 18-42-4542 | WASHER, FLAT, SST, 0.190 IN NOM ID X 0.640 IN NOM OD X 0.030 IN THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4972 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 3659 | 18-42-4543 | WASHER, FLAT, SST, 0.20 IN NOM ID X 0.438 IN NOM OD X 0.0313 IN THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4578 | | | | |
| 3660 | 18-42-4544 | WASHER, FLAT, SST, NO 10 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 2236075 | | | | |
| 3661 | 18-42-4545 | WASHER, FLAT, SST, NO 4 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0677531 | | | | |
| 3662 | 18-42-4546 | WASHER, FLAT, SST, NO 4, (SPECIAL) | EA | 115 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P0001790009 | | | | |
| 3663 | 18-42-4547 | WASHER, FLAT, SST, NO 6 (0.268 IN NOM OD X 0.143 IN NOM ID X 0.032 IN THK) | EA | 50 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06916590006 | | | | |
| 3664 | 18-42-4548 | WASHER, FLAT, STL, ZN PLD, YEL, 0.164 IN NOM ID | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 752019 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 3665 | 18-42-4549 | WASHER, FLAT, ID 0.281" (+.015/-.005), (+.015/-.014), STEEL, YELLOW, ZINC | EA | | 140 | | 260 | | 00 |
| | | OD 0.625" (+.015/-.005), THK 0.0625" PLATED | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0521298 | | | | | | | |
| 3666 | 18-42-4550 | WASHER, FLAT, STL, ZN PLD, YEL, 0.345 THK | EA | | 00 | | 00 | | 00 |
| | | IN NOM ID X 0.628 IN NOM OD X 0.047 IN | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110350 | | | | | | | |
| 3667 | 18-42-4552 | WASHER, FLAT, STL, ZN PLD, YEL, 0.507 IN THK | EA | | 00 | | 00 | | 00 |
| | | IN NOM ID X 1.312 IN NOM OD X 0.225 IN | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0535359 | | | | | | | |
| 3668 | 18-42-4553 | WASHER, FLAT, STL, ZN PLD, YEL, 0.54 IN THK | EA | | 00 | | 00 | | 00 |
| | | IN NOM ID X 0.938 IN NOM OD X 0.093 IN | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0748698 | | | | | | | |
| 3669 | 18-42-4557 | WASHER, FLAT, STL, ZN PLD, YEL, 0.813 IN THK | EA | | 00 | | 00 | | 00 |
| | | IN NOM ID X 1.469 IN NOM OD X 0.134 IN | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000003-4626 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 3670 | 18-42-4560 | WASHER, INTERNAL TOOTH, STL, ZN PLD, YEL, 0.141 IN NOM ID X 0.295 IN NOM OD X 0.021 IN THK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0506608 | | | | | | | |
| 3671 | 18-42-4561 | WASHER, MACHINED, (SPECIAL) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110310 | | | | | | | |
| 3672 | 18-42-4563 | WASHER, NYLON, NO 6, (SPECIAL) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06949820001 | | | | | | | |
| 3673 | 18-42-4564 | WASHER, NYLON, NO 8, (SPECIAL) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06949810001 | | | | | | | |
| 3674 | 18-42-4567 | WASHER, SST 18-8, NO 6, (SPECIAL) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO HW06-0059 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-----------------------------------|------------|---------------|---------|---------|
| 3675 | 18-42-4568 | WASHER, SST 18-8, NO 8, (SPECIAL) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | HW08-0005 | | |
| 3676 | 18-42-4569 | WHEEL, RATCHET | EA | 76 | 159 | 55 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532110051 | | |
| 3677 | 18-42-4570 | WIRE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06952740001 | | |
| 3678 | 18-42-4571 | WIRE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06952740002 | | |
| 3679 | 18-42-4572 | WIRE, EXANE, NO 16, 600V | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C020651 | | |
| 3680 | 18-42-4575 | YOKE, (SPECIAL) | EA | 105 | 41 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532100070 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------|------------|---------------|---------|---------|
| 3681 | 18-42-4576 | SEAT, TEFLON | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0306138 | | |
| 3682 | 18-42-4579 | SEPARATOR, DRYER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692419 | | |
| 3683 | 18-42-4584 | HOUSING, INTERMEDIATE | EA | 00 | 05 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532110008 | | |
| 3684 | 18-42-4586 | DOOR LATCH PIN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695924 | | |
| 3685 | 18-42-4587 | AIR BRAKE OPERATIVE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693451 | | |
| 3686 | 18-42-4588 | COVER LATCH CONTROL UNIT | EA | 28 | 24 | 10 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696164 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 3687 | 18-42-4589 | RESISTOR ASSEMBLY PNEUMATIC CONTROL | EA | | 02 | | 01- | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695965 | | | | | | | |
| 3688 | 18-42-4590 | PROP, DOOR COVOR, AIR BRAKE CONTROL UNIT | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695982 | | | | | | | |
| 3689 | 18-42-4591 | MOUNTING, STUD, 5/16-18 UNC-2A X 3"LG GRADE 5 PLD STEEL. | EA | | 10 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0558550 | | | | | | | |
| 3690 | 18-42-4592 | MOUNTING, STUD, 5/16-18 UNC-2A X 3-3/4" LG GRADE 5 PLD STEEL. | EA | | 21 | | 33 | | 06 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06993320375 | | | | | | | |
| 3691 | 18-42-4593 | MOUNTING, STUD, 5/16-18 UNC-2A X 4-1/2" GRADE 5 PLD STEEL. | EA | | 14 | | 10 | | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0520427 | | | | | | | |
| 3692 | 18-42-4594 | MOUNTING, STUD, 3/8- 18 UNC- 2A X 1.50" LG GRADE 5 PLD STEEL. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0502671 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-------|-----|-----|
| 3693 | 18-42-4595 | MOUNTING, STUD, 5/16 - 18 UNC - 2A X 1.525" GRADE 5 PLD STEEL. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0590578 | | | | | | | |
| 3694 | 18-42-4596 | BRACKET, ANTI-ROTATIONAL | EA | | 01 | | 02 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0698715 | | | | | | | |
| 3695 | 18-42-4597 | RING, PULL/ ELECTRIC COUPLER ASSEMBLY. | EA | | 22 | | 27 | | 06 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0698714 | | | | | | | |
| 3696 | 18-42-4600 | NIPPLE, PIPE, STL, HDG, 1/8 NPT X 2 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0134845 | | | | | | | |
| 3697 | 18-42-4601 | O-RING, 2.112" NOM ID X 2.318 NOM. OD X 0.103" THK | EA | | 900 | | 1,185 | | 270 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0303747 | | | | | | | |
| 3698 | 18-42-4606 | STOPNUT, ELASTIC, SST 18-8, NO 6-32 UNC-3B | EA | | 90 | | 30 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0526815 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 3699 | 18-42-4614 | STUD, GR 5, STL, ZN PLD, YEL, 5/16-18 UNC-2A X 1.5 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0553024 | | | | |
| 3700 | 18-42-4619 | SEAT, SPRING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0576196 | | | | |
| 3701 | 18-42-4620 | COUPLING, PIPE, STL, ZN PLD, YEL, 1/8 NPT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0583085 | | | | |
| 3702 | 18-42-4621 | PISTON, COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0586994 | | | | |
| 3703 | 18-42-4623 | BODY, LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0588963 | | | | |
| 3704 | 18-42-4624 | COVER, LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0588973 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3705 | 18-42-4625 | SPRING, PLT, STL, 1.516 IN. NOM. ID X 0.177 IN. NOM DIA X 2.30 IN. FREE HGT | EA | 900 | 1,164 | 291 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0589520 | | | | |
| 3706 | 18-42-4626 | SPRING, FEATURE | EA | 900 | 1,185 | 270 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0590390 | | | | |
| 3707 | 18-42-4627 | BUSHING, RUBBER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0591227 | | | | |
| 3708 | 18-42-4628 | BUSHING, RUBBER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0591228 | | | | |
| 3709 | 18-42-4629 | BUSHING, RUBBER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0591231 | | | | |
| 3710 | 18-42-4630 | RECEPTACLE, FASTON 18-22 AWG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0650595 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3717 | 18-42-4638 | VALVE ASSEMBLY, PANEL MOUNTED CUTOUT, WITH MICROSWITCH | EA | 00 | 12 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0677300 | | |
| 3718 | 18-42-4639 | GASKET, RECEPTACLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0678466 | | |
| 3719 | 18-42-4640 | PANEL, FACE PLATE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06787852012 | | |
| 3720 | 18-42-4641 | PANEL, FACE PLATE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06787852021 | | |
| 3721 | 18-42-4642 | STOPNUT, ELASTIC, PLT STL, YEL ZN, NO 4-40 UNC-3B | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06788400440 | | |
| 3722 | 18-42-4643 | CAPSCREW, BUTTON SOCKET HD, SST 18-8, NO 6-32 UNC-2A X 0.375 IN LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06794440375 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------------|-----|---------|---------|---------------|
| 3723 | 18-42-4644 | PANEL, FACE PLATE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693048 |
| 3724 | 18-42-4645 | PANEL, FACE PLATE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693051 |
| 3725 | 18-42-4646 | LABEL, LON1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693052 |
| 3726 | 18-42-4647 | LABEL, SSI2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693053 |
| 3727 | 18-42-4648 | LABEL, FET2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0693054 |
| 3728 | 18-42-4650 | ASSEMBLY, SUPPLY RESERVOIR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06934851000 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------------------|-----|---------|---------|---------------|
| 3729 | 18-42-4651 | GUIDE, KEY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0693895 |
| 3730 | 18-42-4652 | RECEPTACLE, 1/4 TURN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0694042 |
| 3731 | 18-42-4653 | RECEPTACLE, 1/4 TURN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0694044 |
| 3732 | 18-42-4654 | RECEPTACLE, 1/4 TURN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0694046 |
| 3733 | 18-42-4655 | RECEPTACLE, 1/4 TURN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0694055 |
| 3734 | 18-42-4656 | CONNECTOR, TRANSDUCER, DIN 43650 | EA | 07 | 00 | 02 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0694058 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3735 | 18-42-4657 | CHASSIS, M136BW ELECTRONIC UNIT ASSEMBLY (A-CAR) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694210 | | |
| 3736 | 18-42-4660 | PRINTED CIRCUIT BOARD ASSEMBLY, BDI1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942141000 | | |
| 3737 | 18-42-4661 | PRINTED CIRCUIT BOARD ASSEMBLY, BDI2 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942142000 | | |
| 3738 | 18-42-4662 | PRINTED CIRCUIT BOARD ASSEMBLY, BDI3 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942143000 | | |
| 3739 | 18-42-4663 | PRINTED CIRCUIT BOARD ASSEMBLY, RLO1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942151000 | | |
| 3740 | 18-42-4664 | PRINTED CIRCUIT BOARD ASSEMBLY, SSI1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942161000 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------------------|------------|---------------|---------|---------|
| 3741 | 18-42-4665 | PRINTED CIRCUIT BOARD ASSEMBLY, SSI2 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942171000 | | |
| 3742 | 18-42-4666 | PRINTED CIRCUIT BOARD ASSEMBLY, FET1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942180001 | | |
| 3743 | 18-42-4667 | PRINTED CIRCUIT BOARD ASSEMBLY, FET2 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942180002 | | |
| 3744 | 18-42-4668 | PRINTED CIRCUIT BOARD ASSEMBLY, ANO1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942191000 | | |
| 3745 | 18-42-4669 | PRINTED CIRCUIT BOARD ASSEMBLY, ANI 1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942201000 | | |
| 3746 | 18-42-4670 | PRINTED CIRCUIT BOARD ASSEMBLY, PDM 1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942210001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 3753 | 18-42-4677 | HARNESS ASSEMBLY, WIRE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694610 | | |
| 3754 | 18-42-4678 | SWITCH, PRESSURE, 87PSI | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694738 | | |
| 3755 | 18-42-4679 | SUPPLY, POWER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694761 | | |
| 3756 | 18-42-4680 | PIECE, FILLING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694773 | | |
| 3757 | 18-42-4681 | BUSHING, LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694774 | | |
| 3758 | 18-42-4682 | O-RING, 2.050" NOM. ID X 2.256" NOM OD X 0.103" THK | EA | 881 | 1,204 | 270 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694775 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------|------------|---------------|---------|---------|
| 3759 | 18-42-4683 | PISTON, COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694777 | | |
| 3760 | 18-42-4684 | BRACKET ASSEMBLY, PIPE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694782 | | |
| 3761 | 18-42-4685 | BRACKET ASSEMBLY, PIPE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694783 | | |
| 3762 | 18-42-4686 | BRACKET ASSEMBLY, PIPE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694784 | | |
| 3763 | 18-42-4687 | GASKET, ENCLOSURE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694785 | | |
| 3764 | 18-42-4688 | GASKET, ENCLOSURE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694786 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 3765 | 18-42-4689 | BRACKET, PTE RECEPTACLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694787 | | |
| 3766 | 18-42-4690 | PLATE, PRESSURE SWITCH ADAPTER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694789 | | |
| 3767 | 18-42-4691 | HARNESS ASSEMBLY, WIRING, A-CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694791 | | |
| 3768 | 18-42-4692 | PLATE, JOINING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694792 | | |
| 3769 | 18-42-4693 | BRACKET ASSEMBLY, PIPE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694793 | | |
| 3770 | 18-42-4694 | PRINTED CIRCUIT BOARD, BLANK BOARD WITH NO COMPONENTS OR DAUGHTER BOARD, MCM3 | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | CPU | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 06947981000 | | | | |
| 3771 | 18-42-4695 | LABEL, MCM3 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 0694848 | | | | |
| 3772 | 18-42-4696 | HARNESS ASSEMBLY, AIR BRAKE B-CAR CONTROL UNIT WIRING HARNESS. | UT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 0694895 | | | | |
| 3773 | 18-42-4697 | BODY, BLANK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 0694896 | | | | |
| 3774 | 18-42-4699 | O-RING, (SPECIAL) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 0694898 | | | | |
| 3775 | 18-42-4700 | CHASSIS, M136BW ELECTRONIC UNIT ASSEMBLY (B-CAR) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 0694985 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3776 | 18-42-5003 | BOX, JUNCTION, HEATER CIRCUIT, USED ON D4S AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670620 | | |
| 3777 | 18-42-5013 | NUT, HEX, SPECIAL, 5/8-11, ZINC PLATED, STEEL, USED ON AIR COMPRESSOR UNIT D-4-S | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670901 | | |
| 3778 | 18-42-5020 | SILENCER, WITH SHROUD, USED ON DAS AIR COMPRESSOR | EA | 13 | 06 | 04 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671617 | | |
| 3779 | 18-42-5021 | CONNECTOR, STRAIN RELIEF, USED ON D4S AIR COMPRESSOR | EA | 06 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0582197 | | |
| 3780 | 18-42-5030 | DRYER, AIR, "E-1A" TWIN TOWER, USED WITH D-4-S AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 692426 | | |
| 3781 | 18-42-5050 | PORTION, PIPE BRACKET, U/W E-2-E OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 591950 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 3782 | 18-42-5051 | BRAKE VALVE, ME 43, USE WITH SNOW BRAKE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 671513 | | | | | | | |
| 3783 | 18-42-5055 | VALVE, VARIABLE LOAD, EMERGENCY, USED ON WABCO CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 690611 | | | | | | | |
| 3784 | 18-42-5099 | SEAT, STAINLESS STEEL, USED WITH ME 42 BRAKE VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 561149 | | | | | | | |
| 3785 | 18-42-5101 | CONNECTOR, 6 PIN | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0694998 | | | | | | | |
| 3786 | 18-42-5102 | PLATE, ADAPTER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695000 | | | | | | | |
| 3787 | 18-42-5103 | PLATE, ADAPTER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695001 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------|-----|---------|---------|---------------|
| 3788 | 18-42-5104 | BAR, POLARIZING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695040 |
| 3789 | 18-42-5105 | LABEL, BDI1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695210 |
| 3790 | 18-42-5106 | LABEL, BDI2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695211 |
| 3791 | 18-42-5107 | LABEL, BDI3 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695212 |
| 3792 | 18-42-5108 | LABEL, RLO1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695213 |
| 3793 | 18-42-5109 | LABEL, ANO 1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695215 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------|-----|---------|---------|---------------|
| 3794 | 18-42-5110 | LABEL, ANI 1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695216 |
| 3795 | 18-42-5111 | LABEL, SSI1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695217 |
| 3796 | 18-42-5112 | BODY, PILOT VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695247 |
| 3797 | 18-42-5113 | BUSHING, PISTON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695250 |
| 3798 | 18-42-5114 | LABEL, PSM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695325 |
| 3799 | 18-42-5115 | PANEL, FACE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0695514 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 3800 | 18-42-5116 | PLUG, CHOKE, GR 5, STL, ZN PLD, YEL, 1/8 NPT X 0.113 IN DRILL DIA | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06955941130 | | | | | | | |
| 3801 | 18-42-5117 | NUTPLATE, SIZE 20 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695717 | | | | | | | |
| 3802 | 18-42-5118 | KIT, HANDLE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695754 | | | | | | | |
| 3803 | 18-42-5119 | BODY, PILOT VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695815 | | | | | | | |
| 3804 | 18-42-5120 | SPRING, STAINLESS STL, 0.42 IN NOM O D X 0.063 IN NOM WIRE DIA X 1.5 IN FREE HGT | EA | | 475 | | 800 | | 420 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695816 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|--------------------|---------|---------|
| 3805 | 18-42-5121 | RECEPTACLE, 1/4 TURN, 90 DEG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695832 | | |
| 3806 | 18-42-5123 | HOSE, BRAIDED, SST 18-8, 0.19IN DIA X 9.38 IN NOM LG, 1/8 NPTM X 1/8 NPTM WITH SWIVEL FITTINGS. | EA | 93 | 61 | 22 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695951 | | |
| | N | S | NYCTA | 2086-PROD-96 | | |
| | N | S | NYCTA | 2086-PROD-96 REV.B | | |
| 3807 | 18-42-5124 | HOSE, BRAIDED, SST 18-8, 0.25 IN DIA X 11.12 IN NOM LG, 1/4 NPTM X 1/4 NPTM WITH SWIVEL FITTINGS. | EA | 02 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695952 | | |
| | N | S | NYCTA | 2086-PROD-96 REV.B | | |
| 3808 | 18-42-5125 | PLATE, SST, PARKING BRAKE POSITION INDICATOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695958 | | |
| 3809 | 18-42-5126 | FITTING, TEST, AIR BRAKE | EA | 07 | 13 | 05 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695962 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 3810 | 18-42-5127 | SUPPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0695964 |
| 3811 | 18-42-5128 | SOCKET, CONNECTOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0695968 |
| 3812 | 18-42-5129 | CONNECTOR, DB PLUG, HIGH DENSITY, 62 PIN | EA | 01 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0695969 |
| 3813 | 18-42-5130 | CONNECTOR, DB PLUG, 15 PIN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0695970 |
| 3814 | 18-42-5131 | CONNECTOR, DB PLUG, 25 PIN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0695971 |
| 3815 | 18-42-5132 | CONNECTOR, DB PLUG, 15 SOCKET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0695972 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3816 | 18-42-5133 | CONNECTOR, PLUG, 15 PIN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695973 | | |
| 3817 | 18-42-5134 | RETAINER, GASKET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695978 | | |
| 3818 | 18-42-5135 | RETAINER, GASKET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695980 | | |
| 3819 | 18-42-5136 | PISTON, PILOT VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696110 | | |
| 3820 | 18-42-5137 | BODY, 3-WAY PILOT VALVE, COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696112 | | |
| 3821 | 18-42-5138 | BODY, 3-WAY PILOT VALVE, 100 PSI, COMPLETE | EA | 12 | 09 | 07 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696113 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 3822 | 18-42-5139 | CONNECTOR, DB PLUG, 15 SOCKET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696165 | | |
| 3823 | 18-42-5140 | BUSHING, RUBBER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696168 | | |
| 3824 | 18-42-5141 | PLUG, KEYING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696170 | | |
| 3825 | 18-42-5142 | PLUG, KEYING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696171 | | |
| 3826 | 18-42-5143 | TAPE, SILICONE, SELF-FUSING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696172 | | |
| 3827 | 18-42-5144 | PRESSURE SWITCH ASSEMBLY, INCLUDES HOUSING, TUBE AND PIN, AND 18-42-3473, | EA | 02 | 08 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | SET AT 18 PSI | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696179 | | | | |
| 3828 | 18-42-5145 | PRESSURE SWITCH ASSEMBLY, WITH CABLES, FOR AIR BRAKE SYSTEM | EA | 22 | 17 | 06 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696180 | | | | |
| 3829 | 18-42-5146 | BUSHING, INSULATING, PLST, 3/8 NPT X 1/4 NPT | EA | 133 | 150 | 72 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06961813825 | | | | |
| 3830 | 18-42-5147 | PLATE, BLANKING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697097 | | | | |
| 3831 | 18-42-5148 | LABEL, 1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697098 | | | | |
| 3832 | 18-42-5149 | LABEL, 2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697099 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------|-----|---------|---------|---------------|
| 3833 | 18-42-5150 | LABEL, 4 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0697101 |
| 3834 | 18-42-5151 | LABEL, 5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0697102 |
| 3835 | 18-42-5152 | LABEL, 7 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0697104 |
| 3836 | 18-42-5153 | LABEL, 8 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0697105 |
| 3837 | 18-42-5154 | LABEL, 10 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0697107 |
| 3838 | 18-42-5155 | LABEL, 11 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0697108 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------------|-----|---------|---------|---------------|
| 3839 | 18-42-5156 | LABEL,12 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697109 |
| 3840 | 18-42-5157 | LABEL,13 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697110 |
| 3841 | 18-42-5158 | LABEL, 14 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697111 |
| 3842 | 18-42-5159 | LABEL, 15 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697112 |
| 3843 | 18-42-5160 | LABEL,16 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697113 |
| 3844 | 18-42-5161 | KIT, LATCHING BLOCK (REF. 8-11) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697116 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------------------|------------|---------------|---------|---------|
| 3845 | 18-42-5162 | KIT, FACE PLATE SCREW (REF. 12-18) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0697117 | | |
| 3846 | 18-42-5163 | GASKET, PIPE BRACKET | EA | 1,484 | 492 | 225 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0580565 | | |
| 3847 | 18-42-5455 | NIPPLE, PIPE, STL, (SPECIAL) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 053912 | | |
| 3848 | 18-42-5458 | BODY, CHECK VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560980 | | |
| 3849 | 18-42-5459 | FLANGE & SEAT, END | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560982 | | |
| 3850 | 18-42-5463 | ELBOW, REDUCING, STL, (SPECIAL) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 56886 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 3851 | 18-42-5464 | PLATE, MOUNTING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 582086 |
| 3852 | 18-42-5466 | STEM, FILTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0673632 |
| 3853 | 18-42-5469 | COVER, FILTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0692462 |
| 3854 | 18-42-5473 | RESERVOIR ASSEMBLY, MAIN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 6934841000 |
| 3855 | 18-42-5608 | PRESSURE SWITCH ASSEMBLY, 3 PSI, COMPLETE WITH WIRE HARNESS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0698908 |
| 3856 | 18-42-5609 | PRESSURE SWITCH ASSEMBLY, 70 PSI | EA | 60 | 74 | 13 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0698915 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 3857 | 18-42-5610 | PRESSURE SWITCH ASSEMBLY, 12 PSI, SWITCH, WIRE, MARKERS AND TERMINALS. | EA | 574 | | 483 | | 139 | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 3858 | 18-42-5611 | PRESSURE SWITCH ASSEMBLY, 97 PSI, SWITCH, WIRE, MARKERS AND TERMINALS. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 3859 | 18-42-5612 | PRESSURE SWITCH ASSEMBLY, 3 PSI, SWITCH, WIRE, MARKERS AND TERMINALS. | EA | 266 | | 235 | | 71 | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 3860 | 18-42-5614 | PARKING BRAKE AIR GAUGE, 97 TO 200 PSI FOR R142 USE ONLY, FOR R142A, R143 AND INDICATION AREA, R142 ON FACE PLATE, R160 USE 18-42-3324. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 3861 | 18-42-5615 | INDUCTOR ASSEMBLY, COMPRESSOR | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------------|---------|---------|
| 3862 | 18-42-5616 | SCREW, TRUSS HD, NO. 8-32 X 0.625 IN. LONG, PH, SST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 84275331 | | |
| 3863 | 18-42-5618 | BRAKE SHOE, FLANGELESS, COMPOSITE, (VB 05-01) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | V435 REV. E | | |
| | Y | S | NYCTA | 2093-PROD-97 REV. E | | |
| 3864 | 18-42-5621 | HOSE, TEFLON, 3/16" I.D., TO CONNECT SOLENOID VALVE MANIFOLD WITH AIR DRYER BODY, USED ON GRAHAM-WHITE TWIN TOWER AIR DRYER ASSEMBLY. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06963060900 | | |
| 3865 | 18-42-5624 | BODY, E-1-A TOWER VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06914500001 | | |
| 3866 | 18-42-5625 | KIT, SOLENOID VALVE REPAIR | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06906490001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3867 | 18-42-5626 | DIAPHRAGM, 1.12 BORE, .69 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0679294 | | |
| 3868 | 18-42-5627 | PISTON, CHECK VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06735900001 | | |
| 3869 | 18-42-5628 | HEAD, PISTON VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06914510001 | | |
| 3870 | 18-42-5629 | KIT, OVERHAUL, BFCF TREAD BRAKE UNIT | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06946640001 | | |
| 3871 | 18-42-5636 | PARKING BRAKE, SPRING OD 6.45" MAXM, ID 5.1" MIN, LENGTH 10.5" +/- .25 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532110271 | | |
| 3872 | 18-42-5660 | BRACKET, ENCLOSURE COVER BRACKET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 804842 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3873 | 18-42-5682 | CHAIN, SST 18-8, 1/4 IN NOM DIA X 1 IN INSIDE LG X 1.25 FT LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000008-4300 | | | | |
| 3874 | 18-42-5687 | CLIP, RING TERMINAL, NO. 6 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000025-4270 | | | | |
| 3875 | 18-42-5699 | KEY, WOODRUFF, NO. 9 | EA | 00 | 00 | 20 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000016-4120 | | | | |
| 3876 | 18-42-5713 | PIN, GUIDE ROD, SPECIAL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 805693 | | | | |
| 3877 | 18-42-5775 | RING, EXTERNAL RETAINING, SST 18-8 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 456330 | | | | |
| 3878 | 18-42-5779 | ROD, GUIDE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 805692 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 3879 | 18-42-5805 | BODY, CUTOUT VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0306222 |
| 3880 | 18-42-5806 | CAP, BODY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0306303 |
| 3881 | 18-42-5808 | CAPSCREW, HEX HD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0306012 |
| 3882 | 18-42-5810 | CAPSCREW, HEX HD, GR 5, STL, ZN PLD, YEL, 3/4-10 UNC-2A X 4 IN LG | EA | 01 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 053592-4097 |
| 3883 | 18-42-5812 | CAPSCREW, HEX HD, GR_5 STL, ZN PLD, YEL, 5/16-18 UNC-2A X 1.25 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0677019 |
| 3884 | 18-42-5813 | CAPSCREW, HEX SOCKET HD. GR 5, STL, ZN PLD, YEL, 1/2-13 UNC-3A X 1.25 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0565489 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 3885 | 18-42-5814 | CAPSCREW, HEX SOCKET HD, SST 18-8, 3/8-16 UNC-3A X 0.50 IN LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06961690500 | | |
| 3886 | 18-42-5815 | CAPSCREW, HEX SOCKET HD, SST 18-8, NO 10-32 UNC-2A X 0.5 IN LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0698254 | | |
| 3887 | 18-42-5816 | CAPSCREW, HEX SOCKET HD, SST 18-8, NO 6-32 UNC-2B X 0.375 IN LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06747650375 | | |
| 3888 | 18-42-5817 | CAPSCREW, HEX SOCKET HD, SST 18-8, NO 6-32 UNC-2B X 0.500 IN LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06747650500 | | |
| 3889 | 18-42-5818 | CAPSCREW, HEX SOCKET HD, SST 18-8, NO 8-32 UNC-3A X 0.750 IN LG | EA | 94 | 110 | 30 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06779950750 | | |
| 3890 | 18-42-5820 | CATCH, SAFETY | EA | 11 | 04 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06924460006 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------------------|------------|---------------|---------|---------|
| 3891 | 18-42-5822 | CLIP, RING TERMINAL, NO 10 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0544043 | | |
| 3892 | 18-42-5823 | CONNECTOR, 1/4 TURN, 3 PIN | EA | 05 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692520 | | |
| 3893 | 18-42-5824 | CONTACTOR, ELECTRICAL | EA | 364 | 263 | 60 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696312 | | |
| 3894 | 18-42-5825 | COVER, RECEPTACLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06923700027 | | |
| 3895 | 18-42-5826 | ELBOW, GALV, STL, 90 DEG X 3/4 IN DIA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0054570 | | |
| | N | P | WABCO | 054570 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 3896 | 18-42-5828 | ENCLOSURE, INDUCTOR ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696756 | | |
| 3897 | 18-42-5829 | FITTING, LIQUIDITE, 12MM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696099 | | |
| 3898 | 18-42-5830 | FITTING, LIQUIDTITE, STRAIGHT, 0.67 IN NOM ID | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692523 | | |
| 3899 | 18-42-5831 | GASKET, CONNECTOR | EA | 00 | 10 | 04 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 694059 | | |
| 3900 | 18-42-5833 | GASKET, HEATSINK | EA | 360 | 225 | 60 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696764 | | |
| 3901 | 18-42-5834 | HANDLE (SPECIAL) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0309159 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 3902 | 18-42-5835 | HEATSINK, INDUCTOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696761 | | | | |
| 3903 | 18-42-5839 | INDUCTOR, AIR COIL, 60MH, IPH, 20A, 360HZ RIPPLE | EA | 06 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696760 | | | | |
| 3904 | 18-42-5840 | LOCKWASHER, INTERNAL TOOTH | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0306000 | | | | |
| 3905 | 18-42-5841 | LOCKWASHER, SST 18-8, NO 10, 0.219 IN NOM ID X 0.300 IN NOM OD X 0.04 IN THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0698265 | | | | |
| 3906 | 18-42-5842 | LOCKWASHER, STL, ZN PLD, YEL, 0.75 IN NOM ID X 1.25 IN NOM OD X 0.188 IN THK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 053875-4001 | | | | |
| 3907 | 18-42-5845 | NUT, GROUNDING, CPR, NO 10-32 UNC-3B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695031 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--------------------------------------|------------------|-----|-----|---------------|-----|-----|-----|
| 3924 | 18-42-5877 | FITTING USED WITH K4 BRAKE PIPE | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | MFG - PART-NO | | | |
| | N | P | WABCO | | | 0526454 | | | |
| 3925 | 18-42-5878 | TREAD BRAKE UNIT (TBU), BFC | EA | | 02 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | MFG - PART-NO | | | |
| | N | P | WABCO | | | 1-55087 | | | |
| 3926 | 18-42-5880 | HANGER ASSEMBLY, USED WITH R142 TBU | EA | | 17 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | MFG - PART-NO | | | |
| | N | P | WABCO | | | 06991390001 | | | |
| | N | P | WABTEC PASSENGER | | | 6991390001 | | | |
| 3927 | 18-42-5881 | HANGER ASSEMBLY, USED WITH R142 TBU | EA | | 17 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | MFG - PART-NO | | | |
| | N | P | WABCO | | | 06991390002 | | | |
| | N | P | WABTEC PASSENGER | | | 6991390002 | | | |
| 3928 | 18-42-5882 | VARIABLE LOAD VALVE, USED WITH R142A | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | MFG - PART-NO | | | |
| | N | P | WABCO | | | 1-52152 | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 3934 | 18-42-5890 | KIT, CONVERSION, FOR R142A VARIABLE LOAD VALVE | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-521520001 | | | | |
| 3935 | 18-42-5893 | VARIABLE LOAD VALVE BUSHING, R142A | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51857 | | | | |
| 3936 | 18-42-5894 | PISTON CP, FOR R142A VARIABLE LOAD VALVE | EA | 11 | 00 | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51858 | | | | |
| 3937 | 18-42-5895 | VARIABLE LOAD NAMEPLATE, R142A | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0671281 | | | | |
| 3938 | 18-42-5902 | BRAKE VALVE PORTION, FOR 26-C AUTOMATIC BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0569417 | | | | |
| 3939 | 18-42-5903 | SERVICE PORTION, 26-F, FOR BRAKE CONTROL VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0593677 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-------|-----|-----|-----|-----|
| 3940 | 18-42-5904 | PRESSURE SWITCH COMPLETE KIT. U/W D4S COMPRESSOR | EA | | 04 | | 17 | | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-53327 | | | | | | | |
| 3941 | 18-42-5906 | DISC, CHOKE VALVE, 1MM, USED ON E1-A TWIN TOWER AIR DRYER | EA | | 04 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06934680100 | | | | | | | |
| 3942 | 18-42-5910 | O-RING, USED ON 23YMD AIR PORTION ASSEMBLY | EA | | 1,017 | | 757 | | 274 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0678658 | | | | | | | |
| 3943 | 18-42-5911 | LON 1 MODULE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-546451001 | | | | | | | |
| 3944 | 18-42-5924 | PIPE BRACKET AND HARDWARE FOR E2 OPERATING UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 0671810 | | | | | | | |
| 3945 | 18-42-5927 | BOARD, MODULE FET2, FOR NEW ORDER R142A FET2 MODULES AFTER ORIGINAL CONTRACT, | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|---|------------|---|--|---------------|---------|---------|
| COMPATIBLE WITH ALL R142A FBEU/FRICTION BRAKE ELECTRONIC UNIT | | | | | | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-534861002 | | |
| 3946 | 18-42-5929 | KIT, OIL LEVEL GAUGE, CONSISTS OF (4); 1/2" INTERNAL TOOTH LOCK WASHER WABTEC #522733 (2) | POLYURETHANE O-RING WABTEC # 671190 WABTEC #506604(2); 1/2"-20 JAM NUT | KT | 253 | 124 60 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 05789440001 | | |
| 3947 | 18-42-7020 | GASKET, OIL PUMP, FOR TYPE D3 COMPRESSOR, #574879 | | EA | 00 | 00 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | A-574888 | | |
| 3948 | 18-42-8103 | PIN, DOWEL, 1/4" X 5/8" LONG, J1.4-14 DESIGN - BOM 18-68-8884 | RELAY VALVE, MODIFIED. UPGRADE TO NEW | EA | 00 | 00 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535658 | | |
| 3949 | 18-42-8105 | BUSHING, CHECK VALVE, USED WITH ME-43 | BRAKE VALVE | EA | 00 | 00 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561150 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 3950 | 18-42-8106 | BUSHING, EMERGENCY VALVE, USED WITH ME-43 BRAKE VALVE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 571108 | | | | | | | |
| 3951 | 18-42-8107 | SEAT, EMERGENCY VALVE, USED WITH ME-43 BRAKE VALVE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 561158 | | | | | | | |
| 3952 | 18-42-8108 | BUSHING GUIDE, USED WITH ME-43 BRAKE VALVE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 551511 | | | | | | | |
| 3953 | 18-42-8109 | PLUNGER, BUSHING, USED WITH ME-43 BRAKE VALVE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 534817 | | | | | | | |
| 3954 | 18-42-8110 | BUSHING, CHECK VALVE, USED WITH ME-43 BRAKE VALVE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 551512 | | | | | | | |
| 3955 | 18-42-8944 | OPERATING UNIT, E-2-E, U/W R42 FRICTION BRAKE EQUIPMENT, U/W R32 EVEN CARS | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 670663 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3956 | 18-42-8950 | VALVE, VARIABLE LOAD, SERVICE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670776 | | |
| 3957 | 18-42-8959 | COCK, VENT, 1", W/SPECIAL HANDLE U/O FRICTION BRAKE EQUIPMENT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 590889 | | |
| 3958 | 18-42-8960 | COCK, N/VENT, 1/2", W/SPEC. HANDLE, U/O FRICTION BRAKE EQUIPMENT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 592011 | | |
| 3959 | 18-42-8961 | COCK, N/VENT, 3/4", W/SPEC. HANDLE, U/O FRICTION BRAKE EQUIPMENT. | EA | 06 | 05 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 590888 | | |
| 3960 | 18-42-8976 | BRAKE VALVE, ME 43, W/O PIPE BRACKET. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 592012 | | |
| 3961 | 18-42-8978 | SPRING, ADJUSTING, STEEL, 1-23/64 " O.D., 7/32" WIRE DIA, 2 1/4" U/O | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | VARIABLE LOAD VALVE ASSEMBLY | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 585242 | | | | |
| 3962 | 18-42-8979 | PORTION, FILLING PIECE, WITH WASP EXCLUDER, USED ON VARIABLE LOAD VALVE ASSEMBLY. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 670775 | | | | |
| 3963 | 18-42-8980 | BODY, WITH 4 STUDS, USED ON VARIABLE LOAD VALVE ASSEMBLY. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 589367 | | | | |
| 3964 | 18-42-8983 | SLEEVE, USED ON CONTACT BOARD ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 555037 | | | | |
| 3965 | 18-42-8993 | PORTION, ELECTRIC, BL52, FOR STOCKING PURPOSES ONLY, REMANUFACTURED, 26 FT CABLE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06729078042 | | | | |
| | | N S NYCTA 2064-PROD-89 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 3977 | 18-43-0023 | BFC TREAD BRAKE UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 1-55095 | | | | | | | |
| 3978 | 18-43-0024 | BFCF TREAD BRAKE UNIT W/ SPRING PARKING BRAKE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 1-55102 | | | | | | | |
| 3979 | 18-43-0026 | BUSHING, HANDLE BOLT, USED ON R142, R142A AND R143 CARS ONLY | EA | | 04 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 698342 | | | | | | | |
| 3980 | 18-43-0029 | AIR DRYERASSEMBLY LESS BRACKET AND 2 WAY SOLENOID VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 692414028 | | | | | | | |
| 3981 | 18-43-0030 | SCREW, PAN HD MACHINE, SST 18-8, M3-0.5 X 35 MM LG. USED ON R142, R142A, R143 MANIFOLD ASS'Y, MAIN RESERVOIR PRESSURE, D-4-AS AIR COMPRESSOR UNIT. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 06914691375 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 3988 | 18-43-0502 | O-RING, 1.25 IN. NOM ID X 1.375 IN. NOM OD X 0.062 IN. THK | EA | 1,930 | 2,660 | 350 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0575049 | | |
| 3989 | 18-43-0503 | STUD, GR 5, STL, ZN PLD, YEL, 5/16-18 UNC-2A X 4.50 IN. LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0592606 | | |
| 3990 | 18-43-0504 | PIN, CYLINDER SPRING, SST 18-8, 0.125 IN. NOM DIA X 0.25 IN. LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0593348 | | |
| 3991 | 18-43-0506 | ACTUATOR, MICROSWITCH | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0677361 | | |
| 3992 | 18-43-0507 | BRACKET, MICROSWITCH | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0677362 | | |
| 3993 | 18-43-0508 | VALVE ASSEMBLY, 3/4 INCH PANEL MOUNTED VENTED CUTOUT, DOES NOT INCLUDE | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------------------|-----|---------|---------|---------|
| | | MICROSWITCH, BRACKETT AND HARDWARE | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0677363 | | | | |
| 3994 | 18-43-0509 | BUSHING, HANDLE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0678287 | | | | |
| 3995 | 18-43-0510 | RECEPTACLE, 1/4-TURN, 3 PIN | EA | 00 | 03 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0692519 | | | | |
| 3996 | 18-43-0511 | CLIP, TUBING, PLAS | EA | 20 | 24 | 08 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0692525 | | | | |
| 3997 | 18-43-0512 | STEM, PILOT VALVE EXTENSION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0693495 | | | | |
| 3998 | 18-43-0513 | PLATE, RECEPTACLE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696091 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------------------|-----|---------|---------|---------------|
| 3999 | 18-43-0514 | COUPLING, FLEXIBLE | EA | 10 | 12 | 06 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0696095 |
| 4000 | 18-43-0515 | HUB, COMPRESSOR FLYWHEEL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0696096 |
| 4001 | 18-43-0516 | PLATE, BLANKING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0696581 |
| 4002 | 18-43-0517 | BRACKET, INDUCTOR HANGER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0696757 |
| 4003 | 18-43-0518 | CLIP, TUBING, PLAS, 0.215 IN. NOM ID | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0696762 |
| 4004 | 18-43-0519 | PLUG, EXPANSION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0696776 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------------------|------------|---------------|---------|---------|
| 4005 | 18-43-0520 | WIRING HARNESS, BRAKE CONTROL UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696843 | | |
| 4006 | 18-43-0521 | WIRING HARNESS, BRAKE CONTROL UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696844 | | |
| 4007 | 18-43-0522 | PLATE ASSEMBLY, BLANKING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696851 | | |
| 4008 | 18-43-0523 | LABEL, PBIV | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696862 | | |
| 4009 | 18-43-0524 | LABEL, SBCO CUT-OUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696863 | | |
| 4010 | 18-43-0525 | LABEL, SBCO CUT-IN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696864 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 4011 | 18-43-0526 | LABEL, BCO CUT-OUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0696865 |
| 4012 | 18-43-0527 | LABEL, BCO CUT-IN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0696866 |
| 4013 | 18-43-0528 | SHIM, SST 18-8, 0.190 IN. NOM ID X 0.400 IN. NOM OD X 0.010 IN. THK (UP TO 2 SH EA IMS MAXIMUM) | | 184 | 321 | 150 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0696873 |
| 4014 | 18-43-0529 | CHASSIS, M136BW ELECTRONIC UNIT ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0696951 |
| 4015 | 18-43-0530 | COVER, TRIP VALVE WITH SENSOR | EA | 29 | 43 | 11 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0697320 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 4016 | 18-43-0531 | HOUSING, TRIP VALVE | EA | 00 | 00 | 05 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0697368 |
| 4017 | 18-43-0532 | CONDUIT, LIQUIDTITE, 10 MM NOM DIA | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | C031081 |
| 4018 | 18-43-0534 | SCREW, CAP, HEX SOCKET HD, GR 5, STL, ZN PLD, YEL, NO 10-24 UNC-3A X 0.75 IN. LG EA | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0556077 |
| 4019 | 18-43-0535 | SCREW, CAP, HEX HD SOCKET, GR 5, STL, ZN PLD, YEL, NO 10-24 UNC-3A X 0.50 IN. LG EA | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0560440 |
| 4020 | 18-43-0536 | SCREW, CAP, HEX HD SOCKET, GR 5, STL, ZN PLD, YEL, 1/4-20 UNC-3A X 0.62 IN. LG EA | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0581769 |
| 4021 | 18-43-0538 | SCREW, CAP, HEX HD SOCKET, GR 5, STL, ZN PLD, YEL, 3/8-16 UNC-3A X 1 IN. LG EA | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0590231 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4027 | 18-43-0544 | SETSCREW, HEX SOCKET HD, STL, ZN PLD, YEL, 1/4-28 UNF-3A X 0.25 IN LG | EA | 11 | 28 | 08 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06765970250 | | | | |
| 4028 | 18-43-0545 | WASHER, FLAT, STL, ZN PLD, YEL, 0.313 IN. NOM ID (SPECIAL) | EA | 7,400 | 1,600 | 1,200 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695535 | | | | |
| 4029 | 18-43-0546 | SCREW, HEX HD SOCKET, GR 2, STL, ZN PLD, YEL, NO 8-32 UNC-2A X 0.25 IN. LG | EA | 104 | 10 | 20 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06955530250 | | | | |
| 4030 | 18-43-0547 | SCREW, CAP, HEX HD, GR 5, STL, ZN PLD, YEL, NO 8-32 UNC-2A X 0.25 IN. LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 069555530250 | | | | |
| 4031 | 18-43-0554 | FRICITION BRAKE, ELECTRONIC UNIT | EA | 16 | 12 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695898 | | | | |
| 4032 | 18-43-0555 | RESERVOIR, PARKING BRAKE AIR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696811-1000 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4038 | 18-43-0563 | HUB, MOTOR, FLEXIBLE COUPLING, USED ON MOUNTING ASSEMBLY, MOTOR/AIR PORTION | EA | 09 | 12 | 04 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06994710001 | | |
| 4039 | 18-43-0564 | COUPLING, FLEXIBLE ASSEMBLY, INCLUDES THE MOTOR HUB AND AIR PORTION HUB, USED ON MOUNTING ASSEMBLY, MOTOR/AIR PORTION | EA | 05 | 06 | 01 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699471 | | |
| 4040 | 18-43-0565 | FLYWHEEL, USED ON FLEXIBLE COUPLING | EA | 01 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06923632000 | | |
| 4041 | 18-43-0570 | RING, OIL, 3-PIECE, HIGH PRESSURE PISTON | EA | 825 | 500 | 126 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-53219 | | |
| 4042 | 18-43-0571 | RING, OIL, 3-PIECE, LOW PRESSURE PISTON | EA | 805 | 465 | 158 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-53220 | | |
| 4043 | 18-43-0572 | RING, BARREL COMPRESSION | EA | 805 | 465 | 150 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-53218 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4044 | 18-43-0577 | PARKING BRAKE SPRING ASSEMBLY USED WITH R143 TBU | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532111000 | | |
| 4045 | 18-43-0578 | BODY, 1/2" CHECK VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0543515 | | |
| 4046 | 18-43-1200 | PACKING PISTON USED WITH TYPE UAH-8X8 -506449- BRAKE CYLINDERS FOR G.E. DIESEL L EA OCOMOTIVE SER. NOS. 33663 & 33664 | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 96556 | | |
| 4047 | 18-43-2250 | PAD, V/W WABCO TYPE A-1 OPERATING UNIT, OIL, RELAY VALVE POR PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 97514 | | |
| 4048 | 18-43-2275 | PAD, BLANKING, CAST IRON, FOR 1-1/4 WABCO OTITE FITTING, USED ON AIR BRAKE RESERVOIR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 695122 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 4049 | 18-43-3250 | PAWL, USED WITH TYPE J SLACK ADJUSTER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501874 | | |
| 4050 | 18-43-3400 | PAWL, CHECK, FOR E-1 SLACK ADJUSTER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501940 | | |
| 4051 | 18-43-6601 | FILLING PIECE, SERVICE PORTION, FOR WABCO TYPE AB-FR. BRAKE EQUIP. W/ABD, CONT. VALVE SERVICE PORT #566172 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566189 | | |
| 4052 | 18-44-0005 | MOUNTING, BRACKET, FOR WABCO TYPE "D3" COMPRESSOR & CRADLE, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576273 | | |
| 4053 | 18-44-0007 | RESERVOIR, MAIN, 16X60 R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 05468471000 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4054 | 18-44-0010 | GOVERNOR, S-20-A, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577181-3150 | | | | |
| 4055 | 18-44-0013 | TUBE, 3/8" O.D. X 18-1/2" FOR WABCO TYPE D-3 AIR COMPRESSOR UNIT #576272 R-44 CA EA | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576274 | | | | |
| 4056 | 18-44-0014 | HOSE, 1/4" I.D. X 13" FOR WABCO TYPE D-3AIR COMPRESSOR UNIT #576272 R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 544888 | | | | |
| 4057 | 18-44-0015 | TUBE, 3/8" O.D. X 22"., FOR WABCO TYPE D-3 AIR COMPRESSOR UNIT #576272 R-44 CARS EA | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576275 | | | | |
| 4058 | 18-44-0017 | FITTING, SUMP MANIFOLD, FOR D-3 AIR COMP. UNIT WABCO #576272, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576706 | | | | |
| 4059 | 18-44-0019 | TEE, MALE RUN, 1/4 NPTX 1/4" O.D. FOR WABCO TYPE D-3 AIR COMPRESSOR UNIT | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | #576272 R-44 CARS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 568553 | | | | |
| 4060 | 18-44-0028 | SPRING, PRESSURE, FOR WABCO D-3 AIR COMPRESSOR #576272, R-44 CARS | EA | 1,150 | 1,388 | 345 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0562336 | | | | |
| | | N P WABCO 562336 | | | | |
| 4061 | 18-44-0029 | SPACER, FOR D-3 AIR COMP. UNIT, WABCO #576272, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577997 | | | | |
| 4062 | 18-44-0030 | STOPNUT, ELASTIC, 7/16-20 UNF-2B, STL, COATED WITH PHOSPHATE AND OILED, (DARK GRAY/BLACK) | EA | 2,420 | 1,500 | 460 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0577483 | | | | |
| 4063 | 18-44-0036 | WASHER, SNUBBING, FOR WABCO TYPE D4 AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0578294 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 4064 | 18-44-0037 | HEATER, ELEMENT, FOR WABCO D3 COMPRESSOR & CRADLE, R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 577225 |
| 4065 | 18-44-0038 | BODY, SUMP MANIFOLD, FOR WABCO D3 COMPRESSOR & CRADLE R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 575228 |
| 4066 | 18-44-0041 | CLIP, TERMINAL, U/W WABCO #577181-3150 S-20A COMP. GOV., R44 CARS, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 561105 |
| 4067 | 18-44-0045 | LEAD, #12, 19/25 X 10" LG U/W WABCO #577 181-3150 S-20A COMPRESSOR GOVERNOR R44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 577196 |
| 4068 | 18-44-0048 | PAD, BLANKING, 1/2", FOR AIR RESERVOIR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 507620 |
| 4069 | 18-44-0049 | SPRING, TAIL VALVE, FOR WABCO "S-20-A" COMPRESSOR GOVENOR PORTION ASSY. #577181- | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | 3150 R-44 CARS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578824 | | | | |
| 4070 | 18-44-0050 | PISTON AND ROD ASSEMBLY, H.P. SIDE, FOR WABCO D4 COMPRESSOR UNIT. | EA | 485 | 427 | 200 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0578942 | | | | |
| 4071 | 18-44-0052 | BY-PASS, TUBE, FOR WABCO D-3 AIR COMP. # 576272, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578866 | | | | |
| 4072 | 18-44-0054 | SPACER, U/W D-3 COMPRESSOR #576272, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578318 | | | | |
| 4073 | 18-44-0056 | STOP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578300 | | | | |
| 4074 | 18-44-0060 | SPACER, FOR D-3 AIR COMP. UNIT WABCO #576272 R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578297 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4075 | 18-44-0062 | SLEEVE, INSULATION, FOR D-3 AIR COMPRESSOR UNIT WABCO #576272, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577217 | | |
| 4076 | 18-44-0063 | LEAD, MOTOR FOR WABCO TYPE D-3 AIR COMPRESSOR UNIT #576272 R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577191 | | |
| 4077 | 18-44-0066 | RIVET, POP, FOR D-3 AIR COMPRESSOR WABCO#577008, R-44 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576435 | | |
| 4078 | 18-44-0078 | LEAD, 17" U/W WABCO #577181-3150 S-20A COMPRESSOR GOVERNOR, R44 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577197 | | |
| 4079 | 18-44-0080 | CONDUIT, 9", U/W WABCO #577181-3150 S-20A COMPRESSOR GOVERNOR, R44 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570857 | | |
| 4080 | 18-44-0082 | CONDUIT, 5 1/4" U/W WABCO #577181-3150 S-20A COMPRESSOR GOVERNOR, R44 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570858 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4081 | 18-44-0084 | WASHER, LOCK, 5/16", U/W #576272 D-3 COMPRESSOR, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576144 | | | | |
| 4082 | 18-44-0087 | TEE, REDUCING 3/8" X 1/4" X 1/4" FOR WABCO D-3 COMPRESSOR R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 64834 | | | | |
| 4083 | 18-44-0088 | NIPPLE, PIPE, 1/4"X7/8" FOR D-3 AIR COMP. UNIT WABCO #576272, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 530556 | | | | |
| 4084 | 18-44-0089 | PLUG, PIPE, 3/8" FOR D-3 AIR COMP. UNIT WABCO #576272, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 522768 | | | | |
| 4085 | 18-44-0092 | WASHER, COPPER 1-1/6", FOR WABCO D-3 AIR COMP. & MOTOR PORTION #577008 R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577904 | | | | |
| 4086 | 18-44-0094 | PLUG, SUPPLY RESERVOIR 1/2" CENTER "A" SIDE, U/W UNDER FRAME EQUIP D.C. | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4092 | 18-44-0121 | STUD, 3/8"X 1-1/4" LONG, FOR "D3" AIR COMPRESS OR MOTOR ASSEMBLY, R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 571498 | | | | | | | |
| 4093 | 18-44-0123 | SLEEVE, 4" INSULATION, U/W D-3 COMPRESSOR, R46 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 577218 | | | | | | | |
| 4094 | 18-44-0124 | SLEEVE, 3" INSULATION, U/W D-3 COMPRESSOR, R46 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 577219 | | | | | | | |
| 4095 | 18-44-0504 | VALVE, STOP, CHECK, FOR WABCO "B1" VAPOLEX AIR DRYER ASSY. #574842 R-44 | EA | | 00 | | 00 | | 00 |
| | | CARS | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576271 | | | | | | | |
| 4096 | 18-44-0507 | COVER, TOP, FOR WABCO "B1" VAPOLEX AIR DRYER ASSY. #574842, R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576270 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4097 | 18-44-0508 | ELEMENT, FILTER, F/VAPOLEX AIR DRYER #574842 ON TYPE D-3 AIR COMPRESSOR R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575915 | | | | |
| 4098 | 18-44-0510 | COVER, VALVE FOR WABCO "B1" VAPOLEX AIR DRYER ASSY. #574842 R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574855 | | | | |
| 4099 | 18-44-0512 | SLEEVE, FOR WABCO "B1" VAPOLEX AIR DRYER ASSY. #544842 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574852 | | | | |
| 4100 | 18-44-0514 | SPOOL, VALVE, FOR WABCO "B1" VAPOLEX AIR DRYER ASSY #544842 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574853 | | | | |
| 4101 | 18-44-0516 | SPACER, FOR WABCO "B1" VAPOLEX AIR DRYER ASSY. #544842 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P57707 | | | | |
| 4102 | 18-44-0519 | BODY, VALVE, FOR WABCO TYPE B-1 VAPOLEX AIR DRYER, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576268 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4109 | 18-44-0617 | HOUSING, DIAPHRAGM, BOTTOM, FOR WABCO TYPE N-3-E MAGNET VALVE #576683, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576686 | | | | |
| 4110 | 18-44-0620 | RING, RETAINING, 1-7/8", FOR WABCO C-3 DECELOSTAT VALVE #576997, R44 CARS | EA | 400 | 370 | 210 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 544134 | | | | |
| 4111 | 18-44-0622 | SPRING, CHECK VALVE, FOR WABCO C-3 DECELOSTAT VALVE #576997, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 552190 | | | | |
| 4112 | 18-44-0623 | VALVE, CHECK, FOR WABCO "C-3 DECELOSTAT VALVE #576997, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577228 | | | | |
| 4113 | 18-44-0624 | HOUSING, CHECK VALVE, FOR WABCO "C-3 DECELOSTAT VALVE #576997, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577013 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4114 | 18-44-0626 | BRACKET ASSEMBLY, PIPE, FOR WABCO "C-3 D ECELOSTAT VALVE #576997, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577017 | | | | |
| 4115 | 18-44-0627 | PAD, BLANKING, FEED VALVE, R44 - CAR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576705 | | | | |
| 4116 | 18-44-0628 | BRACKET, PIPE FOR WABCO TYPE G4B & G4C BRAKE UNIT, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 580274 | | | | |
| 4117 | 18-44-0630 | BODY, MAGNET, FOR WABCO TYPE N-3-D MAGNET VALVE #576682 R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577334 | | | | |
| 4118 | 18-44-0632 | COVER, LONG, CONDUIT, FOR WABCO GB-4 & G4C TYPE OPERATING UNITS R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576835 | | | | |
| 4119 | 18-44-0633 | COVER, SMALL CONDUIT, FOR WABCO G-4B & G-4C TYPE OPERATING UNIT, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576838 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4120 | 18-44-0634 | NUT, RETAINER, FOR WABCO "G4-B" OPERATING UNIT ASSEMBLY #576538 & UNIT "G-4-C #5 76541, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 572132 | | | | |
| 4121 | 18-44-0636 | BRACKET, PIPE, COMPLETE FOR WABCO "G-4-B" & "G-4-C" OPERATING UNIT ASSEMBLY #576 538 & 576541, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576678 | | | | |
| 4122 | 18-44-0637 | STUD, 5/8" X2-3/4", FOR WABCO G-4B &G-4C OPERATING UNITS, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 99627 | | | | |
| 4123 | 18-44-0638 | STUD, 1/2"X2-3/4", FOR WABCO G-4B & G-4C OPERATING UNIT, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 96184 | | | | |
| 4124 | 18-44-0639 | STUD, 1/2"X 6-1/8", FOR WABCO G-48 &G4-C OPERATING UNITS, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 500480 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 4125 | 18-44-0640 | STUD, 1/2 X 2-1/4" FOR GRB-2 BRAKE SYSTEM C-1 AIR DRYER ASSEMBLY WABCO #578967, R-46 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 500424 | | | | | | | |
| 4126 | 18-44-0641 | STUD 3/8" X 3/4" FOR WABCO "N-3-E" MAGNET VALVE (WHISTLE ACTUATOR) ASSY TYPE 576 805 R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 577355 | | | | | | | |
| 4127 | 18-44-0645 | BLOCK, TERMINAL (SOCKET), U/W WABCO #576997 C-3 DECELOSTAT VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 578381 | | | | | | | |
| 4128 | 18-44-0656 | RECEPTACLE, FOR WABCO FEED BACK TRANSDUCER ASSY. #576893, R44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 574974 | | | | | | | |
| 4129 | 18-44-0658 | COVER, TOP, U/W E-1 EMERGENCY VENT VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576595 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4130 | 18-44-0661 | BODY, VALVE (INCL REF. NOS. 34A-34C) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576593 | | | | |
| 4131 | 18-44-0663 | POLE USED WITH N-1-D AND N-3-D TYPE OPERATING UNITS, R 44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575221 | | | | |
| 4132 | 18-44-0665 | BODY, MAGNET, FOR WABCO TYPE N-1-D MAGNET VALVE #576624, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576629 | | | | |
| 4133 | 18-44-0666 | COVER, VENTED U/W N-1-E TYPE MAGNET VALVES, ON G-4-B & G4-C OPERATING UNITS R 4 EA 4 CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577332 | | | | |
| 4134 | 18-44-0668 | BODY, MAGNET, FOR WABCO TYPE N-1-E MAGNET VALVE #576625, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576631 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4135 | 18-44-0672 | NUT, ADJUSTING, FOR WABCO VARIABLE LOAD VALVE #576633-1553, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577637 | | |
| 4136 | 18-44-0674 | SPRING, LARGE, FOR WABCO VARIABLE LOAD VALVE #576633-1553, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577636 | | |
| 4137 | 18-44-0678 | PIECE FILLING FOR WABCO VARIABLE LOAD VALVE #576633-1553 R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576701 | | |
| 4138 | 18-44-0679 | PLUG, CHOKE, 3/8", (1/16" DR.), FOR WABCO VARIABLE LOAD VALVE #576633-1533, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 528324 | | |
| 4139 | 18-44-0681 | SPRING, SMALL, FOR WABCO VARIABLE LOAD VALVE #576633-1553 R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577635 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4140 | 18-44-0685 | SEAT, SPRING, FOR WABCO VARIABLE LOAD VALVE #576633-1553, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577638 | | | | |
| 4141 | 18-44-0688 | CONTACT, U/W N-3-E MAGNET VALVE, R44 CARS MTCE. DATE: 051084 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 573055 | | | | |
| 4142 | 18-44-0709 | CONNECTOR, FOR WABCO PRESSURE SWITCH #578310, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578308 | | | | |
| 4143 | 18-44-0712 | MOUNTING, BRACKET, FOR WABCO PRESSURE SWITCH #578310, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578309 | | | | |
| 4144 | 18-44-0714 | BLOCK, SPACER, U/W WABCO #571631 A-1 LOAD SENSOR, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578597 | | | | |
| 4145 | 18-44-0725 | FILTER ASSEMBLY, FOR TYPE G4-B OPERATING UNIT, #576538, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 572133 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4151 | 18-44-0809 | LATCH, BRACKET, FOR TYPE A-13 ELECTRONIC OPERATING UNIT #18-441113, R44 CARS, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576650 | | | | |
| 4152 | 18-44-0812 | MOUNTING, RELAY PANEL, FOR TYPE A-13 ELECTRONIC OPERATING UNIT, #18-44-1113, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576651 | | | | |
| 4153 | 18-44-0815 | INSULATION, TERMINAL BOARD, FOR ELECTRONIC OPERATING UNIT TYPE A13, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576652 | | | | |
| 4154 | 18-44-0816 | BOARD, TERMINAL, FOR TYPE A-13 ELECTRONIC OPERATING UNIT #18-44-1113, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576653 | | | | |
| 4155 | 18-44-0817 | TRANSFORMER, FOR TYPE A-13 ELECTRONIC OPERATING UNIT #18-44-1113, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576657 | | | | |
| 4156 | 18-44-0820 | CARD, GUIDE, FOR TYPE A-13 ELECTRONIC OPERATING UNIT #18-44-1113, R44 CARS | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | S & C DIV. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO UJ-713316 | | | | |
| 4157 | 18-44-0832 | CHOKE, FILTER, FOR TYPE A-13 ELECTRONIC OPERATING UNIT #576542, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576932 | | | | |
| 4158 | 18-44-0833 | MARKER, STRIP, FOR TYPE A-13 ELECTRONIC OPERATING UNIT #18-44-1113, R44 CARS, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576795 | | | | |
| 4159 | 18-44-0834 | MARKER, STRIP, FOR TYPE A-13 ELECTRONIC OPERATING UNIT #18-44-1113, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576796 | | | | |
| 4160 | 18-44-0835 | NAME PLATE, BLANK, FOR TYPE A-13 ELECTRONIC OPERATING UNIT #18-44-1113, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 548430 | | | | |
| 4161 | 18-44-0836 | COVER, FRONT CHASSIS, FOR A-13 ELECTRONIC OPERATING UNIT #18-44-1113, | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| | | R44 CARS | | | | | | | |
| | | MCTE DATE: 051884 | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 577469 | | | | | | | |
| 4162 | 18-44-0842 | CLAMP, FOR CAPACITOR, FOR TYPE A-13 ELECTRONIC OPERATING UNIT #18-44-1113, R44 C EA | | | | 00 | | 00 | 00 |
| | | ARS | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 577358 | | | | | | | |
| 4163 | 18-44-0844 | RECEPTACLE, CONNECTOR, FOR TYPE A-13 ELECTRONIC OPERATING UNIT, #18-44-1113, R44 EA | | | | 00 | | 00 | 00 |
| | | CARS | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576662 | | | | | | | |
| 4164 | 18-44-0846 | SWITCH, DPST (JBT-ST52K), FOR TYPE A-13 ELECTRONIC OPERATING UNIT #576542, R-44 EA | | | | 00 | | 00 | 00 |
| | | CARS | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 575501 | | | | | | | |
| 4165 | 18-44-0847 | HOLDER, FUSE (3AG), FOR TYPE A-13 ELECTRONIC OPERATING UNIT #576542 R-44 EA | | | | 01 | | 00 | 00 |
| | | CARS | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 575122 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|---|-----|---------|---------|---------------|
| 4166 | 18-44-0848 | LIGHT, RED, INDICATOR, (3331) #576542, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- --- | | | | --- |
| | | N P WABCO | | | | 575101 |
| ----- | | | | | | |
| 4167 | 18-44-0854 | COVER, RELAY, FOR TYPE A-13 ELECTRONIC OPERATING UNIT #576542 R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- --- | | | | --- |
| | | N P WABCO | | | | 576668 |
| ----- | | | | | | |
| 4168 | 18-44-0857 | RECEPTACLE, CONNECTOR (MS3102E-28-16P) FOR TYPE A-13 ELECTRONIC OPERATING UNIT #576542, R44 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- --- | | | | --- |
| | | N P WABCO | | | | 576670 |
| ----- | | | | | | |
| 4169 | 18-44-0859 | RESISTOR, 330 OHMS, 3-1/4 WATTS, FOR TYPE A-13 ELECTRONIC OPERATING UNIT, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- --- | | | | --- |
| | | N P WABCO | | | | 576654 |
| ----- | | | | | | |
| 4170 | 18-44-0860 | RESISTOR, 100 OHMS, 1/2 WATT, FOR TYPE A-13 ELECTRONIC OPERATING UNIT, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- --- | | | | --- |
| | | N P WABCO | | | | 575138 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4176 | 18-44-0890 | CAPACITOR, 100 PE FOR PRINTED CIRCUIT BOARD ASSY. 576552 ON TYPE A-13 OPERATING UNIT, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576783 | | |
| 4177 | 18-44-0891 | CAPACITOR, 2200 PE FOR PRINTED CIRCUIT BOARD ASSY. 576552 ON TYPE A-13 OPERATING UNIT, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576784 | | |
| 4178 | 18-44-0898 | PLATE, IDENTIFICATION, FOR TYPE A-13 ELECTRONIC OPERATING UNIT, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576664 | | |
| 4179 | 18-44-0904 | CIRCUIT BOARD, PRINTED, COMPLETE, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577778 | | |
| 4180 | 18-44-0905 | CIRCUIT BOARD, PRINTED, COMPLETE, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577779 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4181 | 18-44-0913 | DIODE, ZENER, FROM ZENER DIODE #IN4737A, FOR 7.5V + - 1% AT 34 MA TEST CURRENT, U/ON AL-A13 PRINTED CIRCUIT BD. #576587 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578424 | | | | |
| 4182 | 18-44-0914 | CAPACITOR, 1 MFD, TRW FOR PRINTED CIRCUIT BOARD ASSY 576552 ON TYPE A-13 OPERATI NG UNIT, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576786 | | | | |
| 4183 | 18-44-0916 | TRANSISTOR, FET, 2N 4220 FOR PRINTED CIRCUIT BOARD ASSY. TYPE A-13 OPERATING UNIT. R-44 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576788 | | | | |
| 4184 | 18-44-0919 | RESISTOR, 39.2 KILOHMS, 1/2 WATT. 1% TOL. FOR PRINTED CIRCUIT BOARD #577778, R44 CARS, IRC-CEC-T-O | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577783 | | | | |
| 4185 | 18-44-0923 | RESISTOR, 6.81 KILOHMS, 1/2 WATT, 1% TOL. FOR PRINTED CIRCUIT BOARD, R44 CARS IRC-CEC-T-O | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577782 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 4186 | 18-44-0927 | SEAT, USED WITH HANDLE RETAINING PIN ASSEMBLY USED ON INDEPENDENT VALVE PORTION | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 575795 | | | | | | | |
| 4187 | 18-44-0933 | P.C. BOARD, U/W WABCO #576552 P.C. BOARD, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO A576780 | | | | | | | |
| 4188 | 18-44-0935 | POINT, TEST, TYPE 430 RED, FOR WABCO PRINTED CIRCUIT BOARD #576587, R44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO UJ-713315 | | | | | | | |
| 4189 | 18-44-0937 | P.C. BOARD, U/W WABCO #576542 P.C. BOARD, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO A576781 | | | | | | | |
| 4190 | 18-44-0940 | P.C. BOARD, U/W P.C. BOARD WABCO #576587, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO A576782 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4191 | 18-44-0943 | LUG, TURRET, U/W P.C. BOARD WABCO #577779, R44 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | UJ714090 | | |
| 4192 | 18-44-1107 | VALVE SHUT-OFF, FOR WALTON ELECTROPNEUMATIC CONTROL BOX FOR #1 END " A" CARS DWG . #P-1853, SHT. #1 R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0572795 | | |
| 4193 | 18-44-1108 | VALVE, PRESSURE RELIEF, FOR OHIO BRASS FORM 70 COUPLER CENTERING DEVICE ASSY. #5 3877-3001, R44 & UP CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 637-B-4 3/8 | | |
| 4194 | 18-44-1109 | "24-C" DOUBLE CHECK VALVE PORTION, COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0561520-PT | | |
| 4195 | 18-44-1110 | BODY, FOR WABCO 3/4" CHECK VALVE ASSY. #520456, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 520457 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4196 | 18-44-1111 | CHECK VALVE ASSEMBLY, FOR TYPE G4-B OPERATING UNIT #576538 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0575253 | | |
| 4197 | 18-44-1112 | ASSEMBLY, RELEASE VALVE PORTION, FOR WABCO TYPE C-3 VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533334 | | |
| 4198 | 18-44-1114 | SEAT, CHECK VALVE FOR WABCO DOUBLE CHECK VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0561521-PT | | |
| 4199 | 18-44-1116 | BODY, DOUBLE CHECK VALVE, U/W 24-C DOUBLE CHECK, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561518 | | |
| 4200 | 18-44-1119 | COVER, VALVE, CHECK, FOR WABCO CHECK VALVE ASSY. #575253, R-44 CARS | EA | 04 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 575256 | | |
| 4201 | 18-44-1120 | SPRING, VALVE CHECK, FOR W.A.B. #575253 CHECK VALVE | EA | 500 | 390 | 200 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 539728 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4202 | 18-44-1121 | HOUSING, VALVE, CHECK, FOR WABCO CHECK VALVE ASSY. #575253, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575255 | | | | |
| 4203 | 18-44-1122 | BODY, VALVE, CHECK U/W CHARGING CHECK VALVE, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575254 | | | | |
| 4204 | 18-44-1124 | COVER, TOP, FOR WABCO RELEASE VALVE PORTION ASSY. #533334, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533331 | | | | |
| 4205 | 18-44-1125 | SPRING, PISTON, FOR WABCO RELEASE VALVE PORTION ASSY. #533334, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569160 | | | | |
| 4206 | 18-44-1126 | PISTON ASSEMBLY, FOR WABCO RELEASE VALV E PORTION #533334, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 520320 | | | | |
| 4207 | 18-44-1135 | PISTON, RING, (STANDARD & 1ST REPAIR,) FOR WABCO #533334 RELEASE VALVE, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 504236 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4208 | 18-44-1138 | VALVE, 3/8", DOUBLE CHECK, WITH FLUTED VALVE ASSEMBLY, FOR WABCO G4-B OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577998 | | | | |
| 4209 | 18-44-1139 | VALVE, SEAT, CHECK, FOR 3/8" #24-C DOUBLE CHECK VALVE W/FLUTED VALVE #577998, R4 EA 4 CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577999 | | | | |
| 4210 | 18-44-1140 | SCREW, SPLINE, #6 X 1/2" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577045 | | | | |
| 4211 | 18-44-1141 | VALVE, FLUTED, FOR 3/8" #24-C DOUBLE CHECK VALVE W/FLUTED VALVE #577998, R44 CAR EA S | | 18 | 08 | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569115 | | | | |
| 4212 | 18-44-1198 | SCREW, 5/16 X 3/4" HEX HD, U/W WABCO #577998 DOUBLE CHECK VALVE, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 572721 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4213 | 18-44-1303 | ASSEMBLY, SELECTOR COCK, FOR TYPE G-4-B OPERATING UNIT ASSEMBLY #576538 TYPE G-4 EA -C OPERATING UNIT ASSEMBLY, #576541 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 577210 | | | | |
| 4214 | 18-44-1306 | CUTOOUT COCK, 3/4" BALL, FOR WABCO G4B OPERATING UNIT, R-44 CARS | EA | 01 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 572460 | | | | |
| 4215 | 18-44-1308 | PIN, 3/16"X1-5/8", FOR CUT-OUT COCK 1" VENTED W/ 1/4" SIDE VENT WABCO #569296, R EA -44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 26952 | | | | |
| 4216 | 18-44-1309 | PIN, 1/8" X 1-1/4" F/SELECTOR COCK WABCO #577210 R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 84430 | | | | |
| 4217 | 18-44-1311 | KEY, FOR WABCO SELECTOR COCK #577210 R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 577279 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4218 | 18-44-1312 | BODY, FOR SELECTOR COCK, W.E. #577210, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577278 | | | | |
| 4219 | 18-44-1313 | BALL, FOR BALL CUT-OUT COCK, 3/4" FULL PORT, R-44 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574272 | | | | |
| 4220 | 18-44-1314 | STEM, FOR WABCO 3/4" "B911" CUT-OUT COCK #572465, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0574276 | | | | |
| 4221 | 18-44-1315 | KIT, RUBBER PARTS, FOR WABCO BALLCUT-OUT COCK 3/4- #FULL PORT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574161 | | | | |
| 4222 | 18-44-1316 | DISC, FOR WABCO BALL CUT-OUT COCK FULL PORT #572465, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0574493 | | | | |
| 4223 | 18-44-1317 | SPRING, FOR WABCO 3/4" "BA11" CUT-OUT COCK #572465, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0574488 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4224 | 18-44-1319 | WASHER, LOCK, .314" I.D., CAD. PLT., FORGRB-2 BRAKE SYSTEM BALLCOCK 3/8", WABCO #572468, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0574394 | | | | |
| 4225 | 18-44-1320 | HANDLE, FOR WABCO 3/8" BALL CUT-OUT COCK #572463, R44 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574282 | | | | |
| 4226 | 18-44-1321 | NUT, HEX. HEAD, FOR #10 SCREW | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574393 | | | | |
| 4227 | 18-44-1323 | STEM, FOR GRB-2 BRAKE SYSTEM COCK, BALL 3/8" WABCO #572468, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0574275 | | | | |
| 4228 | 18-44-1325 | DISC, FOR GRB-2 BRAKE SYSTEM, COCK BALL 3/8" WABCO #572468, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0574491 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4229 | 18-44-1326 | SPRING, FOR GRB-2 BRAKE SYSTEM, BALL-COCK 3/8", WABCO #572468, R-46 CARS, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0574486 | | | | |
| 4230 | 18-44-1327 | HANDLE, FOR WABCO 1/2" BALL CUT-OUT COCK #572476, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574287 | | | | |
| 4231 | 18-44-1329 | HANDLE, FOR WABCO 1" VENTED BALL CUT-OUT-COCK. #576030, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576529 | | | | |
| 4232 | 18-44-1330 | BALL, FOR WABCO 1" VENTED BALL CUT-OUT-COCK, #576030, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0576527 | | | | |
| 4233 | 18-44-1331 | KIT, RUBBER PARTS, FOR WABCO 1" VENTED BALL CUT-OUT-COCK #576030, R-44 CARS | EA | 52 | 67 | 30 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0576528 | | | | |
| 4234 | 18-44-1335 | KIT, RUBBER PARTS, FOR WABCO 3/4" BALL CUT-OUT COCK ASSY. #572460, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574160 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4235 | 18-44-1336 | DISC, FOR WABCO 3/4" BALL CUT-OUT COCK ASSY. #572460, R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 574492 | | | | | | | |
| 4236 | 18-44-1337 | SPRING, FOR WABCO 3/4" BALL CUTOUT COCK ASSY #572460, R44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 574487 | | | | | | | |
| 4237 | 18-44-1356 | BUSHING BODY, U/W BRANCH PIPE TEE W/CHECK VALVE AND FLANGE FITTING WABCO | EA | | 00 | | 00 | | 00 |
| | | 3216-2 SUP. 9A, R33 W | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0520459 | | | | | | | |
| 4238 | 18-44-1404 | KIT, HANDBRAKE RIGGING KIT, COMPLETE, FOR WABCO GR-90 TREAD BRAKE UNIT, R44 | EA | | 00 | | 00 | | 00 |
| | | CARS | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576802 | | | | | | | |
| 4239 | 18-44-1410 | BRACKET, LOW FORCE, FOR HANDBRAKE RIGGING KIT U/W TYPE GR-90 TREAD BRAKE | EA | | 00 | | 00 | | 00 |
| | | UNIT. | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 577347 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4240 | 18-44-1413 | BRACKET, HIGH FORCE, USED WITH HANDBRAKERIGGING KIT FOR GR-90 TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577357 | | |
| 4241 | 18-44-1415 | HANGER, FOR TYPE GR-90-L TREAD BRAKE UNIT ASSEMBLY | EA | 02 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576750 | | |
| 4242 | 18-44-1416 | HEAD, BRAKE, FOR TYPE GR-90-L TREAD BRAKE UNIT ASSEMBLY | EA | 00 | 08 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576754 | | |
| 4243 | 18-44-1417 | LEVER, CYLINDER ASSEMBLY, FOR TYPE GR-90-L TREAD BRAKE UNIT ASSY. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576729 | | |
| 4244 | 18-44-1418 | BODY, UNIT, FOR TYPE GR-90-L TREAD BRAKE UNIT ASSY. | EA | 01 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576723 | | |
| 4245 | 18-44-1419 | HANGER, F/TYPE GR-90-R TREAD BRAKE UNIT ASSY. | EA | 05 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576748 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4246 | 18-44-1420 | LEVER, CYLINDER, ASSY, FOR GR-90-R AND GR-90-HR TREAD BRAKE UNIT, R 44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576727 | | | | |
| 4247 | 18-44-1421 | BODY, UNIT, FOR TYPE GR-90-R TREAD BRAKE UNIT ASSY. | EA | 02 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576721 | | | | |
| 4248 | 18-44-1422 | BOOT, DUST, FOR TYPE GR-90-HR TREAD BRAKE UNIT ASSEMBLY | EA | 98 | 48 | 04 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 570901 | | | | |
| 4249 | 18-44-1423 | HANDBRAKE, ASSEMBLY, FOR TYPE GR-90-HR TREAD BRAKE UNIT ASSY | EA | 04 | 04 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576758 | | | | |
| 4250 | 18-44-1424 | LEVER, HANDBRAKE, FOR TYPE GR-90-HR TREAD BRAKE UNIT ASSY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 565851 | | | | |
| 4251 | 18-44-1425 | FULCRUM, FOR TYPE GR-90-HR TREAD BRAKE UNIT ASSY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576623 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4252 | 18-44-1426 | COVER, TOP, FOR TYPE GR-90-L AND GR-90-R TREAD BRAKE UNIT ASSY. | EA | 02 | 02- | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576770 | | |
| 4253 | 18-44-1428 | HEAD, BRAKE SHOE, FOR GR-90R & GR-90 TREAD BRAKE UNIT | EA | 05 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576752 | | |
| 4254 | 18-44-1429 | WASHER, FLAT, FOR TYPE GR-90 TREAD BRAKE UNIT STEEL, ZINC PLATED, YELLOW | EA | 12,180 | 11,652 | 1,585 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0576818 | | |
| | N | P | WABCO | 576818 | | |
| 4255 | 18-44-1430 | SPRING, POSITIONING, USED WITH GR-90 TREAD BRAKE UNIT | EA | 583 | 517 | 296 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576757 | | |
| 4256 | 18-44-1433 | SCREW, SLACK ADJUSTER, FOR #GR90 TREAD BRAKE UNIT, R44 CARS | EA | 05 | 07 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576746 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 4257 | 18-44-1434 | BOLT, HEX. HEAD, 5/8"X5-7/8, FOR TYPE GR-90 TREAD BRAKE UNIT ASSY. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576948 | | | | | | | |
| 4258 | 18-44-1436 | RETAINER, CYLINDER PIN, FOR TYPE GP75-HL, HR, L & R TREAD BRAKE UNITS | EA | | 245 | | 90 | | 145 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 574385 | | | | | | | |
| 4259 | 18-44-1437 | CYLINDER, ACTUATOR, 30 SQ. IN., USED ON GR-90 TREAD BRAKE UNIT (WABCO 588462). | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576726 | | | | | | | |
| 4260 | 18-44-1440 | BACK COVER, ASSY, CONSISTING OF A COVER MANUAL, SLACK ADJUSTER NUT ASSY, & " O" RING, FOR GR-90 TREAD BRAKE UNIT, R 44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576761 | | | | | | | |
| 4261 | 18-44-1441 | COVER, BACK, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | | 03 | | 01 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576760 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4262 | 18-44-1442 | RING, RETAINER F/TYPE GR-90 TREAD BRAKE UNIT | EA | | 846 | | 258 | | 435 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0670954-0188 | | | | | | | |
| 4263 | 18-44-1443 | ROLLER, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 577221 | | | | | | | |
| 4264 | 18-44-1444 | PIN, ROLLER, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576803 | | | | | | | |
| 4265 | 18-44-1445 | NUT, SLACK ADJUSTER FOR TYPE GR-90 TREAD BRAKE UNIT, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576762 | | | | | | | |
| 4266 | 18-44-1447 | PIN, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | | 00 | | 00 | | 10 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576764 | | | | | | | |
| 4267 | 18-44-1448 | RING, DRIVE, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576763 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4268 | 18-44-1451 | SPACER, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577339 | | |
| 4269 | 18-44-1454 | DRIVER, STEM, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | 255 | 101 | 145 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576739 | | |
| 4270 | 18-44-1455 | PIN, ROLLER, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | 295 | 86 | 145 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576741 | | |
| 4271 | 18-44-1456 | CRANK, BELL, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576740 | | |
| 4272 | 18-44-1457 | DETENT, SPRING, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | 245 | 86 | 145 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576737 | | |
| 4273 | 18-44-1458 | PIN, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | 00 | 00 | 20 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576742 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4274 | 18-44-1459 | LINK, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | 00 | 08 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576743 | | |
| 4275 | 18-44-1460 | STEM, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | 242 | 50 | 25 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576738 | | |
| 4276 | 18-44-1461 | RING, SLACK ADJUSTER, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576736 | | |
| 4277 | 18-44-1462 | BEARING, FULCRUM PIN, FOR TYPE GR-90 TREAD BRAKE UNITS | EA | 255 | 86 | 145 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577190 | | |
| 4278 | 18-44-1463 | WIRE, LOCK, FOR TYPE GR-90 TREAD BRAKE UNIT, WABCO #570952 | EA | 05 | 05 | 176 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570952 | | |
| 4279 | 18-44-1464 | PIN, CYLINDER LEVER, FULCRUM, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | 09 | 55 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576731 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4280 | 18-44-1465 | PLUG, PIPE, 1", FOR TYPE GR-90 TREAD BRAKE UNIT | EA | 64 | 20 | 05 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 66596 | | |
| 4281 | 18-44-1466 | SCREW, SET, SOCKET HEAD, FOR TYPE GR90 TREAD BRAKE UNIT | EA | 48 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576828 | | |
| 4282 | 18-44-1468 | PIN, CYLINDER, 1/8" X 3/4", FOR TYPE GR-90 TREAD BRAKE UNIT | EA | 577 | 187 | 298 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0545127 | | |
| 4283 | 18-44-1469 | CAM, POSITIONING, BRAKE HEAD SPRING, FORTYPE GR-90 TREAD BRAKE UNIT | EA | 54 | 04 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577227 | | |
| 4284 | 18-44-1471 | RETAINER, FOR SLACK ADJUSTER, ON GR-90 THREAD BRAKE UNIT R40 TO R44 CARS | EA | 80 | 43 | 04 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577572 | | |
| 4285 | 18-44-1472 | NUT, FOR SLACK ADJUSTER, ON GR-90 THREAD BRAKE UNIT | EA | 57 | 09 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577240 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4286 | 18-44-1474 | BRACKET, FOR GR-90 THREAD BRAKE UNIT, R40 TO R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577222 | | |
| 4287 | 18-44-1475 | WASHER, LOCK, 3/8" SPECIAL, FOR WABCO GR90 TREAD BRAKE UNIT, R40 CARS | EA | 245 | 87 | 145 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577223 | | |
| 4288 | 18-44-1508 | RECEPTACLE, MAGNET VALVE, FOR WABCO "G-4-B" & "G-4-C" OPERATING UNIT ASSY. #5765 38 & 576541, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576695 | | |
| 4289 | 18-44-1668 | BUSHING, SLACK ADJUSTER, SCREW, F/R62 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 559611 | | |
| 4290 | 18-44-1800 | COUPLER, MECHANICAL, COMPLETE, FOR OHIO BRASS FORM 70 COUPLER R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53895-3001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 4291 | 18-44-1801 | HEAD, COUPLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53878-3001 | | | | | | | |
| 4292 | 18-44-1809 | COUPLER HEAD, FOR FORM 70 COUPLER HEAD ASSY, R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53862-4001 | | | | | | | |
| 4293 | 18-44-1810 | ASSEMBLY, CAM R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53931-3001 | | | | | | | |
| 4294 | 18-44-1813 | CLEVIS, BUSHING, FOR FORM 70 COUPLER HEAD ASSY, R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53932-4007 | | | | | | | |
| 4295 | 18-44-1814 | ELBOW, FORM 70 COUPLER HEAD ASSY, R44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53882-4001 | | | | | | | |
| 4296 | 18-44-1815 | ELBOW, FOR FORM TO COUPLER HEAD ASSLY, R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53883-4001 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4302 | 18-44-1821 | SPRING, LEAF, FOR FORM 70 COUPLER HEAD ASSY, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53886-4001 | | |
| 4303 | 18-44-1823 | PIPE, 1" EXTRA HEAVY, FOR FORM 70 COUPLER HEAD ASSY R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53887-4002 | | |
| 4304 | 18-44-1824 | CAM, UPPER, PIN BUSHING, FOR FORM 70 COUPLER HEAD ASSY, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53932-4001 | | |
| 4305 | 18-44-1825 | CAM, LOWER, PIN BUSHING, FOR FORM 70 COUPLER HEAD ASSY, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53932-4002 | | |
| 4306 | 18-44-1826 | BUSHING, AIR COUPLING, FOR OHIO BRASS FORM 70 COUPLER, R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53890-4001 | | |
| 4307 | 18-44-1827 | ELBOW, 90 DEG, FOR FORM 70 COUPLERHEAD ASSY R44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 10-4121 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4308 | 18-44-1828 | SPRING, AIR COUPLING, FOR OHIO BRASS FORM 70 COUPLER-HEAD ASSY REF DWG 53895 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53891-4002 | | | | | | | |
| 4309 | 18-44-1830 | FITTING, 1/8 ALEMITE, FOR FORM 70 COUPLER HEAD ASSY, R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 11-4315 | | | | | | | |
| | | N D WABCO 53895 | | | | | | | |
| 4310 | 18-44-1831 | PIN COUPLER CAM R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 79055-4229 | | | | | | | |
| 4311 | 18-44-1833 | HOOK ASSEMBLY, U/O R44 COUPLER HEAD | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53879-3001 | | | | | | | |
| 4312 | 18-44-1835 | BUSHING, FOR FORM 70 COUPLER HEAD ASSY, R-44 CARS | EA | | 58 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 24578-4001 | | | | | | | |
| | | N D WABCO 53895 REF. | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|------------|-----|----------------------------------|-----|-----|-----|-----|
| 4313 | 18-44-1836 | ROLLER, FOR FORM 70 COUPLER HEAD ASSY, R-44 CARS | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 53879-4001 | | | | |
| | N | D | WABCO | | 53895 REF. | | | | |
| 4314 | 18-44-1837 | RIVET, COUNTERSUNK, 1/2" X 3-1/4", FOR FORM 70 COUPLER HEAD ASSY, R-44 CARS | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | **** PART NO. NOT AVAILABLE **** | | | | |
| | N | D | WABCO | | 4-4460 | | | | |
| 4315 | 18-44-1838 | #LEVER, MANUAL RELEASE, FOR OHIO BRASS FORM 70 COUPLER HEAD ASSY. 53895 FIG. PG.2 PG.4, R44 CARS | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 53881-3001 | | | | |
| 4316 | 18-44-1844 | ASSEMBLY, UNCOUPLING CYLINDER COMPLETE, FOR FORM 70 COUPLER HEAD ASSY. COMP. TYPE 54062, R44 CARS | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 53880-3001 | | | | |
| 4317 | 18-44-1845 | CYLINDER, U/W FORM 70-UNCOUPLING CYL ASSY., R44 CARS | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 53912-4001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4318 | 18-44-1846 | CYLINDER HEAD, U/W OHIO BRASS #53880-3001 UNCOUPLING ASSY, FORM #70, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53913-4001 | | | | |
| 4319 | 18-44-1847 | BRACKET, MOUNTING, FOR OHIO BRASS FORM 70 COUPLER UNCOUPLING CYLINDER ASSY., 53878 FIG. P3 PG.6, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53914-4001 | | | | |
| 4320 | 18-44-1848 | SHAFT, FOR UNCOUPLING ASSY #53880-3001, FORM #7, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53915-4001 | | | | |
| 4321 | 18-44-1849 | GUIDE, PISTON, U/W FORM 70-UNCOUPLING CYLINDER ASSY, R44 CARLINDER ASSY, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53916-4001 | | | | |
| 4322 | 18-44-1850 | NUT, BRASS, PISTON CUP, FOR FORM #70 COUPLER, PC #54062 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53917-4001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|--|-----|---------|---------|---------------|
| 4323 | 18-44-1852 | CUP, PISTON, FR OHIO BRASS FORM 70 #53878, FIG. P3, PG. 6, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 51669-4006 |
| ----- | | | | | | |
| 4324 | 18-44-1854 | BUSHING, SHAFT, FOR OHIO BRASS FORM 53878 FIG. P3 PG.6, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | #7-4127 |
| ----- | | | | | | |
| 4325 | 18-44-1855 | BUSHING, MOUNTING STUD U/W UNCOUPLING R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 53932-4005 |
| ----- | | | | | | |
| 4326 | 18-44-1898 | CONNECTOR, PLUG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 576699 |
| ----- | | | | | | |
| 4327 | 18-44-1899 | CONNECTOR, PLUG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 576700 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4328 | 18-44-2000 | PIN, SUPPLY SPRING, FOR AUX. VALVE, BRASS .081 X 5/8" | EA | 10 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1056 | | |
| 4329 | 18-44-2100 | PIN, USED WITH WAB CO. GOVERNOR, TYPE S-16 DOWEL, 1/8 IN. X 1/4 IN. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 3578 | | |
| 4330 | 18-44-2105 | PIN, F/WABCO 1/2 COCK ON AB TEST RACK MTCE: 062382 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 26917 | | |
| 4331 | 18-44-2106 | PIN, F/WABCO 3/4 COCK ON AB TEST RACK. MTCE: 062382 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 26918 | | |
| 4332 | 18-44-2275 | NUT, SELF LOCKING, 1/4", U/W MOTOR & FAN, R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570212 | | |
| 4333 | 18-44-2300 | PIN, GUIDE, SWITCH PISTON, U/W WABCO ELECT COMPRESSOR, TYPE S-16 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 16955 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4334 | 18-44-2400 | PIN, CYLINDRICAL SPRING, 0.064 OD X 3/4 IN. LONG, STAINLESS STEEL | EA | 20 | 70 | 45 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 26893 | | |
| 4335 | 18-44-2401 | AIR GAUGE, 3-1/2" DUPLEX, FOR MOTORMANS CONSOLE, #1 END, "A" CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | A-576930 | | |
| | N | D | WABCO | A-84819 | | |
| 4336 | 18-44-2402 | ASSEMBLY, WHISTLE ACTUATOR, FOR ON G-4-B & G-4-C OPERATING UNITS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576805 | | |
| 4337 | 18-44-2404 | BRACKET, ASSEMBLY, PIPE, INCLUDES TWO 3/8" X 3 -1/4", USE WITH N-3-E MAGNET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576830 | | |
| 4338 | 18-44-2406 | HOUSING, CONNECTOR FOR WABCO TYPE N-3-E MAGNET VALVE (WHISTLE ACTUATOR) #576805 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577327 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4339 | 18-44-2408 | LEAD, 6 IN. FOR WABCO "N-3-E" MAGNET VALVE (WHISTLE ACTUATOR) ASSY. TYPE 576805, R44 CARS, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 577317 | | | | | | | |
| 4340 | 18-44-2409 | LEAD, 8 IN. FOR WABCO " N-3-E" MAGNET VALVE (WHISTLE ACTUATOR) ASSY. TYPE 576 805, R44 CARS, WABCO #577318 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 577318 | | | | | | | |
| 4341 | 18-44-2415 | HOUSING, DIAPHRAGM, BOTTOM, FOR WABCO TYPE N-3-E MAGNET VALVE (WHISTLE ACTUATOR) #576805, R44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 576814 | | | | | | | |
| 4342 | 18-44-2416 | DIAPHRAGM, FOR WAB TYPE N3D MAGNET VALVE PORTION ASSY. #576682 | EA | | 20 | | 32 | | 90 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 576688 JOB#19022 | | | | | | | |
| 4343 | 18-44-2418 | HOUSING, DIAPHRAGM, TOP, FOR WAB TYPE N3D MAGNET VALVE PORTION ASSY. #576682 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 576684 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4344 | 18-44-2420 | COVER, U/W N-1-D N-3-D, & N-3-E TYPE OPERATING UNITS R-44 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576626 | | | | |
| 4345 | 18-44-2421 | SEAL, 1-1/8- #O.D., FOR WAB TYPE N3E MAGNET VALVE, #576805 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 72989 | | | | |
| 4346 | 18-44-2422 | PLATE, FLUX U/W N-1-D, N3-D, N3-E & N1-E MAGNET VALVES, ON G4-B & G4-C OPERATING UNITS R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 582992 | | | | |
| 4347 | 18-44-2427 | ARMATURE, FOR WABCO TYPE N3E MAGNET VALVE PORTION, #576683, FOR R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575785 | | | | |
| | | N D NYCTA 2X-6809 LAT ISSUE | | | | |
| 4348 | 18-44-2428 | COVER, USED WITH N-1-D, N-3-D AND N-3-E MAGNET VALVES, ON G-4-B AND G-4-C OPERAT ING UNITS, R-44 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575220 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4349 | 18-44-2429 | SHIM, .005", FOR WABCO TYPE N3E MAGNET VALVE PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575224 | | | | |
| 4350 | 18-44-2430 | SHIM, .002" FOR TYPE N-3-E MAGNET VALVE PORTION, #576683 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576487 | | | | |
| 4351 | 18-44-2432 | PLUNGER, USED WITH N-1-E AND N-3-E MAGNET VALVES, ON G-4-E AND G-4-C OPERATING UNITS, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575751 | | | | |
| 4352 | 18-44-2435 | VALVE, COMPLETE, FOR TYPE N-3-E MAGNET VALVE PORTION, #576683 | EA | 650 | 292 | 340 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575802 | | | | |
| 4353 | 18-44-2437 | SEAT, VALVE, USED WITH N-1-E, N-3-E MAGNET VALVE, ON G-4-B AND G-4-C OPERATING UNITS, R-44 CARS | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | Y P WABCO 575750 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 4354 | 18-44-2439 | BUSHING, EXHAUST, USED WITH N-1-E, OPERATING UNIT, R-44 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 577180 |
| 4355 | 18-44-2442 | BODY, MAGNET VALVE, FOR WABCO TYPE #576805, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 577336 |
| 4356 | 18-44-2446 | PIN, CYLINDER SPRING 1/16" X 5/8", USED WITH N-1-D, N-1-E, N-3-D AND N-3-E MAGNET VALVES, ON G-4-B AND G-4-C OPERATING UNITS, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 550673 |
| 4357 | 18-44-2447 | CONTACT BLOCK ASSEMBLY, CONSISTS OF TWO SPECIAL BLOCKS, USED WITH N-1-D, N-1-E, N-3-D AND N-3-E MAGNET VALVES, ON G-4-B AND G-4-C OPERATING UNITS. R-44 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 578295 |
| 4358 | 18-44-2450 | PIN, USED WITH WAB CO. VARIABLE LOAD VALVE, TYPE A-1 PISTON, STRUT CYLINDER STEEL, .121 IN. X 1 IN. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 26944 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4359 | 18-44-2451 | STRAINER, "OB-1, 3/8" W/3/32" CHOKE CENTER, "B" SIDE, FOR WABCO ELECTRONIC PNEUMATIC BRAKE VALVE, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 576832 | | | | |
| 4360 | 18-44-2463 | FASTENER, SELF TAP, RD. HD. #6X1/4" STL. FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0553576 | | | | |
| 4361 | 18-44-2475 | PIN, HANDLE, STEEL, 5/16" X 7/8", U/W WAB WHISTLE VALVE W/3/8" WABCOTITE SWEAT FITTINGS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 27099 | | | | |
| 4362 | 18-44-2490 | SPRING, DIAPHRAGM, U/W N-3-D MAG. VALVE WABCO #576682 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 514790 | | | | |
| 4363 | 18-44-2491 | VALVE, UY/W N-3-E MAGNET VALVE, R44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 572802 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4364 | 18-44-2494 | VARISTOR, U/W N-3-E MAGNET. R44 CARS | EA | 00 | 04 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 581138 | | |
| 4365 | 18-44-2496 | BODY, U/W N-3-E MAGNET, R44 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577366 | | |
| 4366 | 18-44-2497 | SCREW, FIL. HD., 8 X 3/4", U/W N-3-E MAGNET, R44 CARS. | EA | 40 | 64 | 180 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582628 | | |
| 4367 | 18-44-2500 | PIN, STEEL, 3/16" X 1-3/8", U/W WABCO VARIABLE LOAD PORTION OF A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 26985 | | |
| 4368 | 18-44-2625 | PIN, U/W WABCO AMER. SLACK ADJUSTER, FORM E-1, PAWL SPRING, STEEL, 3/16" X 1" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 41641 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4369 | 18-44-2675 | PIN, FOR D-3-F COMP | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 49863 | | |
| 4370 | 18-44-2812 | SPRING, (COLOR RED & GREEN) FOR WABCO DIACTUATOR VALVE TYPE 576609, OPERRANGE 15 EA TO 85 PSI. R-44 CARS | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576642 | | |
| 4371 | 18-44-2813 | SHIM, 1/32" F/WABCO D1 ACTUATOR VALVE, R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 522474 | | |
| 4372 | 18-44-2819 | SPRING, COLOR: BLACK AND RED. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO. | 578203 | | |
| 4373 | 18-44-2925 | PIN, U/W WAB CO. BRAKE PIPE CUT-OUT VALVE, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 55580 | | |
| 4374 | 18-44-3010 | PIN, 3/32 IN. X 3/4 IN. FOR NO. 552005 AUTOMATIC DRAIN VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 68557 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4375 | 18-44-3050 | PIN, U/W WABCO VARIABLE LOAD PORTION OF A-1 OPERATING UNIT STEEL, 1/8" X 13/16" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 77003 | | | | |
| 4376 | 18-44-3075 | PIN, U/W WABCO VARIABLE, LOAD VALVE, TYPE A-1 FOLLOWER, SPRING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83153 | | | | |
| 4377 | 18-44-3100 | PIN, U/W WABCO VARIABLE, LOAD VALVE, TYPE A-1 LINK, ADJUSTING LEVER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83159 | | | | |
| 4378 | 18-44-3200 | PIN, U/W WAB CO. VARIABLE LOAD VALVE TYPE A-1, LINK SPRING FOLLOWER, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83164 | | | | |
| 4379 | 18-44-3300 | PIN, DIAPHRAGM FOOT AND DIAPHRAGM PILOT CUT-OFF VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 85202 | | | | |
| 4380 | 18-44-3350 | PIN, U/W VARIABLE LOAD PORTION FOR A-1 OPERATING UNIT, DOUBLE COTTERED, 1/4" X | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | 1-3/32". 1-3/32". | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 89487 | | | | |
| 4381 | 18-44-3375 | PIN, FOR 2CY3B COMP. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 90285 | | | | |
| 4382 | 18-44-3450 | PIN, ROCKER ARM, U/W WABCO VARIABLE LOAD PORTION OF A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 90490 | | | | |
| 4383 | 18-44-3547 | PIN, FULCRUM, FOR 1/2" & 3/8" DIAPHRAGM COCKS ON "AB" TEST RACKS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 95397 | | | | |
| 4384 | 18-44-3550 | PIN, FULCRUM, FOR 3/4" DIAPHRAGM COCK ON "AB" TEST RACK, #3219-5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 95409 | | | | |
| 4385 | 18-44-3565 | FULCRUM, FOR 3/4" DIAPHRAGM COCK ON "AB" TEST RACK #3219-5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 96752 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4386 | 18-44-4025 | PIN, U/W WAB CO. AIR COMPRESSOR TYPE 2CY3B, 1/8 IN. X 1/2 IN. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 183824 | | | | |
| 4387 | 18-44-4050 | PIN, USED WITH WAB CO. AI- COMPRESSOR, TYPE 2CY3B WRIST, H.P. .005 IN. O.S. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 186084 | | | | |
| 4388 | 18-44-4075 | PIN, USED WITH WAB CO. AIR COMPRESSOR TYPE 2CY3B WRIST, L.P. .005 IN. O.S. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 186085 | | | | |
| 4389 | 18-44-4100 | PIN, USED WITH WAB CO. AIR COMPRESSOR TYPE 2CY3B WRIST. L.P. .010 IN. O.S. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 186451 | | | | |
| 4390 | 18-44-5225 | PIN, COMPLETE, FOR CAM OPERATED POPPET TRIP COCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501825 | | | | |
| 4391 | 18-44-5275 | PIN, USED WITH WABCO. TYPE C-2-A CROSSHEAD, SLACK ADJUSTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501952 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4392 | 18-44-5375 | PIN, PAWL, FOR C-15-D SLACK ADJUSTER, | EA | 06 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 503925 | | |
| 4393 | 18-44-5400 | PIN, U/W WAB CO. AIR COMPRESSOR, GOVERNOR TYPE S-6, GUIDE PISTON ROD, BMT PLAN 1 EA B-3093 DET. 2 ASTM SPEC. B-120-41 | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 505911 | | |
| 4394 | 18-44-5475 | PIN, FOR 1 IN. CAM OPERATED TRIP COCK LATCH | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 507308 | | |
| 4395 | 18-44-5510 | PIN, WRIST, FOR D3F COMPRESSOR. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 511194 | | |
| 4396 | 18-44-5585 | PIN, CLEVIS, ADJUSTING ARM, .498 IN., FOR TYPE A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 519326 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4397 | 18-44-5600 | PIN, WRIST, FOR WAB CO. TYPE 2CY3B AIR COMPRESSOR, .010" OVERSIZE, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 530114 | | | | |
| 4398 | 18-44-5625 | PIN, FULCRUM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 531727 | | | | |
| 4399 | 18-44-5650 | PIN, U/W WHISTLE VALVE WITH 3/8 IN. WAB-COTITE SWEAT FITTINGS, .0625 X 3/4 IN. D RILL ROD. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 532799 | | | | |
| 4400 | 18-44-5700 | PIN, USED WITH WAB CO. BRAKE VALVE TYPE ME-42 CAM OPERATING, LARGE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533761 | | | | |
| 4401 | 18-44-5725 | PIN, USED WITH WAB CO. BRAKE VALVE, TYPE ME-42 CAM OPERATING, SMALL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533762 | | | | |
| 4402 | 18-44-5740 | PIN, FOR W.A.B. CO. VARIABLE LOAD VALVE. C1019 STEEL ACCEPTABLE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO ***** PART NO. NOT AVAILABLE ***** | | | | |
| | | N D NYCTA 102 5005, DET. #1 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4403 | 18-44-5750 | PIN, USED WITH WAB CO. BRAKE VALVE TYPE ME-42 CAM DOG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534816 | | |
| 4404 | 18-44-5765 | PIN, CLEVIS, ADJUSTABLE CAM, TYPE ME-42 BRAKE VALVE, 3/16" DIA X 7/8" LG., 5/16" EA DIA FLAT HD., 3/64" COTTER HOLE | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 536279 | | |
| 4405 | 18-44-6302 | CONTROL UNIT, SERVOTROL, AIR BRAKE, J-5B. | UT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 5830751 | | |
| 4406 | 18-44-6305 | FILTER, USED WITH N-4-E MAGNET VALVE | EA | 630 | 227 | 173 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 578753 | | |
| 4407 | 18-44-6324 | ELEMENT, FOR OC-1-B FILTER, USED ON AIR BRAKE EQUIPMENT | EA | 6,600 | 6,134 | 1,836 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0579748 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4408 | 18-44-6531 | BODY, WITH THREAD BRAKE UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WEST AIR BRK/WABC 75951/1 | | | | | | | |
| 4409 | 18-44-7001 | O RING, RING, 6-1/8" O.D., USED ON VAPOLEX AIR DRYER. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 513635 | | | | | | | |
| 4410 | 18-44-7004 | GASKET, CYLINDER, GR-90 TREAD BRAKE UNIT, FOR R44 CARS | EA | | 21 | | 17 | | 124 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 576725 | | | | | | | |
| 4411 | 18-44-7005 | RETAINER, GASKET, FOR WABCO RELEASE VALVE PORTION ASSY. #533334, R-44 CARS, WABCO #552346. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 552346 | | | | | | | |
| 4412 | 18-44-7006 | GASKET, FULCRUM, FOR TYPE GR-90 TREAD BRAKE UNIT | EA | | 248 | | 88 | | 145 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 576759 | | | | | | | |
| 4413 | 18-44-7007 | GASKET, TOP COVER, FOR WABCO RELEASE VALVE PORTION ASSY. #533334, R-44 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533333 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4414 | 18-44-7008 | GASKET, COVER, FOR TYPE GR-90 TREAD BRAKE UNIT W.A.B. CO. #576765 | EA | | 249 | | 94 | | 145 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576765 | | | | | | | |
| 4415 | 18-44-7018 | GASKET, RECEPTACLE, FOR TYPE G-4-B OPERATING UNIT, #576538 & TYPE G-4-C OPERATING UNIT #576541 | EA | | 315 | | 130 | | 125 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | Y P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 572907 | | | | | | | |
| 4416 | 18-44-7505 | PIN CAM DOG ROLLER, BRAKE VALVE PARTS, TYPE ME-42 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 537574 | | | | | | | |
| 4417 | 18-44-8047 | VALVE, VARIABLE LOAD | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 671236 | | | | | | | |
| 4418 | 18-44-8126 | BRAKE UNIT, TREAD, R.H. COMPLETE W/O HANDBRAKE. F/R44 CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 576615 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 4425 | 18-44-8302 | CONNECTOR (A & R MAGNET VALVE) (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 587957 |
| 4426 | 18-44-8303 | CONNECTOR (SNOWBRAKE MAGNET VALVE) (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 588262 |
| 4427 | 18-44-8304 | EMERGENCY MAGNET VALVE (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 670695 |
| 4428 | 18-44-8305 | CAPSCREW (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 563762 |
| 4429 | 18-44-8306 | COMPRESSOR, AIR, D-4-S UNIT, (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 670666 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 4430 | 18-44-8307 | FTG., 1" X 7/8" OD (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 565258 | | | | | | | |
| 4431 | 18-44-8308 | PIN (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 589884 | | | | | | | |
| 4432 | 18-44-8310 | PIN (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-7-90) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 589896 | | | | | | | |
| 4433 | 18-44-8311 | BRACKET, LOW FORCE, USED WITH "A" CAR HANDBRAKE RIGGING KIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 589904 | | | | | | | |
| 4434 | 18-44-8316 | CONTROLLER, C-3-E CINESTON, ELETRO-PNEUMATIC CONTROL, U/W R-44 SIRTOA AND R-46 PROTOTYPE CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 670685 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4435 | 18-44-8318 | CAM, 4J, FOR THE C-3-E CINESTON CONTROLLER, COMPLETE, PART NO. 670685 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575075 | | | | |
| 4436 | 18-44-8321 | CAM, ST. AIR SUPPLY, (C.V.) #2 WABCO FIGURE & REFERENCE #1-84 FOR THE C-3-E CINESTON CONTROLLER, P/N 670685 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 573139 | | | | |
| 4437 | 18-44-8346 | VALVE, LIMITING PORTION, FOR E-25 OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 580790 | | | | |
| 4438 | 18-44-8376 | VALVE, MAGNET, TYPE N-3E | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 590276 | | | | |
| 4439 | 18-44-8380 | COIL, WABCO P/N 590278 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 590278 | | | | |
| 4440 | 18-44-8388 | PNEUMATIC, SELF LAPPER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 590072 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4441 | 18-44-8389 | BODY, PNEUMATIC SELF LAPPER VALVE, WABCO P/N 569450 | EA | 00 | 05 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569450 | | | | |
| 4442 | 18-44-8402 | RECAM, WABCO PN 542419, USED ON MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 542419 | | | | |
| 4443 | 18-44-8410 | INDEX ARM ASSEMBLY, USED WITH CINESTON CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 542377 | | | | |
| 4444 | 18-44-8411 | BUSHING, LOOSE, FOR CINESTON CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 549182 | | | | |
| 4445 | 18-44-8412 | ROLLER, FOR CINESTON CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 526293 | | | | |
| 4446 | 18-44-8413 | PIN, CLEVIS, FOR CINESTON CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 542381 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 4447 | 18-44-8417 | HANDLE, SHAFT-REVERSER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 542393 |
| 4448 | 18-44-8447 | PUSHER, VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 542358 |
| 4449 | 18-44-8458 | STUD CONTACT | EA | 95 | 47 | 100 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 540039 |
| 4450 | 18-44-8471 | KIT, FOR "C-3-E" CINESTON CONTROLLER, CONTAINING 52 PART NUMBERS AND 88 PIECES KT | | 01 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 675745 |
| 4451 | 18-44-8472 | SPRING, COMPRESSION, SINGLE COIL, LH, USED WITH C3E CINESTON CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 673496 |
| 4452 | 18-44-8473 | KIT, FOR "C-3-E" CINESTON CONTROLLER, CONTAINING 63 PART NUMBERS AND 111 | KT | 00 | 09 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | PIECES | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO PC675745-0001 | | | | |
| 4453 | 18-44-8474 | PIN, MOVABLE CONTACT, SHUNTED, USED ON SIRTOA R-44 COUPLER ELECTRIC HEAD ASSEMBLY | EA | 302 | 894 | 384 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 54270-3001 | | | | |
| 4454 | 18-44-8475 | BEARING, UPPER, FOR THE MASTER CONTROLLER | EA | 00 | 01 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 543229 | | | | |
| 4455 | 18-44-8476 | PORTION, PIPE BRACKET, USED WITH E-2-S OPERATING UNIT | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 670687 | | | | |
| 4456 | 18-44-8500 | PIN CLEVIS STAINLESS STEEL TYPE 303, FOR CAM DOG ON TYPE D-1-A TRIP COCK | EA | 2,150 | 2,885 | 585 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0538810 | | | | |
| 4457 | 18-44-8566 | PIN, WRIST, U/W WAB 2CY3-B COMPRESSORS FOR R-12 & R-16 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 552429 REF 16 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4458 | 18-44-8624 | PIN, ROCKER, USED WITH WAB COMPRESSOR GOVERNOR, TYPE S-20, R-26, 28, 29 | EA | 143 | 35 | 75 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561042 | | | | |
| 4459 | 18-44-8625 | PIN, PIVOT, U/W WABCO COMPRESSOR GOVERNOR TYPE S-20 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561043 | | | | |
| 4460 | 18-44-8630 | PIN, PISTON ASSEMBLY, W/ SLEEVE AND PLUG, U/W WAB COMPRESSOR, GOVERNOR TYPE S.20 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561044 | | | | |
| 4461 | 18-44-8650 | PIN, PLUNGER, USED WITH ME428 BRAKE VALVE F/R-28 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561155 | | | | |
| 4462 | 18-44-8780 | KIT, CONVERSION, USED TO REPLACE BENDIX ACTUATOR CYLINDER (18-44-1437). USED WITH GR-90 TREAD BRAKE UNITS (18-68-8900, 8901, 8902). | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 6736290004 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4463 | 18-44-9600 | COMPRESSOR, D4S, WITH UNIVERSAL CRADLE AND GRAHAM/WHITE TWIN TOWER DRYER (MODEL NO. 995-2000) | EA | 62 | 28 | 14 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 591108 | | | | |
| 4464 | 18-44-9602 | PLUG, CONNECTOR ASSEMBLY, U/O D-4-S AIR COMPRESSOR UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 589521 | | | | |
| 4465 | 18-44-9605 | CLAMP, 3/4", U/O D-4-S COMPRESSOR. | EA | 540 | 255 | 150 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0582776 | | | | |
| 4466 | 18-44-9606 | CLAMP, 1/2", U/O D-4-S COMPRESSOR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 591562 | | | | |
| 4467 | 18-44-9607 | FITTING, 1" FLANGE X 1" NPT. | EA | 00 | 08 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0582321 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4474 | 18-44-9618 | CLAMP, 3/8", U/O D-4-S COMPRESSOR. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 581430 | | |
| 4475 | 18-44-9619 | CLAMP, 3/4", U/O D-4-S COMPRESSOR. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582293 | | |
| 4476 | 18-44-9620 | WRAP, SPIRAL, 0.375 IN NOM, OD (COMES 100 FT. PER ROLL) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C020783 | | |
| 4477 | 18-44-9621 | STRAP, WIRE BINDLING, U/O D-4-S COMPRESSOR. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 573491 | | |
| 4478 | 18-44-9622 | COMPRESSOR, AIR, ASSEMBLY, 2CY3MD, U/O D-4-S COMPRESSOR. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 591278 | | |
| 4479 | 18-44-9623 | FILTER, AIR, "LX". | EA | 09 | 00 | 04 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0582206 | | |
| | N | P | WABCO | 582206 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4486 | 18-44-9633 | BREATHER, CRANKCASE "COMPLETE" | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0581759 | | |
| | Y | P | WABCO | 581759 | | |
| 4487 | 18-44-9634 | HEAD, CYLINDER, LOW PRESSURE INLET. | EA | 425 | 315 | 93 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0581764 | | |
| 4488 | 18-44-9635 | CYLINDER HEAD, LOW PRESSURE DISCHARGE. | EA | 20 | 12 | 07 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0581765 | | |
| 4489 | 18-44-9636 | HEAD, CYLINDER, HIGH PRESSURE INLET. | EA | 432 | 331 | 81 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0581762 | | |
| 4490 | 18-44-9637 | HEAD, CYLINDER, HIGH PRESSURE INLET | EA | 23 | 24 | 10 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0581763 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4491 | 18-44-9638 | FAN. | EA | 04 | 05 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 581819 | | | | |
| 4492 | 18-44-9640 | SHAFT, FAN. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 581851 | | | | |
| 4493 | 18-44-9642 | CAP, CRANKCASE BREATHER. | EA | 01 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0581772 | | | | |
| 4494 | 18-44-9643 | BODY, CRANKCASE BREATHER. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0581760 | | | | |
| 4495 | 18-44-9644 | CASING, COMPONENT PART OF WABCO "LX" AIR FILTER #582206. FOR ALL REVENUE CARS. | EA | 10 | 13 | 04 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 582030 | | | | |
| 4496 | 18-44-9645 | COVER, ASSEMBLY, U/O D-4-S AIR COMPRESSOR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 582261 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4497 | 18-44-9647 | COVER, U/O "LX" AIR FILTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 582029 | | | | |
| 4498 | 18-44-9648 | GOVERNOR, ELECTRO/PNEUMATIC PORTION MODIFIED S-20 / ES-30. IF STOCK OUT, COMMODITY #18-44-9926 MAY BE USED AS A SUBSTITUTE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577181-3150M | | | | |
| | | N P WABCO 592065-3150M | | | | |
| | | N P WABCO 670630-3150M | | | | |
| | | N S NYCTA PALLET SPEC | | | | |
| 4499 | 18-44-9650 | GASKET, STRAINER, 1-7/8" O.D., U/W WABCO CUT-IN VALVE ASSEMBLY, # 592006. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 590983 | | | | |
| 4500 | 18-44-9651 | VALVE ASSEMBLY, CUT-IN, COMPLETE, U/W WABCO NEW O-RING TYPE S20 COMPRESSOR GOVERNOR, # 592065 THRU # 593150. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 592006 | | | | |
| 4501 | 18-44-9652 | SEAT, TAIL VALVE, U/W WABCO CUT-IN VALVEASSEMBLY, # 592006. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 592001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4502 | 18-44-9653 | PISTON, ASSEMBLY, CUT-IN, U/O S-20 COMPRESSOR GOVERNOR. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 592005 | | |
| 4503 | 18-44-9654 | RETAINER, CUT-IN VALVE SEAL, U/W WABCO CUT-IN VALVE ASSEMBLY, # 592006. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 591999 | | |
| 4504 | 18-44-9655 | O RING, 7/8" O.D., U/W WABCO CUT-IN VALVE ASSEMBLY, # 592006. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 685035 | | |
| 4505 | 18-44-9656 | PISTON, CUT-IN, U/W WABCO CUT-IN VALVE ASSEMBLY, # 592006. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 592000 | | |
| 4506 | 18-44-9657 | SEAT, CUT-IN VALVE, U/W WABCO CUT-IN VALVE ASSEMBLY, # 592006. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672216 | | |
| 4507 | 18-44-9658 | SEAT, SPRING, U/W WABCO CUT-IN VALVE ASSEMBLY, # 592006. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 685034 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4508 | 18-44-9659 | SPRING, ADJUSTING STEM, U/W WABCO CUT-INVALVE ASSEMBLY, # 592006. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 592002 | | |
| 4509 | 18-44-9661 | SEAT, VALVE, CUT-OUT, U/W WABCO CUT-IN VALVE ASSEMBLY # 592006. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672219 | | |
| 4510 | 18-44-9662 | PISTON, CUT-OUT, U/W WABCO CUT-IN VALVE ASSEMBLY # 592006. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 685041 | | |
| 4511 | 18-44-9663 | STEM, ADJUSTING, U/W WABCO CUT-IN VALVE ASSEMBLY, # 592006. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 685039 | | |
| 4512 | 18-44-9664 | SLEEVE, ADJUSTING STEM, U/W WABCO CUT-INVALVE ASSEMBLY # 592006. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 685037 | | |
| 4513 | 18-44-9789 | STEM, ADJUSTING, U/W WABCO CUT-IN VALVE ASSEMBLY # 592006. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 685036 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4514 | 18-44-9790 | LEAD, WIRE, #12 AWG., BLACK, U/O D-4-S AIR COMPRESSOR UNIT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO C020600 | | | | |
| 4515 | 18-44-9791 | LEAD, WIRE, #12 AWG., WHITE, U/O D-4-S AIR COMPRESSOR UNIT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO C020599 | | | | |
| 4516 | 18-44-9906 | KIT, MAGNET VALVE SNOW BRAKE KIT, INCLUDES: 1. 067478-(1) GASKET 2. EA 00 00 00 0532092-(1) GASKET 3. 0581138-(1) VARISTOR-METAL OXIDE 4. C020674-(1) TUBING SHRINK 5. 0524609-(2) O-RING 6. 0670900-(1) GASKET SOLENOID COVER 7. 0670701-(1) SPRING 8. 0580354-(1) O-RING 9. P0051720002-(2) GSKT, SOL BODY | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 675756 | | | | |
| 4517 | 18-44-9907 | KIT, REDUCING VALVE PORTION, SNOW BRAKE. KIT CONSISTS OF THE FOLLOWING: EA 18 05 00 (2) GASKET #0558515 (2) STRAINER #0564391 (2) O-RING #0531868; (1) SPRING#0561135 (1) O-RING #0564056 (1) DIAPHRAM #0526346, AND (1) SPRING #0099478 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0675759 | | | | |
| 4518 | 18-44-9913 | KIT, FOR VARIABLE LOAD VALVE #671236 | KT | 18 | 12 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 675753 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4519 | 18-44-9941 | KIT, RELEASE VALVE, WABCO TO BE USED FOR THE RELEASE VALVE PORTION, WABCO #0533334 | KT | 16 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 5333340001 | | | | |
| | | N D WABCO 3227-11,S.07 | | | | |
| 4520 | 18-44-9942 | KIT, C-3 DECELOSTAT VALVE, TO BE USED FOR DECELOSTAT VALVE, WABCO P/N 0576997 | KT | 10 | 00 | 10 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 675758 | | | | |
| 4521 | 18-44-9943 | PISTON, BRAKE PIPE VENT, TO BE USED FOR THE RELEASE VALVE PORTION, WABCO P/N 0533334 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 519808 | | | | |
| | | N D WABCO 3227-11,S.07 | | | | |
| 4522 | 18-44-9945 | PISTON, LARGE U/O VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 671238 | | | | |
| 4523 | 18-44-9946 | BUSHING U/O VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 671237 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 4524 | 18-44-9970 | VALVE, REDUCING PORTION N-1 WITH GASKET AND STRAINER USED FOR "E-2-S" OPERATING UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0565640-0010 | | | | | | | |
| | | N P WABCO 0565840-0010 | | | | | | | |
| 4525 | 18-44-9971 | SNOW BRAKE PORTION, USED FOR "E-2-S" OPERATING UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0575277 | | | | | | | |
| 4526 | 18-44-9972 | SNOW BRAKE MAGNET VALVE PORTION, INCLUDING MOUNTING SCREWS, USED ON "E-2-S" OPERATING UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0588542 | | | | | | | |
| 4527 | 18-44-9973 | FILLING PIECE INCLUDING NUTS AND STUDS FOR SNOW BRAKE PORTION, USED ON "E-2-S" OPERATING UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0575278 | | | | | | | |
| 4528 | 18-44-9974 | BUSHING, REDUCING 1/4" X 1/8" NPT, USED ON SNOW BRAKE PORTION, FOR "E-2-S" OPERATING UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 65860 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4529 | 18-44-9985 | KIT RUBBER REPAIR, FOR WABCO ABDW/-S AND OTHER NON-REVENUE CARS. MATERIAL PROCESS. CERTIFIED BY AAR AGAINST WITH SHIPMENT THAT MATERIAL HAS BEEN | KT | 02 | 00 | 00 |
| | | AND ABD EMERGENCY PORTIONS. FOR FLAT MUST HAVE BEEN INSPECTED WITH A QA M-1003. CERTIFICATE MUST BE INCLUDED INPECTED AND IS IN COMPLIANCE. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0665513 | | | | |
| 4530 | 18-44-9986 | KIT RUBBER REPAIR, FOR WABCO ABDWP/-S BEEN INSPECTED WITH QA PROGRAM CERTIFICATE MUST BE INCLUDED WITH INSPECTED AND IS IN COMPLIANCE | KT | 00 | 00 | 00 |
| | | EMERGENCY PORTION. MATERIAL MUST HAVE CERTIFIED BY AAR AGAINST M-1003. SHIPMENT THAT MATERIAL HAS BEEN | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0665514 | | | | |
| 4531 | 18-44-9992 | COLLAR, U/O LIMITING VALVE PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 589047 | | | | |
| 4532 | 18-44-9993 | SEAT, ADJUSTING, U/O LIMITING VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 580792 | | | | |
| 4533 | 18-44-9994 | SCREW, ADJUSTING, U/O LIMITING VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 573842 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|--------|
| 4534 | 18-44-9995 | BODY, U/O LIMITING VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | 580951 |
| ----- | | | | | | | | | |
| 4535 | 18-44-9996 | PISTON, U/O LIMITING VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | 580793 |
| ----- | | | | | | | | | |
| 4536 | 18-45-0500 | PIPE U/W WABCO COMPRESSOR TYPE D2F VENT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | 57903 |
| ----- | | | | | | | | | |
| 4537 | 18-45-2150 | PIPE, EXTENSION, 1/4 IN. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | 545721 |
| ----- | | | | | | | | | |
| 4538 | 18-45-2200 | PIPE, UNLOADER, 3YC AIR COMPRESSOR PARTS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | 552427 |
| ----- | | | | | | | | | |
| 4539 | 18-46-0000 | VALVE, BACK UP FOR SNOW THROWERS | EA | | 00 | | 06 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | 699713 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4540 | 18-46-0003 | ASSEMBLY, COMPRESSOR, FOR GRB-2 BRAKE SYSTEM AND COMPRESSOR UNIT, D-4, WABCO #578825, R46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578910 | | | | |
| 4541 | 18-46-0008 | ASSEMBLY, BLY, MOTOR AND FAN, FOR TYPE D4 COMPRESSOR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578909 | | | | |
| 4542 | 18-46-0009 | BALLAST, RESISTOR ASSY, FOR WABCO S-20A GOVENOR & BALLAST, R46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579030 | | | | |
| 4543 | 18-46-0010 | AFTERCOOLER ASSEMBLY, FOR WABCO D4 COMPRESSOR UNIT | EA | 56 | 52 | 13 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | Y P WABCO 672349 | | | | |
| 4544 | 18-46-0012 | FRAME, AFTER COOLER, L.H. F/WABCO D4 COMPRESSOR UNIT, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579035 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4545 | 18-46-0013 | BRACKET, GOV. MTG., U/W S-20A, COMPRESSOR F/R46G CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578530 | | | | |
| 4546 | 18-46-0014 | FRAME, AFTERCOOLER, BOTTOM, F/WABCO D4 COMPRESSOR UNIT, R46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579036 | | | | |
| 4547 | 18-46-0016 | FRAME, AFTERCOOLER, R.H., FOR WABCO D4 COMPRESSOR, R46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579034 | | | | |
| 4548 | 18-46-0017 | BRACKET, MOUNTING FRAME, F/WABCO D4 COMPRESSOR UNIT, R46 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579018 | | | | |
| 4549 | 18-46-0018 | BRACKET, MOUNTING, FRAME. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579019 | | | | |
| 4550 | 18-46-0019 | FRAME, ASSEMBLY, MOUNTING, U/O D-4-S AIRCOMPRESSOR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579020 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4551 | 18-46-0020 | PLATE, SUPPORT, PLUG CONNECTOR, U/W D-4 COMPRESSOR, R-46 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579016 | | |
| 4552 | 18-46-0021 | RESISTOR, BALLAST, FOR GOVERNOR AND WABCO #12A108552P2, R-46 CARS | EA | 267 | 233 | 31 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577388 | | |
| 4553 | 18-46-0022 | HANGER, COMPRESSOR, F/WABCO D4 COMPRESSOR UNIT, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 578997 | | |
| 4554 | 18-46-0023 | ISOLATOR, USED WITH D-4 COMPRESSOR, R46 CARS | EA | 720 | 340 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 580864 | | |
| 4555 | 18-46-0024 | ISOLATOR, USED WITH D-4 COMPRESSOR | EA | 360 | 100 | 70 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 580865 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4562 | 18-46-0032 | TUBE, BY-PASS, FOR WABCO TYPE D-4, COMPRESSOR, R-46 CARS | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 579043 | | | | | | | |
| 4563 | 18-46-0037 | SHAFT, FAN DRIVE, FOR WABCO D-4 MOTOR COMPRESSOR R46 CARS. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 578957 | | | | | | | |
| 4564 | 18-46-0038 | HOSE, FLEXIBLE, FOR WABCO D-4 COMPRESSOR, R46 CARS | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 578982 | | | | | | | |
| 4565 | 18-46-0041 | CONNECTOR OIL FILTER, SPEC. FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #5789 10, R-46 CARS | EA | 00 | | 14 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0578931 | | | | | | | |
| 4566 | 18-46-0042 | BOLT, DOUBLE END, U/W D4 COMPRESSOR ASSY., R46 CARS | EA | 00 | | 06 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0578960 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4567 | 18-46-0043 | SPACE INSULATOR, U/W D-4 COMPRESSOR, R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579322 | | |
| 4568 | 18-46-0044 | ASSEMBLY, OIL PUMP, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #578910, R-46 CARS | EA | 07 | 16 | 10 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0578927 | | |
| 4569 | 18-46-0045 | PLATE, FACE, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY, WABCO #578910, R-46 CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0578930 | | |
| 4570 | 18-46-0046 | VANE, OIL PUMP, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. WABCO #578910, R-46 CARS | EA | 2,420 | 1,640 | 440 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0577745 | | |
| 4571 | 18-46-0047 | ROTOR, OIL PUMP, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSEMBLY, WABCO #578910. | EA | 148 | 245 | 75 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0569629 | | |
| 4572 | 18-46-0048 | BODY, OIL PUMP, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. WABCO #578910, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 578928 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4578 | 18-46-0055 | SEAL, WASHER, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. | EA | 1,839 | 1,939 | 554 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0578916 | | |
| | N | P | WABCO | 578916 | | |
| 4579 | 18-46-0056 | COVER, SIDE, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #578910, R-46 CARS | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0578938 | | |
| 4580 | 18-46-0058 | RING, COMPRESSION, HP, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASS'Y., WABCO #578910 | EA | 1,275 | 934 | 160 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0579138 | | |
| 4581 | 18-46-0059 | SEAL, OIL FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #578910, R-46 CARS | EA | 193 | 85 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 578920 | | |
| 4582 | 18-46-0060 | COVER, BEARING, FRONT, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. WABCO #578910 R-4 6 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 578918 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4583 | 18-46-0061 | CRANKSHAFT, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSEMBLY, WABCO #578910 | EA | 06 | 06 | 04 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | Y P WABCO 578917 | | | | |
| 4584 | 18-46-0062 | CRANKCASE, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. WABCO #578910 R-46 CARS | EA | 09 | 06 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0578911 | | | | |
| 4585 | 18-46-0063 | CLAMP, DISCHARGE TUBE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579214 | | | | |
| 4586 | 18-46-0065 | VALVE, STOP, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. WABCO #578910, R-46 CARS | EA | 605 | 419 | 118 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | Y P WABCO 0569164 | | | | |
| 4587 | 18-46-0066 | VALVE, BODY RELIEF, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #578910, R 46 EA CARS | EA | 00 | 03 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | Y P WABCO 0569163 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4593 | 18-46-0096 | PIN, WRIST, HIGH PRESSURE, F/WABCO D4, D3 COMPRESSOR ASSY, TYPE #578910 & #577008 R36 TO R46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579092 | | | | |
| 4594 | 18-46-0097 | NAMEPLATE, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY, WABCO #578910, R-46 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578954 | | | | |
| 4595 | 18-46-0099 | SLEEVING, 5.4" LG. "ES-30" COMPRESSOR GOVERNOR. USED ON ELECTRIC/PNEUMATIC PORTION FOR D4-S COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO C018490 | | | | |
| 4596 | 18-46-0103 | MOTOR ASSY, FOR WABCO R-46 COMPRESSOR D-4 MOTOR, R-46 CARS . | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578979 | | | | |
| 4597 | 18-46-0109 | DECAL, "HIGH VOLTAGE" | EA | 540 | 255 | 150 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578956 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4598 | 18-46-0194 | CLAMP, 3/8" TUBE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579277 | | |
| 4599 | 18-46-0195 | CHAIN ASSEMBLY, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 518814 | | |
| 4600 | 18-46-0293 | BUSHING, INSULATION, U/W WABCO #577181-3150 COMP GOVERNOR, R46 CARS | EA | 360 | 170 | 100 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579205 | | |
| 4601 | 18-46-0327 | CAP, SPRING, RELAY VALVE, FOR WAB TYPE GRB-2 BRAKE SYSTEM #579189, R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 103964 | | |
| 4602 | 18-46-0328 | SPRING, FOR #579189 - TYPE P1 RELAY AIR VALVE - R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 63481 | | |
| 4603 | 18-46-0329 | PIN, FOR WABCO TYPE PI RELAY AIR VALVE #579189, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 3804 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4604 | 18-46-0330 | NUT, ROD, FOR #579189 - TYPE P1 RELAY AIR VALVE - R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 103968 | | |
| 4605 | 18-46-0331 | SEAL, VALVE FOR #579189 - TYPE P1 RELAY AIR VALVE - R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 160132 | | |
| 4606 | 18-46-0332 | CUP, VALVE, FOR #579189 - TYPE P1 RELAY VALVE - R46 CARS - | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 103967 | | |
| 4607 | 18-46-0333 | COVER, FOR GRB-2 BRAKE SYSTEM P-1 RELAY AIR VALVE, WABCO #579189, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 558762 | | |
| 4608 | 18-46-0334 | PISTON, FOR #579189 RELAY AIR VALVE R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 103965 | | |
| 4609 | 18-46-0335 | ROD, FOLLOWER, DIAPHRAGM, FOR #579189 RELAY AIR VALVE, R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 103966 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4610 | 18-46-0386 | DRAIN VALVE ASSY., "D4", U/W WABCO "D4" COMPRESSOR UNIT, R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 581572 | | |
| 4611 | 18-46-0501 | ASSEMBLY, AIR DRYER, COMPLETE TYPE C1, U/W D4 COMPRESSOR UNIT #578825 R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 581642 | | |
| 4612 | 18-46-0504 | ASSEMBLY, AIR DRYER, BODY, FOR GRD-2 BRAKE SYSTEM, C-1, AIR DRYER ASSY WABCO 578967, R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 581658 | | |
| 4613 | 18-46-0505 | CAPNUT-STOP, CHECK VALVE F/D-4 COMPRESSOR, F/ GRB-Z BRAKE SYSTEM U/O C-1 VAPOLEX AIR DRYER ASS'Y., RUBBER STOP IS REPLACEABLE, R46, R62, R62A | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579167 | | |
| 4614 | 18-46-0507 | VALVE, CHECK DISCHARGE, F/WABCO C-1 AIR DRYER ASSY. 578967 R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 579165 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4615 | 18-46-0508 | VALVE, CHECK, PURGE F/WABCO C-1 AIR DRYER ASSY. 578967 R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579144 | | |
| 4616 | 18-46-0509 | COVER, INLET FILTER, FOR GRB-2 BRAKE SYSTEM, C-1 AIR DRYER ASSY. WABCO #578967, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 578972 | | |
| 4617 | 18-46-0511 | GASKET, FILTER, INLET, MODIFIED 5/16" WIDE BEAD, U/W C1 AIR DRYER ASSY. #578967 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 690330 | | |
| 4618 | 18-46-0514 | COVER, FILTER DISCHARGE, FOR GRB-2 BRAKE SYSTEM, C-1 AIR DRYER ASSY. WABCO #578967, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 578975 | | |
| 4619 | 18-46-0515 | STUD, 1/2X2", FOR GRB-2 BRAKE SYSTEM, 1 AIR DRYER ASSY. WABCO #578967, R-46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 523182 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 4620 | 18-46-0516 | O RING, 1-11/16" OD, USED WITH WABCO #578967 TYPE C-1 AIR DRYER, R46 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 579234 | | | | | | | |
| 4621 | 18-46-0517 | VALVE, CHECK, U/W WABCO #578967 TYPE C1-AIR DRYER, R-46 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 579164 | | | | | | | |
| 4622 | 18-46-0518 | VALVE, CHECK, U/W WABCO #578967 TYPE C1-AIR DRYER, R46 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 579143 | | | | | | | |
| 4623 | 18-46-0570 | "O" RING, 4-7/8" O.D., FOR WABCO C-1 AIR DRYER ASSY. #578967, R-46 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 536593 | | | | | | | |
| 4624 | 18-46-1307 | HANDLE, FOR GRB-2 BRAKE SYSTEM, BALLCOCK3/8", R-46 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 574281 | | | | | | | |
| | | N P WABCO J74281 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 4630 | 18-46-1797 | BOLT, ALUMINUM, SPECIAL. F/R46 CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 671191 |
| 4631 | 18-46-2000 | PISTON, COMPLETE, FOR UE-5 VALVE, U/W WABCO UNIVERSAL EMERGENCY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 66993 |
| 4632 | 18-46-2025 | PISTON, CUT OFF VALVE, COMPLETE, FOR UE-5 UNIVERSAL VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 67991 |
| 4633 | 18-46-2075 | PISTON D-2-F AIR COMPRESSORS, LESS RINGS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 69020 |
| 4634 | 18-46-2100 | PISTON, U/W W.A.B. CO. AIR COMPRESSOR, TYPE D-2-F COMPRESSOR, COMPLETE W/RINGS, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 69021 |
| 4635 | 18-46-2200 | PISTON U/W WABCO AIR COMPRESSOR TYPE D-2-F COMPRESSOR 5-1/16" DIA. REPAIR TYPE W | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | /O RINGS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 69446 | | | | |
| 4636 | 18-46-2250 | PISTON, 5-1/16 INCH DIA. FOR D2F COMPRESSOR REPAIR TYPE W/RINGS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 69449 | | | | |
| 4637 | 18-46-2300 | PISTON, USED WITH COMPRESSOR TYPE D3F WITH DRAWINGS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 69528 | | | | |
| 4638 | 18-46-2550 | PISTON, U/W W.A.B. CO. FEED VALVE TYPE M-3 VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 80664 | | | | |
| 4639 | 18-46-2650 | PISTON, STRUT CYLINDER, FOR A-1 VARIABLE LOAD VALVE, W/PINS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83201 | | | | |
| 4640 | 18-46-2700 | PISTON, AND ROD LATCH U/W WABCO VARIABLE LOAD VALVE TYPE S-4-A, A-1 OPERATING UN IT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 90351 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4641 | 18-46-2800 | PISTON, U/W WAB CO. OPERATING UNIT, TYPE A-1 EMERGENCY VALVE PORTION. VENT VALVE EA , LARGE, | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 95053 | | | | |
| 4642 | 18-46-2850 | PISTON, U/W W.A.B. CO. EMERGENCY RELAY VALVE TYPE A-2 VENT VALVE, SMALL EA | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 96080 | | | | |
| 4643 | 18-46-2865 | BRACKET, ISOLATOR EA | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 580662 | | | | |
| 4644 | 18-46-2900 | PISTON, USED WITH W.A.B. CO. OPERATING UNIT TYPE A-1, RELAY VALVE PORTION, EXHAU EA ST VALVE | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 97354 | | | | |
| 4645 | 18-46-3680 | PISTON, L.P/W/O RINGS, .020 OVERSIZE USE WITH TYPE 2 CY-3B AIR COMPRESOR FOR EA R-12-14 CARS. | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO A-560710 | | | | |

USER-ID : CHU
FILE-ID : WABP2024
PROG-ID : ◆

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

PAGE : 842
DATE : 04/12/2024
VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4646 | 18-46-3775 | PISTON, FOR WAB CO. AIR COMPRESSOR TYPE 2CY3B, L.P. OVERSIZE, .010 INCH OVERSIZE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 560709 | | | | | | | |
| 4647 | 18-46-4504 | BUSHING, STEEL | EA | | 130 | | 20 | | 06 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 589859 | | | | | | | |
| 4648 | 18-46-5425 | PISTON, U/W WABCO AUTOMATIC SLACK ADJUSTER TYPE C-15-D ADJUSTER W/ PAWL. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 508092 | | | | | | | |
| 4649 | 18-46-5440 | PISTON, WITH ROD, FOR TYPE 6 IN. X 8 IN. UAH BRAKE CYLINDER, G.E. CO. DIESEL ELE CT. ENGINE LOCOS SER. NO. 35769-35772, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 510108 | | | | | | | |
| 4650 | 18-46-5575 | PISTON, W/OUT RING, U/W WABCO BRAKE VALVE TYPE ME-42 (PIPE BRACKET PORTION) VALV E APPLICATION (TYPE E-3) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 538431 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4651 | 18-46-5585 | PISTON COMPLETE USED WITH WAB TYPE 4ZB AIR COMPRESSOR F/DIESEL ELEC. LOCOMOTIVES NO. 12 & 13 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 513199 | | | | |
| 4652 | 18-46-5613 | VALVE | EA | 5,646 | 5,331 | 1,196 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696872 | | | | |
| 4653 | 18-46-5700 | PISTON, U/W WABCO VALVE, TYPE AB, OPERATING UNIT A-1, EMERGENCY, SELF OILING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 525020 | | | | |
| 4654 | 18-46-5825 | PISTON & ROD, STRUT CYLINDER FOR TYPE A-1 OPERATING UNIT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 554128 | | | | |
| 4655 | 18-46-5840 | PISTON, LATCH & ROD, COMPLETE, FOR A-1 OPER. UNIT, VARIABLE LOAD PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 536191 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 4656 | 18-46-5850 | PISTON, TYPES D-1 & D-1-A & D-1-B, U/W WABCO TRIP COCK, TRIP COCK W/STUD. PISTON MUST BE INDIVIDUALLY PACKAGED SO AS TO PREVENT DAMAGE DURING SHIPPING, STORING, AND HANDLING | EA | | 244 | | 151 | | 57 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- - | | | | | | | |
| | | N P WABCO 0583150 | | | | | | | |
| 4657 | 18-46-5900 | PISTON, USED WITH WAB CO. OPERATING UNIT TYPE A-1 VALVE, BY-PASS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- - | | | | | | | |
| | | N P WABCO 537288 | | | | | | | |
| 4658 | 18-46-5925 | PISTON, VALVE BY-PASS W/STEM, U/W WABCO OPERATING UNIT TYPE A-1 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- - | | | | | | | |
| | | N P WABCO 537299 | | | | | | | |
| 4659 | 18-46-5950 | PISTON, U/W W.A.B. OPERATING UNIT TYPE A-1 VALVE, BY-PASS, COMPLETE W/PACKING CU P, FOLLOWER, NUT, COTTER ETC. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- - | | | | | | | |
| | | N P WABCO 537300 | | | | | | | |
| 4660 | 18-46-6035 | PISTON, EXHAUST VALVE, U/W TYPE B-3 RELAY VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- - | | | | | | | |
| | | N P WABCO 540884 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|----------------------------------|
| 4661 | 18-46-6100 | RELAY, VALVE PORTION PARTS, A-1 OPERATING UNIT, PISTON, EXHAUST VALVE, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME ----- N P WABCO | | | | MFG - PART-NO ----- 556258 |
| 4662 | 18-46-6150 | PISTON, WITH WRIST PIN, ALUMINUM FOR L.PSIDE, USED WITH WAB COMPRESSOR TYPE 2CY3B-R10 TO 36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME ----- N P WABCO | | | | MFG - PART-NO ----- 560708 |
| 4663 | 18-46-6166 | PISTON U/W COMPRESSOR GOVERNOR TYPE S-20R-26,28,29 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME ----- N P WABCO | | | | MFG - PART-NO ----- 561061 |
| 4664 | 18-46-6175 | PISTON, EMERGENCY VALVE, USED WITH TYPE ME 42B BRAKE VALVE. F/R-28 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME ----- N P WABCO | | | | MFG - PART-NO ----- 561154 |
| 4665 | 18-46-6179 | PISTON FOR WABCO AB FOR BRAKE EQUIP WITH ABD CONT VALVE-RELEASE VALVE PC # 56619 8 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME ----- N P WABCO | | | | MFG - PART-NO ----- 562907 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4666 | 18-46-6186 | PISTON "B" CYLINDER LIMITING VALVE FOR WABCO AB FOR BRAKE EQUIP WITH ABD CONT. VALVE SERVICE PORT # 566172 FOR FLAT CARS NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFACTURER'S NAME & PART #, PURCHASE ORDER #, DATE OF MANUFACTURER AND NYCTA COMMODITY NO. INSPECTED IN A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE." | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- --- N P WABCO 566180 | | | | |
| 4667 | 18-46-6187 | PISTON, U/W R-20 FLAT CARS & SPINO RAIL GRINDER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- --- N P WABCO 563937 | | | | |
| 4668 | 18-46-6197 | PISTON SERVICE ACC RELEASE VALVE FOR WABCO TYPE AB-FOR VALVE EQUIP WITH ABD CONT VALVE SERVICE PORT # 566172 FOR FLAT CARS INCLUDES PLASTIC WEAR PELLET(18-46-8511) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- --- N P WABCO 567252 | | | | |
| 4669 | 18-46-6212 | PISTON, INSHOT FOR WABCO AB FOR BRAKE EQUIP WITH ABD CONT. VALVE EMERG PORT PC # 567195 FOR FLAT CARS NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFACTURER'S NAME & PART #, PURCHASE ORDER #, DATE OF MANUFACTURE AND NYCTA COMMODITY NO. INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE." | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- --- N P WABCO 567262 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4670 | 18-46-6376 | PLUG, U/W D-4 DRAIN VALVE ASSY #581572, R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 581577 | | |
| 4671 | 18-46-6377 | NUT, CAP, U/W D-4 DRAIN VALVE ASSY #581572 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 581576 | | |
| 4672 | 18-46-6378 | NUT, 3/8" U/W D-4 DRAIN VALVE ASSY #581572, R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 578467 | | |
| 4673 | 18-46-6379 | PISTON, U/W D-4 DRAIN VALVE ASSY #581572, R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 581575 | | |
| 4674 | 18-46-6380 | SPRING, U/W D-4 DRAIN VALVE ASSY #581572R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582959 | | |
| 4675 | 18-46-6381 | NUT, 3/8" U/W D-4 DRAIN VALVE ASSY #581572, R46 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 583233 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4676 | 18-46-6382 | VALVE, CUP, U/W D-4 DRAIN VALVE ASSY #581572, R46 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 582271 | | | | | | | |
| 4677 | 18-46-6383 | VALVE, FOR WABCO D-4 DRAIN VALVE, R46 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 582272 | | | | | | | |
| 4678 | 18-46-6384 | STEM, U/W D-4 DRAIN VALVE ASSY #581572, R46 CARS, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 581574 | | | | | | | |
| 4679 | 18-46-6386 | DRAIN VALVE ASSEMBLY, FOR WABCO AIR BRAKE D4 COMPRESSOR ASSEMBLY, R46 CARS | EA | | 00 | | 02 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 586452 | | | | | | | |
| 4680 | 18-46-6387 | COVER, U/W D-4 COMPRESSOR PARTS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 585459 | | | | | | | |
| 4681 | 18-46-6388 | BODY, (BUSHED), FOR D-4-A DRAIN VALVE, USED WITH D-4 COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 586849 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4682 | 18-46-6389 | STEM, U/W WABCO #586452 DRAIN VALVE ASSY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 585457 | | | | | | | |
| 4683 | 18-46-6390 | PISTON, U/W WABCO #586452 DRAIN VALVE ASSY. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 585458 | | | | | | | |
| 4684 | 18-46-6391 | NUT, CAP, U/W D4A DRAIN VALVE, R-44 TO 46 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 586451 | | | | | | | |
| 4685 | 18-46-6442 | CAP, BEARING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 591793 | | | | | | | |
| 4686 | 18-46-6444 | STRAINER, PAPER, KIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO X591937 | | | | | | | |
| 4687 | 18-46-6445 | WASHER, STAINLESS STEEL, SPECIAL, .325" O.D. BACK EXTENSION U/O THE WALTON | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| | | ELECTRIC PORTION# P-2210-300 STATIONARY PIN. | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 671207 | | | | | | | |
| 4688 | 18-46-6446 | WASHER, SPECIAL, FRONT EXTENSION U/O THEWALTON ELECTRIC PORTION # P-2210-300 STATIONARY PIN. F/R44, R46 CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 671208 | | | | | | | |
| 4689 | 18-46-7008 | COVER, GASKET, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #578910, R-46 CARS | EA | | 639 | | 422 | | 80 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0578926 | | | | | | | |
| 4690 | 18-46-7009 | GASKET, FOR GRB-2 BRAKE SYSTEM COMPRESSOR ASSY. WABCO #578910, R-46 CARS | EA | | 639 | | 437 | | 80 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0578939 | | | | | | | |
| 4691 | 18-46-7010 | GASKET, BEARING COVER, FOR GRB-2 BRAKE SYSTEM, COMPRESSOR ASSY. WABCO #578910 R46 CARS | EA | | 615 | | 422 | | 80 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0578919 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|---------------|
| 4692 | 18-46-8155 | SPRING, U/W R46 COUPLER AIR CYLINDER. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0D07024 |
| 4693 | 18-46-8156 | DIAPHRAGM, CAP, U/W R46 COUNTER AIR CYLINDER. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0D06390 |
| 4694 | 18-46-8157 | BEARING, INNER ROD, U/W R46 COUPLER AIR CYLINDER. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0D07026 |
| 4695 | 18-46-8301 | HOUSING, FOR R46 ELECTRIC PORTION CABLE BASE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 770352 |
| 4696 | 18-46-8303 | PIN, GUIDE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 220264-100 |
| 4697 | 18-46-8451 | BODY, FOR USE ON CONDUCTORS EMERGENCY VALVE, BC3 WITH SPECIAL HANDLE, | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|---|---------------|---------|---------|
| | 18-46-8450 | | | | | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0678719 | | |
| 4698 | 18-46-8454 | O-RING, 1.688 I.D., FOR USE ON SPECIAL HANDLE, 18-46-8450 | CONDUCTORS EMERGENCY VALVE, BC3 WITH EA | 490 | 300 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 6761080131 | | |
| 4699 | 18-46-8456 | PIN, CLEVIS, 0.312 X 1.12, FOR USE ON SPECIAL HANDLE, 18-46-8450 | CONDUCTORS EMERGENCY VALVE, BC3 WITH EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 6759161125 | | |
| 4700 | 18-46-8458 | PLUNGER, BALL, FOR USE ON CONDUCTORS HANDLE, 18-46-8450 | EMERGENCY VALVE, BC3 WITH SPECIAL EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 678724 | | |
| 4701 | 18-46-8459 | PIN, CYLINDER SPRING, FOR USE ON SPECIAL HANDLE, 18-46-8450 | CONDUCTORS EMERGENCY VALVE, BC3 WITH EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0553238 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 4702 | 18-46-8496 | STRAP, GROUND | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 220268-100 |
| ----- | | | | | | | | | |
| 4703 | 18-46-8497 | BRACKET, HANDLE STORAGE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 220192-100 |
| ----- | | | | | | | | | |
| 4704 | 18-46-8498 | PIN, ROLL, 5MM X 24MM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 000486-102 |
| ----- | | | | | | | | | |
| 4705 | 18-46-8499 | RING, COMPRESSION, RUBBER, USED WITH GRIPSEAL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 564448 |
| ----- | | | | | | | | | |
| 4706 | 18-46-8505 | BUSHING, STEEL | EA | | 130 | | 20 | | 06 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 589857 |
| ----- | | | | | | | | | |
| 4707 | 18-46-8508 | MAIN PISTON WITH TWO WEAR RING GROOVES, USED WITH ADB-S AND ADBW-S EMERGENCY | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | PORTIONS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0660669 | | | | |
| 4708 | 18-46-8509 | BOTTOM WEAR RING USED WITH ABD-S AND ABDW-S EMERGENCY PORTIONS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0660660 | | | | |
| 4709 | 18-46-8510 | TOP WEAR RING, USED WITH ABD-S AND ABDW-S EMERGENCY PORTIONS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0660860 | | | | |
| 4710 | 18-46-8511 | PLASTIC WEAR PELLET, USED WITH SAR PISTON IN ABDX SERVICE PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0660666 | | | | |
| 4711 | 18-46-8512 | MAIN PISTON WITH TWO WEAR RING GROOVES USED WITH ADB/-T SERVICE PORTIONS. NOTE: FUR WEAR RINGS USE 18-46-8513 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0660671 | | | | |
| 4712 | 18-46-8513 | WEAR RINGS USED WITH MAIN PISTON, AGD/-T SERVICE PORTIONS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0660890 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4719 | 18-47-4590 | PLATE, STEM AND END NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFAC- TURER'S NAME & PART #, AND NYCTA COMMODITY NO. "MATERIAL IN ACCORDANCE WITHA QUALITY ASSURANCE AAR AGAINST AAR M-1003. CERTIFICATION SHIPMENT THAT MATERIAL HAS BEEN PURCHASE ORDER #, DATE OF MANUFACTURE SUPPLIED MUST HAVE HAVE BEEN INSPECTED PROGRAM THAT HAS BEEN CERTIFIED BY THE IS TO BE SUPPLIED BY VENDOR WITH EACH INSPECTED AND IS IN COMPLIANCE." | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 94963 | | | | |
| 4720 | 18-47-4650 | PLATE, U/W WABCO. TYPE UFHS 18 X 12 BRAKE CYLINDER RETAINING RING PROTECTOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 99667 | | | | |
| 4721 | 18-47-6050 | PLATE, GUIDE, TRIP COCK. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501816 | | | | |
| 4722 | 18-47-6100 | PLATE, UPPER WEAR, FOR TRIP COCK, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501819 | | | | |
| 4723 | 18-47-6150 | PLATE, U/W WABCO. TRIP COCK, LOWER WEARING. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501820 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4724 | 18-47-6175 | PLATE, TEST, AB-6B USED WITH -ABTEST RACK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 510151 | | | | |
| 4725 | 18-47-6350 | PLATE, U/W WAB CO TYPE A-1 OPERATING UNIT ADJUSTING ARM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO 535191 | | | | |
| 4726 | 18-47-6375 | PLATE, TEST, FOR RELEASE PORTION ON AB-88 DECELOSTATE VALVE, R-44 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 537891 | | | | |
| 4727 | 18-47-7000 | SPRING, SMALL DIAPHRAGM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 558151 | | | | |
| 4728 | 18-47-7001 | SPRING, CHECK VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560369 | | | | |
| 4729 | 18-47-7002 | SPRING, CHECK VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 558172 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------|-----|---------|---------|---------------|
| 4730 | 18-47-7003 | SPRING, CHARGING VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 562895 |
| 4731 | 18-47-7004 | SPRING, SERVICE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 559744 |
| 4732 | 18-47-7005 | SPRING, CHECK VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 520824 |
| 4733 | 18-47-7006 | SPRING CARRIER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 560506 |
| 4734 | 18-47-7007 | SPRING, PISTON EMERGENCY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 560373 |
| 4735 | 18-47-7008 | RING, RETAINING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 558170 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------|-----|---------|---------|---------------|
| 4736 | 18-47-7009 | RING, RETAINING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 559746 |
| 4737 | 18-47-7010 | VALVE, STOP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 567123 |
| 4738 | 18-47-7011 | SEAT, SPRING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 567140 |
| 4739 | 18-47-7012 | FOLLOWER, DIAPHRAGM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 558161 |
| 4740 | 18-47-7013 | BOLT, 1/4-20 X 1/2" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 579044 |
| 4741 | 18-47-7014 | RETAINER, SPRING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 558152 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------|-----|---------|---------|---------------|
| 4742 | 18-47-7015 | COVER, SMALL DIAPHRAGM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 567118 |
| 4743 | 18-47-7016 | PIN, PUSHER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 558159 |
| 4744 | 18-47-7018 | PLUG, CHOKE, NTP "H" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 545604 |
| 4745 | 18-47-7019 | PLUG, CHOKE, 1/4" NPT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 508674 |
| 4746 | 18-47-7020 | PLUG, CHOKE, #71 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 555384 |
| 4747 | 18-47-7021 | PLUG, CHOKE #37 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 79800 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|---------------|
| 4748 | 18-47-7022 | PLUG, CHOKE, 1/8" NPT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 560207 |
| ----- | | | | | | | | | |
| 4749 | 18-47-7023 | PLUG, CHOKE, 7/64" | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 56329 |
| ----- | | | | | | | | | |
| 4750 | 18-47-7024 | SPRING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 558421 |
| ----- | | | | | | | | | |
| 4751 | 18-47-7025 | RING, RETAINING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 557626 |
| ----- | | | | | | | | | |
| 4752 | 18-47-7026 | VALVE, 26F, CONTROL PORTION | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 560209 |
| ----- | | | | | | | | | |
| 4753 | 18-47-7027 | VALVE, QUICK RELEASE PORTION, AIR BRAKE SYSTEM, USED ON R47 50-TON DIESEL | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|---------------------|------------|---|-----|---------|---------|---------------|
| ELECTRIC LOCOMOTIVE | | | | | | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 5588414 |
| 4754 | 18-47-7028 | COVER, SMALL DIAPHRAGM, USED ON VALVE, QUICK RELEASE PORTION, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 558423 |
| 4755 | 18-47-7029 | FOLLOWWER, DIAPHRAGM, SMALLER DIAMETER, USED ON VALVE, QUICK RELEASE PORTION, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 549982 |
| 4756 | 18-47-7030 | EXCLUDER, WASP, USED ON VALVE, QUICK RELEASE PORTION, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 567248 |
| 4757 | 18-47-7031 | PISTON, SMALLER DIAMETER, USED ON VALVE QUICK RELEASE PORTION, AIR BRAKE SYSTEM, R47 50 TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 558420 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4758 | 18-47-7032 | COVER, BIGGER DIAMETER, USED ON VALVE, SYSTEM, R47 50-TON DIESEL ELECTRIC | EA | | 00 | | 00 | | 00 |
| | | QUICK RELEASE PORTION, AIR BRAKE LOCOMOTIVE | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 558428 | | | | | | | |
| 4759 | 18-47-7033 | FOLLOWER, DIAPHRAGM, BIGGER DIAMETER, AIR BRAKE SYSTEM, R47 50-TON DIESEL | EA | | 00 | | 00 | | 00 |
| | | USED ON VALVE, QUICK RELEASE PORTION, ELECTRIC LOCOMOTIVE | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 558426 | | | | | | | |
| 4760 | 18-47-7034 | DIAPHRAGM, BIGGER DIAMETER, USED ON SYSTEM R47 50-TON DIESEL ELECTRIC | EA | | 00 | | 00 | | 00 |
| | | VALVE, QUICK RELEASE PORTION, AIR BRAKE LOCOMOTIVE | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 551144 | | | | | | | |
| 4761 | 18-47-7035 | PISTON, BIGGER DIAMETER, USED ON VALVE, SYSTEM, R47 50-TON DIESEL ELECTRIC | EA | | 00 | | 00 | | 00 |
| | | QUICK RELEASE PORTION, AIR BRAKE LOCOMOTIVE | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 558425 | | | | | | | |
| 4762 | 18-47-7036 | SEAL ASSEMBLY, USED ON VALVE, QUICK 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | | 00 | | 00 | | 00 |
| | | RELEASE PORTION, AIR BRAKE SYSTEM, R47 | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 566752 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4763 | 18-47-7037 | RING, CLAMPING, QUICK RELEASE PORTION, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 558422 | | | | |
| 4764 | 18-47-7038 | VALVE, CHECK, QUICK RELEASE PORTION, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 589625 | | | | |
| 4765 | 18-47-7039 | BODY, QUICK RELEASE PORTION, : "26-F" CONTROL VALVE, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567145 | | | | |
| 4766 | 18-47-7040 | PLUG, CHOKE, 3/8"-18 X 3/64" DR. (PORT 10), PIPE BRACKET PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 528790 | | | | |
| 4767 | 18-47-7041 | PIN, DOWEL, 5/16" OD X 3/4" LONG, CONTROL VALVE, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535659 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4768 | 18-47-7042 | GASKET, QUICK RELEASE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 557173 | | | | |
| 4769 | 18-47-7043 | GASKET, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 557924 | | | | |
| 4770 | 18-47-7044 | SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567141 | | | | |
| 4771 | 18-47-7045 | COVER, TOP, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566697 | | | | |
| 4772 | 18-47-7046 | GASKET, TOP COVER, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 557929 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|--|-----|---------|---------|---------------|
| 4773 | 18-47-7047 | GUIDE, CHECK VALVE, SERVICE PORTION, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 558169 |
| ----- | | | | | | |
| 4774 | 18-47-7048 | COVER, SELECTOR VALVE, SERVICE PORTION, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 559754 |
| ----- | | | | | | |
| 4775 | 18-47-7049 | STOPNUT, ELASTIC, STL, ZN PLD, YEL OR CLR, 1/2-13 UNC-3B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 0520517 |
| ----- | | | | | | |
| 4776 | 18-47-7050 | FOLLOWER, DIAPHRAGM, SERVICE PORTION, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 567124 |
| ----- | | | | | | |
| 4777 | 18-47-7051 | DIAPHRAGM, SELECTOR VALVE, SERVICE BRAKE SYSTEM, R47 50-TON DIESEL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | ---- ---- ----- | | | | ----- |
| | | N P WABCO | | | | 566641 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4778 | 18-47-7052 | PISTON, SELECTOR VALVE, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567125 | | | | |
| 4779 | 18-47-7053 | STEM, PISTON, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560532 | | | | |
| 4780 | 18-47-7054 | SCREW, CAP, HEX HEAD, 1/2" X 1-3/4", SERVICE PORTION, "26-F" CONTROL VALVE, DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 3205 | | | | |
| 4781 | 18-47-7055 | NUT, CAP, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560375 | | | | |
| 4782 | 18-47-7056 | COVER, BOTTOM, SERVICE PORTION, "26-F" CONTROL VALVE. AIR BRAKE SYSTEM. R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560374 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4783 | 18-47-7057 | PISTON, LARGE, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 558211 | | | | |
| 4784 | 18-47-7058 | PISTON, SMALL, SERVICE PORTION. "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 559727 | | | | |
| 4785 | 18-47-7059 | DIAPHRAGM, SMAL, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 564217 | | | | |
| 4786 | 18-47-7060 | FOLLOWER, SMAL DIAPHRAGM, SERVICE PORTION, 26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 558156 | | | | |
| 4787 | 18-47-7061 | SHIM, SERVICE PORTION. "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 518173 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4788 | 18-47-7062 | PISTON, EMERGENCY LIMITING VALVE, AIR BRAKE SYSTEM. R47 50-TONS | EA | 00 | 00 | 00 |
| | | SERVICE PORTION. "26-F" CONTROL VALVE, DIESEL-ELECTRIC LOCOMOTIVE | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560381 | | | | |
| 4789 | 18-47-7063 | RING, RETAINING, SERVICE PORTION, R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560371 | | | | |
| 4790 | 18-47-7064 | RETAINER, SPRING, SERVICE PORTION. R47 50 TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560370 | | | | |
| 4791 | 18-47-7065 | BUSH, EMERGENCY LIMITING VALVE, SERVICE SYSTEM. R47 50-TONS DIESEL-ELECTRIC | EA | 00 | 00 | 00 |
| | | PORTION. "26-F" CONTROL VALVE. AIR BRKE LOCOMOTIVE | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560368 | | | | |
| 4792 | 18-47-7066 | O-RING, 2/8" O.D, SERVICE PORTION, R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 536584 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 4793 | 18-47-7067 | SCREW, CAP, HEX HEAD, 3/8" X 1-1/8" AIR BRKE SYSTEM. R47 50-TONS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 15784 |
| 4794 | 18-47-7068 | CAP, GRADUATED RELEASE, SERVICE BRAKE SYSTEM. R47 50-TONS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 560860 |
| 4795 | 18-47-7069 | GASKET, GRADUATED RELEASE CAP, SERVICE BRAKE SYSTEM. R47 50-TONS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 511874 |
| 4796 | 18-47-7070 | COVER, CHARGING VALVE, SERVICE R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 559733 |
| 4797 | 18-47-7071 | DIAPHRAGM, CHARGING VALVE, SERVICE BRAKE SYSTEM. R47 50-TONS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 566640 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4798 | 18-47-7072 | PISTON, CHARGING VALVE, SERVICE BRAKE SYSTEM. R47 50-TONS | EA | 00 | 00 | 00 |
| | | PORTION, "26-F" CONTROL VALVE, AIR DIESEL-ELECTRIC LOCOMOTIVE | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 558413 | | | | |
| 4799 | 18-47-7073 | GASKET, RING, 7/8" O.D., SERVICE BRAKE SYSTEM. R47 50-TONS | EA | 15 | 17 | 06 |
| | | PORTION, "26-F" CONTROL VALVE, AIR DIESEL-ELECTRIC LOCOMOTIVE | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 534031 | | | | |
| 4800 | 18-47-7074 | PLAG, CHOKE, 1/4"-NUMBER 37 DRILL, PORT J-1 TO 1B "J", SERVICE CONTROL VALVE, AIR BRAKE SYSTEM. R47 | EA | 00 | 00 | 00 |
| | | 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 900969 | | | | |
| 4801 | 18-47-7076 | SEAL, VENT, SERVICE PORTION, "26-F" 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | CONTROL VALVE, AIR BRAKE SYSTEM. R47 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 592957 | | | | |
| 4802 | 18-47-7077 | BODY, VENT PROTECTOR, SERVICE PORTION, R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 552376 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 4803 | 18-47-7078 | BODY, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL ELECTRIC LOCOMOTIVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 567134 | | | | | | | |
| 4804 | 18-47-7079 | GASKET, MOUNTING, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | | 15 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 568034 | | | | | | | |
| 4805 | 18-47-7080 | KIT, MOVING PARTS, QUICK RELEASE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 559554 | | | | | | | |
| 4806 | 18-47-7081 | KIT, OVERHAUL, QUICK RELEASE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 559553 | | | | | | | |
| 4807 | 18-47-7082 | KIT, OVERHAUL, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 592893 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4808 | 18-47-7083 | PIPE BRACKET PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560361 | | | | |
| 4809 | 18-47-7084 | VALVE, QUICK RELEASE PORTION, AIR BRAKE SYSTEM. USED ON R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 558414 | | | | |
| 4810 | 18-47-7085 | GUIDE, SPRING, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM. R47 50-TONS DIESEL-ELECTRIC LOCOMOTIVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 558171 | | | | |
| 4811 | 18-48-1100 | PLUG, U/W WABCO TYPE ME-23 BRAKE VALVE OIL FILTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 6753 | | | | |
| 4812 | 18-48-1150 | PLUG, USED WITH WAB CO. TYPE ME-42 BRAKE VALVE BRASS, 1/8 X 7/16 | EA | 04 | 01 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 26820 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4813 | 18-48-1300 | PLUG, U/W WAB CO. TYPE D-2-F AIR COMPRESSOR, OIL FILLING, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 55768 | | |
| 4814 | 18-48-1350 | PLUG, OIL FILLING, FOR TYPE D-3F COMPRESSOR. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563826 | | |
| 4815 | 18-48-1400 | PLUG, OIL FILLING COMPLETE, FOR D3F MOTOR COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563827 | | |
| 4816 | 18-48-1750 | PLUG, U/W WABCO TYPE1 UFHS 18 X 12 BRAKE CYLINDER OIL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 97592 | | |
| 4817 | 18-48-1950 | PLUG, U/W WABCO TYPE 2CY3B AIR COMPRESSOR PNEUMATIC CUSHIONING PORT R10 TO 36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 181800 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4818 | 18-48-2000 | PLUG, H.P. DISCHARGE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 183263 | | |
| 4819 | 18-48-2350 | PLUG, OIL FILLING, FOR TYPE V BRAKE CYLINDER. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 502700 | | |
| 4820 | 18-48-2700 | PLUG, U/W WABCO TYPE C-15 SLACK ADJUSTOR BOLT HOLE R-12 14-15 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 512398 | | |
| 4821 | 18-48-2750 | PLUG, U/W WABCO TYPE A-1 OPERATING UNIT OIL, EMERGENCY VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 514173 | | |
| 4822 | 18-48-2950 | PLUG, USED WITH WAB CO. TYPE ME-42 BRAKE VALVE 1/8 IN. PIPE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 523437 | | |
| 4823 | 18-48-3197 | PLUG, SOCKET, PIPE USED WITH W.A.B. TYPE D1 AUTOMATIC DRAIN VALVE, 1/2 IN. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 525708 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|--|-----|---------|---------|---------------|
| 4824 | 18-48-3500 | PLUG, CHOKE, USED WITH WAB CO. TYPE A-1 OPERATING UNIT, 1/4 IN. WITH 3/32 HOLE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 48458 |
| ----- | | | | | | |
| 4825 | 18-48-3506 | PLUG, CHOKE U/W WAB MAGNET VALVE 1/4 INCH 1/3 16 INCH HOLE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WAB CO. | | | | 49012 |
| ----- | | | | | | |
| 4826 | 18-48-3550 | PLUG, CHOKE, USED WITH WAB CO. TYPE A-1 OPERATING UNIT, BLENDING, 1/4 EXHAUST W 17/64 DRILL, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 78374 |
| ----- | | | | | | |
| 4827 | 18-48-3575 | PLUG, CHOKE 1/8" FOR WAB TYPE NS-16 COMPRESSOR GOVERNOR, R-22 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 78727 |
| ----- | | | | | | |
| 4828 | 18-48-3590 | PLUG, CHOKE, USED WITH W.A.B. TYPES J-1- J-1A RELAY VALVES, 1/4 IN. -7/64 IN. DR .-R-29-30 CARS. | EA | 10 | 06 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 78758 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4829 | 18-48-3700 | PLUG, CHOKE USED WITH WAB CO. TYPE A-1 OPERATING UNIT 1/2 IN. W/1/16 DRILL HOLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83796 | | |
| 4830 | 18-48-3900 | PLUG, CHOKE U/W WABCO TYPE UE-5 UNIVERSAL VALVE CONICAL 1/8" W/1/32" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 95998 | | |
| 4831 | 18-48-3950 | PLUG, CHOKE, U/W WAB CO. TYPE M-3 SINGLE PRESSURE FEED VALVE, 1/8 IN. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 91025 | | |
| 4832 | 18-48-4000 | PLUG, CHOKE USED WITH W.A.B. CO. TYPE ME-42 BRAKE VALVE, 1/8IN. W/3/16 IN. DRILL HOLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 94032 | | |
| 4833 | 18-48-4050 | PLUG, CHOICE U/W WABCO TYPE A-1 OPERATING UNIT QUICK ACTING PORTION 1/8 WITH 3/32 DRILL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 97286 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 4834 | 18-48-4100 | PLUG, CHOKE U/W WABCO TYPE A-1 DRILL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 505905 |
| 4835 | 18-48-4150 | PLUG, CHOKE, U/W WAB CO. TYPE A-1, W #55 DRILL, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 517998 |
| 4836 | 18-48-4200 | PLUG, CHOKE U/W WABCO TYPE A-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 538383 |
| 4837 | 18-48-4250 | PLUG, CHOKE, 1/8 INCH USED WITH TYPE ME42B BRAKE VALVE. F/R-28 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 552003 |
| 4838 | 18-49-0113 | VALVE, BALL, 3/8", USED ON BRAKE SYSTEM UPGRADE, FOR WHISTLE VALVE MODIFICATION | EA | 04 | 13 | 04 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 572470 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4839 | 18-49-1260 | PLUNGER, BALL CHECK, 3 YC AIR COMPRESSOR PARTS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 183416 | | |
| 4840 | 18-49-1275 | PLUNGER UNLOADED WITH SPRING U/W WAB TYPE 42B AIR COMPRESSOR FOR DIESEL ELECTRIC LOCOMOTIVE # 12413 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563203 | | |
| 4841 | 18-49-1425 | PLUNGER, U/W WAB CO. TYPE H-4-A WHISTLE VALVE, RETAINING SPRING. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 532713 | | |
| 4842 | 18-49-1450 | PLUNGER, CHECK VALVE, FOR ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533649 | | |
| 4843 | 18-49-1475 | PLUNGER, EMERGENCY VALVE, FOR BRAKE VALVE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533774 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4844 | 18-49-1480 | PLUNGER, FOR TYPE ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 564115 | | |
| 4845 | 18-49-1490 | PLUNGER, FOR TYPE ME-42 -B-, BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562792 | | |
| 4846 | 18-49-1541 | PLUNGER, SERVICE ACC RELEASE VALVE FOR CONT VALVE SERVICE PORT #566172 FOR INDIVIDUALLY PACKAGED AND IDENTIFIED PURCHASE ORDER #, DATE OF MANUFACTURE SUPPLIED MUST HAVE BEEN INSPECTED IN PROGRAM THAT HAS BEEN CERTIFIED BY THE IS TO BE SUPPLIED BY VENDOR WITH EACH INSPECTED AND IS IN COMPLIANCE." | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566194 | | |
| 4847 | 18-49-1555 | PLUNGER, FOR WABCO AB-FOR BRAKE EQUIP #566198 FOR FLAT CARS NOTE: PARTS MUST WITH MANUFAC- Turer's NAME & PART #, AND NYCTA COMMODITY NO. "MATERIAL ACCORDANCE WITH A QUALITY ASSURANCE AAR AGAINST AAR M-1003. CERIFICATION IS SHIPMENT THAT MATERIAL HAS BEEN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566215 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4848 | 18-49-2100 | POCKET, U/W WAB CO. TYPE D-3-F AIR COMPRESSOR, FOR CUSHION, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 7481 | | |
| 4849 | 18-49-3300 | PLUG, CHOKE U/W WABCO TYPE A-1 OPERATING UNIT 1/4" WITH 3/32 HOLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 548216 | | |
| 4850 | 18-49-4360 | PORTION, AUTOMATIC BRAKE, COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551550 | | |
| 4851 | 18-49-4361 | PORTION, COMPLETE CENTER A-1 OPERATING UNIT PIPE BRACKET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551551 | | |
| 4852 | 18-49-4420 | PORTION, DOUBLE CHECK VALVE COMPLETE, U/W A-1 OPERATING UNIT, R10-36 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 532010 | | |
| 4853 | 18-49-4425 | PORTION U/W WABCO TYPE A-1 & A1A OPERATING UNIT INSHOT VALVE COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 537810 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4854 | 18-49-4660 | PORTION, DYNAMIC BRAKE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551437 | | |
| 4855 | 18-49-4675 | PORTION, VARIABLE LOAD, COMPLETE U/W TYPE A-1 OPERATING UNIT R17 CARS & UP | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551553 | | |
| 4856 | 18-49-5100 | POST, U/W WAB CO. ELECTRICALLY OPERATED COMPRESSOR SWITCH, CONNECTING MOVEABLE CONTACT, & BLOWOUT COIL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 32830 | | |
| 4857 | 18-49-5150 | POST, U/W WABCO ELECTRICALLY, OPERATING COMPRESSOR SWITCH, BINDING, BLOW-OUT COIL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 33247 | | |
| 4858 | 18-49-5300 | POST U/W WABCO ME-42 BREAK VALVE TERMINAL BOLT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535013 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|------------|---------------|-----|-----|-----|-----|-----|
| 4859 | 18-49-6400 | PROTECTOR, U/W WABCO TYPE A1 OPERATING UNIT, VENT, EMERGENCYVALVE | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 532456 | | | | | |
| 4860 | 18-49-6421 | PROTECTOR U/W WAB ME-42 BRAKE VALVE TYPE B FOR R-28 CARS | EA | | 00 | | 30 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 537442 | | | | | |
| 4861 | 18-49-7200 | PULLEY U/W TYPE A-2A COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 548101 | | | | | |
| 4862 | 18-49-7300 | PULLEY MOTOR A-3 COMPRESSOR MOTOR FOR R-33 & R-36 CARS | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 562283 | | | | | |
| 4863 | 18-49-8000 | PUMP OIL-COMPLETE U/W WAB TYPE 42B AIR COMPRESSOR, F/DIESEL ELEC. LOCOMOTIVES #1 EA 2&13 | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 513678 | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4864 | 18-50-6100 | QUANRANT, TYPE: A-1, WABCO | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83157 | | | | |
| 4865 | 18-50-6200 | W.A.B. CO. BRAKE VALVE PTS. -ME-42 QUADRANT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 534767 | | | | |
| 4866 | 18-50-6250 | QUADRANT, U/W TYPE ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 550601 | | | | |
| 4867 | 18-51-0000 | SWITCH, PRESSURE/ELECTRICAL PNEUMATIC SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC CORPORATION 655512 | | | | |
| 4868 | 18-51-0001 | SWITCH, PRESSURE 20PSI CLOSED 40PSI OPEN/ELECTRICAL PNEUMATIC SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC CORPORATION 1172305 | | | | |
| 4869 | 18-51-0005 | ABDX CONTROL VALVE, WITH PORT 11 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 06656300002 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 4870 | 18-51-0007 | 1" Lockout Handle with Valve (0-90 deg)/Main Reservoir Pipe | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC CORPORATION 0572473 | | | | | | | |
| 4871 | 18-51-0009 | 16'' x 72'' 13540 Cu In Reservoir with Hangers/ Main Reservoir Tank | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC CORPORATION 05897251000 | | | | | | | |
| 4872 | 18-51-0010 | 1" 1/4 x 1" 1/4 x 1" Branch Pipe Tee/Brake | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC CORPORATION 0580264 | | | | | | | |
| 4873 | 18-51-0011 | No. 8 Vent Valve/ Brake Pipe | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC CORPORATION 0579862 | | | | | | | |
| 4874 | 18-51-0012 | 1"1/4 Equalizing Check Valve with 1/4" Chock Orifice/Main Reservoir | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC CORPORATION 06407200250 | | | | | | | |
| 4875 | 18-51-0013 | RX-3 Retaining Valve | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC CORPORATION 0661063 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4876 | 18-51-0014 | 3/4'' Ball Valve Full Port with Locking Handle and 1/4-FP Vent/Brake Cylinder Cu EA tout valve | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC CORPORATION 03076510001 | | | | |
| 4877 | 18-51-0015 | 1"3-Way Ball Valve, std Port, with Spring Locking Handle/ 3-Way Drain Valve | EA | 03 | 05 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC CORPORATION 0657319 | | | | |
| 4878 | 18-51-0018 | N 22-B Double Check Valve/Auxiliary /Independent | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC CORPORATION 0553579 | | | | |
| 4879 | 18-51-0019 | 1" Standard Check Valve | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC CORPORATION 0513270 | | | | |
| 4880 | 18-51-0020 | C-1-3-8 Strainer and Check Valve | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC CORPORATION 0543871 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|--------------------|---------------|---------|---------|
| 4881 | 18-51-0021 | Reservoir, 5" x 6.25", 90 Cubic Inch with Mounting Bracket | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC CORPORATION | 0557676 | | |
| 4882 | 18-51-0022 | 3/8" N 28-A Double Check Valve | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC CORPORATION | 0650143 | | |
| 4883 | 18-51-0023 | 30A-CDW Automatic Brake Valve with 2 Position Cut-off Valve and Non Removable Handles | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC CORPORATION | 05929132001 | | |
| 4884 | 18-51-0025 | H-5 Relay Air Valve, 15 Psi | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC CORPORATION | W534814 | | |
| 4885 | 18-51-0026 | BACKUP WHISTLE VALVE / BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC CORPORATION | 1-51614 | | |
| 4886 | 18-51-1310 | PLATE, TEST, CHECK VALVE, FOR R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | A571338 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|----------------------------------|---------|---------|
| 4887 | 18-51-1321 | ROCK, TEST TRANS-MAG, FOR MAGNET VALVES R-44 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579628 | | |
| 4888 | 18-51-3600 | RESERVOIR, AIR, MAIN, 10" X 48", CORTEN STEEL, ENAMELED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | **** PART NO. NOT AVAILABLE **** | | |
| | N | D | WABCO | E-70000 | | |
| 4889 | 18-51-3780 | RESERVOIR, AIR, MAIN, 16 IN. X 42 INCH FOR R-12-14-15 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 546848 | | |
| 4890 | 18-51-3800 | RESERVOIR, AIR BRAKE, MAIN, 16 IN. X 42 IN. WAB CO. DWG. E-66847, IRT DWG. 11115 , DET. NO. 1, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 550581 | | |
| 4891 | 18-51-3850 | RESERVOIR DIV. BRAKE, MAIN, 16 IN. X 42 IN. WAB DWG. E-66847, LINE NO. 2 IRT DWG . 11115, DET. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 550582 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4892 | 18-51-4435 | SCREW, SET, #10-32 X 3/4", HEX, SOCKET, SELF LOCKING, STEEL, KNURLED CUP POINT, FOR TYPE E-1-E OPERATING UNIT ON AUTO DRAIN VALVE PORTION ASSEMBLY, TYPE D-2. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578279 | | | | |
| 4893 | 18-51-4500 | RESERVOIR UNIT, A-1 SUPPLY 7-1/16"X16-1/2" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 532942 | | | | |
| 4894 | 18-51-4590 | RESERVOIR, MAIN ONLY, 16" X 42" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 564200 | | | | |
| 4895 | 18-52-0001 | TRIP COCK D-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC CORPORATION 583164 | | | | |
| 4896 | 18-52-2000 | RETAINER, USED WITH SEAL CUT-IN ON GOVENOR TYPE S6. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 33555 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4897 | 18-52-2200 | RETAINER, U/W WABCO SINGLE PRESSURE FEED VALVE, M-3, COLLAR, SPRING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 77993 | | | | |
| 4898 | 18-52-2400 | RETAINER, PISTON SWAB, OR WABCO TYPE "C" BRAKE CYLINDER 10" X 12" ON "AB" BRAKE EQUIPMENT, FOR WORK CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 94803 | | | | |
| 4899 | 18-52-2500 | RETAINER, USED WITH W.A.B. CO. RELAY VALVE FOR OPERATING UNIT, TYPE A-1, ALSO CO NTROL VALVE 21-A & 21-B PAD, OIL, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 97515 | | | | |
| 4900 | 18-52-2550 | RETAINER, SPECIAL U/W WABCO BRAKE, CYLINDER UJ, 7-1/2" X 1-1/2", 5WAB, HOLLOW RO D | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 99296 | | | | |
| 4901 | 18-52-2600 | RETAINER SPECIAL, U/W WAB CO. BRAKE CYLINDER UFHS 18" X 12", FELT, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 99297 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 4902 | 18-52-2885 | RETAINER, U/W WAB BRAKE CYLINDER, 6" X 6"VAHT, PISTON LU- ER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 501618 |
| 4903 | 18-52-3100 | RETAINER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 502810 |
| 4904 | 18-52-3250 | RETAINER, FELT, NO. 512472. SLACK ADJUSTER PTS. WEST. A.B. CO. TYPE C-15-D | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 512472 |
| 4905 | 18-52-3350 | RETAINER, SPECIAL, USED WITH WABCO TYPE 3YC AIR COMPRESSOR, SPRING. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 513281 |
| 4906 | 18-52-3500 | WIRE - LOCKING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 532961 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4907 | 18-52-3550 | RETAINER, SPECIAL, U/W WABCO INSHOT VALVE PORTION #553525 ON OPERATING UNIT A-1, SPRING. LOWER DIAPHRAGM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533534 | | | | |
| 4908 | 18-52-3600 | RETAINER, CHECK VALVE SPRING, FOR B-3 UNCOUPLING VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533947 | | | | |
| 4909 | 18-52-3705 | RETAINER SEAL, U/W TYPE B-3 RELAY VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 540887 | | | | |
| 4910 | 18-52-3714 | RETAINER, SEAT, U/W WAB TYPE ME-42B BRAKE VALVE. R-29-30 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 551540 | | | | |
| 4911 | 18-52-3715 | RETAINER, RING FOR ME-42B BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 551541 | | | | |
| 4912 | 18-52-3728 | RETAINER, SEAL, FOR EXHAUST VALVE ASSY NO. 8 VENT VALVE ON A-1 REDUCTION RELAY V | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | ALVE, FOR FREIGHT, FLAT CARS & MISC-EQUIPMENT, | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 568995 | | | | |
| 4913 | 18-52-3730 | RETAINER, SHUNT, FOR TYPE D-3 AIR COMPRESSOR UNIT, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 570165 | | | | |
| 4914 | 18-53-2650 | RING, USED WITH D2F COMPRESSOR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 49139 | | | | |
| 4915 | 18-53-2700 | RING, FRONT INSULATING V, RELIANCE ELECTRIC CO. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 49140 | | | | |
| 4916 | 18-53-3400 | RING, DIAPHRAGM FOR TYPE M-3 SINGLE PRESSURE FEED VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 81271 | | | | |
| 4917 | 18-53-3550 | RING, RETAINING, FOR A-1 OPER. UNIT, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 87421 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4918 | 18-53-3650 | RING, FOR TYPE A-5-A APPLICATION VALVE 1/2 IN. WABCOTITE FITTING RING, BRASS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 93837 | | |
| 4919 | 18-53-3700 | RING, SPECIAL, U/W WABCO TYPE A-5-A APPLICATION VALVE, 3/4" WABCOTIVE FITTING RING BRASS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 93838 | | |
| 4920 | 18-53-3800 | RING, SPECIAL, U/W BRAKE CYLINDER EQUIPMENT, SEAL RING 7 1/2" X 1 1/2" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 94433 | | |
| 4921 | 18-53-3850 | RING, SPECIAL USED WITH 10 IN. X 12 IN. BRAKE CYLINDER STRAINER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 94815 | | |
| 4922 | 18-53-3900 | RING SPECIAL, U/W BRAKE CYLINDER, SWAB COMPRESSION RING STEEL, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 97598 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4923 | 18-53-3950 | RING SPECIAL, U/W W.A.B. CO. 18" X 12" UFHS BRAKE CYLINDER, PROTECTOR RING, BRAS EA S, | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 99659 | | | | |
| 4924 | 18-53-4050 | RING SPECIAL, U/W W.A.B. CO. 18" X 12" UPHS BRAKE CYLINDER, FELT, 3 1/2" ID X 4" EA OD X 3/16" THK. | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 99665 | | | | |
| 4925 | 18-53-4300 | RING, INSULATING, USED WITH CHRISTENSEN TYPE COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 110409 | | | | |
| 4926 | 18-53-4450 | RING U/W WABCO TYPE 2CY3B AIR COMPRESSORPISTON R10 TO 36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 182026 | | | | |
| 4927 | 18-53-4455 | RING, SPECIAL, U/W WABCO TYPE 2CY3B AIR COMPRESSOR, PISTON OIL, L.P., R10 TO 36 EA CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 182027 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 4928 | 18-53-4600 | RING, SNAP, EXTERNAL, 2CY3B AIR COMPRESSION PTS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 187886 | | | | |
| 4929 | 18-53-5000 | RING, STRAINER RETAINING, FOR 18 X 12 UFHS BRAKE CYLINDER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501302 | | | | |
| 4930 | 18-53-5100 | RING SPECIAL, U/W W.A.B. CO. 7" X 6" UAHT BRAKE CYLINDER, ANCHOR RING, STEEL, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 502422 | | | | |
| 4931 | 18-53-5140 | RINGS, ANTI-RATTLER, U/W 6" X 6" UAHT BRAKE CYLINDER, FOR R-10 AND UP | EA | 85 | 45 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 506401 | | | | |
| 4932 | 18-53-5150 | RING, CHECK PAWL, SLACK ADJUSTER PTS. WABCO TYPE C-15-D | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 506887 | | | | |
| 4933 | 18-53-5180 | RING, RETAINING, WRIST PIN, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 511196 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4934 | 18-53-5200 | RING, SPECIAL, U/W WABCO TYPE C-45-D AUTO SLACK ADJUSTER, SNAP RING, STEEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 512471 | | |
| 4935 | 18-53-5250 | RING, EXPANDER U/W WABCO TYPE E-3 BRAKE APPLICATION VALVE STEEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 513006 | | |
| 4936 | 18-53-5300 | COMPRESSOR, PARTS, TYPE 2CY3B, RING, OILSTRAINER SNAP, R10-36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 517441 | | |
| 4937 | 18-53-5320 | RING, -0- 1 INCH O.D. USED WITH TYPE ME42B BRAKE VALVE | EA | 134 | 145 | 290 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 524615 | | |
| 4938 | 18-53-5321 | RING, "0", U/W WABCO COMPRESSOR GOVERNORTYPE S-20 | EA | 3,937 | 4,426 | 1,379 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0524616 | | |
| | N | P | WABCO | 524616 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-------|-----|-------|-----|-----|
| 4939 | 18-53-5322 | RING-O- 2-1/2 INCH O.D. USED WITH TYPE ME 42B BRAKE VALVE. F/R-28 CARS | EA | | 00 | | 104 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 524617 | | | | | | | |
| 4940 | 18-53-5325 | RINGS, PACKING, U/W AIR BRAKE EQUIPT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 524620 | | | | | | | |
| 4941 | 18-53-5335 | RING, PACKING, 2-1/4 INCH DIA., USED WITH TYPE ME 42B BRAKE VALVE. F/R-28 CARS. | EA | | 00 | | 120 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 524715 | | | | | | | |
| 4942 | 18-53-5344 | O-RING FOR WAB TYE ME42-B BRAKE VALVE, R-26 CARS. 0.612 IN. NOM ID X 0.818 IN. NOM OD X 0.103 IN. THK | EA | | 1,080 | | 1,424 | | 325 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0524935 | | | | | | | |
| | | N P WABCO 524935 | | | | | | | |
| 4943 | 18-53-5450 | SWAB, PISTON LUBRICATOR FOR WABCO TYPE "C" BRAKE CYLINDER 10" X 12" ON "AB" BRAK E EQUIPMENT, FOR WORK CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 526866 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT


| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|------------|-----|-----|-----|-----|----------------------|-----|
| 4944 | 18-53-5570 | RING, COMPRESSION USED WITH WAB AFTER COOLER F/R TYPE CARS. 1-1/4 INCH | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABCO | | | | | 534270 | |
| 4945 | 18-53-5625 | RING, PISTON, 15/16", U/W TYPE B-3 RELAYVALVE, 1ST REPAIR | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABCO | | | | | 540885 | |
| 4946 | 18-53-5690 | RING, RETAINING, WRIST PIN, (LOCK, H.P. AND L.P.), FOR TYPE 2CY3B AIR COMPRESSOR R36 CARS | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABCO | | | | | 552425 | |
| 4947 | 18-54-1078 | RIVET, TUBULAR, FLAT HEAD, BRASS, FOR WAB TYPE ME-42 BRAKE VALVE SELF LAPPING PORTION, R 10-22 CARS, | EA | | 145 | | 155 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABCO | | | | | 563275 | |
| | N | D | NYCTA | | | | | 102-1002 REV.A DET.B | |
| 4948 | 18-54-1080 | RIVET, TUBLAR, FLAT HEAD, U/W WAB TYPE ME-42 BRAKE VALVE, SELF LAPPING PORTION | EA | | 140 | | 155 | | 00 |
| | QPL | CODE | MFG - NAME | | | | | MFG - PART-NO | |
| | N | P | WABCO | | | | | 563274 | |
| | N | D | NYCTA | | | | | 102-1002 DET "C" | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4949 | 18-54-1600 | RIVET, CROSSHEAD, FOR TYPE C2A AUTOMATIC SLACK ADJUSTER, STEEL, SOLID, OVAL HD., 1/4" DIA X 2-3/8" LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 5668 | | |
| 4950 | 18-54-1800 | RIVET, CROSSHEAD, TYPE Q 11/32 X 3-3/4 BRAKE CYLINDER PARTS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 12981 | | |
| 4951 | 18-54-2150 | RIVET, LATCH LINK, FOR D3F COMP., | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 44427 | | |
| 4952 | 18-54-2300 | RIVET, FOR OPERATING UNIT, TYPE A1, VENT VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 552036 | | |
| 4953 | 18-54-4250 | ROD, PUSH, U/W WAB CO. TYPE, 10 X 12 BRAKE CYLINDER, LESS PINS & COTTERS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 5891 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 4954 | 18-54-4700 | ROD, DIAPHRAGM PUSH, FOR TYPE A-1 VARIABLE LOAD VALVE, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83145 | | |
| 4955 | 18-54-5190 | ROD CONNECTING COMP. W/CAP USED WITH WAB TYPE 4ZB AIR COMPRESSOR F/DIESEL ELEC. LOCOMOTIVES NO. 12 & 13, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 183047 | | |
| 4956 | 18-54-5195 | ROD, PUSH, FOR AB-BRAKE VALVE, R-20 SERVICE CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 540978 | | |
| | N | D | NYCTA | 5X5908 | | |
| 4957 | 18-54-5201 | ROD CONNECTING U/W WAB TYPE 2CY3B AIR COMPRESSOR COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 183476 | | |
| 4958 | 18-54-5400 | ROD, PUSH | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501300 | | |

USER-ID : CHU
 FILE-ID : WABP2024
 PROG-ID : 

NEW YORK CITY TRANSIT AUTHORITY
 COMMODITY MANAGEMENT SYSTEM

PAGE : 902
 DATE : 04/12/2024
 VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-------|---------|---------|---------|
| 4959 | 18-54-5650 | PUSH ROD, WITH PIN AND HOLDER COMPLETE WESTINGHOUSE AIR BRAKE CO. NO. 533445 R 7 IN. X 6 IN. UAHT BRAKE CYLINDER | FO EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533445 | | | | |
| 4960 | 18-54-5675 | ROD, PUSH, W/PIN AND COTTER, COMPLETE FOR WAB 6" X 6" BRAKE CYLINDER UAHT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533587 | | | | |
| | | N S NYCTA PALLET SPEC | | | | |
| 4961 | 18-54-5800 | ROD, STRUT CYLINDER, FOR WAB VARIABLE LOAD, RELAY R-10 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 554129 | | | | |
| 4962 | 18-54-7250 | ROLLER, U/W A-1-A & A-1-E OPERATING UNITS, A-1 #551287, #536408; A-1-A #564484 (GE), #564486 (GE); A-1-E #564479 (WE), 562590, R29, 33, 36, 16, 17-21, 22 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 81608 | | | | |
| 4963 | 18-54-7300 | ROLLER U/W WAB CO TYPE A-1-A VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 89488 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4964 | 18-54-7450 | ROLLER, USED WITH WAB CO. TYPE ME-42 BRAKE VALVE, CAM DOG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 531709 | | |
| 4965 | 18-54-7500 | ROLLER, U/W WABCO TYPE A-1 OPERATING UNIT SECTOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534138 | | |
| 4966 | 18-56-0035 | RESERVOIR, AIR, 45 CUBIC INC/AIR BRAKE SCHEMATICS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 303969 | | |
| 4967 | 18-56-0122 | PIN, 0.185 X 1/2 CAM DOG ROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0583738 | | |
| 4968 | 18-56-0123 | SPRING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0563847 | | |
| 4969 | 18-56-0124 | O-RING, 1-1/16" OD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0586146 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 4970 | 18-56-0125 | PIN, CAP | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0584716 |
| ----- | | | | | | | | | |
| 4971 | 18-56-0126 | STRAINER, THIMBLE TYPE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0651714 |
| ----- | | | | | | | | | |
| 4972 | 18-56-0127 | GASKET, PIPE BRACKET, U/W 30A-CDW CONTROL VALVE | EA | | 15 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0583754 |
| ----- | | | | | | | | | |
| 4973 | 18-56-0148 | "D-1" TRIP VALVE PORTION FOR WORK CAR LOCOMOTIVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0583159 |
| ----- | | | | | | | | | |
| 4974 | 18-56-0160 | "D-1-A" TRIP VALVE PORTION FOR WORK CAR LOCOMOTIVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0583160 |
| ----- | | | | | | | | | |
| 4975 | 18-56-0162 | BOLT, SHEAR (SPECIAL) 7/16" HEX, NO 10/24 UNC-2A X 0.47 THREAD LG (1.625" | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| | | OVERALL LG), FOR WORK CAR LOCOMOTIVE | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | ---- ---- ----- ----- | | | | | | | |
| | | N P WABCO 0573025 | | | | | | | |
| 4976 | 18-56-0211 | COVER, CHECK VALVE/AIR DRYER ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | ---- ---- ----- ----- | | | | | | | |
| | | N P WABCO 0653297 | | | | | | | |
| 4977 | 18-56-0212 | ELBOW, 1/4 X 1/8" NPT MALE CONNECTOR/ AIR DRYER ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | ---- ---- ----- ----- | | | | | | | |
| | | N P WABCO 0593255 | | | | | | | |
| 4978 | 18-56-0213 | PISTON ASSEMBLY, (INCLUDES O-RING 1/2", 2" OD AND PISTON)/AIR DRYER ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | ---- ---- ----- ----- | | | | | | | |
| | | N P WABCO 0653296 | | | | | | | |
| 4979 | 18-56-0214 | PLATE, CHECK VALVE FILLING/AIR DRYER ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | ---- ---- ----- ----- | | | | | | | |
| | | N P WABCO 0653294 | | | | | | | |
| 4980 | 18-56-0215 | SEAL ASSEMBLY, CHECK VALVE FILLING/AIR DRYER ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | ---- ---- ----- ----- | | | | | | | |
| | | N P WABCO 0653293 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------------------|------------|---------------|---------|---------|
| 4981 | 18-56-0216 | SEAL, CHECK VALVE/AIR DRYER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0653292 | | |
| 4982 | 18-56-0217 | HANDLE TRIP, WORK CAR LOCOMOTIVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0573186 | | |
| 4983 | 18-56-0218 | INLET MANIFOLD, AIR DRYER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0653279 | | |
| 4984 | 18-56-0219 | STUD, FILTER, AIR DRYER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0653282 | | |
| 4985 | 18-56-0220 | FLANGE, PIPE, AIR DRYER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0653357 | | |
| 4986 | 18-56-0221 | PLATE, FILTER, AIR DRYER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0653299 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 4993 | 18-56-0255 | LOCOMOTIVE WIRE HARNESS, 360"/INSTALLATION KIT/AIR DRYER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0653835-0360 | | | | |
| 4994 | 18-56-0256 | CARD, INDICATOR, HUMIDITY INDICATOR REBUILD KIT/AIR DRYER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0650228 | | | | |
| 4995 | 18-56-0257 | SPACER, POLYETHELENE, HUMIDITY INDICATOR REBUILD KIT/AIR DRYER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0650229 | | | | |
| 4996 | 18-56-0258 | DISC, POROUS, HUMIDITY INDICATOR REBUILD KIT/AIR DRYER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06502360 | | | | |
| 4997 | 18-56-0259 | GASKET, HUMIDITY INDICATOR REBUILD KIT/AIR DRYER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0650231 | | | | |
| 4998 | 18-56-0260 | RETAINING RING, HUMIDITY INDICATOR REBUILD KIT/AIR DRYER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0592703 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 4999 | 18-56-0268 | VALVE, EMERGENCY/VALVE, B-3-B EMERGENCY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0001736 | | |
| 5000 | 18-56-0269 | LEVER, OPERATING/VALVE, B-3-B EMERGENCY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0013575 | | |
| 5001 | 18-56-0270 | LEVER, VALVE/VALVE, B-3-B EMERGENCY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0013574 | | |
| 5002 | 18-56-0271 | BODY, VALVE/VALVE, B-3-B EMERGENCY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0088565 | | |
| 5003 | 18-56-0284 | WASHER, FLAT, STL, ZN, PLD, YEL 0.203" NOM ID X 0.5000 NOM OD X 0.125" THK. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0573026 | | |
| 5004 | 18-56-0700 | PLUG, SPECIAL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 585156 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5005 | 18-56-1150 | SCREW, TERMINAL, WAB CO. PC. NO. 1417.190 NO. 10-32 X 7/8 IN. SQ. HD. BRASS SCRE W- FOR ME-23 BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 01417 | | | | |
| 5006 | 18-56-2550 | SCREW, COMMUTATOR NUT FOR D3F AIR COMPRESSOR, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 9204 | | | | |
| 5007 | 18-56-2634 | SCREW, SET, SQ HD, CUP POINT, REF 10 FORWABCO DIAPHRAGM COCKS ON AB TEST RACK. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 11034 | | | | |
| 5008 | 18-56-2680 | SCREW, HEX HEAD, 0.312-18 X 0.875, UNC-2A, STAINLESS STEEL, YELLOW ZINC PLATING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000001-4578 | | | | |
| 5009 | 18-56-2730 | SCREW, CAP, FOR TYPE A-3 600V COMPRESSOR MOTOR, SIZE: 1/2" X 2-1/8", | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 25428 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5010 | 18-56-2866 | SCREW, MACHINE, U/W W.A.B. COMPRESSOR GOVERNOR TYPE S-20, R-26,28,29 CARS. .190 IN. X 7/16 IN. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 33912 | | | | | | | |
| 5011 | 18-56-2885 | SCREW, SET, FOR 18 IN. X 12 IN. UFHS BRAKE CYL. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 37749 | | | | | | | |
| 5012 | 18-56-2900 | SCREW, U/W WAB CO. TYPE D-2-F AIR COMPRESSOR, SET, 1/2"-13 X 3/4" DOG PT, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 38655 | | | | | | | |
| 5013 | 18-56-3050 | SCREW, U/W WAB CO TYPE D-2-F AIR COMPRESSOR. FRONT BEARING HOUSING CARBON HOLDER CLAMP. CAP, HEXAGON HEAD 1/2-13 X 4-3/8 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 53496 | | | | | | | |
| 5014 | 18-56-3300 | SCREW, FOR A1 UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 83141 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD | |
|------|------------|--|---|------------|---------------|---------|----|
| 5015 | 18-56-3315 | SCREW, LATCH, INSPECTION COVER, FOR 1/2 IN. FROM END, 5/16-18 NC THREAD, | H-2-A AUTOMATIC CAR COUPLER, THREADED 1-1/2" LONG | EA | 00 | 00 | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | | N | P | WABCO | 83851 | | |
| | | N | D | NYCTA | 561-8 | | |
| 5016 | 18-56-3325 | SCREW, TERMINAL, FOR BL-25-B ELEC. PORTION | H-2-C COUPLER | EA | 00 | 00 | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | | N | P | WABCO | 86379 | | |
| 5017 | 18-56-3400 | SCREW, SET, 5/16-18 X 7/16-DOG PT, HEX WABCO TYPE UAHT, PUSHROD HOLDER, IN | HEAD, 7 X 6 BRAKE CYLINDER, USED WITH STANDARD PACKAGES | EA | 110 | 48 | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | | N | P | WABCO | 94988 | | |
| 5018 | 18-56-5100 | SCREW, U/W WABCO TYPE K1 SLACK ADJUSTER | ADJUSTING | EA | 00 | 00 | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | | N | P | WABCO | 501369 | | |
| 5019 | 18-56-5250 | SCREW, ADJUSTER, WEST. AIR BRAKE CO. ADJUS/EA18-56-5300-01 SCREW, U/W WABCO WABCO PC. NO. 501915 | NO. 501887 FOR FORM J, SLACK TYPE -L- SLACK ADJUSTER, ADJUSTING. | EA | 00 | 00 | 00 |
| | | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | | N | P | WABCO | 501887 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5020 | 18-56-5350 | SCREW, U/W WABCO, FOR TYPE -E- SLACK ADJUSTER, ADJUSTING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501946 | | |
| 5021 | 18-56-5500 | SCREW, USED WITH WABCO. TYPE C-15-D SLACK ADJUSTER, ADJUSTING, COMPLETE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 502033 | | |
| 5022 | 18-56-5550 | SCREW, U/W WABCO TYPE C-2-A SLACK ADJUSTER. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 502037 | | |
| 5023 | 18-56-5591 | SCREW, RETAINING, U/W R-20 FLAT CARS SPINO RAIL GRINDER, 3/16 IN. X 5/16 IN. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 506146 | | |
| 5024 | 18-56-5725 | SCREW, FILLING HEAD, 1/4 INCH X 7/8 INCH USED WITH W.A.B. COMPRESSOR. GOVERNOR TYPE S-20. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533732 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5025 | 18-56-5735 | SCREW, CAP, U/W WAB BRAKE VALVE PORTION STEEL, HEX HD 3/8-16 NCTHD 5-3/4' LG THREADED 1-1/4" | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 533770 | | | | | | | |
| 5026 | 18-56-5750 | SCREW, U/W WAB CO. TYPE A-1 OPERATING UNIT, SHOULDER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 534726 | | | | | | | |
| 5027 | 18-56-6000 | SCREW, SET U/W WAB BRAKE VALVE PORTION HEX HEAD SLOT DRIVE 8-32 NCTHD 3/4" LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 535517 | | | | | | | |
| 5028 | 18-56-6100 | SCREW, SET U/W WAB TYPE ME-42 BRAKE VALVE ADJUSTING SCREW MULTIPLE SPLINE SOCKET DR(4) 1/2 DOG PT 1/2" -20 NF THD 1" LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 536005 | | | | | | | |
| 5029 | 18-56-6325 | SCREW, CAP, 7/16 INCH X 1 INCH USED WITH TYPE ME 42B BRAKE VALVE. F/R-28 CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 560666 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5030 | 18-56-6350 | SCREW, ADJUSTING, USED WITH TYPE ME 42B BRAKE VALVE. F/R-28 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561181 | | |
| 5031 | 18-56-6360 | SCREW, ADJUSTING U/W TYPE ME42B BRAKE VALVE F/R-28 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561195 | | |
| 5032 | 18-56-6366 | SCREW COVER FOR WAB ME42-B BRAKE VALVE R-28 AND UP CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561204 | | |
| 5033 | 18-56-6396 | SCREW, CAP, HEX HEAD 5/8"X1" LG FOR ABDCON T VALVE EMERG PORT 567195 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 564568 | | |
| 5034 | 18-56-6400 | SCREW, CAP, SELF-LOCKING FOR ME-42-B BRAKE VALVE, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566007 | | |
| 5035 | 18-56-7004 | STUD, 5/8" X 7-1/8", PIPE BRACKET PORTION ASS'Y. USED ON "ABDW" CONTROL | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | VALVE, AIR BRAKE SYSTEM | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0570634 | | | | |
| 5036 | 18-56-7005 | PLUG, CHOKE 1/8" NPT, #54 DRILL, INDIVIDUALLY PACKAGED AND IDENTIFIED PURCHASE ORDER #, DATE OF MANUFACTURE SUPPLIED MUST HAVE BEEN INSPECTED IN PROGRAM THAT HAS BEEN CERTIFIED BY THE IS TO BE SUPPLIED BY VENDOR WITH EACH INSPECTED AND IS IN COMPLIANCE." | EA | 00 | 00 | 00 |
| | | FREIGHT CARS. NOTE: PARTS MUST BE WITH MANUFAC- Turer'S NAME & PART #, AND NYCTA COMMODITY NO. "MATERIAL ACCORDANCE WITH A QUALITY ASSURANCE AAR AGAINST AAR M-1003. CERTIFICATION SHIPMENT THAT MATERIAL HAS BEEN | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 77619 | | | | |
| 5037 | 18-56-7007 | NUT, STRAINER, PIPE BRACKET PORTION AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | ASS'Y. USED ON "ABDW" CONTROL VALVE, | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 94947 | | | | |
| 5038 | 18-56-7008 | STUD, 5/8 X 6-5/8", PIPE BRACKET VALVE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | PORTION ASS'Y. USED ON "ABDW" CONTROL | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0561218 | | | | |
| 5039 | 18-56-7016 | RING, U/W HANDLE RETAINING PIN | EA | 00 | 00 | 00 |
| | | ASSEMBLY, U/O INDEPENDENT VALVE PORTION | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535420 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5040 | 18-56-7019 | PIN, U/O INDEPENDENT VALVE PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535758 | | | | |
| 5041 | 18-56-7020 | O-RING, 4-3/8" O.D., WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 536589 | | | | |
| 5042 | 18-56-7022 | RING, LOCK, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIRBRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567396 | | | | |
| 5043 | 18-56-7023 | PLUG, LOCK, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567398 | | | | |
| 5044 | 18-56-7024 | BODY, PISTON, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567401 | | | | |
| 5045 | 18-56-7025 | PISTON, ASSEMBLY, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567461 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5046 | 18-56-7026 | RING, GUIDE, PISTON HEAD, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567633 | | | | |
| 5047 | 18-56-7032 | PROTECTOR, VENT, U/W #8 VENT VALVE ON FLAT CARS | EA | 08 | 34 | 06 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0570622 | | | | |
| | | N P WABCO 570622 | | | | |
| 5048 | 18-56-7033 | PLUG, CHOKE, 1/8" NPT, #68 DRILL. NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFACTURER'S NAME & PART #, PURCHASE ORDER #, DATE OF MANUFACTURE AND NYCTA COMMODITY NO. INSPECTED IN ACCORDANCE WITH QUALITY CERTIFIED BY THE AAR AGAINST AAR BY VENDOR WITH EACH SHIPMENT THAT COMPLIANCE." | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 570785 | | | | |
| 5049 | 18-56-7034 | CUP, PACKING, USED ON 7-1/2" WABCO PAC BRAKE UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571141 | | | | |
| 5050 | 18-56-7035 | SEAL, PUSH ROD END, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571853 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|--|-----|---------|---------|---------|
| 5051 | 18-56-7036 | PISTON AND PUSH ROD END ASS'Y, WABCO BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 572387 | | | | |
| ----- | | | | | | |
| 5052 | 18-56-7050 | HOUSING, USED WITH HANDLE RETAINING PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 575793 | | | | |
| ----- | | | | | | |
| 5053 | 18-56-7051 | PIN, USED WITH HANDLE RETAINING PIN PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 575794 | | | | |
| ----- | | | | | | |
| 5054 | 18-56-7052 | KNOB, USED WITH HANDLE RETAINING PIN PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 575796 | | | | |
| ----- | | | | | | |
| 5055 | 18-56-7053 | STOP, SPRING SEAT, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 575932 | | | | |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5061 | 18-56-7075 | SPRING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 580600 | | | | | | | |
| 5062 | 18-56-7081 | GASKET, BODY, U/W ABDW CONTROL VALVE, R72 FLAT CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 580612 | | | | | | | |
| 5063 | 18-56-7089 | SPRING, CHECK VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 584197 | | | | | | | |
| 5064 | 18-56-7090 | SPRING, USED WITH HANDLE RETAINING PIN ASSEMBLY, USED ON INDEPENDENT VALVE PORTION | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 542669 | | | | | | | |
| 5065 | 18-56-7094 | PAD, 3/8", BLANKING, PORT 11, PIPE BRACKET PORTION ASS'Y. USED ON "ABDW" CONTROL VALVE, AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 556585 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5066 | 18-56-7108 | RING, ANTI-RATTLER, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562478 | | | | |
| 5067 | 18-56-7109 | END, PUSH ROD, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562960 | | | | |
| 5068 | 18-56-7110 | SPRING, RELEASE, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562963 | | | | |
| 5069 | 18-56-7111 | SEAL, HOLLOW ROD PACKING, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562965 | | | | |
| 5070 | 18-56-7112 | HOLDER, PUSH ROD, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562967 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5071 | 18-56-7113 | NUT, LOCKING, PUSH ROD END, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562969 | | |
| 5072 | 18-56-7115 | CLEVIS, HAND BRAKE, RIGHT HAND AND LEFT HAND, USED ON WABCO PAC BRAKE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562979 | | |
| 5073 | 18-56-7116 | SEAL, PUSH ROD, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563210 | | |
| 5074 | 18-56-7118 | ELBOW, FLANGED FITTING, 1/2" X 1/2" WITHN.P.T., USED ON NON REVENUE CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561016 | | |
| 5075 | 18-56-7119 | ROD, CONNECTING, HAND BRAKE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565127 | | |
| 5076 | 18-56-7120 | RIVET, 3/16" X 1-7/8" F/COUPLER & DRAFT GEAR ELECTRIC COUPLER R62A CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 564459 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5077 | 18-56-7122 | PIN, BRAKE, 1-7/64" X 3-5/8", USE ON WABCO PAC BRAKE ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 565030 | | | | |
| 5078 | 18-56-7125 | BOLT, 3/4" X 2-1/2", T-HEAD, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 40 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 565423 | | | | |
| 5079 | 18-56-7127 | PIN, U/W HANDLE RETAINING ASSEMBLY, U/O INDEPENDENT VALVE PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 565497 | | | | |
| 5080 | 18-56-7130 | CYLINDER, BODY, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566009 | | | | |
| 5081 | 18-56-7131 | GASKET, CYLINDER, FOR WABCOPAC BRAKE UNIT ASSEMBLY, USED ON FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566011 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5082 | 18-56-7135 | COVER, TOP, FOR ABDW CONTROL VALVE, ABD FREIGHT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566177 | | |
| 5083 | 18-56-7136 | COVER, BOTTOM, FOR ABWD CONTROL VALVE, ABD FREIGHT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566185 | | |
| 5084 | 18-56-7137 | COVER, SERVICE ACC. REL. VALVE, U/W ABDW CONTROL VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566196 | | |
| 5085 | 18-56-7139 | BODY, RELEASE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566199 | | |
| 5086 | 18-56-7140 | LIFTER, NOTE: EACH CONTAINER SHOULD BE IDENTIFIED WITH MANUFACTURER'S NAME & PART #, PURCHASE ORDER #, DATE OF MATERIAL SUPPLIED MUST HAVE BEEN ASSURANCE PROGRAM THAT HAS BEEN M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566208 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5087 | 18-56-7142 | BODY, UNIT, WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566248 | | | | |
| 5088 | 18-56-7143 | SEAT, SPRING, FOR WABCO PAC BRAKE UNIT ASSEMBLY, USED ON FLATCARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566253 | | | | |
| 5089 | 18-56-7144 | GUIDE, HOLLOW ROD, FOR WABCO PAC BRAKE UNIT ASSEMBLY, USED ON FLAT CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566254 | | | | |
| 5090 | 18-56-7146 | WABCO BRAKE UNIT ASSEMBLY, U/W B-3-A 7-1/2" WABCO PAC BRAKE ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566260 | | | | |
| 5091 | 18-56-7148 | PIPE BRACKET PORTION ASS'Y. USED ON "ABDW" CONTROL VALVE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 556509 | | | | |
| 5092 | 18-56-7149 | PIPE BRACKET ASS'Y. USED ON "ABDW" CONTROL VALVE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566511 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5099 | 18-56-7194 | VALVE, INSHOT O/H KIT)J-14-B RELAY PORTION) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 05664200001 | | | | |
| 5100 | 18-56-7195 | VALVE, 24C DOUBLE CHECK O/H KIT (J-14-B RELAY PORTION) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 05615200001 | | | | |
| 5101 | 18-56-7205 | HEATER ASSEMBLY, INCLUDES NUT AND WASHER, U/W AIR DRYER ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 640162-0005 | | | | |
| 5102 | 18-56-7206 | DRAIN VALVE, U/W AIR DRYER ASSEMBLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 308969 | | | | |
| 5103 | 18-56-7207 | HUMIDITY INDICATOR, U/W AIR DRYER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 303313 | | | | |
| 5104 | 18-56-7208 | PRESSURE SWITCH 72.5 PSI U/W AIR DRYER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 640145-0001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5105 | 18-56-7209 | VALVE, 37.5 VDC, NOMINAL SOLENOID U/W AIR DRYER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 655082 | | | | | | | |
| 5106 | 18-56-7210 | COALESCING FILTER KIT, U/W AIR DRYER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 654578 | | | | | | | |
| 5107 | 18-56-7211 | REBUILT KIT, HUMIDITY INDICATOR, U/W AIR DRYER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 304338 | | | | | | | |
| 5108 | 18-56-7212 | REBUILD KIT, DRAIN VALVE, U/W AIR DRYER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 309112 | | | | | | | |
| 5109 | 18-56-7213 | REBUILD KIT, PURGE VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 309113 | | | | | | | |
| 5110 | 18-56-7214 | FILTER, COALESCING, U/W AIR DRYER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 653298 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5111 | 18-56-7215 | VALVE, 30A-CDW CONTROL | EA | 00 | 06 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 05934492001 | | |
| 5112 | 18-56-7218 | 30-CW MODULE | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0583679 | | |
| 5113 | 18-56-7219 | VALVE, E-3 BRAKE APPLICATION, (ORIGINAL NOT MODIFIED BY WABCO), BRASS WITH OLD STYLE PISTON RING AND FELT LUBRICATOR (NO BRACKET) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0505405 | | |
| 5114 | 18-56-7221 | VALVE, CUT-OFF, EQUALIZING RED | EA | 01 | 04 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0589049 | | |
| 5115 | 18-56-7222 | VALVE, 3/8" QUICK EX. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0651633.0803 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------------|------------|---------------|---------|---------|
| 5122 | 18-56-7234 | VALVE, 3/8" CUTOUT COCK, SEALED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0572475 | | |
| 5123 | 18-56-7235 | VALVE, RELAY, J-14B | EA | 01 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0558617 | | |
| 5124 | 18-56-7236 | VALVE, IN SHOT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0566420 | | |
| 5125 | 18-56-7237 | VALVE, 26-F QUICK RELEASE | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0558414 | | |
| 5126 | 18-56-7238 | VALVE, CUTOUT COCK, DEAD ENGINE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0584169 | | |
| 5127 | 18-56-7242 | VALVE, P2A BRAKE APPLICATION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0561925 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------------|-----|---------|---------|---------------|
| 5134 | 18-56-7267 | VALVE, CUTOUT AND STRAINER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0586394 |
| 5135 | 18-56-7270 | VALVE, J-1 SAFETY, 120 PSI | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0558296-0120 |
| 5136 | 18-56-7273 | VALVE, BALL COCK 1' CUTOUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0307606 |
| 5137 | 18-56-7274 | VALVE, CUTOUT COCK, 3/4" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0699126 |
| 5138 | 18-56-7275 | VALVE, MAGNET, R-5-D | EA | 00 | 00 | 01 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0676696 |
| 5139 | 18-56-7277 | VALVE, CUTOUT COCK, 1", VENTED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0664531 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 5140 | 18-56-7288 | O-RING, 4-11/16" OD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0593572 |
| 5141 | 18-56-7289 | O-RING, 6" OD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0304493 |
| 5142 | 18-56-7290 | VALVE, PURGE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0308970 |
| 5143 | 18-56-7291 | CONTROL MODULE, ELECTRONIC | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0655083 |
| 5144 | 18-56-7292 | REBUILD KIT, AIR DRYER | EA | 06 | 05 | 03 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 593669-0006 |
| 5145 | 18-56-7294 | COVER, EQUALIZING RESERVOIR CUT-OFF VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0589055 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|------------------------------------|-------------------------|------------|-----|-----|-----|-----|-----|---------------|
| 5146 | 18-56-7295 | SPRING, CHECK VALVE, EQUALIZING | RESERVOIR CUT-OFF VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | N | P | WABCO | | | | | | 0562297 |
| 5147 | 18-56-7296 | SEAT, EQUALIZING RESERVOIR CUT-OFF | VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | N | P | WABCO | | | | | | 0589054 |
| 5148 | 18-56-7297 | O-RING, 2-19/64" O.D. | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | N | P | WABCO | | | | | | 0586125 |
| 5149 | 18-56-7298 | FILTER, 325/30 SANDWICH | | EA | | 15 | | 17 | | 06 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | N | P | WABCO | | | | | | 0679711 |
| 5150 | 18-56-7299 | BODY, SOLENOID VALVE | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | N | P | WABCO | | | | | | 0676601 |
| 5151 | 18-56-7300 | VALVE, SOLENOID | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | | | | | MFG - PART-NO |
| | | N | P | WABCO | | | | | | 0676599 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-------------------------------|-----|---------|---------|---------------|
| 5152 | 18-56-7301 | COVER, SOLENOID | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0691709 |
| 5153 | 18-56-7302 | RECEPTACLE, BOX MOUNT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0587870 |
| 5154 | 18-56-7303 | BRACKET, PIPE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0677451 |
| 5155 | 18-56-7304 | FITTING, TEST SOCKET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0676967 |
| 5156 | 18-56-7305 | STUD, 3/8"-16 X 6.75" LG, PLT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06725230675 |
| 5157 | 18-56-7306 | STUD, 3/8"-16 X 7" LG., PLT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06725230700 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|--|---------------|---------|---------|
| 5158 | 18-56-7307 | PLUG, FLUSH SEAT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06721700125 | | |
| 5159 | 18-56-7308 | SOLENOID RUBBER REPAIR KIT | EA | 15 | 17 | 06 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0678242 | | |
| 5160 | 18-56-7309 | N-1 REDUCING VALVE, OVERHAUL KIT (2 18-23-4375, 2 O-RING 45-50-0270, 1 18-49-6386) | GASKETS 18-38-7060, 1 DIAPHRAGM O-RING 18-53-5710, 1 DIRT PROTECTOR | EA | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0593752 | | |
| 5161 | 18-56-7310 | SCREW, SET, SELF LOCKING, 8-32 X 3/8" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 585200 | | |
| 5162 | 18-56-7311 | SHAFT, SHORT CAM DOG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 583743 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-----------------------------------|-----|---------|---------|---------------|
| 5163 | 18-56-7312 | ROLLER, CAM DOG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 583742 |
| 5164 | 18-56-7313 | SHAFT, LONG CAM DOG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 583739 |
| 5165 | 18-56-7323 | KIT, REPAIR, 1" VENTED BALL VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 576779 |
| 5166 | 18-56-7329 | VALVE, CHECK, ONE-WAY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 057253 |
| 5167 | 18-56-7333 | EQUALIZER RESERVOIR CUTOFF VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 588726 |
| 5168 | 18-56-7336 | O-RING, 1-5/8" O.D. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 5322282 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5169 | 18-56-7349 | FILTER, FELT USED FOR VALVE, VENT ASSEMBLY, #8 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 660354 | | | | | | | |
| 5170 | 18-56-7356 | PISTON ASSEMBLY, (INCLUDES REF. NUMBERS 6 THROUGH 8) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 653296 | | | | | | | |
| 5171 | 18-56-7357 | SEAL ASSEMBLY, CHECK VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 653293 | | | | | | | |
| 5172 | 18-56-7358 | O-RING, 1-7/8" OLD | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 593569 | | | | | | | |
| 5173 | 18-56-7359 | O-RING, 4-7/16" OD | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 590013 | | | | | | | |
| 5174 | 18-56-7360 | INLET MANIFOLD ASSEMBLY (INCLUDES REF. NUMBERS 14 THROUGH 16) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 653280 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5175 | 18-56-7361 | FILTER HOUSING ASSEMBLY (INCLUDES REF.NUMBERS 27 THROUGH 29) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 653300 | | | | |
| 5176 | 18-56-7362 | INSERT, HELICOIL FOR AIR DRYER, ASSEMBLY SECTION 2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 531035 | | | | |
| 5177 | 18-56-7363 | O-RING, 6" OD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 304493 | | | | |
| 5178 | 18-56-7364 | SPRING, FLAT WIRE COMPRESSION FOR AIR DRYER, ASSEMBLY SECTION 2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 653323 | | | | |
| 5179 | 18-56-7365 | DESICCANT BODY ASSEMBLY (INCLUDES REF.NUMBERS 1 THROUGH 5) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 654401 | | | | |
| 5180 | 18-56-7366 | DESSICCANT HOUSING ASSEMBLY (INCLUDES REF. NUMBERS 11 THROUGH 13) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 653322 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5181 | 18-56-7367 | HOUSING COVER ASSEMBLY (INCLUDES REF.NUMBERS 21 AND 22) | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 653326 | | | | | | | |
| 5182 | 18-56-7368 | HARNES, DRYER WIRE FOR AIR DRYER, ASSEMBLY SECTION 3 | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 653350 | | | | | | | |
| 5183 | 18-56-7369 | SPRING, RETURN, FOR AIR DRYER, ASSEMBLY SECTION 3 | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 653606 | | | | | | | |
| 5184 | 18-56-7379 | VALVE ASSY, 26F QUICK RELEASE FOR 26-LID BRAKE PANEL EQUIPPED | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 593771 | | | | | | | |
| 5185 | 18-56-7380 | MODULE, DOUBLE CHECK VALVE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0592734 | | | | | | | |
| 5186 | 18-56-7386 | VALVE, MAG, R-5-D FOR UNDERFRAME AIR PIPING ARRANGEMENT | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 699367 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5187 | 18-56-7388 | GASKET, 3/8" FLG FOR UNDERFRAME AIR PIPING ARRANGEMENT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0093839 | | |
| 5188 | 18-56-7390 | VALVE, DUAL BALL ASSY, 1-1/4" AIR FOR PIPE ASSEMBLY, 1-1/4" DUAL BALL VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 307436 | | |
| 5189 | 18-56-7392 | VALVE, CO COCK, 1"-1/8 VENT, 90-0 FOR PIPE ASSEMBLY, 1" RESERVOIR TO FILTER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 307606 | | |
| 5190 | 18-56-7394 | BALL VALVE-3/4" X 3 WAY FOR DIVERSION VALVE HANDLE MODIFICATION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 664884 | | |
| 5191 | 18-56-7395 | HANDLE, LOCKING, USED FOR VALVE, BALL, 1" CUTOUT, VENTED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 574292 | | |
| 5192 | 18-56-7396 | VALVE, QUICK RELEASE CHECK VALVE U/O VALVE, CONTROL, 30A-CDW | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 589044 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5193 | 18-56-7422 | CHAMBER, DIRT, USED ON 1'' CUTOUT AND STRAINER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 78421 | | |
| 5194 | 18-56-7423 | HANDLE, USED ON 1'' CUTOUT AND STRAINER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 577137 | | |
| 5195 | 18-56-7424 | KEY, USED ON 1'' CUTOUT AND STRAINER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576124 | | |
| 5196 | 18-56-7425 | SEAL, D-RING, USED ON 1'' CUTOUT AND STRAINER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576128 | | |
| 5197 | 18-56-7426 | GASKET, 2-11/16'' O.D., USED ON 1'' CUTOUT AND STRAINER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 575145 | | |
| 5198 | 18-56-7427 | WASHER, THRUST, USED ON 1'' CUTOUT AND STRAINER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576127 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5199 | 18-56-7428 | SEAT, BALL, USED ON 1'' CUTOUT AND STRAINER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 572871 | | | | |
| 5200 | 18-56-7429 | BALL, USED ON 1'' CUTOUT AND STRAINER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 573023 | | | | |
| 5201 | 18-56-7430 | BODY, USED ON 1'' CUTOUT AND STRAINER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 586391 | | | | |
| 5202 | 18-56-7431 | GASKET, BOTTOM COVER, U/O P-2-A BRAKE APPLICATION VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0561863 | | | | |
| 5203 | 18-56-7432 | DIAPHRAGM, U/O P-2-A BRAKE APPLICATION VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0570193 | | | | |
| 5204 | 18-56-7433 | KIT, REPAIR, B-3-B EMERGENCY BRAKE VALVE, CONTAINS: SPRING, COTTER | KT | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | PINS, O-RING, & VALVE PN#1735 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC CORPORATION 00885660001 | | | | |
| 5205 | 18-57-0100 | ABDX FREIGHT CONTROL VALVE COMPLETE WITH ALUMINUM PIPE BRACKET, SERVICE AND EMERGENCY PORTIONS AND NUMBER 11 PORT. | EA | 04 | 00 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 665110-0002 | | | | |
| 5206 | 18-57-0201 | RESERVOIR, 16 IN X 33 IN, COMBINED AUXILIARY AND EMERGENCY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 590475-0000 | | | | |
| | | N D NYCTA R157-5142 | | | | |
| 5207 | 18-57-0202 | VALVE, VX VENT, WITH BRANCH PIPE TEE- AIR BRAKE EQUIPMENT ARRANGEMENT | EA | 02 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 660456 | | | | |
| | | N D NYCTA R157-5145 | | | | |
| 5208 | 18-57-0203 | RESERVOIR, 16 IN X 42 IN, WISTLE AIR- AIR BRAKE EQUIPMENT ARRANGEMENT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 670693 | | | | |
| | | N D NYCTA R157-5146 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5209 | 18-57-0204 | ABDX CONTROL VALVE WITH ATD ACCESS PLATE 11 PORT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 663703-0004 | | |
| | N | D | NYCTA | R157-5143 | | |
| 5210 | 18-57-0205 | CONTROL VALVE ATD ACCESS PLATE KIT- AIR BRAKE EQUIP. ARRANGEMENT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660721-0001 | | |
| | N | D | NYCTA | R157-5224 | | |
| 5211 | 18-57-0206 | ABDX ALUMINUM EMERGENCY PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 661520 | | |
| | N | D | NYCTA | R157-5143 | | |
| 5212 | 18-57-0207 | GASKET, EMERGENCY PORTION MOUNTING-ABDX CONTROL VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 994783 | | |
| 5213 | 18-57-0208 | ABDX ALUMINUM SERVICE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 661525 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|---------------|
| 5214 | 18-57-0209 | GASKET, SERVIVE PORTION MOUNTING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 994784 |
| ----- | | | | | | | | | |
| 5215 | 18-57-0210 | ABX ALUMINUM PIPI BRACKET PORTION WITH NO.11 PORT-ABDX CONTROL VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 663708-0004 |
| ----- | | | | | | | | | |
| 5216 | 18-57-0211 | PIPE BRACKET, ABX ALUMINUM-ABDX CONTROL VALVE BODY ONLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 664882-0002 |
| ----- | | | | | | | | | |
| 5217 | 18-57-0212 | HOSE, 1-3/8 IN X 22 IN DUAL LOC WITH FP-5 COUPLUING-AIR BRAKE ARRANGEMENT | EA | | 00 | | 00 | | 03 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0987102 |
| ----- | | | | | | | | | |
| 5218 | 18-57-0219 | SWIVEL LESS GROOVE, 1-1/4 IN ADJUSTABLE STRAIGHT & REDUCING SOCKET WELDED FITTING TAPPED SWIVEL LESS GROOVE-AIR BRAKE PIPING ARRANGEMENT. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | N D NYCTA | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 573686 |
| | | | | | | | | | R157-5259 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5219 | 18-57-0220 | HANDLE ASSEMBLY- FLANGED ANGLE VALVE, 1-1/4 IN. DYNABALL SPRING LOCKING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 661000 | | | | | | | |
| 5220 | 18-57-0221 | FLANGED ANGLE VALVE, 1-1/4 IN DYNABALL SPRING LOCKING | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0662744 | | | | | | | |
| | | N D NYCTA R157-5097 | | | | | | | |
| 5221 | 18-57-0223 | COUPLING, F-3 DUMMY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0559995 | | | | | | | |
| | | N D NYCTA R157-5119 | | | | | | | |
| 5222 | 18-57-0237 | KITK, REPAIR, VALVE, VX VENT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 593001 | | | | | | | |
| 5223 | 18-57-1750 | SEAL U/W WABCO TYPE UE-5 UNIVERSAL VALVE OR SEAT FOR 3VD COMP SER 686 QUICK ACTION PORTION | EA | | 30 | | 20 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 78521 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5224 | 18-57-1900 | SEAL, REGULATING VALVE, VARIABLE LOAD PORTION U/W WABCO TYPE A-1 OPERATING UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 80986 | | | | | | | |
| 5225 | 18-57-1950 | SEAL, U/W WABCO TYPE M-3 FEED VALVE BUSHING CAGE | EA | | 00 | | 07 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 81012 | | | | | | | |
| 5226 | 18-57-2000 | SEAL, REGULATING VALVE BUSHING, FOR TYP3 FEED VALVE MTC DATE:092983 | EA | | 00 | | 07 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 81013 | | | | | | | |
| 5227 | 18-57-2100 | SEAL FOR TYPE A-1 VARIABLE LOAD VALVE INDIVIDUALLY PACKAGED AND IDENTIFIED MANUFACTURE. | EA | | 00 | | 00 | | 00 |
| | | APPLICATION. NOTE: ITEM MUST BE WITH CURE DATE AND/OR DATE OF | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 83240 | | | | | | | |
| 5228 | 18-57-2350 | GASKET, GAUGE | EA | | 00 | | 02 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 85841 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5229 | 18-57-2550 | SEAL, U/W WABCO TYPE UE-5 UNIVERSAL VALUE TRIGGER PISTON. | EA | | 80 | | 25 | | 85 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 87778 | | | | | | | |
| 5230 | 18-57-2685 | SEAL, COVER, TEST RACK, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 96721 | | | | | | | |
| 5231 | 18-57-2875 | SEAL OIL, USED WITH WAB TYPE 4ZB AIR COMPRESSOR FOR DIESEL ELECTRIC LOCOMOTIVES NOS. 12 AND 13 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 185968 | | | | | | | |
| 5232 | 18-57-4100 | SEAL, U/W WABCO FOR CAM OPERATED POPPET TRIP COCK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 501822 | | | | | | | |
| 5233 | 18-57-4200 | SEAL USED WITH W.A.B. CO TYPE C BRAKE PIPE CUT OUT VALVE SMALL PISTON - | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 506397 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5234 | 18-57-4250 | SEAL, PISTON, FOR TYPE A-4-A, SUPPLY VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 509118 | | |
| 5235 | 18-57-4270 | SEAL, APPLICATION VALVE, U/W TYPE 6KR (542842) DISTR VALVES, FOR G.E. DIESEL LOC OMOTIVE SER. NOS. 33663 & 33664, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 511407 | | |
| 5236 | 18-57-4400 | SEAL, ARMATURE BEARING GREASE, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 518736 | | |
| 5237 | 18-57-4450 | SEAL, FOR OD-1, FILTER AND STRAINER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 521631 | | |
| 5238 | 18-57-4560 | SEAL, HOLLOW PISTON ROD, USED WITH 6"X6" & 6 X 8, UAH UART BRAKE CYLINDER, FOR R TYPE DIESEL LOCO CARS | EA | 85 | 45 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 540378 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5239 | 18-57-4565 | SEAL EXHAUST VALVE PISTON U/W TYPE B-3 RELAY VALVE | EA | | 70 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 540886 | | | | | | | |
| 5240 | 18-57-4600 | SEAL, U/W WABCO OPERATING UNIT, TYPE A-1DOUBLE CHECK VALVE | EA | | 08 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 901789 | | | | | | | |
| 5241 | 18-57-4626 | SEAL, VALVE EMERGENCY, BRAKE 1-1/2" COMPLETE | EA | | 35 | | 37 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 92273 | | | | | | | |
| 5242 | 18-57-4640 | SEAL, VALVE, FOR EXHAUST VALVE ASSY. NO. 8 VENT VALVE ON A-1 REDUCTION RELAY VALVE, FOR FREIGHT, FLAT CARS, & MISC-EQUIPMENT, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 568992 | | | | | | | |
| 5243 | 18-57-4772 | SEAL, PROTECTOR FOR WABCO AB FR BRAKE EQUIP W/ABD CONT VALVE-RELEASE VALVE 56619 EA 8 FOR FLAT CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 566214 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5244 | 18-57-4774 | SEAL VALVE FOR WABCO AB FR BRAKE EQUIP W/ABD CONT VALVE-RELEASE VALVE PC #566198 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566205 | | | | |
| 5245 | 18-58-1004 | SEAT, SPRING FOR WABCO AB FR BRAKE EQUIP W/ABD CONT VALVE SERVICE PORT 566172 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566188 | | | | |
| 5246 | 18-58-1048 | SEAT, CHECK VALVE SPRING FOR WABCO TYPE A B FREIGHT EQUIP- SERVICE PORTION 522696 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 94848 | | | | |
| 5247 | 18-58-2100 | SEAT, SPRING WAB CO. USED WITH ELECTRIC GOVERNOR TYPE J PISTON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 10274 | | | | |
| 5248 | 18-58-2150 | SEAT, SPRING FOR WHISTLE VALVE W/HANDLE 31422 THIMBLE SEAT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 526539 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5249 | 18-58-2500 | SEAT, SPRING WABCO U/W OPERATING UNIT TYPE A-1 VALVE, CHARGING SET AT 30 LBS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 77955 | | | | |
| 5250 | 18-58-2550 | SEAT, SPRING, W.A.B. CO. USED WITH FEED VALVE, TYPE M-3, REGULATING SPRING (SCRA P) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 81273 | | | | |
| 5251 | 18-58-2600 | SEAT, SPRING WABCO U/W VARIABLE LOAD VALVE TYPE A-1 UNIVERSAL VALVE TYPE UE-5 PI LOT VALVE SPRING SEAT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83147 | | | | |
| 5252 | 18-58-2650 | SEAT, SPRING WABCO U/W OPERATING UNIT TYPE A-1 DIAPHRAGM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 94838 | | | | |
| 5253 | 18-58-2900 | SEAT, SPRING, H.P., DISCHARGE VALVE FOR NO. 2CY3B AIR COMPRESSOR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 184566 | | | | |
| | | N P WABCO 574122 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5260 | 18-58-4425 | SEAT, SPRING, FOR 6X8 BRAKE CYLINDER ALSO 6 X 6 BRAKE CYLINDER, R29,33 CARS, (SC EA RAP) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 530892 | | | | |
| 5261 | 18-58-4500 | SEAT, SPRING, FOR BRAKE VALVE, TYPE ME-42, | EA | 140 | 155 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 532958 | | | | |
| 5262 | 18-58-4550 | SEAT, SPRING FOR TYPE A1 OPERATING UNIT INSHOT VALVE PORTION DIAPHRAGM, LOWER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533535 | | | | |
| 5263 | 18-58-4600 | SEAT, SPRING, WABCO OPERATING UNIT TYPE A-1, EMERGENCY VALVE PORTION, CHECK VALVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 535215 | | | | |
| 5264 | 18-58-4700 | SEAT, SPRING WABCO EXHAUST VALVE U/W BRAKE VALVE TYPE ME-42 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 538115 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5265 | 18-58-6166 | SEAT, VALVE, U/W R-20 FLAT CARS & SPINO RAIL GRINDER. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 14561 | | | | |
| 5266 | 18-58-6200 | SEAT, VALVE, SPECIAL USED WITH WAB CO TYPE R-2-C TRIPLE VALVE CHECK VALVE RUBBER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 14994 | | | | |
| 5267 | 18-58-6300 | SEAT, VALUE SPECIAL, U/W WAB CO. TYPE A-3 B-3 CONDUCTORS VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 16436 | | | | |
| 5268 | 18-58-6450 | SEAT, VALVE SPECIAL U/W WABCO TYPE A-6-B COMPRESSOR SWITCH SUPPLY VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 27346 | | | | |
| 5269 | 18-58-6500 | SEAT, VALVE SPECIAL U/W WABCO TYPE ME-23 BRAKE VALVE ROTARY VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 50346 | | | | |
| 5270 | 18-58-6650 | SEAT, VALVE SPECIAL U/W WABCO #14 DOUBLE CHECK VALVE CHECK VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 51528 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5271 | 18-58-7000 | SEAT, VALVE WABCO UNIVERSAL VALVE TYPE UE5 H P VALVE CAP NUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 74047 | | |
| 5272 | 18-58-7200 | SEAT, VALVE USED WITH WAB CO. COMBINED FOOT AND PILOT VALVE CLOSING VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 84263 | | |
| 5273 | 18-58-7265 | SEAT, VALVE, U/W TYPE K-14-F (521414) BRAKE VALVE, FOR G.E. DIESEL LOCOMOTIVE SE R. NOS. 33663 & 33664, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 88239 | | |
| 5274 | 18-58-7385 | SEAT, USED WITH W.A.B. TYPE -AB VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 95077 | | |
| 5275 | 18-58-7750 | SEAT VALVE, LP INLET VALVE, USED WITH TYPE 3CY COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 185723 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5276 | 18-58-8375 | SEAT, VALVE CHECK USED WITH A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 523903 | | |
| 5277 | 18-58-8449 | SEAT, UPPER VALVE, U/W W.A.B. TYPE A1 UNIT FOR FA4-FB4 MAGNET VALVE, R-10 AND UP CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 527372 | | |
| 5278 | 18-58-8600 | SEAT, CHECK VALVE, FOR ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 536402 | | |
| 5279 | 18-58-8625 | SEAT, U/W WABCO BRAKE VALVE TYPE ME-42, FOR EXHAUST VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 538117 | | |
| 5280 | 18-58-8684 | SEAT, CHECK VALVE, FOR W.A.B. ME-42 BRAKE VALVE, TYPE B. FOR R-28 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551531 | | |
| 5281 | 18-58-8690 | SEAT, HOUSING, USED WITH TYPE ME42B BRAKE VALVE. F/R-28 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561156 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5282 | 18-58-8700 | SEAT, USED WITH TYPE ME 42B BRAKE VALVE #560469 FOR R28-36 CARS, ME 3 BRAKE VALVE #570799 FOR R38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561395 | | | | |
| 5283 | 18-58-8720 | SEAT, VALVE, FOR 2CY3B COMPRESSOR R-10 TO 36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 565976 | | | | |
| 5284 | 18-58-9000 | PORTION, LIMITING VALVE, U/O E-2 OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 587196-0068 | | | | |
| 5285 | 18-58-9001 | VALVE, DOUBLE CHECK, #16A, 3/4", U/O AIRBRAKE PIPING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 515991 | | | | |
| 5286 | 18-58-9002 | FILLING PIECE, WITH CHECK VALVE, U/O E-2 OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 573844 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5287 | 18-58-9003 | VALVE, CHECK, PORTION ASS'Y., #27, U/O E-2 OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569367 | | | | |
| 5288 | 18-58-9004 | VALVE ASS'Y., MAGNET, N-2-E, U/O AIR BRAKE ARRANGEMENT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574841 | | | | |
| 5289 | 18-58-9007 | KIT, CHECK VALVE, CONSISTING OF: WABCO PC. # 523734 O-RING (1) WABCO PC. # 523842 O-RING (1) | EA | 00 | 00 | 00 |
| | | WABCO PC. # 548499 RET. RING (1) WABCO PC. # 70596 SPRING (1) WABCO PC. # 532092 GASKET (2) | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 673216 | | | | |
| 5290 | 18-58-9008 | KIT, FILLING PC. WITH CHECK VALVE, CONSISTING OF: WABCO PC. # 528773 RET. RING (1) WABCO PC. # 504257 SPRING (1) WABCO PC. # 531868 O-RING (1) | EA | 00 | 00 | 00 |
| | | WABCO PC. # 531868 O-RING (1) WABCO PC. # 569453 CHK. VALVE (1) | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 673217 | | | | |
| 5291 | 18-58-9009 | KIT, LIMITING VALVE, CONSISTING OF: WABCO PC # 000021-4647 PIN (1) WABCO PC # 557341 SPRING (1) WABCO PC # 524719 O-RING (2) | EA | 00 | 00 | 00 |
| | | WABCO PC # 552506 LOC. WIRE (1) WABCO PC # 534662 O-RING (1) WABCO PC # 77953 SPRING (1) WABCO PC # 540542 GASKET (1) | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 673218 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5292 | 18-58-9010 | OPERATING UNIT, E-2 AIR BRAKE, COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 587016 | | |
| 5293 | 18-58-9011 | CUP, PACKING, USED IN 8 1/2 IN. BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0666228 | | |
| 5294 | 18-58-9012 | FULCRUM, HAND BRAKE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 572478 | | |
| 5295 | 18-58-9121 | HANDLE, PLAIN USED ON 1-1/4" CUT-OUT VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 574290 | | |
| 5296 | 18-58-9122 | STEM ON 1-1/4" CUT-OUT VALVE | EA | 25 | 12 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 574277 | | |
| 5297 | 18-58-9175 | ELECTRIC PORTION, BL52 FOR DIESELS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 6729078058 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|------------|-----|---------------|-----|-------|-----|-----|
| 5298 | 18-59-1100 | SECTOR, U/W WABCO TYPE A-1 OPERATING UNIT VARIABLE LOAD PORTION | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 535212 | | | | |
| 5299 | 18-59-2200 | COMMUTATOR, ASSEMBLED 131 DIV. HARD, DRAWN COPPER & MICA SEGMENTS MACHINED, LESS SET STEEL PARTS, FOR D-2-F COMPRESSOR | | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 49155 | | | | |
| | N | D | WABCO | | E-76112-2 | | | | |
| 5300 | 18-60-0000 | KEY, MASTER CONTROLLER | EA | | 757 | | 1,603 | | 347 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 1-51060 | | | | |
| 5301 | 18-60-0001 | COMPRESSOR, D-4-AS AIR, FOR R142, R142A AND R143 USE 18-42-3505 | EA | | 04 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 0692356REVR | | | | |
| 5302 | 18-60-0002 | TRUCK CONTROL UNIT. AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 0699306 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------------------------------|
| 5309 | 18-60-0010 | TREAD BRAKE UNIT, BFCF, WITH SPRING PARKING BRAKE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME ----- N P WABCO | | | | MFG - PART-NO ----- 1-55088 |
| 5310 | 18-60-0011 | VX VENT VALVE, COMPLETE ASSEMBLY, INCLUDING 0699505, VENT PROTECTOR, PIPING, MOUNTING HARDWARE, ETC. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME ----- N P WAB CO. | | | | MFG - PART-NO ----- 0699434 |
| 5311 | 18-60-0012 | OPERATING UNIT (A) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME ----- N P WABCO | | | | MFG - PART-NO ----- 0699307 |
| 5312 | 18-60-0014 | BRAKE SHOE HEAD, BUSHED, FLANGED, LEFT HAND | EA | 00 | 04 | 00 |
| | | QPL CODE MFG - NAME ----- N P WABCO | | | | MFG - PART-NO ----- 1-516090001 |
| 5313 | 18-60-0015 | BRAKE SHOE HEAD, BUSHED, FLANGED, RIGHT HAND | EA | 00 | 04 | 00 |
| | | QPL CODE MFG - NAME ----- N P WABCO | | | | MFG - PART-NO ----- 1-516090002 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-------|-----|-----|-----|---------------|
| 5314 | 18-60-0018 | CONNECTOR, FOR AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0696749 |
| ----- | | | | | | | | | |
| 5315 | 18-60-0019 | CONNECTOR, 90 DEGREE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0696750 |
| ----- | | | | | | | | | |
| 5316 | 18-60-0020 | LED FOR DUPLEX AIR GAGE | EA | | 183 | | 173 | | 58 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0699685 |
| ----- | | | | | | | | | |
| 5317 | 18-60-0021 | GASKET, MOUNTING, ELECTRIC RELAY VALVE. USED ON A AND B-CAR OPERATING UNITS, AIR BRAKE SYSTEM | EA | | 1,091 | | 289 | | 323 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0699655 |
| ----- | | | | | | | | | |
| 5318 | 18-60-0022 | VALVE, CUTOUT, PANEL MOUNTED. USED ON B-CAR OPERATING UNIT, AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0699910 |
| ----- | | | | | | | | | |
| 5319 | 18-60-0023 | PLATE ASSEMBLY, JUMPER, BRAKE PIPE. USED ON B-CAR OPERATING UNIT, AIR BRAKE | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|---|---------|---------|---------------|
| | | SYSTEM | | | | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0699634 |
| 5320 | 18-60-0024 | WASHER, TAMPER PROOF, SST 18-8 UNIT, AIR BRAKE SYSTEM | (SPECIAL). USED ON B-CAR OPERATING EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0699909 |
| 5321 | 18-60-0025 | MANIFOLD ASSEMBLY, TRUCK CONTROL UNIT. SYSTEM. | USED ON B-CAR OPERATING UNIT, AIR BRAKE EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0699627 |
| 5322 | 18-60-0027 | WIRE, SINGLE CONDUCTOR, NO 16 AWG, USED ON AIR BRAKE SYSTEM | WIRING HARNESS ASSEMBLY, MAGNET VALVE. EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | C031239 |
| 5323 | 18-60-0028 | STUD, GROUNDING (SPECIAL). USED ON B-CAR OPERATING UNIT. AIR BRAKE SYTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0699908 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5324 | 18-60-0029 | STUD, GR5 STEEL, ZINC PLATED, YELLOW, 5/8-11 UNC-2A X 2.625" LONG, USED ON B-CAR OPERATING UNIT AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06721800262 | | | | | | | |
| 5325 | 18-60-0030 | STUD, GR5 STEEL, ZINC PLATED, YELLOW, 3/8-16 UNC-2A X 1.625" LONG, USED ON B-CAR OPERATING UNIT AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06725230162 | | | | | | | |
| 5326 | 18-60-0031 | PIN, CYLINDER SPRING, STEEL, ZINC PLATED, YELLOW, 0.25" NOMINAL DIAMETER X 1" LONG X 0.253" DIAMETER HOLE, USED ON B-CAR OPERATING UNIT, AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0550523 | | | | | | | |
| 5327 | 18-60-0032 | MANIFOLD ASSEMBLY, BRAKE PIPE CONTROL UNIT. USED ON B-CAR OPERATING UNIT, AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0699631 | | | | | | | |
| 5328 | 18-60-0033 | STUD, 3/8-16 UNC-2A X 1.750 IN LG, GRADE 5, STL, ZN PLD, YEL. USED ON B-CAR OPERATING UNIT, AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06725230175 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5334 | 18-60-0040 | PLATE ASSEMBLY, JUMPER, AIR SPRING. USED ON B-CAR OPERATING UNIT, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699635 | | |
| 5335 | 18-60-0041 | PLATE, BLANKING, BRAKE PIPE VENT VALVE. USED ON B-CAR OPERATING UNIT, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699628 | | |
| 5336 | 18-60-0042 | PIN, CYLINDRICAL SPRING, SST 18-8, 0.125 IN.NOM DIA X 0.313 IN.LG. USED ON A-CAR OPERATING UNIT, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06748220312 | | |
| 5337 | 18-60-0043 | HOUSING, DIAPHRAGM. USED ON "VX" VENT VALVE ASSEMBLY, AIR BRAKE SYSTEM. | EA | 00 | 09 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0660392 | | |
| 5338 | 18-60-0044 | VALVE ASSEMBLY, EXHAUST. USED ON "VX" VENT VALVE ASSEMBLY, AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0660393 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5339 | 18-60-0045 | WASHER, EXHAUST VALVE, 0.513 IN NOM ID X 0.800 IN NOM OD X 0.140 IN THK, 2 X 0.040-30 DEG CHAMBER, ALUM. USED ON "VX" VENT VALVE ASSEMBLY, AIR BRAKE ASSEMBLY. | EA | 694 | | 286 | | 150 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0660475 | | | | | | | |
| 5340 | 18-60-0046 | PLUG, CHOKE, 1/8 IN. USED ON "VX" VENT VALVE VALVE ASSEMBLY, AIR BRAKE SYSTEM. | EA | 26 | | 10 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0654692 | | | | | | | |
| 5341 | 18-60-0047 | PISTON, VENT VALVE. USED ON "VX" VENT VALVE ASSEMBLY, AIR BRAKE SYSTEM. | EA | 05 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0660386 | | | | | | | |
| 5342 | 18-60-0048 | SEAL, 0.760 IN NOM ID X 1.281 IN NOM OD IN, 0.115 IN THK, USED ON "VX" VENT VALVE ASSEMBLY, AIR BRAKE SYSTEM. | EA | 740 | | 240 | | 150 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0573731 | | | | | | | |
| 5343 | 18-60-0049 | MANIFOLD, FILLING PIECE, USED ON "VX" VENT VALVE ASSEMBLY, AIR BRAKE SYSTEM. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0660548 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5344 | 18-60-0050 | CAPSCREW, HEX BUTTON HD, NO 8-32 UNC-2A X 0.5 IN LG, STL, ZN PLD, YEL. USED ON "VX" VENT VALVE ASSEMBLY OF AIR BRAKE SYSTEM | EA | 00 | 53 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0660388 | | | | |
| 5345 | 18-60-0051 | VX VENT VALVE (ONLY) PART OF 0699434 | EA | 03 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699505 | | | | |
| 5346 | 18-60-0052 | FITTING, FLANGE, 1 IN NOM OD., IRON. USED ON "VX" VENT ASSEMBLY, AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0565277 | | | | |
| 5347 | 18-60-0053 | FITTING, SWIVEL, 0.75 IN NOM ID, ASSEMBLY, AIR BRAKE SYSTEM FLANGE, BRS. USED ON "VX" VENT VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06905770011 | | | | |
| 5348 | 18-60-0054 | GASKET, RECEPTACLE. BRAKE PIPE CONTROL MODULE, B-CAR. USED ON AIR BRAKE SYSTEM. | EA | 00 | 03 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0697190 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-------|-----|-----|
| 5349 | 18-60-0055 | WIRE HARNESS ASSEMBLY. BRAKE PIPE BRAKE SYSTEM | EA | | 00 | | 00 | | 03 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0699643 | | | | | | | |
| 5350 | 18-60-0056 | PRESSURE SWITCH, 81 PSI. BRAKE PIPE BRAKE SYSTEM | EA | | 15 | | 07 | | 07 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0699648 | | | | | | | |
| 5351 | 18-60-0057 | PLATE, PRESSURE SWITCH, BRAKE PIPE BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0699647 | | | | | | | |
| 5352 | 18-60-0058 | VARISTOR, METAL OXIDE, BRAKE PIPE BRAKE SYSTEM | EA | | 555 | | 455 | | 240 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 1-50063 | | | | | | | |
| 5353 | 18-60-0059 | GASKET, COVER, BRAKE PIPE CONTROL MODULE, B-CAR. USED ON AIR BRAKE SYSTEM | EA | | 945 | | 1,250 | | 370 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0699877 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|--|-----|---------|---------|---------|
| 5354 | 18-60-0060 | COVER, BRAKE PIPE CONTROL MODULE. USED ON BRAKE PIPE CONTROL UNIT ASSEMBLY, B-CAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 0699885 | | | | |
| ----- | | | | | | |
| 5355 | 18-60-0061 | VALVE, AIR, D-1 PILOT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 0696870 | | | | |
| ----- | | | | | | |
| 5356 | 18-60-0062 | SWITCH, PRESSURE, 12PSI, BRAKE CYLINDER | EA | 49 | 33 | 18 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 0699497 | | | | |
| ----- | | | | | | |
| 5357 | 18-60-0063 | COVER, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 0699644 | | | | |
| ----- | | | | | | |
| 5358 | 18-60-0064 | VALVE, EMERGENCY TRANSFER, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 09 | 09 | 04 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | ---- ---- ----- ----- | | | | |
| | | N P WABCO 0699650 | | | | |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD | |
|------|------------|---|--|---------|---------|---------|----|
| 5359 | 18-60-0065 | TUBE ASSEMBLY, CPR, 2 X 1/8 NPT M RELAY VALVE ASS'Y. USED ON AIR BRAKE | FITTINGS X 4.25 IN NOM LG, ELECTRIC SYSTEM. | EA | 129 | 67 | 31 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | | |
| | | N P WABCO | 0699884 | | | | |
| 5360 | 18-60-0066 | FERRITE (SPECIAL), ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | | |
| | | N P WABCO | 0699917 | | | | |
| 5361 | 18-60-0067 | BRACKET, MOUNTING, ELECTRONIC CONTROL ON AIR BRAKE SYSTEM. | OUTER, ELECTRIC RELAY VALVE ASS'Y. USED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | | |
| | | N P WABCO | 0699441 | | | | |
| 5362 | 18-60-0068 | BRACKET, MOUNTING, ELECTRONIC CONTROL ON AIR BRAKE SYSTEM. | INNER, ELECTRIC RELAY VALVE ASS'Y. USED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | | |
| | | N P WABCO | 0699440 | | | | |
| 5363 | 18-60-0069 | WIRING HARNESS ASSEMBLY, TRANSDUCER, BRAKE SYSTEM. | ELECTRIC RELAY VALVE ASS'Y. USED ON AIR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | | |
| | | N P WABCO | 0699490 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5364 | 18-60-0070 | WASHER, FLAT, 0.25 IN NOM ID X 0.75 IN NOM OD X 0.065 IN THK, STL, ZN PLD, YEL, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 00 | 00 | 12 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0039036 | | | | |
| 5365 | 18-60-0071 | WASHER, FLAT, 0.188 IN NOM ID X 0.438 IN NOM OD X 0.05 IN THK, STL, ZN PLD, YEL, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0568859 | | | | |
| 5366 | 18-60-0072 | RING, RETAINING, 1.874 IN NOM X 0.062 THK, INTERNAL, STL, ZN PLD, YEL, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 575 | 915 | 300 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0581767 | | | | |
| 5367 | 18-60-0073 | CAPSCREW, HEX SOCKET HEAD, 1/2-13 UNC-3A X 3.50 INCHES LONG, STEEL, ZINC PLATED YELLOW, USED ON ELECTRIC RELAY VALVE ASSEMBLY ON BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0584255 | | | | |
| 5368 | 18-60-0074 | WASHER, FLAT, 0.520 IN NOM ID X 0.750 IN NOM OD X 0.036 IN THK, SST 18-8. ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699765 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5369 | 18-60-0075 | MANIFOLD ASSEMBLY (W/BUSHINGS), BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699653 | | |
| 5370 | 18-60-0076 | PLUG, CHOKE, 1/16 NPT X 0.043 DRILL VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 18 | 03 | 12 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06986490430 | | |
| 5371 | 18-60-0077 | PLUG, CHOKE, 1/8 NPT X 0.086 DRILL DIA, ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 25 | 31 | 23 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06955940860 | | |
| 5372 | 18-60-0078 | WIRING HARNESS ASSEMBLY, ELECTRIC, BRAKE ASSEMBLY. | EA | 03 | 07 | 05 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699487 | | |
| 5373 | 18-60-0079 | GASKET, RECEPTACLE, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699654 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5374 | 18-60-0081 | SPRING, 0.367 IN NOM ID X 0.071 IN NOM WIRE DIA X 1.765 IN, FREE HGT, SST 18-8, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM | EA | 575 | 915 | 250 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 1-51958 | | | | |
| 5375 | 18-60-0082 | BODY ASSEMBLY (W/BUSHINGS), ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM | EA | 02 | 06 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 0699652 | | | | |
| 5376 | 18-60-0083 | WIRING HARNESS ASSEMBLY, MAGNET VALVE, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 0699489 | | | | |
| 5377 | 18-60-0084 | EXCLUDER, WASP, 3/8-18 NPT, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 0503476 | | | | |
| 5378 | 18-60-0086 | RING, RETAINING, 0.694 IN NOM OD X 0.035 IN THK, INTERNAL, SST, EMERGENCY TRANSFER VALVE, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 575 | 915 | 250 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 000001-52089 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5379 | 18-60-0087 | SLEEVE ASSEMBLY, EMERGENCY TRANSFER VALVE, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | | 02 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0699649 | | | | | | | |
| 5380 | 18-60-0088 | SLEEVE, EMERGENCY TRANSFER VALVE, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0699651 | | | | | | | |
| 5381 | 18-60-0089 | O-RING, 0.937 IN NOM ID X 1.125 IN NOM OD X 0.093 IN THK, EMERGENCY TRANSFER VALVE, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | | 575 | | 915 | | 250 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0581055 | | | | | | | |
| 5382 | 18-60-0090 | O-RING, 1.125 IN NOM ID X 1.313 IN NOM OD X 0.093 IN THK, EMERGENCY TRANSFER VALVE, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | | 575 | | 910 | | 250 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0566801 | | | | | | | |
| 5383 | 18-60-0091 | RING, RETAINING, 1.319 IN NOM OD X 0.050 THK, INTERNAL, SST, EMERGENCY TRANSFER VALVE, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | | 575 | | 915 | | 250 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000001-52086 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5384 | 18-60-0092 | HOUSING, RECEPTACLE, MOLEX, 4 PIN, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699636 | | | | |
| 5385 | 18-60-0093 | TERMINAL, MOLEX, CRIMP FEMALE, 16 AWG, BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699776 | | | | |
| 5386 | 18-60-0094 | RECEPTACLE HOUSING, MOLEX, 8 PIN, USED ON AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699638 | | | | |
| 5387 | 18-60-0095 | RECEPTACLE, 1/4-TURN, 16 PIN, WIRING ASS'Y. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699488 | | | | |
| 5388 | 18-60-0096 | RECEPTACLE HOUSING, MOLEX, 6 PIN, VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699637 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5389 | 18-60-0097 | SOCKET, CONNECTOR, WIRING HARNESS ASSEMBLY, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696175 | | | | |
| 5390 | 18-60-0098 | SLEEVE, SOLDERED SHRINK, WIRING HARNESS ASSEMBLY, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06743630235 | | | | |
| 5391 | 18-60-0099 | TERMINAL, MOLEX, CRIMP FEMALE, 18-24 AWG, TRANSDUCER WIRING HARNESS ASSEMBLY, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699639 | | | | |
| 5392 | 18-60-0100 | WIRE, BLACK, NO 22 AWG, WIRING HARNESS ASSEMBLY, ELECTRIC RELAY VALVE ASS'Y. USE DON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO C020463 | | | | |
| 5393 | 18-60-0101 | WIRE, SHIELDED 3 X NO 22 AWG, WIRING HARNESS ASSEMBLY, ELECTRIC RELAY VALVE ASS'Y. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO C031242 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5394 | 18-60-0102 | RIVET, ROUND HEAD, ALUMINUM, 0.76" NOM DIA. X 0.232" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0571811 | | | | |
| 5395 | 18-60-0104 | FITTING, LIQUIDTITE, STRAIGHT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695505 | | | | |
| 5396 | 18-60-0106 | CONDUIT, LIQUIDTITE, 17MM DIA. DELIVERED IN 25 FT. ROLL | RO | 01 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO C031137 | | | | |
| 5397 | 18-60-0107 | CONDUIT, LIQUIDTITE, 12MM DIA. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO C031082 | | | | |
| 5398 | 18-60-0108 | LOCKWASHER, SPRING, 0.141 IN NOM ID X 0.253 IN NOM OD X 0.031 IN THK, STL, ZN EA PLD, YEL OR CLR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0574075 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5399 | 18-60-0110 | SEAL, LEAD FOR BALL VALVE ASSEMBLY, 1/4 INCH VENTED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0306248 | | |
| 5400 | 18-60-0112 | SWITCH ASSEMBLY, PRESSURE, 24-44 PSI INC, 130 PSI DEC | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696614 | | |
| 5401 | 18-60-0113 | RIVET, DOME HD, 0.126 IN NOM DIA X 0.301 IN NOM LG, ALUM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06956890301 | | |
| 5402 | 18-60-0114 | CONNECTOR, DIN, PRESSURE SWITCH ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06986880001 | | |
| 5403 | 18-60-0115 | CONNECTOR, ELECTRICAL, 10 ADC | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695499 | | |
| 5404 | 18-60-0116 | SCREW, MILLED WITH ROD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 7808-630108 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5405 | 18-60-0117 | ADAPTER, HYDAC, 5/8-18 UNF-2B X 1/4 NPT M, NYL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0696619 | | | | | | | |
| 5406 | 18-60-0118 | PIN, SHEAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0696311 | | | | | | | |
| 5407 | 18-60-0119 | TERMINAL STRIP, 4 POST | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06941260004 | | | | | | | |
| 5408 | 18-60-0120 | NIPPLE, PIPE, HEX, (2) 1/4 NPT, M | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0695782 | | | | | | | |
| 5409 | 18-60-0121 | WIRE, 0.0475 IN WIRE DIA, SST 304, PANEL MOUNTED CUTOUT VALVE ASSEMBLY, AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO C015648 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5410 | 18-60-0122 | BODY, CAP., PANEL MOUNTED CUTOUT VALVE ASSEMBLY, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0306374 | | | | |
| 5411 | 18-60-0123 | HANDLE, BALL VALVE, SHORT., PANEL MOUNTED CUTOUT VALVE ASSEMBLY, AIR BRAKE SYSTEM | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 03079560001 | | | | |
| 5412 | 18-60-0124 | O-RING, 0.101 IN NOM ID X 0.241 IN NOM OD X 0.062 IN THK, PANEL MOUNTED CUTOUT VALVE ASSEMBLY W/MICROSWITCH, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-52231 | | | | |
| 5413 | 18-60-0125 | WIRE, HARNESS ASSEMBLY, BRAKE PIPE CONTROL UNIT, A-CAR, AIR BRAKE SYSTEM | EA | 00 | 03 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699625 | | | | |
| 5414 | 18-60-0126 | BODY ASSEMBLY, VARIABLE LOAD VALVE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699728 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5415 | 18-60-0127 | SUPPRESSOR, TRANSZORB, ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692351 | | |
| 5416 | 18-60-0128 | DECAL, "38 VDC", RED LETTERING 1/2 X 11/2 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0670616 | | |
| 5417 | 18-60-0129 | SCREW, PHILLIPS, #10-32 X 0.750 INCHES LONG, PAN HEAD, STAINLESS STEEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000002-4036 | | |
| 5418 | 18-60-0130 | CONNECTOR, HIGH VOLTAGE INPUT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696098 | | |
| 5419 | 18-60-0131 | LOCKNUT, ELASTIC, SST 18-8, NO 10-32 UNF-3B, APPROXIMATE THICKNESS .229 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000003-4037 | | |
| 5420 | 18-60-0132 | BODY ASSEMBLY, BRAKE PIPE VENT VALVE (W/BUSHING), AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699420 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5421 | 18-60-0133 | SPRING, STL, ZN PLD, YEL 0.382 IN NOM ID X 0.084 IN WIRE DIA X 1.26 IN FREE HGT, BRAKE PIPE VENT VALVE, AIR BRAKE SYSTEM | EA | 470 | 370 | 210 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695902 | | | | |
| 5422 | 18-60-0134 | STOP, CHECK VALVE, BRAKE PIPE VENT VALVE, AIR BRAKE SYSTEM | EA | 02 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695903 | | | | |
| 5423 | 18-60-0135 | COVER, BRAKE PIPE VENT VALVE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699422 | | | | |
| 5424 | 18-60-0136 | CAPSCREW, HEX HD, SST 18-8, 3/8-16 UNC-2A X 1.0 IN LG | EA | 27 | 24 | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000001-4349 | | | | |
| 5425 | 18-60-0137 | DECAL, "RESIDUAL VOLTAGE" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695668 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5426 | 18-60-0138 | RING, PACKING, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKERESET DEVICE, AIR BRAKE SYSTEM | EA | 255 | 225 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER P0050140002 | | | | |
| 5427 | 18-60-0139 | SEGMENT, BODY, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 05 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P030305 | | | | |
| 5428 | 18-60-0140 | COVER, END, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 06 | 04 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P040000-098 | | | | |
| 5429 | 18-60-0141 | KNOB, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P048402 | | | | |
| 5430 | 18-60-0142 | PIN, SLEEVE/SHAFT, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 85 | 75 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P049618-00004 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5431 | 18-60-0143 | WASHER, SPECIAL, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 680 | 600 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER P0498040014 | | | | |
| 5432 | 18-60-0144 | ROD, TIE, "D-1" PILOT VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 00 | 00 | 05 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P049985-00001 | | | | |
| 5433 | 18-60-0145 | NUT, ADAPTER, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P050570 | | | | |
| 5434 | 18-60-0146 | STOP, SPRING, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P050568 | | | | |
| 5435 | 18-60-0147 | SPRING, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 85 | 75 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P050571 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5436 | 18-60-0148 | SLEEVE, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-56762 | | | | |
| 5437 | 18-60-0149 | STEM, VALVE, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-56001 | | | | |
| 5438 | 18-60-0150 | COVER, FRONT, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P050613 | | | | |
| 5439 | 18-60-0151 | COVER, BACK, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 06 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P050614 | | | | |
| 5440 | 18-60-0152 | RETAINER, PACKING RING, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P051677 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5441 | 18-60-0153 | SHAFT, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO P054592-00001 | | | | | | | |
| 5442 | 18-60-0154 | CAGE, SPRING, "D-1" PILOT AIR VALVE ASSEMBLY, PARKING BRAKE RESET DEVICE, AIR BRAKE SYSTEM | EA | | 06 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO P069975 | | | | | | | |
| 5443 | 18-60-0157 | KIT, FLEXIBLE COUPLING AND FLYWHEEL, USED ON D-4-AS COMPRESSOR, AIR BRAKE SYSTEM, INCLUDES COUPLING, FLEXIBLE ASSEMBLY, P/N 0699471, SCREW, HEX HEAD, P/N0699472, LOCKWASHER, P/N 0576129, FLYWHEEL, P/N06923632000 | EA | | 01 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0699470 | | | | | | | |
| 5444 | 18-60-0158 | O-RING, 0.812 INCHES NOMINAL INSIDE DIAMETER (SPECIAL) BRAKE PIPE CONTROL UNIT ASSEMBLY B-CAR. AIR BRAKE SYSTEM | EA | | 185 | | 215 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0568909 | | | | | | | |
| 5445 | 18-60-0168 | FITTING, 1/8" NPT TO 3/16" TUBE, PART OF TUBE ASSEMBLY USED ON AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0699883 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-----------------------------------|------------|---------------|---------|---------|
| 5446 | 18-60-0226 | ASSEMBLY, MAIN RESERVOIR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06994841000 | | |
| 5447 | 18-60-0227 | ASSEMBLY, PARKING BRAKE RESERVOIR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06994611000 | | |
| 5448 | 18-60-0228 | ASSEMBLY, SUPPLY RESERVOIR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06993521000 | | |
| 5449 | 18-60-0229 | BAFFLE, FILTER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 059227-5011 | | |
| 5450 | 18-60-0233 | BALL, VENT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0306572 | | |
| 5451 | 18-60-0239 | BODY, 3/4" CHECK VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0583685 | | |
| | N | P | WABCO | 0583686 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 5452 | 18-60-0241 | BODY, FOR AIR LINE FILTER ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 059227-5001 | | |
| 5453 | 18-60-0242 | BODY, SAFETY VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696777 | | |
| 5454 | 18-60-0243 | BODY, TRIP VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0532592 | | |
| 5455 | 18-60-0244 | BODY, VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0543514 | | |
| 5456 | 18-60-0245 | BODY, VALVE VENTED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0306269 | | |
| 5457 | 18-60-0248 | BOLT, FRICTION BRAKE (SHOWN ON SHEE 1) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 0579434 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|---------------|
| 5458 | 18-60-0249 | BOLT, FRICTION BRAKE (SHOWN ON SHEET 2) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0694475 |
| ----- | | | | | | | | | |
| 5459 | 18-60-0286 | BRACKET, LATCH | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 06947365001 |
| ----- | | | | | | | | | |
| 5460 | 18-60-0293 | BYPASS MANIFOLD AND HOSE ASSEMBLY, COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0695126R160 |
| ----- | | | | | | | | | |
| 5461 | 18-60-0303 | CAP, BODY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0306294 |
| ----- | | | | | | | | | |
| 5462 | 18-60-0305 | CAP, CUTOUT VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0306070 |
| ----- | | | | | | | | | |
| 5463 | 18-60-0306 | CAP, CUTOUT VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0306245 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5464 | 18-60-0307 | CARRIER, CHECK VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0564051-PT | | | | |
| 5465 | 18-60-0372 | COVER ASSEMBLY, XB-1 VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588973 | | | | |
| 5466 | 18-60-0394 | E-1 AIR DRYER AND BRACKET ASSEMBLY, COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0692420R160 | | | | |
| 5467 | 18-60-0396 | ELECTRICAL ASSEMBLY, COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0694269R160 | | | | |
| 5468 | 18-60-0411 | FITTING, FRICTION BRAKE (SHOWN IN SHEET 1) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 0502093 | | | | |
| 5469 | 18-60-0412 | FITTING, FRICTION BRAKE (SHOWN IN SHEET2) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 0695190 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 5481 | 18-60-0467 | MANIFOLD ASSEMBLY, BRAKE PIPE CONTROL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699641 | | |
| 5482 | 18-60-0468 | MOTOR/AIR PORTION MOUNTING ASSEMBLY, COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692425R160 | | |
| 5483 | 18-60-0498 | O-RING, 0.303 IN NOM ID X 0.438 IN NOM OD X 0.070 IN THK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0309515 | | |
| 5484 | 18-60-0523 | PB INSTRUCTION PLATE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 0699935 | | |
| 5485 | 18-60-0619 | PLUG, CHOKE, BRS, 1/4-12 NPT X 0.109 IN. DRILL DIA. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0078758 | | |
| 5486 | 18-60-0620 | PLUNGER, SPRING SHORT, 3/8-16 UNC-2A X 0.625 IN LG. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06958180001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5487 | 18-60-0629 | RECEPTACLE, 1/4-TURN, 37 PIN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699594 | | |
| 5488 | 18-60-0632 | RETAINING RING, INTERNAL, STL, ZN PLD, YEL, 1.188 IN. NOM ID X 1.319 IN. NOM. OD X 0.50 IN. THK. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06709561188 | | |
| 5489 | 18-60-0633 | RETAINING RIVET, 0.125 IN. BIN. ID X 0.44 IN. BIN OD X 0.50 IN. LG. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694770 | | |
| 5490 | 18-60-0678 | STEM ASSEMBLY, SAFETY VALVE (W/RUBBER SEAT) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696780 | | |
| 5491 | 18-60-0696 | STUD, 1/4-20 UNC-2A X 1.10 IN LG, GR 5, SST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06761800110 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5492 | 18-60-0697 | STUD, 1/4-20 UNC-2A X 2.00 IN LG, GR 5, SST | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06761800200 | | |
| 5493 | 18-60-0698 | STUD, 3/8-16 UNC-2A X 1.50 IN LONG, GR 5, STL, ZN PLD, YEL | EA | 35 | 00 | 03 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06725230150 | | |
| 5494 | 18-60-0732 | VALVE ASSEMBLY, 3/8 INCH CHECK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0583490 | | |
| 5495 | 18-60-0733 | VALVE ASSEMBLY, CHECK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0564045-PT | | |
| 5496 | 18-60-0740 | VALVE, CHECK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0564050 | | |
| 5497 | 18-60-0749 | WIRE, COOPER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0306246 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5498 | 18-60-0750 | WIRE, EXANE, NO 10 AWG, RATED TO 2000V | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO C030859 | | | | |
| 5499 | 18-60-0782 | NUT, ADJUSTING, (SPECIAL), USED ON "F-3" SAFETY VALVE ASSEMBLY, 160 PSI | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06989510160 | | | | |
| 5500 | 18-60-0783 | NUT, ADJUSTING, (SPECIAL), USED ON "F-3" SAFETY VALVE ASSEMBLY, 220 PSI | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06989510220 | | | | |
| 5501 | 18-60-0784 | NUT, ADJUSTING, (SPECIAL), USED ON "F-3" SAFETY VALVE ASSEMBLY, 70 PSI | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06989510070 | | | | |
| 5502 | 18-60-0785 | SCREW, FLAT HD MACHINE, SST 18-8, NO.8-32 UNC X 2A X 0.50 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06773600050 | | | | |
| 5503 | 18-60-0793 | RING-INTERNAL SPIRAL RETAINING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-552950156 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD | |
|------|------------|--|---|---------------|---------|---------|----|
| 5504 | 18-60-0794 | WASHER, 3/8" | EA | 2,374 | 1,660 | 460 | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABTEC PASSENGER | 1-514770004 | | | |
| 5505 | 18-60-0795 | WASHER, 1/2" | EA | 6,610 | 4,980 | 1,380 | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABTEC PASSENGER | 1-514770010 | | | |
| 5506 | 18-60-0805 | 2CY3MD AIR COMPRESSOR OVERHAUL KIT FOR KEY COMPONENTS INCLUDE: CRANKCASE FILTER, WOODRUFF KEYS | UPGRADED D-4-AS AIR COMPRESSOR UNIT. BREATHER HOSE, HOSE CLAMP, SPIN-ON AIR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABTEC CORPORATION | 06924250002 | | | |
| 5507 | 18-60-0806 | 2CY3MD AIR COMPRESSOR UPGRADE KIT FOR COMPONENTS INCLUDE: ADAPTOR FOR SPIN ON COOLING FLOW, AND CRANKCASE STUDS. | D-4-AS AIR COMPRESSOR UNIT. KEY AIR FILTER, 8 BLADE FAN FOR HIGHER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABTEC CORPORATION | 1-500900022 | | | |
| 5508 | 18-60-0807 | 2CY3MD AIR PORTION OVERHAUL KIT FOR COMPONENTS INCLUDES: BEARINGS, CYLINDER KIT, CRANKCASE BREATHER KIT, AND OIL | D-4-AS AIR COMPRESSOR UNIT. KEY HEADS, PISTO RINGS, VALVE, OIL PUMP GAGE MOD. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABTEC CORPORATION | 06941470001 | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 5509 | 18-60-2201 | SHUNT, GROUND, 5.3" LENGTH, FOR D-4 AS AIR COMPRESSOR | EA | 325 | 120 | 75 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0590168 |
| 5510 | 18-60-2600 | SHAFT U/W WABCO TYPE A-1 VARIABLE LOAD VALVE ADJUSTING ARM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 83172 |
| 5511 | 18-60-2650 | SHAFT, LEVER U/W TYPE A-1-A, VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 90417 |
| 5512 | 18-60-2800 | SHAFT, WABCO RELAY VALVE TYPE A-1 OPERATING UNIT & TYPE 21-A&B CONTROL VALVES BE ARING RELAY VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 97349 |
| 5513 | 18-60-4100 | SHAFT, ARMATURE U/W TYPE D-3-F COMPRESSOR FINISHED (NEW STYLE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 507291 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5514 | 18-60-4200 | SHAFT, WAB U/W TYPE A-2 ELECTRO-PNEU MASTER CONTROLLER COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 511517 | | | | |
| 5515 | 18-60-4300 | SHAFT, WABCO VARIABLE LOAD PORTION OF A-1 OPERATING UNIT SECTOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533008 | | | | |
| 5516 | 18-60-4350 | SHAFT, WABCO TYPE ME-42 BREAK VALVE CAM U/W COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533659 | | | | |
| 5517 | 18-60-4400 | SHAFT, U/W VARIABLE LOAD OPERATING MECHANISM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533977 | | | | |
| 5518 | 18-60-4575 | SHAFT, CAM, USED WITH TYPE ME 42B BRAKE VALVE. F/R-28 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561176 | | | | |
| 5519 | 18-61-2100 | SHIELD, U/W WAB CO. ELEC. OPER. COMPRESSOR SWITCH LOWER INSULATING BLOCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 32776 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|------------------|---------|---------|
| 5520 | 18-61-2150 | SHIELD, USED WITH COMPRESSOR SWITCH | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 32777 | | |
| 5521 | 18-61-2200 | SHIELD U/W WABCO ELEC OPER COMPRESSOR SWITCH FLEXIBLE LEAD U/W | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 33011 | | |
| 5522 | 18-61-3700 | SHIM, U/W WABCO TYPE 2CY3B AIR COMPRESSOR ROD, CONNECTING R10 TO 36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 183467 | | |
| 5523 | 18-61-3900 | SHIM, SPRING, FOR TYPE A-2-H ACTUATOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 520941 | | |
| 5524 | 18-61-3950 | SHIM, U/W WABCO TYPE A-2-H ACTUATOR SPRING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 520942 | | |
| 5525 | 18-61-7100 | SHUNT, USED WITH MASTER CONTROLLER TYPE A2 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | PLA2264-5 REF.56 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5526 | 18-61-7150 | SHUNT, COMPLETE, FOR BRAKE VALVE PORTION WAB CO., PC. 531724 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 531724 | | |
| 5527 | 18-61-7200 | SHUNT, COMPLETE, USED WITH ME42B BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 531730 | | |
| 5528 | 18-61-7350 | SHUNT, CRANK SHAFT, FOR TYPE D-3 AIR COMPRESSOR UNIT, 600 VOLT DC 7-1/2 H.P. | EA | 180 | 85 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 570166 | | |
| 5529 | 18-62-0001 | KEY, BRAKE SHOE, SPRING, STANDARD AAR TYPE (USED ON R62 CAR CLASS ONLY) | EA | 1,565 | 217 | 35 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576766 | | |
| 5530 | 18-62-0002 | CHAMBER, AIR SERVICE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06710290100 | | |
| 5531 | 18-62-0003 | GASKET, AIR CHAMBER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-546130060 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5537 | 18-62-1500 | SLEEVE U/W WAB MOTOR DRIVEN AIR COMPRESSOR TYPE D-3-F INSULATION SLEEVE FOR CARB EA ON HOLDER PORCELAIN, 1-1/2" OD X 7/8" ID X 1-1/8" LG SPECIAL SHAPE | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 86375 | | | | |
| 5538 | 18-62-1540 | SLEEVE, USED WITH WAB COMPRESSOR GOVERNOR TYPE S-16, TERMINAL SLEEVE, BRASS, SPECIAL SHAPE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 93334 | | | | |
| 5539 | 18-62-1600 | SLEEVE, UNLOADER, U/W TYPE S.A., FOR AIR COMPRESSOR TYPE NB | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 168263 | | | | |
| 5540 | 18-62-1800 | SLEEVE, ARMATURE USED WITH COMPRESSION TYPE DBF | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 507295 | | | | |
| 5541 | 18-62-1950 | SLEEVE, U/W WAB A-1 OPERATING UNIT FOR SMEE EQUIPMENT REGULATING SLEEVE FOR VARI EA ABLE LOAD PORTION BRONZ 2-1/8" OD X 1-3/4" ID X 3-3/16" LG W/ONE END CLOSED & KE YWAY EXT | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 534937 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5542 | 18-62-1990 | SLEEVE, INSULATION FOR COMPRESSOR UNIT TYPE A-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 543016 | | | | |
| 5543 | 18-62-1991 | SLEEVE, INSULATION FOR COMPRESSOR UNIT TYPE A-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 543017 | | | | |
| 5544 | 18-62-2010 | SLEEVE, REGULATING FOR TYPE A-1 VARIABLE LOAD PORTION OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 547058 | | | | |
| 5545 | 18-62-2030 | SLEEVE, BEARING, FOR D3 COMPRESSOR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 571495 | | | | |
| 5546 | 18-62-3100 | SLIDE, ADJUSTING ARM, FOR TYPE A-1. OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 534936 | | | | |
| 5547 | 18-62-4100 | SPACER, ARC SHIELD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 72919 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5548 | 18-62-4250 | SPACER, U/W WABCO BRAKE VALVE TYPE ME-42 CAM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533772 | | | | |
| 5549 | 18-62-4300 | SPACER, SPECIAL, USED WITH W.A.B. CO'S BRAKE VALVE, TYPE-42, CAM, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533773 | | | | |
| 5550 | 18-62-4381 | SPACER, LOWER CAM, FOR ME-42A BRAKE VALVE, R-22 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 548959 | | | | |
| 5551 | 18-62-4400 | CAM SPACER NO. 3 FOR ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 549795 | | | | |
| 5552 | 18-62-5200 | SPIDER, COMPLETE U/W WABCO ME-23 BRAKE VALVE, (SCRAP) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 67742 | | | | |
| 5553 | 18-62-7100 | SPINDLE, SPECIAL U/W WABCO TYPE B-3 FEED VALVE DIAPHRAGM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1065 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5554 | 18-62-7300 | SPINDLE, DIAPHRAGM, FOR EMERGENCY LIMITING VALVE AND TYPE A-6 COMPRESSOR SWITCH, EA | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 70496 | | | | |
| 5555 | 18-62-7400 | SPINDLE, U/W WABCO TYPE A-1 OPERATING UNIT DIAPHRAGM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 87426 | | | | |
| 5556 | 18-62-8150 | SPOUT, AIR COMPRESSOR, U/W WABCO TYPE D-3-F, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 92242 | | | | |
| 5557 | 18-62-8362 | BRACKET, MOUNTING, USED ON BRAKE APPLICATION VALVE, E-3 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0693490 | | | | |
| 5558 | 18-62-8363 | BUSHING, USED ON BRAKE APPLICATION VALVE E-3 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06905270001 | | | | |
| 5559 | 18-62-8364 | SILENCER, USED ON BRAKE APPLICATION VALVE E-3 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06717580100 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5560 | 18-62-8365 | VALVE, E-3 BRAKE APPLICATION, MODIFIED; ALUMINUM WITH RUBBER SEAL AND STYLE PISTON (NO BRACKET) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 05054050004 | | | | |
| 5561 | 18-62-8366 | SEAL, 2.75 TEFLON, USED ON 3-3" BRAKE APPLICATION VALVE | EA | 30 | 20 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0690719 | | | | |
| 5562 | 18-62-8367 | WASHER, 1" O.D. X 9/32" I.D. X 1, USED ON E-3" BRAKE APPLICATION VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0587648 | | | | |
| 5563 | 18-62-8368 | PISTON, USED ON E-3" BRAKE APPLICATION VALVE | EA | 00 | 00 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695096 | | | | |
| 5564 | 18-62-8369 | BODY, VALVE, USED ON E-3" BRAKE APPLICATION VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0678687 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5565 | 18-62-8370 | SEAT, USED ON E-3" BRAKE APPLICATION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0678686 | | |
| 5566 | 18-62-8371 | BUSHING, 2.75 I.D. SLIP, USED ON E-3" BRAKE APPLICATION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0678684 | | |
| 5567 | 18-62-8502 | MOTOR ASSEMBLY, USED WITH MOTOR AND FAN ATTACHMENT, D-4-S COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 588531 | | |
| 5568 | 18-62-8507 | GROMMET, U/W 2CY3MD COMPRESSOR PORTION, F/WABCO AIR BRAKE EQUIP., R62 CARS | EA | 2,850 | 1,200 | 240 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0582528 | | |
| 5569 | 18-62-8509 | BRUSHHOLDER, USED WITH D4 COMPRESSOR MOTOR, FOR WABCO AIR BRAKE EQUIPMENT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 581131 | | |
| 5570 | 18-62-8510 | VALVE STOP, U/W C-1- AIR DRYER, F/WABCO AIR BRAKE EQUIP., R62 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 582527 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|---|-----|---------|---------|---------------|
| 5571 | 18-62-8511 | STRAINER, U/W, WABCO S-20 TYPE AIR BRAKE EQUIPMENT R10-62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 579738 |
| ----- | | | | | | |
| 5572 | 18-62-8512 | BOLT, HEX HEAD, 1/2-13 X 1-1/4" LONG | EA | 360 | 170 | 100 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 000001-4658 |
| ----- | | | | | | |
| 5573 | 18-62-8513 | SCREW, CAP, HEX HEAD, 1/2-13 X 1-1/2" LONG, UNC-2A, STL GR 5, ZN PLD, YEL | EA | 10,016 | 9,322 | 1,121 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 000001-4660 |
| ----- | | | | | | |
| 5574 | 18-62-8515 | FRAME, AFTERCOOLER, BOTTOM, U/O D-4 COMPRESSOR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 585934 |
| ----- | | | | | | |
| 5575 | 18-62-8516 | FRAME, AFTERCOOLER, LEFT, U/O D-4 COMPRESSOR, F/R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 588588 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-------|-----|-------|-----|-----|
| 5576 | 18-62-8517 | FRAME, AFTERCOOLER, RIGHT, U/O D-4 COMPRESSOR, F/R62 CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 588533 | | | | | | | |
| 5577 | 18-62-8518 | DECAL, (DIRECTIONAL AIR FLOW) SELF ADHESIVE, 3/8" RED LETTERS ON WHITE VINYL, 2 LINES TO READ "COOLING AIR FLOW" W/UNDERLINING RED ARROW POINTING LEFT TO RIGHT, O.A. SIZE 3-1/2" LG. X 1-1/2" H. V/O TYPE D4 COMPRESSORS, R62-R62A CARS. | EA | | 180 | | 85 | | 50 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0575340 | | | | | | | |
| 5578 | 18-62-8523 | BOLT, HEX HEAD, 5/16-18 UNC-2A X 1" LG. STEEL, ZINC PLATED, GRADE 5, U/O D-4 & D-4-S AIR COMPRESSOR | EA | | 2,965 | | 1,280 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000001-4579 (FOR REFERENCE ONLY) | | | | | | | |
| 5579 | 18-62-8524 | BOLT, HEX HEAD, 5/8-11 X 1-3/4" LONG D-4 AND D-4-S AIR COMPRESSOR | EA | | 1,500 | | 425 | | 250 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 053592-4003 (FOR REF. ONLY) | | | | | | | |
| 5580 | 18-62-8525 | SPACER, MOTOR MOUNTING BAND, U/O D-4-S COMPRESSOR. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 581648 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5581 | 18-62-8526 | FRAME, MOUNTING, U/O D-4 COMPRESSOR, F/R62 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0588536 | | |
| 5582 | 18-62-8527 | ADAPTER, HOSE, 3/4 NPT X 90 DEG., U/O D-4 COMPRESSOR, R62 CARS | EA | 10 | 15 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0582552 | | |
| 5583 | 18-62-8528 | HOSE, FLEXIBLE CONNECTOR, U/O D-4 COMPRESSOR, R62 CARS | EA | 180 | 95 | 55 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 6931090024 | | |
| 5584 | 18-62-8529 | FITTING, STUD, 1/2 N.P.T. X 1/2" O.D. TUBE, U/O D-4 COMPRESSOR, R62 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579100 | | |
| 5585 | 18-62-8531 | REDUCER, 3/4 X 3/8 NPT, U/O D-4 COMPRESSOR, R62 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0010089 | | |
| 5586 | 18-62-8532 | FITTING, STUD, 3/8 NPT X 1/2" TUBE, U/O D-4 COMPRESSOR, R62 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 542306 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5587 | 18-62-8533 | GUARD, FAN FOR TYPE D3 & D4 COMPRESSOR UNITS, R38-62A CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 580367 | | | | |
| 5588 | 18-62-8534 | VENTED BALL CUT-OUT COCK | EA | 182 | 87 | 50 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 584023 | | | | |
| 5589 | 18-62-8535 | CLAMP, 1/4" TUBE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579211 | | | | |
| 5590 | 18-62-8536 | CLAMP, 5/8" TUBE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579639 | | | | |
| 5591 | 18-62-8537 | TUBE, BY-PASS, U/O D-4 COMPRESSOR, R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 582949 | | | | |
| 5592 | 18-62-8538 | HEATER, ELEMENT, AIR DRYER, U/W D-4 COMPRESSOR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588606 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5593 | 18-62-8539 | HEATER, AUTO DRAIN, U/W BATTERY SIDE BOXASSY ON D-4 COMPRESSOR UNIT, F/R33 & R36 EA CARS | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 588685 | | | | | | | |
| | | N P WABCO 588690 | | | | | | | |
| 5594 | 18-62-8541 | SHROUD SILENCER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 586644 | | | | | | | |
| 5595 | 18-62-8550 | SCREEN, U/W MOTOR & FAN ASSY. FOR D4 & D4-S COMPRESSORS ASSY. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0574139 | | | | | | | |
| 5596 | 18-62-8551 | COVER, PISTON | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 589057 | | | | | | | |
| 5597 | 18-62-8552 | DECAL, "ROTATING FAN" | EA | | 720 | | 340 | | 200 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 583224 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5598 | 18-62-8553 | CHAIN ASSEMBLY, FOR SAFETY #T8536 AND COMPRESSOR MOTOR, F/R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 589217 | | | | |
| 5599 | 18-62-8554 | CLAMP, 5/8" O.D. TUBE, F/R62 CARS | EA | 180 | 85 | 50 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0579213 | | | | |
| 5600 | 18-62-8555 | STUD, 1/4-20 X 1-1/4" | EA | 28 | 24 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 568867 | | | | |
| 5601 | 18-62-8556 | NUT, LOCK, U/W WABCO S-20 TYPE COMPRESSOR GOVERNOR. | EA | 590 | 230 | 80 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0579739 | | | | |
| 5602 | 18-62-8557 | LOCKNUT, CROWNLOCK, SPLIT BEAM, 3/8-16 UNC-3B, STL ZN PLD, YEL OR CLR | EA | 5,357 | 1,985 | 600 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0579901 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5603 | 18-62-8558 | SCREW, ROUND HEAD, 10-24 X 11-1/2" LONG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 587764 | | |
| 5604 | 18-62-8561 | WASHER, U/W WABCO TYPE S-20A COMPRESSOR GOVERNOR ASSEMBLY. R10-62 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579918 | | |
| 5605 | 18-62-8563 | CAP, U/W WABCO TYPE S-20 COMPRESSOR GOVERNOR ASSY. R10-62 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561285 | | |
| | N | P | WABCO | 579737 | | |
| 5606 | 18-62-8564 | RIVET, POP, 1/8" X 3/16" LONG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 578445 | | |
| 5607 | 18-62-8579 | FAN GUARD ASSY, F/COUPLER/DRAFT GEAR AND COMPRESSOR, R62A CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 580365 | | |
| 5608 | 18-62-8583 | "O" RING, 9/16" O.D., 3/8" I.D., U/W D4A DRAIN VALVE, R46-R62 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 591097 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5609 | 18-62-8584 | "O" RING, 1-1/4" O.D. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 591098 | | |
| 5610 | 18-62-8585 | COCK, DRAIN, 1/4 NPT, U/O BL-26-C, ELECTRIC PORTION. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 590972 | | |
| 5611 | 18-62-8597 | PLUG, CANNON, PC, USED ON D-4-5 COMPRESSOR JUNCTION BOX | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 673608 | | |
| 5612 | 18-62-8599 | KIT, CONVERSION, D4 TO D4-S, FOR ALL CARS, CONSISTS OF 39 PARTS: FILTER-582206, MANIFOLD-582284, GASKET-582274, CAPSCREW-584543, LOCKWASHER-514281, CAPSCREW-584548, LOCKWASHER-514301, GASKET-569811, HOSE-578170, CLAMP-578171, BREATHER-581759, HEAD-581764, CASTING-T44172, HEAD-581765, CASTING-T44173, HEAD-581762, CASTING-T44170, HEAD-581763, CASTING-T44171, GASKET-569785, GASKET-569827, O-RING-569783, FAN-581819, SHAFT-581851, KEY-120941, LOCKNUT-581850, GASKET-582358, FLANGE-582321, CASTING-T42228, NIPPLE-582291, RESERVOIR-582478, BRACKET-582486, WASHER-514277, LOCKNUT-579901, CLAMP-582293, CAPSCREW-584540, LOCKWASHER-514276, NUT-502369, PLUG-523178. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 591594 | | |
| 5613 | 18-62-8601 | ACTUATING CYLINDER, 30 SQ. IN. W/ ADAPTER KIT | EA | 586 | 64 | 24 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06736290005 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5614 | 18-62-8605 | CAM DOG ASSEMBLY, WITHOUT TAIL, USED WITH ME-43 VALVE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 670240 | | | | | | | |
| 5615 | 18-62-8610 | BUSHING, FOR HANDBRAKE LEVER, U/O GR-90-HR TREAD BRAKE UNIT, R62 CARS. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 589855 | | | | | | | |
| 5616 | 18-62-8615 | SPRING, CHOCK VALVE, U/O EMERGENCY VALVEPORTION. F/R26-R62 | EA | 200 | | 125 | | 120 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 671378 | | | | | | | |
| 5617 | 18-62-8616 | SCREW, CAP, SELF LOCKING, 3/8-16 X 1-1/4" LONG, HEX HEAD, USED ON E-3 BRAKE APPLICATION VALVE | EA | 60 | | 41 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0591021 | | | | | | | |
| 5618 | 18-62-8625 | PLUNGER, STATIONARY CONTACT, USED ON BL-33-H ELECTRIC PORTION | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 672685 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5619 | 18-62-8626 | STUD, STATIONARY CONTACT, SHORT USED WITH BL-33-H ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 671688 | | | | |
| 5620 | 18-62-8627 | STUD, STATIONARY CONTACT, LONG, USE ON BL-33-H ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 671667 | | | | |
| 5621 | 18-62-8628 | STUD, MOVABLE CONTACT, SHORT, USE ON BL-33-H ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 671681 | | | | |
| 5622 | 18-62-8629 | STUD, MOVEABLE CONTACT, LONG, USED ON BL-33-H ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 671680 | | | | |
| 5623 | 18-62-8630 | VALVE, INSHOT, 10 LB. SETTING, U/W J16 RELAY VALVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 564182-0010 | | | | |
| 5624 | 18-62-8631 | NUT, PLUNGER RETAINING, USED ON BL-33-H ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 671683 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-------|-----|-----|-----|---------------|
| 5625 | 18-62-8635 | VALVE, INSHOT, 14 LB. SETTING, U/W J14D RELAY VALVE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 564182-0014 |
| ----- | | | | | | | | | |
| 5626 | 18-62-8642 | COLLAR, U/O BYPASAS & CHARGING VALVE PORTION. F/R62 CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 589360 |
| ----- | | | | | | | | | |
| 5627 | 18-62-8643 | O RING, 11/16" O.D., U/O N3E AND N4E MAGNET VALVES. | EA | | 670 | | 324 | | 430 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 581928 |
| ----- | | | | | | | | | |
| 5628 | 18-62-8644 | O RING, 13/16" O.D., U/O WABCO TYPE N4E AND N3E MAGNET VALVES. | EA | | 1,950 | | 876 | | 1,020 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 580354 |
| ----- | | | | | | | | | |
| 5629 | 18-62-8645 | COIL, U/O N-4-E MAGNET VALVE. F/R62 CARS | EA | | 00 | | 06 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 590488 |
| ----- | | | | | | | | | |
| 5630 | 18-62-8685 | SCREW, CAP, HEX. HD., SELF-LOCKING 1/2-13 X 2-3/4" LG., PLT. STEEL, U/W | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | ME-43 BRAKE VALVE. F/R62 CARS. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 589841 | | | | |
| 5631 | 18-62-8687 | SCREW, CAP, HEX. HD., SELF-LOCKING, 1/2-13 X 3-3/4" LG, PLT STEEL. F/R62 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 589843 | | | | |
| 5632 | 18-62-8692 | CLAMP, .484" I.D., NYLON (FOR SECURING WIRE LEADS TO BRAKE VALUE BODY). USED ON ME-43 BRAKE VALVE. FOR R62 CARS. | EA | 10 | 20 | 20 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 559965 | | | | |
| 5633 | 18-62-8693 | SHIM, 160" THICK, U/O ME-43 BRAKE VALVE.FOR R62 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 670241 | | | | |
| 5634 | 18-62-8694 | SHIM, .080" THICK, U/O ME-43 BRAKE VALVEF/R62 | EA | 02 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 670242 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5635 | 18-62-8727 | PLATE, MOUNTING, "ES-30" COMPRESSOR GOVERNOR. USED ON ELECTRIC PNEUMATIC PORTION FOR D4-S COMPRESSOR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 672373 | | | | |
| 5636 | 18-62-8728 | SWITCH, PRESSURE, USED ON ES-30 COMPRESSOR GOVERNOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0672375 | | | | |
| 5637 | 18-62-8729 | ADAPTER, PRESSURE SWITCH MOUNTING USED ON ES-30 COMPRESSOR GOVERNOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0672374 | | | | |
| 5638 | 18-62-8731 | ADAPTER, USED ON ES-30 COMPRESSOR GOVERNOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 672370 | | | | |
| 5639 | 18-62-8732 | WIRE, SET, "ES-30" COMPRESSOR GOVERNOR. USED ON ELECTRIC/PNEUMATIC PORTION FOR D4-S COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 672362 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5640 | 18-62-8733 | ASSEMBLY, DIN CONNECTOR, USED ON ES-30 COMPRESSOR GOVERNOR | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 672371 | | | | | | | |
| 5641 | 18-62-8734 | ENCLOSURE, USED ON ES-30 COMPRESSOR GOVERNOR | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 672363 | | | | | | | |
| 5642 | 18-62-8735 | ENCLOSURE. "ES-30" COMPRESSOR GOVERNOR. USED ON ELECTRIC/PNEUMATIC PORTION FOR D4-S COMPRESSOR | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 672368 | | | | | | | |
| 5643 | 18-62-8736 | SEAL, 1/16", RUBBER "U" - USED ON ES-30 GOVERNOR | EA | 192 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 672369 | | | | | | | |
| 5644 | 18-62-8737 | WASHER, RUBBER | EA | 172 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0672594 | | | | | | | |
| 5645 | 18-62-8738 | ASSEMBLY, CAP PLUG | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 672677 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|--|---------|---------|---------|
| 5646 | 18-62-8739 | STUD, 1/4"-20, STEEL, ZINC PLATED, ELECTRIC/PNEUMATIC PORTION FOR D4-S | "ES-30" COMPRESSOR GOVERNOR, USED ON COMPRESSOR | EA | 00 | 00 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | |
| | | N P WABCO | 672365 | | | |
| 5647 | 18-62-8740 | WASHER, 1/4", FLAT, STEEL, PLATED, ELECTRIC/PNEUMATIC FOR D4-S COMPRESSOR | "ES-30" COMPRESSOR GOVERNOR. USED ON | EA | 00 | 00 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | |
| | | N P WABCO | 39036 | | | |
| 5648 | 18-62-8741 | RECEPTACLE BOX, USED ON ES-30 | COMPRESSOR GOVERNOR | EA | 08 | 00 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | |
| | | N P WABCO | 672366 | | | |
| 5649 | 18-62-8743 | GASKET, RECEPTACLE, U/O N-3-E MAGNET | VALVE PORTION. | EA | 00 | 00 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | |
| | | N P WABCO | 587868 | | | |
| 5650 | 18-62-8751 | PLATE, FILLING, U/O "GR-90" TREAD BRAKE UNIT. | | EA | 00 | 00 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | |
| | | N P WABCO | 671805 | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5651 | 18-62-8755 | KIT, HEATER JUNCTION BOX; INCLUDES: HEATER ASS'Y./ES-30 JUNCTION BOX (1), CONNECTOR (1), CLAMP (1), CLIP-TERMINAL #8 (6), CLAMP (2), CLAMP (2), HEX HD. SCREW (5), LOCK WASHER (5), USED WITH ES-30 GOVERNOR PACKAGE 1 KIT IN A CLEAR PLASTIC BAG, AND QUANTITY IN EACH BAG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 673325 | | | | |
| 5652 | 18-62-8800 | OPERATING UNIT, E-2-S, F/WABCO AIRBRAKE EQUIP., R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588295 | | | | |
| 5653 | 18-62-8807 | GASKET, U/W D-24-B FEED VALVE F/WABCO AIR BRAKE EQUIP R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 7800 | | | | |
| 5654 | 18-62-8809 | BELLOWS, U/W D24-B FEED VALVE F/WABCO AIR BRAKE EQUIP, R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 525844 | | | | |
| 5655 | 18-62-8813 | STUD, GRADE 5, STEEL, ZINC PLATED 1/4"-20 UNC X 2-13/16"LG, FOR R62 CARS. | EA | 04 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 590592 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5656 | 18-62-8816 | STUD, CAD. PLATED, 1/2-13 UNC X 2-3/8" LG., STEEL, U/O E2 OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 589358 | | | | |
| 5657 | 18-62-8817 | FITTING, TEST, U/O E2 OPERATING UNIT # 588295. | EA | 34 | 49 | 09 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0589073 | | | | |
| 5658 | 18-62-8829 | PLUG, CONNECTOR, SPECIAL U/O E2 OPERATING UNIT # 588295. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588953 | | | | |
| 5659 | 18-62-8832 | PLUG, CONNECTOR, SPECIAL U/O E2 OPERATING UNIT # 588295. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588955 | | | | |
| 5660 | 18-62-8834 | FITTING, 3/4" FLANGE X 7/8" O.D., SWEAT U/O E2 OPERATING UNIT # 588295. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588952 | | | | |
| 5661 | 18-62-8836 | PORTION, PIPE BRACKET, USED ON WABCO #588295 E-2 OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588264 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|---------------|
| 5662 | 18-62-8907 | COCK, 1" VENTED CUTOUT | EA | | 00 | | 01 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 589336 |
| ----- | | | | | | | | | |
| 5663 | 18-62-8998 | BODY, EMERGENCY VALVE, U/O EMERGENCY VALVE PORTION. F/R62 CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 590042 |
| ----- | | | | | | | | | |
| 5664 | 18-62-8999 | PORTION, EMERGENCY VALVE, E-1, U/O E2 OPERATING PORTION. F/R62 CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 590040 |
| ----- | | | | | | | | | |
| 5665 | 18-62-9000 | BRAKE VALVE, ME43, F/WABCO AIR BRAKE COMPLETE WITH PIPE BRACKET AND EQUIPMENT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 588302 |
| ----- | | | | | | | | | |
| 5666 | 18-62-9001 | VALVE, MAGNET, EMERGENCY, FE-2, LONG LEAD, U/W WABCO AIR BRAKE EQUIPMENT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 690444 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5672 | 18-62-9009 | STUD, STL, CAD. PLD, 3/8-16 UNC X 1-1/4LG. U/O J-1 RELAY VALVE PORTION. F/R62 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 582649 | | | | |
| 5673 | 18-62-9010 | VALVE, UNCOUPLING, TYPE B-5, LESS HANDLE, CARS KEY OPERATED. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 590463 | | | | |
| 5674 | 18-62-9012 | SEAT, FOR BY-PASS VALVE, U/O D-4 COMPRESSOR | EA | 67 | 43 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0579970 | | | | |
| 5675 | 18-62-9013 | VALVE, FOR BY-PASS VALVE, USED ON D-4 COMPRESSOR | EA | 330 | 585 | 93 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0579972 | | | | |
| 5676 | 18-62-9015 | PIPE BRACKET PORTION U/W ME-43 BRAKE VALVE. F/R62 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 589549 | | | | |
| 5677 | 18-62-9017 | HANDLE GUARD R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577414 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5678 | 18-62-9019 | CAM SHAFT R62 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577419 | | | | |
| 5679 | 18-62-9020 | CONNECTOR, STRAP FOR R62 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577413 | | | | |
| 5680 | 18-62-9021 | SUPPORT FOR R62 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 572452 | | | | |
| 5681 | 18-62-9022 | GUARD, ELECTRIC SELF-LAPPING UNIT. F/R62 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 577416 | | | | |
| 5682 | 18-62-9027 | COVER, FULCRUM PIN, F/ GR-90 HR TREAD BRAKE UNIT, R62. | EA | 01 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588465 | | | | |
| 5683 | 18-62-9028 | GASKET, FULCRUM PIN COVER, U/O GR-90 TREAD BRAKE UNIT, R62, 62A CARS | EA | 230 | 81 | 25 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588466 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5684 | 18-62-9029 | COVER, FULCRUM PIN, 1/8" NPT HOLE BRAKE UNIT, R62. | EA | 02 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 581532 | | | | |
| 5685 | 18-62-9030 | GASKET, FULCRUM PIN, U/O GR-90 TREAD BRAKE UNIT, R62, 62A CARS | EA | 230 | 81 | 25 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 580716 | | | | |
| 5686 | 18-62-9031 | PIN, CYLINDER LEVER FULCRUM, F/GR-90 HR TREAD BRAKE UNIT, R62. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | Y P WABCO 588154 | | | | |
| 5687 | 18-62-9033 | BUSHING, CYLINDER LEVER, U/W GR-90 TREAD BRAKE UNIT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 559610 | | | | |
| 5688 | 18-62-9034 | BODY, RIGHT HAND, U/W GR-90 TREAD BRAKE UNIT, RIGHT HAND AND HAND BRAKE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | --- --- ----- ----- | | | | |
| | | N P WABCO 588268 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5689 | 18-62-9035 | BUSHING, FULCRUM, F/GR-90 HR TREAD BRAKEUNIT. | EA | 11,808 | 11,250 | 1,500 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0559632 | | |
| 5690 | 18-62-9036 | BUSHING, U/O BRAKE HEAD U/W GR-90 TREAD BRAKE UNIT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 576426 | | |
| 5691 | 18-62-9038 | BODY, LEFT HAND, U/W GR-90 TREAD BRAKE UNIT, LEFT-HAND | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 588266 | | |
| 5692 | 18-62-9040 | SELF LAPPING UNIT, ELECTRIC, U/O WABCO #588302 ME BRAKE VALVE, R62 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 572447 | | |
| 5693 | 18-62-9041 | INSULATOR, TERMINAL BLOCK, USED WITH ELECTRIC SELF-LAPPING UNIT | EA | 00 | 04 | 04 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 572448 | | |
| 5694 | 18-62-9042 | NUT, HEX, 9/16-18 UNF, PLT. STEEL FOR LOAD SENSOR CONTROL PORTION. F/R62 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579836 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5695 | 18-62-9100 | COCK, DRAIN, 1/2", W/LOCKING HANDLE, U/OWABCO #588295 E-2 OPERATING UNIT, R62 CARS | EA | 61 | 35 | 06 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0582233 | | | | |
| 5696 | 18-62-9128 | VALVE, CHECK, FLANGE MOUNTED, RUBBER SEATED | EA | 600 | 800 | 350 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578336 | | | | |
| 5697 | 18-62-9190 | SPOOL, VALVE, (MODIFIED), F/R38-62 CARS | EA | 04 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 590044 | | | | |
| 5698 | 18-62-9193 | INSERT, SEAT, U/O "B-5" UNCOUPLING VALVE. | EA | 220 | 100 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579084 | | | | |
| 5699 | 18-62-9195 | KEY, BALL, U/O "B-5" UNCOUPLING VALVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 590467 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5700 | 18-62-9207 | BOLT, HANGER, FOR GR-90 HR TREAD BRAKE UNIT | EA | 231 | 45 | 43 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 589059 | | | | |
| 5701 | 18-62-9208 | BOLT, BRAKE HEAD, GR-90 HR TREAD BRAKE | EA | 271 | 63 | 71 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588467 | | | | |
| 5702 | 18-62-9209 | BUSHING, GR-90 HR TREAD BRAKE UNIT, R62. | EA | 7,940 | 7,500 | 1,000 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0582008 | | | | |
| 5703 | 18-62-9210 | BUSHING, F/GR-90 HR TREAD BRAKE UNIT, R62. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567426 | | | | |
| 5704 | 18-62-9212 | WIRE, LOCK, 0.052 DIA X 40.0" LG, U/W GR-90 TREAD BRAKE UNIT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 531737 | | | | |
| 5705 | 18-62-9213 | BOLT, 5/8-11 UNC X 5-7/8" LG, SPECIAL, U/W GR-90 TREAD BRAKE UNIT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588469 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5712 | 18-62-9407 | GASKET, USED WITH N-4-E MAGNET VALVE, FOR WABCO AIR BRAKE EQUIPMENT | EA | 315 | 130 | 125 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578746 | | | | |
| 5713 | 18-62-9408 | BUSHING, U/W N-4-E MAGNET VALVE F/WABCO AIR BRAKE EQUIP, R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575805 | | | | |
| 5714 | 18-62-9409 | BUSHING, U/W N-4-E MAGNET VALVE F/WABCO AIR BRAKE EQUIP, R62 CARS | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 579535 | | | | |
| 5715 | 18-62-9414 | NUT, ADJUSTING, F/R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588630 | | | | |
| 5716 | 18-62-9415 | SCREW, ADJUSTING, F/R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 582369 | | | | |
| 5717 | 18-62-9416 | SPRING, 1-3/8" O.D. X 11/64" WIRE DIA. X 2-7/32" FREE HEIGHT MUSIC WIRE, F/R62 | EA | 180 | 125 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-----------------------------------|-----|---------|---------|---------|
| | | CARS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 550667 | | | | |
| 5718 | 18-62-9417 | SPRING, SEAT, F/R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588637 | | | | |
| 5719 | 18-62-9418 | PISTON, F/R62 CARS | EA | 02 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588634 | | | | |
| 5720 | 18-62-9419 | FILLING PIECE, F/R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588632 | | | | |
| 5721 | 18-62-9420 | PLUNGER, F/R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 574218 | | | | |
| 5722 | 18-62-9421 | COVER, CHECK VALVE, F/R62 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0575427 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5723 | 18-62-9422 | HOUSING, CHECK VALVE, F/R62 CARS | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0575430 | | |
| | N | P | WABCO | 575430 | | |
| 5724 | 18-62-9423 | PISTON, (SMALL) | EA | 189 | 130 | 05 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 575423 | | |
| 5725 | 18-62-9424 | BODY, F/R62 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 575415 | | |
| 5726 | 18-62-9425 | STUD, STEEL, 3/8-16 UNC X 2-7/8" LONG, ZINC PLATED, F/R62 CARS | EA | 07 | 04 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566884 | | |
| 5727 | 18-62-9426 | SEAT, REGULATING VALVE, U/O D-24-B FEED VALVE PORTION. F/R33, R62 CARS. | EA | 155 | 65 | 95 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 574311 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5728 | 18-62-9427 | SCREW, FILLISTER HEAD STEEL. CADMIUM PLATED, 10-24 UNC X 2.0 INCHES LONG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 511355 | | | | |
| 5729 | 18-62-9428 | COVER, U/W N-4-E MAGNET VALVE PORTION. F/R33 & R62 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578745 | | | | |
| 5730 | 18-62-9429 | SPRING, USED WITH N-4E MAGNET VALVES | EA | 650 | 292 | 340 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 672945 | | | | |
| 5731 | 18-62-9430 | NUT, ADJUSTING, FOR R62 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578749 | | | | |
| 5732 | 18-62-9431 | PLUNGER, FOR R62 | EA | 00 | 12 | 02 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578750 | | | | |
| 5733 | 18-62-9432 | ARMATURE, FOR R62 | EA | 04 | 19 | 03 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578748 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5734 | 18-62-9433 | COVER, OPERATOR, FOR R62 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 578747 | | |
| 5735 | 18-62-9434 | COIL, U/O AIR PORTION ASSY. U/W N-4-E MAGNET VALVE PORTION, F/R62 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 590545 | | |
| 5736 | 18-62-9435 | SUPPRESSOR, FOR R62 | EA | 35 | 44 | 17 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0588163 | | |
| | N | P | WABCO | 588163 | | |
| 5737 | 18-62-9437 | RECEPTACLE, FOR R62 | EA | 07 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 572811 | | |
| 5738 | 18-62-9439 | PLUG, 3/8" CHOKE, FLUTED SCH, BRS 1/8-27NPT X NO. 65 DR., U/O EMERGENCY VALVE PORTION. F/R62 CARS. | EA | 02 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 95339 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5739 | 18-62-9441 | COIL, W/TRANZORB AND WIRING ASSEMBLY, U/W FB-2 MAGNET VALVE, R62 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 589325 | | | | | | | |
| 5740 | 18-62-9576 | BRAKE UNIT, TREAD, LEFT HAND COMPLETE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 588300-0124 | | | | | | | |
| 5741 | 18-62-9577 | BRAKE UNIT, TREAD, R.H. COMPLETE WITH HANDBRAKE FEATURE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 588297-0213 | | | | | | | |
| 5742 | 18-62-9578 | BRAKE UNIT, TREAD, RIGHT HAND COMPLETE, WITH OUT HANDBRAKE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 588299-0213 | | | | | | | |
| 5743 | 18-62-9599 | SPRING, U/W FA-4 MAGNET VALVE AND FB2 MAGNET VALVE. | EA | | 225 | | 134 | | 90 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 514756 | | | | | | | |
| 5744 | 18-62-9604 | CLEVIS, USED ON HAND BRAKE ASSEMBLY, KHI #1M4735-0-000. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 589847 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5745 | 18-62-9605 | CLEVIS, USED ON HAND BRAKE ASSEMBLY, KHI #1M4735-0-000. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 589845 | | | | | | | |
| 5746 | 18-62-9606 | PIN (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 589887 | | | | | | | |
| 5747 | 18-62-9608 | PIN (DO NOT BUY UNTIL DESCRIPTION IS UPDATED, 3-1-90) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 589886 | | | | | | | |
| 5748 | 18-62-9611 | PIN, SHOULDER, 1.25" OD X 3.68" LONG, USED ON HANDBRAKE ASSEMBLY ITEM MUST BE STAMPED, ENGRAVED AND/OR INDELIBLY MARKED 'NYCTA'. HEIGHT OF LETTERING SHALL BE MAXIMUM PERMITTED BY SIZE OF ITEM; MINIMUM LETTERING HEIGHT 1/8 INCH. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 589889 | | | | | | | |
| | | N S NYCTA NYCTA MARKING | | | | | | | |
| 5749 | 18-62-9613 | ROD, PULL, SHORT, ASSEMBLY WITH BUSHINGS, USED ON HANDBRAKE RIGGING | EA | | 08 | | 02 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 589875 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5750 | 18-62-9615 | LOAD SENSOR, A-1 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 591785 | | | | | | | |
| 5751 | 18-62-9617 | SEAT, SPRING, U/W A-1 LOAD SENSOR. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 591819 | | | | | | | |
| 5752 | 18-62-9618 | STEM, U/W A-1 LOADING SENSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 591798 | | | | | | | |
| 5753 | 18-62-9619 | PORTION, LOAD SENSOR CONTROL, U/W A-1 LOAD SENSOR# 591785. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 591784 | | | | | | | |
| 5754 | 18-62-9620 | NUT, PUSH, 1/2-20, PALNUT, PLT, STEEL FOR LOAD SENSOR CONTROL PORTION. F/R62 CARS. | EA | | 02 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 589839 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5755 | 18-62-9621 | VALVE, INLET AND EXHAUST, FOR LOAD SENSOR CONTROL PORTION | EA | 42 | | 23 | | 10 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 591830 | | | | | | | |
| 5756 | 18-62-9622 | SEAL, SLIPPER, USED WITH LOAD SENSOR PORTION | EA | 420 | | 332 | | 120 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 591827 | | | | | | | |
| 5757 | 18-62-9623 | TIP, WEAR, U/W A-1 LOAD SENSOR #591785. | EA | 487 | | 343 | | 120 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 591795 | | | | | | | |
| 5758 | 18-62-9624 | PIN, CAM ROLLER FOR LOAD SENSOR CONTROL PORTION. F/R62 CARS. | EA | 460 | | 327 | | 125 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 591796 | | | | | | | |
| 5759 | 18-62-9625 | LEVER, FOR LOAD SENSOR CONTROL PORTION. F/R62 CARS. | EA | 07 | | 15 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 591824 | | | | | | | |
| 5760 | 18-62-9626 | STUD, 5/16-18 X 1-1/2" LG. STEEL FOR LOAD SENSOR CONTROL PORTION. F/R62 CARS. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 589634 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5766 | 18-62-9706 | FOLLOWER, SPRING, F/COUPLER & DRAFT GEAR ELECTRIC COUPLER, R62A CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533963 | | | | |
| 5767 | 18-62-9708 | PLUNGER, F/COUPLER & DRAFT GEAR ELECTRIC COUPLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 524401 | | | | |
| 5768 | 18-62-9709 | BRUSH, SHIM, 1/64" U/O BL-33-F ELECTRIC PORTION. | EA | 10 | 04 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 570605 | | | | |
| 5769 | 18-62-9710 | NUT, LOCK, 1/2" F/COUPLER & DRAFT GEAR ELECTRIC COUPLER, R62A CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566122 | | | | |
| 5770 | 18-62-9711 | PIN, 1/4" O.D. X 5-15/16 LONG, COUPLER. F/COUPLER & DRAFT GEAR ELECTRIC | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83516 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|----------------------------------|
| 5771 | 18-62-9713 | HOUSING ASSEMBLY, TOP, U/O BL-26-B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME --- --- --- N P WABCO | | | | MFG - PART-NO ----- 565962 |
| 5772 | 18-62-9714 | NUT, LOCK, 3/8" F/COUPLER & DRAFT GEAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME --- --- --- N P WABCO | | | | MFG - PART-NO ----- 563642 |
| 5773 | 18-62-9715 | RING, PISTON, (STD). 3", F/COUPLER & DRAFT GEAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME --- --- --- N P WABCO | | | | MFG - PART-NO ----- 574849 |
| 5774 | 18-62-9716 | PIN, CYLINDER, F/COUPLER & DRAFT GEAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME --- --- --- N P WABCO | | | | MFG - PART-NO ----- 563024 |
| 5775 | 18-62-9717 | PIN, CYLINDER, 1/4" X 1-3/8", F/COUPLER & DRAFT GEAR | EA | 80 | 25 | 85 |
| | | QPL CODE MFG - NAME --- --- --- N P WABCO | | | | MFG - PART-NO ----- 554563 |
| 5776 | 18-62-9718 | SLIDE, TRIGGER, F/COUPLER & DRAFT GEAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME --- --- --- N P WABCO | | | | MFG - PART-NO ----- 565985 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5777 | 18-62-9719 | SPRING, TRIGGER, FOR COUPLER AND DRAFT GEAR ELECTRIC COUPLER | EA | | 80 | | 25 | | 85 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 5778 | 18-62-9720 | TRIGGER, F/COUPLER & DRAFT GEAR ELECTRIC COUPLER, R62A CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 5779 | 18-62-9721 | PIN, SLIDE CONNECTOR, FOR COUPLER AND DRAFT GEAR ELECTRIC COUPLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 5780 | 18-62-9722 | ROLLER, FOR COUPLER AND DRAFT GEAR ELECTRIC COUPLER. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 5781 | 18-62-9723 | INSULATOR, (TERMINAL SCREW), F/COUPLER & DRAFT GEAR ELECTRIC COUPLER, R62 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 5782 | 18-62-9724 | SCREW, OVAL FILLISTER HD. 1/4 X 1-3/16" F/COUPLER & DRAFT GEAR ELECTRIC | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | COUPLER, R62A CARS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83704 | | | | |
| 5783 | 18-62-9725 | CONNECTOR, SET F/COUPLER & DRAFT GEAR ELECTRIC COUPLER, R62A CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561261 | | | | |
| 5784 | 18-62-9726 | STRAINER, USED ON H-2-C CAR COUPLER. | EA | 20 | 70 | 45 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83409 | | | | |
| 5785 | 18-62-9727 | PIN, 3/32 X 1-1/16", F/COUPLER & DRAFT GEAR ELECTRIC COUPLER, R62A CARS | EA | 20 | 70 | 45 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0583787 | | | | |
| 5786 | 18-62-9728 | PIN, CYLINDRICAL SPRING, .092" O.D. X 9/16" LONG, U/O H-2-C CAR COUPLER. | EA | 20 | 70 | 45 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 26924 | | | | |
| 5787 | 18-62-9736 | PIN, CYLINDRICAL SPRING, 3/16 X 2-1/4" F/COUPLER & DRAFT GEAR ELECTRIC COUPLER, R62A CARS | EA | 20 | 70 | 45 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567296 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5788 | 18-62-9739 | SPRING, CONTACT, USED ON ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 545441 | | |
| 5789 | 18-62-9740 | CONTACT, STATIONARY, USED ON ELECTRIC PORTION | EA | 03 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 674830 | | |
| 5790 | 18-62-9745 | FRAME, SLIDE, REAR, U/O BL-26-C ELECTRIC PORTION. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 591691 | | |
| 5791 | 18-62-9746 | TERMINAL, STUD, U/O BL-33-F ELECTRIC PORTION. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670018 | | |
| 5792 | 18-62-9747 | TERMINAL ASSEMBLY, U/O BL-26-C ELECTRIC PORTION. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670032 | | |
| 5793 | 18-62-9748 | CONTACT, MOVEABLE, USED ON ELECTRIC PORTION, NON- B+ LOCATIONS | EA | 00 | 23 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 676590 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5794 | 18-62-9749 | CONTACT, MOVEABLE, USED ON ELECTRIC PORTION B+ LOCATION ONLY | EA | 00 | | 20 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 674967 | | | | | | | |
| 5795 | 18-62-9760 | RETAINER, RING, U/W H-2-C CAR COUPLER. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 670345 | | | | | | | |
| 5796 | 18-62-9761 | PISTON, CUT-OFF, U/W H-2-C CAR COUPLER. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 670346 | | | | | | | |
| 5797 | 18-62-9762 | PISTON, OPERATING, 1-1/2", U/W H-2-C CAR COUPLER. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 670347 | | | | | | | |
| 5798 | 18-62-9763 | PISTON, CHECK VALVE, U/W H-2-C CAR COUPLER. | EA | 20 | | 70 | | 45 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 670348 | | | | | | | |
| 5799 | 18-62-9764 | COUPLER, CAR, TYPE H-2-C, U/O A/B SYSTEM. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 670349 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-------|-----|-----|
| 5800 | 18-62-9774 | PLATE, DEFLECTOR, USED ON ELECTRIC PORTION | EA | | 08 | | 54 | | 15 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 671006 | | | | | | | |
| 5801 | 18-62-9775 | PLUNGER, CONTACT, ASSEMBLY, STATIONARY, U/O ELECTRIC PORTION. | EA | | 55 | | 1,037 | | 386 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 670675 | | | | | | | |
| 5802 | 18-62-9778 | VALVE/SEAT COMBINATION, U/O FA MAGNET VALVE PORTION | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 592571 | | | | | | | |
| 5803 | 18-62-9779 | VALVE, SEAT COMBINATION, USED ON FB MAGNET VALVE PORTION | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 592574 | | | | | | | |
| 5804 | 18-62-9783 | PIN, U/O FB-2 MAGNET VALVES | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 672505 | | | | | | | |
| 5805 | 18-62-9788 | VALVE, E-3 BRAKE APPLICATION, MODIFIED; ALUMINUM WITH RUBBER SEAL AND NEW STYLE | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | PISTON, COMPLETE WITH BRACKET, BUSHING, SILENCER AND INSTALLATION SCREWS | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 693694 | | | | |
| 5806 | 18-62-9793 | SCREW, HEX HEAD, 3/8-16 X 1.00 LONG, GRADE 5, PLATED, USED ON E-3 BRAKE APPLICATION VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 673313-1000 | | | | |
| 5807 | 18-62-9797 | CONTACT, ELECTRIC PORTION RETURN CIRCUIT, MOLYBDENUM COATED, USED ON BL-26 AND BL-33 TYPE ELECTRIC PORTION | EA | 06 | 36 | 47 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 673075 | | | | |
| 5808 | 18-62-9964 | NUT RUBBER GROMMET ASSEMBLY, FOR CABLE ON BL-26C ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 670077 | | | | |
| 5809 | 18-62-9965 | NUT RUBBER GROMMET ASSEMBLY, FOR CABLE ON BL-26C ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 670078 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5810 | 18-63-2150 | SPRING, COMPRESSION, HELICAL REGULATING, FOR SINGLE PRESSURE FEED VALVE, TYPE C-6 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1060 | | | | |
| 5811 | 18-63-2175 | SPRING, RELEASE, COMPRESSION HELICAL, FOR CYLINDER WITH PRESSURE HEAD HAVING SLACK ADJ. LUG & SEAT FOR BOOSTER VALVE & PUSH ROD JAW, SUITABLE FOR 1-1/8 IN. LEVER FOR 16 IN. X 12 IN. BRAKE CYLINDER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1077 | | | | |
| 5812 | 18-63-2200 | SPRING, COMPRESSION HELICAL, RELEASE FOR TRIPLE VALVE W.A.B. CO. TYPE L FOR BRAKE CYLINDER W.A.B. CO. TYPE R 12" X 12", WITH SEAT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1090 | | | | |
| 5813 | 18-63-2250 | SPRING, COMPRESSION, HELICAL RELEASE, FOR 7" X 6" BRAKE CYLINDER, W.A.B. CO. TYPE UAHT FOR 2-1/2", 3" OR 3-1/2" PISTON TRAVEL. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1239 | | | | |
| 5814 | 18-63-2276 | SPRING, LATCH, USED ON WABCO 26-C VALVE PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1367 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5815 | 18-63-2325 | SPRING, COMPRESSION HELICAL, CUT-OUT F/GOVERNOR W.A.B. CO. TYPE S-6 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 1498 | | | | | | | |
| 5816 | 18-63-2375 | SPRING, COMPRESSION, HELICAL CHECK VALVE, FOR TRIPLE VALVE, W.A.B. CO. TYPE K-2, EA (SCRAP MEMO 78-371) | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 1745 | | | | | | | |
| 5817 | 18-63-2475 | SPRING, COMPRESSION HELICAL PILOT VALVE FOR VARIABLE LOAD VALVE TYPE A-1 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 2603 | | | | | | | |
| 5818 | 18-63-2500 | SPRING, CAGE TOP FOR WHISTLE VALVE TYPE S-40 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 3503 | | | | | | | |
| 5819 | 18-63-2525 | SPRING, COMPRESSION HELICAL, FOR SAFETY VALVE W.A.B. CO. TYPE E-1 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 3639 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5826 | 18-63-3050 | SPRING, STRIP TYPE FLAT, EMERGENCY GRADUATING VALVE FOR UNIVERSAL VALVE W.A.B. C O. TYPE UE-5 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 12887 | | | | | | | |
| 5827 | 18-63-3075 | SPRING, COMPRESSION, HELICAL ROTARY VALVE KEY FOR BRAKE VALVE WABCO TYPE ME-23 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 13109 | | | | | | | |
| 5828 | 18-63-3100 | SPRING, COMPRESSION HELICA VALVE FOR SAFETY VALVE 110 LBS TO 150 LBS WABCO TYPE E-1 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 13434 | | | | | | | |
| 5829 | 18-63-3150 | SPRING, COMPRESSION, HELICAL SUPPLY VALVE SWITCH FOR ELECTRIC PHEUMAT COMPRESSOR SWITCH TYPE A-6 WORK TRAINS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 15036 | | | | | | | |
| 5830 | 18-63-3300 | SPRING, FOR WABCO TYPE E-6 SAFETY VALVE, COMPRESSION, HELICAL 50-90 LBS (SCRAP M EMO 78-371) | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 24113 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5831 | 18-63-3490 | SPRING, COMPRESSION, HELICAL STRAINER AND CHECK VALVE, W.A.B. CO. TYPE C-1-5-0, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 31488 | | | | |
| 5832 | 18-63-3500 | SPRING, COMPRESSION, HELICAL PISTON, FORDDOUBLE CHECK VALVE, WAB CO. TYPE NO. 14 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 31810 | | | | |
| 5833 | 18-63-3533 | SPRING, CHECK VALVE (RESET) FOR WABCO ABFR BRAKE EQUIP W/ABD CONT VALVE-RELEASE VALVE PC #566198 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 32533 | | | | |
| 5834 | 18-63-3600 | SPRING, COMPRESSION, HELICAL MAGNET VALVE FOR ELECTRIC PORTION UNIVERSAL VALVE WABCO TYPE UE-5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 33507 | | | | |
| 5835 | 18-63-3650 | SPRING, COMPRESSION HELICAL CONTACT FOR ELECTRO-PNEU BRAKE PIPE VENT VALVE WABCO #3 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 33828 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 5836 | 18-63-3675 | SPRING, COMPRESSION HELICAL CHECK VALVE FOR WABCO BRAKE PIPE VENT VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 5837 | 18-63-3725 | SPRING, PISTON, FOR UE-5 UNIVERSAL VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 5838 | 18-63-3730 | SPRING, VALVE FOR WABCO MANUAL OPENING VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 5839 | 18-63-3800 | SPRING, PROTECTION VALVE, WAB CO. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 5840 | 18-63-3925 | SPRING, COMPRESSION, HELICAL CHECK VALVE, FOR UNCOUPLING VALVE, TYPE B-3. | EA | | 220 | | 100 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 5841 | 18-63-3950 | SPRING, TORSION TYPE, FLAT GRADUATING VALVE FOR UNIVERSAL VALVE, WAB CO. TYPE UE | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | -5 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 47547 | | | | |
| 5842 | 18-63-4000 | SPRING, COMPRESSION, HELICAL, CHECK VALVE, FOR VARIABLE LOAD PORTION OF OPERATING UNIT, WABCO TYPE A-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 48367 | | | | |
| 5843 | 18-63-4025 | SPRING, COMPRESSION, HELICAL, CUT-OFF VALVE, FOR EQUALIZING PORTION OF UNIVERSAL VALVE, W.A.B. CO. TYPE UE5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 48551 | | | | |
| 5844 | 18-63-4050 | SPRING, METAL STAMPING, FLAT FIELD COIL, F/MOTOR DRIVEN COMPRESSOR, W.A.B. CO. TYPE D-2-F, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 49114 | | | | |
| 5845 | 18-63-4075 | SPRING, TORSION TYPE, FLAT, FIELD COIL, FOR COMPRESSOR TYPE D-3-F, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 49880 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5846 | 18-63-4100 | SPRING, COMPRESSION, HELICAL QUICK ACTION VALVE FOR QUICK ACTION PORTION OF UNIVERSAL VALVE WABCO TYPE UE5 (SCRAP MEMO 78 -371) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 49932 | | | | |
| 5847 | 18-63-4125 | SPRING, COMPRESSION, HELICAL, AUXILIARY RESERVE CHECK VALVE, FOR TYPE 21A MAGNET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 51551 | | | | |
| 5848 | 18-63-4135 | SPRING, STRIP TYPE FLAT GRADUATING VALVE FOR QUICK ACTION PORTION OF UNIVERSAL VALVE WABCO TYPE UE5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 51892 | | | | |
| 5849 | 18-63-4150 | SPRING, COMPRESSION, HELICAL CUT IN VALVE, F/GOVERNOR, WAB CO. TYPE S-6-A | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 52030 | | | | |
| 5850 | 18-63-4175 | SPRING, MAGNET VALVE FOR RESET MAGNET (FB-4) FOR OPERATING TYPE A-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 53003 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-------|-----|-------|-----|-----|
| 5851 | 18-63-4200 | SPRING, COMPRESSION, HELICAL LATCH, FOR CUT OUT COCK FOR MAIN RESERVOIR AND BRAK EA E PIPE BRANCHES OF UNIVERSAL VALVE, | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- --- N P WABCO 53824 | | | | | | | |
| 5852 | 18-63-4250 | SPRING, COMPRESSION, HELICAL SUPPLY VALVE, FOR EMERGENCY LIMITING VALVE, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- --- N P WABCO 54523 | | | | | | | |
| 5853 | 18-63-4300 | SPRING, LATCH PISTON, FOR REGULATING MECHANISM, FOR EMPTY & LOAD BRAKE. COMPRESS EA ION, HELICAL (SCRAP MEMO 78-371) | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- --- N P WABCO 54727 | | | | | | | |
| 5854 | 18-63-4575 | SPRING, TORSION, HELICAL, HANDLE RETURN FOR TRIP COCK WABCO TYPE D-1, D-1-A, EA D-1-B | | | 2,150 | | 2,745 | | 725 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- --- N P WABCO 0055771 N P WABCO 55771 | | | | | | | |
| 5855 | 18-63-4650 | SPRING, OUTER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- --- N P WABCO 56999 | | | | | | | |

USER-ID : CHU
 FILE-ID : WABP2024
 PROG-ID : ◆

NEW YORK CITY TRANSIT AUTHORITY
 COMMODITY MANAGEMENT SYSTEM

PAGE : 1068
 DATE : 04/12/2024
 VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5856 | 18-63-4785 | SPRING, TORSION TYPE, FLAT SIDE VALVE FOR TRIPLE VALVE W/NEW STANDARD RELIEF VALVE TYPE L-2-G | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 66725 | | | | |
| 5857 | 18-63-4800 | SPRING, COMPRESSION, HELICAL PILOT VALVE STEM FOR UNIVERSAL VALVE WABCO TYPE VE5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 67173 | | | | |
| 5858 | 18-63-4825 | SPRING, FOR UE-5 VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 67176 | | | | |
| 5859 | 18-63-4850 | SPRING, TORSION TYPE FLAT MAIN SLIDE VALVE, FOR TRIPLE VALVE W/NEW STANDARD RELIEF VALVE WABCO TYPE 1-2-G | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 69365 | | | | |
| 5860 | 18-63-5100 | SPRING, COMPRESSION, HELICAL ADJUSTING, FOR ELECTRIC COMPRESSOR GOVERNOR, WAB CO . TYPE S-16 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 72939 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-------------------------|---------|---------|---------|
| 5861 | 18-63-5150 | SPRING, COMPRESSION, HELICAL PISTON, FOR ELECTRIC COMPRESSOR GOVERNOR WABCO TYPE EA S-16-C | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | --- --- ----- | | | | |
| | | N P WABCO | | | | 72973 |
| 5862 | 18-63-5250 | SPRING, USED WITH FEED VALVE TYPE L. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | --- --- ----- | | | | |
| | | N P WABCO | | | | 73877 |
| 5863 | 18-63-5325 | SPRING, COMPRESSION, HELICAL STRUT CYLINDER FOR VARIABLE LOAD PORTION OF OPERATI NG UNIT, WABCO TYPE A-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | --- --- ----- | | | | |
| | | N P WABCO | | | | 75364 |
| 5864 | 18-63-5355 | SPRING, KEY, FOR A2B TRIP COCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | --- --- ----- | | | | |
| | | N P WABCO | | | | 76744 |
| 5865 | 18-63-5475 | SPRING, INNER PISTON, HELICAL, COMPRESSION, F/ SINGLE , WABCO TYPE M-3 | PRESSURE, FEED VALVE EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | --- --- ----- | | | | |
| | | N P WABCO | | | | 549009 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5866 | 18-63-5500 | SPRING, COMPRESSION HELICAL ADJUSTING LINK FOR VARIABLE LOAD VALVE WABCO A-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 78238 | | | | |
| 5867 | 18-63-5550 | SPRING, FOR A1-LOAD VALVE PISTON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 78606 | | | | |
| 5868 | 18-63-5625 | SPRING, INLET VALVE, FOR INSHOT VALVE PORTION, OPERATING UNIT TYPE A-1, R-16 TO R-36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 80554 | | | | |
| 5869 | 18-63-5650 | SPRING, REGULATING VALVE FOR OPER. UNIT- TYPE A-1 VARIABLE LOAD PORTION, COMPRES SION, HELICAL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 80994 | | | | |
| 5870 | 18-63-5750 | SPRING, COMPRESSION, HELICAL PILOT VALVE FOR VARIABLE LOAD VALVE, WAB TYPE A-1 P ILOT VALVE, FOR UNIVERSAL VALVE WAB TYPE U.E-5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83149 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5871 | 18-63-5775 | SPRING, COMPRESSION, HELICAL RETURN FOR VARIABLE LOAD VALVE W.A.B. CO. TYPE A-1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83151 | | |
| 5872 | 18-63-5800 | SPRING, COMPRESSION, HELICAL LATCH PISTON, FOR VARIABLE LOAD VALVE WAB TYPE A-1 OBSOLETE- WAITING FOR REPLY FROM WAB OUR LETTER 9/16/70 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83187 | | |
| 5873 | 18-63-5950 | SPRING, COMPRESSION, HELICAL APPLI- CATION VALVE PISTON BRAKE VALVE, WABCO TYPE ME-42 | EA | 34 | 20 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0085954 | | |
| 5874 | 18-63-5975 | SPRING, CONTACTOR ARM, VARIABLE LOAD VALVE A-1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 87192 | | |
| 5875 | 18-63-6025 | SPRING, COMPRESSION, HELICAL VALVE, FOR APPLICATION VALVE, W.A.B. CO. TYPE A-5 & A-5-A | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 87654 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5876 | 18-63-6075 | SPRING, METAL STAMPING, FLAT FOR TRIP COCK, WAB CO #90446 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 90277 | | |
| 5877 | 18-63-6255 | SPRING, USED WITH W.A.B. TYPE -ABVALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 93972 | | |
| 5878 | 18-63-6260 | SPRING, PILOT VALVE U/W TYPE 6KR (542842) DISTR. VALUES FOR GE DIESEL LOCOMOTIVE SER. NOS 33663 & 33664 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 94006 | | |
| 5879 | 18-63-6300 | SPRING, COMPRESSION, HELICAL DIAPHRAGM FOR VARIABLE LOAD VALVE WABCO TYPE A-1-A | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 94723 | | |
| 5880 | 18-63-6330 | SPRING, COMPRESSION HELICAL USED WITH W.A .B. TYPE -AB- VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 94852 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5881 | 18-63-6333 | SPRING, SLIDE VALVE, FOR EMERGENCY PORTION ON TYPE "AB" VALVE, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 94860 | | |
| 5882 | 18-63-6335 | SPRING, USED WITH W.A.B. TYPE -ABVALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 94952 | | |
| 5883 | 18-63-6337 | SPRING, COMPRESSION HELICAL USED WITH W.A.B. TYPE -AB- VALVE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 95023 | | |
| 5884 | 18-63-6339 | SPRING, USED WITH W.A.B. TYPE -AB- VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 95025 | | |
| 5885 | 18-63-6450 | SPRING, COMPRESSION, HELICAL APPLICATION VALVE, FOR CONTROL VALVE, WABCO TYPE 21 EA -A AND 21-B. ALSO FOR RELAY VALVE PORTION OF OPERATING UNIT, WABCO TYPE A-1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 97381 | | |
| 5886 | 18-63-6500 | SPRING, COMPRESSION, HELICAL FOR 1/4" SAFETY VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 98789 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5887 | 18-63-6525 | SPRING, COMPRESSION, HELICAL EXHAUST VALVE, FOR VENT VALVE, W.A.B. CO. TYPE #6, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 99157 | | | | |
| 5888 | 18-63-7350 | SPRING, COMPRESSION, HELICAL, FOR UNLOADING VALVE ON TYPE 2CY3B AIR COMPRESSOR, WAB CO. TYPE 2CY3B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 182071 | | | | |
| 5889 | 18-63-7875 | SPRING, COMPRESSION, HELICAL RELEASE, F/18 IN. X 12 IN. BRAKE CYLINDER, W.A.B. C O. TYPE UFHS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501317 | | | | |
| 5890 | 18-63-7900 | SPRING, METAL STAMPING, FLAT PAWL FOR AMER. AUTOMATIC SLACK ADJUSTER WABCO FORM K -1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501359 | | | | |
| 5891 | 18-63-7925 | SPRING, COMPRESSION, HELICAL PISTON FOR SLACK ADJUSTER WAB CO AMER, AUTOMATIC FO RM K-1 R1-9 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501364 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|---|-----|---------|---------|---------------|
| 5892 | 18-63-7950 | SPRING, TORSION, HELICAL STOP SCREW, FOR SLACK ADJUSTER, W.A.B.CO. AMER. AUTOMAT IC FORM K-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 501374 |
| ----- | | | | | | |
| 5893 | 18-63-8045 | SPRING, BALANCE FOR RETARDATION CONTROLLER W.A.B. CO. TYPE B-4-AR, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 501746 |
| ----- | | | | | | |
| 5894 | 18-63-8060 | SPRING, ADJUSTING, ACCELERATOR CONTROL, F/RETARDATION CONTROLLER W.A.B. CO. TYPE B4AR- | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 501772 |
| ----- | | | | | | |
| 5895 | 18-63-8075 | SPRING, FRICTION ADJUSTING CAM OPERATED POPPET TRIP COCK. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 501828 |
| ----- | | | | | | |
| 5896 | 18-63-8215 | SPRING, SUPPLEMENTARY BALANCE F/RETARDATION CONTROLLER, W.A.B. CO. TYPE B-4-AR, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 502377 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5897 | 18-63-8225 | SPRING, PAWL, FOR AUTOMATIC SLACK ADJUSTER, W.A.B. CO. TYPE C-15-D R-10-17 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 502420 | | | | |
| 5898 | 18-63-8265 | SPRING, CHECK VALVE, FOR TYPE 22 CONTROL VALVE | EA | 20 | 70 | 45 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 503670 | | | | |
| 5899 | 18-63-8300 | SPRING, COMPRESSION, HELICAL EMERGENCY PILOT VALVE FOR BRAKE VALVE, WAB CO. TYPE EA ME-42 | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 503938 | | | | |
| 5900 | 18-63-8325 | SPRING, COMPRESSION, HELICAL EMERGENCY VALVE, FOR MASTER CONTROLLER VALVE, AIR EA VALVE ALSO FOR BRAKE, WAB CO TYPE ME-42 | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 503939 | | | | |
| 5901 | 18-63-8350 | SPRING, COMPRESSION, HELICAL QUADRANT LATCH, FOR BRAKE VALVE PORTION OF BRAKE VA EA LVE WAB CO TYPE ME-42 | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 503941 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5902 | 18-63-8359 | SPRING, PILOT U/W R-20 FLAT CARS & SPINORAIL GRINDER. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 506142 | | |
| 5903 | 18-63-8375 | SPRING, COMPRESSION, HELICAL, RELEASE FOR 6" X 6" BRAKE CYLINDER, WABCO TYPE UAHT | EA | 55 | 24 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 506463 | | |
| 5904 | 18-63-8422 | SPRING, LIFTER FOR WAB CO. AB FR. BRAKE EQUIP. WITH CONT. VALVE-RELEASE VALVE PC #566198 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 509512 | | |
| 5905 | 18-63-8450 | SPRING, COMPRESSION, HELICAL FINGER, 9/16" OD BASE X 3/64" DIA. WIRE X 53/64" FREE HEIGHT, 6 TURNS, STAINLESS STEEL, CONICAL SHAPE, FOR BRAKE PORTION OF ELECTRO-PNEUMATIC MASTER CONTROLLER, TYPE A-2 | EA | 281 | 310 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 510185 | | |
| 5906 | 18-63-8575 | SPRING, L.W. INTAKE FILTER, FOR AIR COMPRESSOR TYPE 2CY3B | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 513280 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5907 | 18-63-8592 | SPRING, CHECK VALVE (RETURN FLOW) FOR WABCO AB FR. BRAKE EQUIP. WITH CONT. VALVE-RELEASE VALVE PC #566198 FOR FLAT CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 513312 | | | | |
| 5908 | 18-63-8600 | SPRING, COMPRESSION, HELICAL, FOR PNEUPHONIC HORN, W.A.B. CO. TYPE D-3, D-5 | EA | 45 | 00 | 18 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0514089 | | | | |
| 5909 | 18-63-8675 | SPRING, COMPRESSION, HELICAL PISTON FOR AUTOMATIC SLACK ADJUSTER, WABCO TYPE C-15-D | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 515272 | | | | |
| 5910 | 18-63-8885 | SPRING, DIAPHRAGH (65 PS1) FOR CONSOLES OF CONTROL CABS OF T.A. GRINDING TRAIN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 521141 | | | | |
| 5911 | 18-63-8911 | SPRING, FOR VARIABLE LOAD VALVE ON A-1 OPER. UNIT, R-28 & UP CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569675 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-------|-----|-------|-----|-----|
| 5912 | 18-63-8916 | SPRING, FOR TYPE A-2-H ACUTATOR, #P-57159-10, (10-60 LBS.) R27 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 523631 | | | | | | | |
| 5913 | 18-63-9025 | SPRING, COMPRESSION, HELICAL DIAPHRAGM, 1-1/4" OD X 3/32" DIA.WIRE X 2-5/32" FREE HEIGHT, 5-1/2 TURNS, STAINLESS STEEL, RETURN, FOR BRAKE VALVE PORTION OF BRAKE VALVE, WAB CO TYPE ME-42 | EA | | 446 | | 275 | | 40 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0531719 | | | | | | | |
| 5914 | 18-63-9075 | SPRING, CAM DOG. HELICAL, TORSION, FOR TRIP COCK, WABCO TYPE D-1 | EA | | 1,082 | | 1,272 | | 265 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 0532604 | | | | | | | |
| 5915 | 18-63-9100 | SPRING, COMPRESSION, HELICAL, BUFFER, 5/8" OD BASE X 3/64" DIA. WIRE X 1-3/4" FREE HEIGHT, 13-1/2 TURNS, STAINLESS STEEL, CONICAL SHAPE, FOR BRAKE VALVE PORTION, BRAKE VALVE TYPE ME-42, PACKAGED 50 EACH PER BAG | EA | | 140 | | 155 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 532959 | | | | | | | |
| 5916 | 18-63-9125 | SPRING, COMPRESSION, HELICAL UPPER DIAPHRAGM FOR INSHOT VALVE PORTION OPERATING UNIT UNIT, WAB CO. TYPE A-1 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 533531 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 5917 | 18-63-9150 | SPRING, CHECK VALVE FOR EMERGENCY VALVE PORTION, A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533627 | | |
| 5918 | 18-63-9175 | SPRING, CHARGING CHECK VALVE, 35/64" OD X 1/16" DIA. WIRE X 1-13/16" FREE HEIGHT, 16 TURNS, STAINLESS STEEL, FOR TYPE ME-42 BRAKE VALVE | EA | 300 | 315 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533729 | | |
| 5919 | 18-63-9182 | SPRING, CHECK VALVE FOR WAB CO. AB FR. BRAKE EQUIP WITH ABD CONT. VALVE-EMERG. P ORT PC #567195 FOR FLAT CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533932 | | |
| 5920 | 18-63-9200 | SPRING, REGULATING, PTS. FOR VARIABLE LOAD PORTION FOR A-1 OPERATING UNIT, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534511 | | |
| 5921 | 18-63-9225 | SPRING, CHECK VALVE, FOR A-1 SUPPLY UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534567 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 5922 | 18-63-9250 | SPRING, BY-PASS VALVE, COMPRESSION, HELICAL, FOR VARIABLE LOAD PORTION OPERATING UNIT WABCO TYPE A-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 535009 |
| 5923 | 18-63-9275 | SPRING, | EA | 00 | 10 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 535424 |
| 5924 | 18-63-9300 | SPRING, COMPRESSION, HELICAL ADJUSTABLE CAM, FOR BRAKE VALVE PORTION OF BRAKE VALVE WAB CO. TYPE ME-42 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 535425 |
| 5925 | 18-63-9325 | SPRING, LATCH PISTON, HELICAL, COMPRESSION, FOR VARIABLE LOAD PORTION OF OPERATING UNIT WABCO TYPE A-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 535892 |
| 5926 | 18-63-9360 | SPRING, TORQUE, 9/16" OD X 5/64" WIRE DIA., STEEL, U/O WABCO D-1 A TYPE TRIP COCKS | EA | 1,185 | 1,720 | 320 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0535964 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 5927 | 18-63-9375 | SPRING, COMPRESSION, HELICAL CHECK VALVE PLUNGER, 21/32" OD BASE X 3/64" DIA. WIRE X 3/4" FREE HEIGHT, 7 TURNS, PORTION OF BRAKE VALVE. WABCO TYPE ME-42 | EA | 100 | 105 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 536391 | | | | |
| 5928 | 18-63-9400 | SPRING, COMPRESSION HELICAL CHECK VALVE, 13/31" OD X 1/32" DIA. WIRE X 1-1/8" FREE HEIGHT, 8-1/2 TURNS, TYPE ME-42 | EA | 100 | 105 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 536403 | | | | |
| 5929 | 18-63-9450 | SPRING, COMPRESSION, HELICAL, CHECK ME-42, 15/32" OD X 3/64" DIA. WIRE X 1-1/16" FREE HEIGHT, 6-1/2" TURNS, BRAKE VALVE LIMP IN RELEASE PORTION | EA | 100 | 135 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 536474 | | | | |
| 5930 | 18-63-9475 | SPRING, COMPRESSION, HELICAL PISTON FOR BRAKE UNIT WABCO TYPE C-3 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 536653 | | | | |
| 5931 | 18-63-9500 | SPRING, COMPRESSION HELICAL INLET AND EXHAUST VALVE, 31/64" OD X 5/64" DIA. WIRE X 1-1/2" FREE HEIGHT, 9-1/2 TURNS, STAINLESS STEEL, FOR IN-SHOT PORTION OF OPERATING UNIT WABCO TYPE A-1 AND FOR BRAKE WABCO TYPE ME-42 | EA | 20 | 80 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 538119 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5932 | 18-63-9527 | SPRING, COLOR CODE/# BROWN AND WHITE, 22-48 P.S.I. PRESSURE RANGE, FOR WAB A-2-H EA ACTUATOR, W.E. R26, 27, 28 CARS. | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 533001 | | | | |
| 5933 | 18-63-9529 | SPRING, PRESSURE RANGE 18-61 P.S.I. FOR A-2-H ACTUATOR, R30, 33 AND 36 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 577001 | | | | |
| 5934 | 18-63-9550 | SPRING, COMPRESSION, HELICAL CONTACT CAM SWITCH, 3/8" OD X 1/32" DIA. WIRE X EA 47/64" FREE HEIGHT, 9-1/2 TURNS, STEEL, FOR BRAKE VALVE WABCO TYPE ME-42 | | 80 | 240 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 539583 | | | | |
| 5935 | 18-63-9575 | SPRING, COMPRESSION, HELICAL LINK, 7/16" O.D., 3/64" DIA., 1-1/8 FREE HT, EA BERYLLIUM, USE ON ELECTRIC PORTION, MOVABLE CONTACT PLUNGER | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 543723 | | | | |
| 5936 | 18-63-9600 | SPRING, COMPRESSION, HELICAL LEVER CAM SWITCH, 15/64" OD X 1/32" DIA. WIRE X EA 1-15/64" FREE HEIGHT, 18 TURNS, STEEL, FOR BRAKE VALVE WABCO TYPE ME-42 | | 80 | 240 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 544819 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5947 | 18-63-9813 | SPRING, PISTON, FOR WAB CO TYPE AB-FR. BRAKE EQUIP. WITH ABD CONT. VALVE SERVICE EA PORT. #566172 FOR FLAT CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 563920 | | | | |
| 5948 | 18-63-9820 | SPRING, STEEL, FOR TYPE CA-15-D AND C-15-D1 SLACK ADJUSTER, R 21-36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 565421 | | | | |
| 5949 | 18-63-9831 | SPRING, B-CYLINDER LIMITING VALVE, FOR WAB CO. TYPE AB-FR. BRAKE EQUIP. WITH ABD EA -CONT. VALVE SERVICE PORT. #566172 FOR FLAT CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 566182 | | | | |
| 5950 | 18-63-9837 | SPRING, REL. SPOOL VALVE, FOR WAB CO. AB FR. BRAKE EQUIP. W/ABD CONT. VALVE EA RELEASE VALVE PC #566198 FOR FLAT CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 566207 | | | | |
| 5951 | 18-63-9839 | SPRING, RESET SPOOL VALVE, FOR WAB CO AB-FR. BRAKE EQUIP. WITH ABD CONT. VALVE R EA ELEASE VALVE #566198 FOR FLAT CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 566210 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5952 | 18-63-9840 | SPRING, INSHOT PISTON, FOR WAB CO. AB-FR BRAKE EQUIP WITH CONT. VALVE-EMERG. POR EA T PC #567195, FOR FLAT CARS | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 569088 | | | | | | | |
| 5953 | 18-63-9857 | SPRING, CHECK VALVE, FOR WAB CO. AB-FR. BRAKE EQUIP. WITH ABD. CONT. VALVE EMERG. PORT PC. 567195 FOR FLAT CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 569087 | | | | | | | |
| 5954 | 18-63-9862 | SPRING, EMERG. ACC. RELEASE SPOOL VALVE FOR WAB CO AB FR. BRAKE EQUIP. WITH ABD. EA CONT. VALVE EMERG. PORT. #567195 FOR FLAT CARS | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 70642 | | | | | | | |
| 5955 | 18-63-9891 | SPRING, FOR DOUBLE CUT-OUT COCK NO. 555999 R-20 FLAT CARS. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 900613 | | | | | | | |
| 5956 | 18-63-9950 | SPRING, CAM FOR CONSOLES OF CONTROL CABS OF T.A GRINDING TRAINS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 901677 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5957 | 18-63-9955 | SPRING, RELEASE INSURING VALVE STEEL, FOR WABCO "AB" VALVES SERVICE PORTION #522696, ON FLAT CARS AND WORK CARS, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 96026 | | |
| 5958 | 18-64-1400 | STEM, U/W WABCO TYPE S-6-A COMPRESSOR GOVERNOR SPRING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 28118 | | |
| 5959 | 18-64-1423 | STEM, RETARDING, FOR TYPE K2 TRIPLE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 28613 | | |
| 5960 | 18-64-1550 | STEM U/W WABCO COMBINATION OF 1" CUT OUT COCK & 1 X 3/8" DOUBLE CUT OUT COCK FOR EA MAIN RESERVOIR & BRAKE PIPE LEADING TO UNIVERSAL VALVE LONG EXTENSIONS | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53681 | | |
| 5961 | 18-64-1600 | STEM, U/W WABCO COMBINATION OF 1" CUT OUT COCK & 1" X 3/8" DOUBLE CUT OUT COCK F EA OR MAIN RESERVOIR & BRAKE PIPE TO UNIVERSAL VALVE, SHORT EXTENSION | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 53682 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5962 | 18-64-1700 | STEM, MAGNET VALVE PLUNGER, FOR EMERGENCY TRIP, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 55332 | | | | |
| 5963 | 18-64-1950 | STEM, USED WITH WABCO TYPE A-1 OPERATINGUNIT, ADJUSTING, CHARGING VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 77925 | | | | |
| 5964 | 18-64-2050 | STEM, APPLICATION VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83241 | | | | |
| 5965 | 18-64-2100 | STEM U/W WABCO 1/2" DIAPHRAGM COCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83296 | | | | |
| 5966 | 18-64-2350 | STEM, U/W WAB CO. 3/8 DIAPHRAGM COCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 96763 | | | | |
| 5967 | 18-64-2360 | STEM, FOR 3/4" DIAPHRAGM COCKS ON "AB" TEST RACKS #3219-5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 96749 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 5968 | 18-64-2364 | STEM, FOR 1/2" & 3/8" DIAPHRAGM COCKS ON "AB" TEST RACKS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 96784 | | |
| 5969 | 18-64-2450 | STEM U/W W.A.B CO TYPE A-1 OPERATING UNIT EXHAUST VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WAB CO | 97350 | | |
| 5970 | 18-64-2600 | STEM, ARMATURE, USE WITH A-1 OPERATING UNIT ARMATURE APPLICATION RELEASE MAGNET VALVE | EA | 02 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 510033 | | |
| 5971 | 18-64-2850 | STEM, U/W WAB CO TYPE ME-42 BRAKE VALVE DIAPHRAGM FOLLOWER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 531713 | | |
| 5972 | 18-64-2950 | STEM, ADJUSTING, U/W WABCO TYPE TYPE A-1 OPERATING UNIT VARIABLE LOAD PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534940 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 5973 | 18-64-3350 | STEM EXHAUST VALVE U/W TYPE B-3 RELAY VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 540880 |
| 5974 | 18-64-3353 | EXHAUST VALVE PISTON STEM AND SEAT PC. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 540883 |
| 5975 | 18-64-3436 | STEM PISTON, U/W WABCO TYPE "J" RELAY VALVE | EA | | 08 | | 06 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0556306-PT |
| 5976 | 18-64-3445 | STEM, PISTON, FOR WAB CO. #8 VENT VALVE, PART #564802 | EA | | 00 | | 00 | | 01 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 567969 |
| 5977 | 18-65-1500 | STOP U/W WABCO FEED VALVE TYPE M-3-A, FL A-1 OPERATING UNIT ADJUSTABLE SET AT 11 EA 0 LBS | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 79220 |
| 5978 | 18-65-1650 | STOP, OIL PUMP PLUNGER BALL VALVE, U/W WAB TYPE 42B AIR COMPRESSOR, FOR DIESEL E EA | | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | LEC. LOCOMOTIVES #12 & 13 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 186404 | | | | |
| 5979 | 18-65-1700 | STOP, USED WITH W.A.B. CO. AIR COMPRESSOR TYPE 2CY3B VALVE, OIL PUMP. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 186441 | | | | |
| 5980 | 18-65-1925 | STOP - DIAPHRAGM USED WITH W.A.B. TYPE -AB- VALVE STOP U/W WABCO AIR COMPRESSOR TYPE*2CY3B VALVE, OIL PUMP R-10 TO 36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 517910 | | | | |
| 5981 | 18-65-2000 | STOP, U/W WABCO SLACK ADJUSTER TYPE C-15-D, PAWL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 523076 | | | | |
| 5982 | 18-65-2051 | STOP, U/W W.A.B. CO. TRIP COCK LEVER MAXSON #1-40 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 538433 | | | | |
| 5983 | 18-65-2100 | STOP, SPRING, U/W WABCO D-1, TRIP COCK | EA | 2,150 | 2,885 | 585 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0539197 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 5984 | 18-66-1250 | STRAINER, USED WITH BRANCH PIPE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 9523 | | | | |
| 5985 | 18-66-1350 | STRAINER, COMPLETE, INCLUDING 193-194 & 165, FOR U.E. 5 UNIVERSAL VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 67267 | | | | |
| 5986 | 18-66-1600 | STRAINER U/W WABCO TYPE L FEED VALVE COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO PC 73896 | | | | |
| 5987 | 18-66-1700 | STRAINER U/W WABCO TYPE D-5 PNEUPHONCE HORN OB-1 COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 95309 | | | | |
| 5988 | 18-66-1900 | STRAINER U/W WABCO TYPE V 14" BRAKE CYLINDER DIRT COLLECTOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 99196 | | | | |
| 5989 | 18-66-2050 | STRAINER, USED WITH WAB CO. TYPE UFHS 18X12 BRAKE CYLINDER COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501305 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 5996 | 18-66-2770 | STRAINER FOR DI AUTO DRAIN | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 569334 | | | | | | | |
| 5997 | 18-67-1200 | STRAP STEEL 3-7/16" LONG X 3/4" WIDE X 1/16" THICK WITH TWO (2) 9/32" I.D. HOLES, ONE EACH, 3/8" FROM EACH END. ME-42 BRAKE VALVE CONDENSER #560469, ZINC CHROMATE PLATED, U/W WABCO TYPE R17-21-22, R26 TO 36 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 533801 | | | | | | | |
| 5998 | 18-67-2300 | STRIP, USED WITH WAB CO. TYPE D-3-F AIR COMPRESSOR WEATHER, FOR COMMUTATOR DOOR FELT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 49289 | | | | | | | |
| 5999 | 18-67-2400 | STRIP USED WITH WABCO TYPE ME-23 BRAKE VALVE INSULATION | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 86346 | | | | | | | |
| 6000 | 18-67-7300 | STRUT, U/W WAB CO. TYPE A-1 OPERATING UNIT SLIDE VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 507498 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6001 | 18-68-0101 | SPRING, 1-47/64" OD X 1/4 DIA. WIRE X 3-29/32' FREE HEIGHT, 8 TURNS, STEEL, FOR ME-43 BRAKE VALVE ASSEMBLY | EA | 100 | 75 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 672482 | | | | |
| 6002 | 18-68-0102 | DOOR, USED ON BL-52 ELECTRIC PORTION. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 691844 | | | | |
| 6003 | 18-68-0103 | COVER, SCREW, USED ON ES-30 GOVERNOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 676081 | | | | |
| 6004 | 18-68-0104 | SHIM, CONTACT, FOR ELECTRIC PORTION, WABCO BL-52 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0679091 | | | | |
| 6005 | 18-68-0105 | KIT, OVERHAUL VARIABLE LOAD VALVE. CONSIST OF PISTON #679048, BUSHING #678970, AND O-RING #536578. | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 678969 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|-----------------|---------|---------|
| 6006 | 18-68-0106 | BUSHING, USED ON OVERHAUL VARIABLE LOAD VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 678970 | | |
| 6007 | 18-68-0107 | PISTON, LARGE, USED ON OVERHAUL VARIABLELOAD VALVE ASSEMBLY | EA | 00 | 00 | 04 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 679048 | | |
| 6008 | 18-68-0230 | BUSHING, 1.06" ID X 2.81" HIGH, STAINLESS STEEL | EA | 04 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0538122 | | |
| 6009 | 18-68-1150 | STUD, BRAKE VALVE PORTION, CHECK VALVE COVER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 15073 | | |
| 6010 | 18-68-1300 | STUD, PISTON FOLLOWER, FOR TYPE-Q-18 INCH X 12 INCH BRAKE CYLINDER. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 12789 | | |
| 6011 | 18-68-1350 | STRAP HANGER R.H. STEEL FOR TYPE A-1-E OPERATING UNIT R-36 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533905 | | |
| | N | D | WABCO | 102-1003 DET #1 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|--|-----|---------|---------|---------------|
| 6012 | 18-68-1550 | STUD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 0502674 |
| ----- | | | | | | |
| 6013 | 18-68-1600 | STUD, USED WITH WAB CO. TYPE A-1-A VARIABLE LOAD VALVE C-1 MAGNET & BRACKET W/NU T STUD NO. 2505-NUT-38-32-4020 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 20472 |
| ----- | | | | | | |
| 6014 | 18-68-1750 | STUD, USED WITH WABCO TYPE J FILTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 27265 |
| ----- | | | | | | |
| 6015 | 18-68-1800 | STUD, 5/8" X 4-1/8" U/W AIR BRAKE EQUIP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 2635 |
| ----- | | | | | | |
| 6016 | 18-68-1950 | STUD, U/W WABCO FEED RACK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 33864 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6017 | 18-68-2050 | STUD, U/W WAB CO. TYPE C-6 SINGLE PRES- SURE FEED VALVE, U\W SPECIAL HEX NUT, WABCO #1012 MTCE DATE 031185 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 35384 | | | | |
| 6018 | 18-68-2100 | STUD, USED WITH W.A.B. CO. TYPE M-3 FEED VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 37117 | | | | |
| 6019 | 18-68-2375 | STUD 3/4" X 9- 7/8" (W/O NUT) STUD W/NUT (FOR NUT SEE 18-41-5045 #92309) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533885 | | | | |
| 6020 | 18-68-2410 | STUD, 5/8" X 3", PIPE BRACKET PORTION ASS'Y. USED ON "ABDW" CONTROL VALVE, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0584253 | | | | |
| 6021 | 18-68-2450 | STUD, 5/8" X 55/8 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 58574 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6027 | 18-68-2750 | STUD 5/8 IN. X 4-5/8 IN. W/NUT USED WITH AIR BRAKE EQUIPT. W/NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 82691 | | | | |
| 6028 | 18-68-2800 | STUD USED WITH WAB CO. TYPE A-1 OPERATING UNIT PIPE BRACKET PORTION W/NUT | EA | 01 | 01 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 502671-STUD | | | | |
| 6029 | 18-68-2855 | STUD, U/W WAB CO. TYPE H2A COUPLER 3/8 INCH, UNION STUD COMPRESSION TYPE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 86190 | | | | |
| 6030 | 18-68-2900 | STUD, CARBON HOLDER, FOR D3F COMPRESSOR-RELIANCE ELEC.CO.- | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 551627 | | | | |
| 6031 | 18-68-2914 | STUD, - 3/8" COMPRESSION UNION STUD FOR TYPE 3YC COMP. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 86922 | | | | |
| 6032 | 18-68-2915 | STUD, 3/8" UNION, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 86923 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6033 | 18-68-2935 | STUD USED WITH WAB CO. TYPE H2A COUPLER 1/4 IN. UNION COMPRESSION 1/32 IN. CHOKE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 87804 | | | | |
| 6034 | 18-68-2945 | STUD USED WITH WAB CO. AIR BRAKE EQUIPT. 1/2 IN. COMPRESSION UNION STUD 5/8 IN. COPPER TUBE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 89080 | | | | |
| 6035 | 18-68-3050 | STUD, FOR TYPE UFHS BRAKE CYLINDER WITH NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WAB CO. 533450 | | | | |
| 6036 | 18-68-3150 | STUD, 1/2-13 X 2-1/8" LONG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 99116 | | | | |
| 6037 | 18-68-3175 | STUD, EXHAUST VALVE COVER, 3/8" X 2-1/4 U/W TYPE B-3 RELAY VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 98334 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 6043 | 18-68-4400 | STUD, USED WITH W.A.B. CO. TYPE A-1 OPERATING UNIT, RELAY, VALVE PORTION, 5/8 IN EA . X 2-1/8 IN. | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 514963 | | | | | | | |
| | | 532953 | | | | | | | |
| 6044 | 18-68-4700 | STUD 1/4 IN. USED WITH WAB A-3 AIR COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 556813 | | | | | | | |
| 6045 | 18-68-4717 | STUD, STRAINER, U/W W.A.B. COMPRESSOR GOVERNOR TYPE S-20, R-26, 28, 29 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 561284 | | | | | | | |
| 6046 | 18-68-8009 | BUSHING, SPECIAL, BRAKE VALVE ME-42-B, ME-43 BRAKE VALVE. VENDOR NAME OR LOGO MUST BE STAMPED ON BUSHING | EA | | 70 | | 115 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 674511 | | | | | | | |
| 6047 | 18-68-8010 | SEAT, BALL, MECHANICAL-PNEUMATIC ELECTRIC UN COUPLING | EA | | 444 | | 200 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 578780 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6048 | 18-68-8012 | GASKET, WEATHER, ELEC., COUPLER ASSY., BL-33F ELEC., PORTION R68 CARS | EA | 01 | 00 | 10 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 557363 | | | | |
| 6049 | 18-68-8013 | GASKET, COVER, ELEC., COUPLER ASSY., BL-33 F ELEC., PORTION R68 CARS | EA | 04 | 06 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 557431 | | | | |
| 6050 | 18-68-8015 | FRAME, SLIDE (FRONT), U/O BL-33-F ELECTRIC PORTION. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 558919 | | | | |
| 6051 | 18-68-8024 | BLOCK, CONTACT (FRONT), USED ON BL-33-E ELECTRIC PORTION FOR H-2-C CAR COUPLER. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 589768 | | | | |
| 6052 | 18-68-8026 | CIRCUIT TERMINAL ASSEMBLY, RETURN, L.H., U/O BL-33-F ELECTRIC PORTION. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 590107 | | | | |
| 6053 | 18-68-8028 | FRAME, SLIDE (REAR), U/O BL-33-F ELECTRIC PORTION. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 590905 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 6054 | 18-68-8029 | PORTION, ELECTRIC, BL-33-F. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 591589 | | | | | | | |
| 6055 | 18-68-8030 | BLOCK, CONTACT, FRONT, USED ON BL-33F ELECTRIC PORTION. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 591848 | | | | | | | |
| 6056 | 18-68-8031 | RING ASSEMBLY, SLACK ADJUSTER, U/W GR-90-HR TREAD BRAKE UNIT. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 671268 | | | | | | | |
| 6057 | 18-68-8033 | NUT, ELASTIC STOP, USED ON TREAD BRAKE UNIT, 3/8-16, ZINC PLATED STEEL. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 589357 | | | | | | | |
| 6058 | 18-68-8425 | RATCHET, W/KEY, U/O OVERHAUL GR-90 F/R44R62, R62A & NEW GR-90 F/R68A. | EA | 138 | | 42 | | 120 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 670949 | | | | | | | |
| 6059 | 18-68-8426 | LINK, PAWL, U/O OVERHAUL GR-90 F/R44, R62, R62A & NEW GR-90 F/R68A. | EA | 485 | | 177 | | 224 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | Y P WABCO 671020 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 6060 | 18-68-8429 | PIN, CRANK BELL, U/O OVERHAUL GR-90 F/R44, R62, R62A, & NEW GR-90 F/R68A. | EA | | 295 | | 86 | | 145 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 671023 | | | | | | | |
| 6061 | 18-68-8430 | PIN, ROLLER BRACKET, U/O OVERHAUL GR-90 F/R44, R62, R62A & NEW GR-90 F/R68A. | EA | | 245 | | 86 | | 145 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 671024 | | | | | | | |
| 6062 | 18-68-8431 | CRANK, BELL, USED ON OVERHAUL GR-90 | EA | | 246 | | 91 | | 275 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 671025 | | | | | | | |
| 6063 | 18-68-8432 | VALVE, INLET EXHAUST, WITH SEAT COMPLETE, U/O E1 EMERGENCY VALVE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 671901 | | | | | | | |
| 6064 | 18-68-8461 | GAUGE, SINGLE AIR, BC, U/O FRICTION BRAKE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 572474 | | | | | | | |
| 6065 | 18-68-8462 | VALVE, B-5 UNCOUPLING, U/O FRICTION BRAKE AND AIR EQUIPMENT. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 590463-0003 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 6066 | 18-68-8464 | PORTION, ELECTRIC, BL-36-G, U/W COUPLER AND DRAFT GEAR. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 6067 | 18-68-8465 | PAD, BLANKING, REPLACES E-1 INSHOT VALVE, AIR BRAKE SYSTEM. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 6068 | 18-68-8485 | KIT, FOR ES-30 GOVERNOR WITH SOLENOID VALVE REPAIR KIT | EA | | 00 | | 122 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | |
| 6069 | 18-68-8550 | PORTION, ELECTRIC/PNEUMATIC, U/O ES-30 GOVERNOR & D4S COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | Y P WABCO | | | | | | | |
| | | | | | | | | | |
| 6070 | 18-68-8551 | VALVE ASSEMBLY, VARIABLE LOAD, USED ON E-2 OPERATING UNIT | EA | | 00 | | 11 | | 01 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| 6071 | 18-68-8552 | COIL, SOLENOID VALVE, 24-44 VDC, USED ON R142, R142A, R143 MANIFOLD ASS'Y, | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-------|-----|-----|-----|
| | | MAIN RESERVOIR PRESSURE, D-4-AS AIR COMPRESSOR UNIT. | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0678666 | | | | | | | |
| 6072 | 18-68-8575 | FOOT, REAR SUPPORT BRACKET, U/O "D-4-S" "AIR COMPRESSOR UNIT". | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 670384 | | | | | | | |
| 6073 | 18-68-8591 | O RING, 2-3/8" O.D., U/O VARUABKE LOAD VALVE. | EA | 00 | | 34 | | 50 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 591617 | | | | | | | |
| 6074 | 18-68-8592 | PIN, DOWEL, 1/8" X 9/32" LG., STEEL, U/O VARIABLE LOAD VALVE. | EA | 00 | | 30 | | 50 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 525279 | | | | | | | |
| 6075 | 18-68-8593 | O RING, 1-7/8" O.D., U/O VARIABLE LOAD VALVE. | EA | 00 | | 30 | | 50 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 570129 | | | | | | | |
| 6076 | 18-68-8594 | VALVE, RUBBER SEATED | EA | 900 | | 1,215 | | 320 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0588962 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6083 | 18-68-8800 | COMPRESSOR, AIR, D-4-S, UNIT FOR R-68 CARS. COMPLETE WITH MOTOR AND HEATER JUNCTION BOXES AND VAPOLEX AIR DRYER. | EA | 191 | 225 | 97 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 592023 | | | | |
| 6084 | 18-68-8807 | BOX, JUNCTION, MOTOR CIRCUIT, USED ON D4S AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 670392 | | | | |
| 6085 | 18-68-8808 | BRACKET, RIGHT HAND, MOUNTING, U/O AIR COMPRESSOR PORTION (2CY3MD), D-4-S COMPRESSOR | EA | 00 | 00 | 12 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 670317 | | | | |
| 6086 | 18-68-8809 | BRACKET, LEFT HAND, MOUNTING, U/O AIR COMPRESSOR PORTION (2CY3MD), D-4-S COMPRESSOR | EA | 00 | 00 | 12 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 670318 | | | | |
| 6087 | 18-68-8815 | BRACKET, SERGE RESERVOIR, USED WITH D-4-S COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 671692 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 6088 | 18-68-8826 | BOX ASSEMBLY, HEATER JUNCTION, USED ON ELECTRIC GOVERNOR, S-20. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 670604 | | | | | | | |
| 6089 | 18-68-8836 | RING, SEALING, .500", FOR USE ON B-1 BRAKE PIPE UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 584890 | | | | | | | |
| 6090 | 18-68-8838 | BUSHING, INSULATOR, .500", FOR USE ON B-1 BRAKE PIPE UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 670612 | | | | | | | |
| 6091 | 18-68-8845 | RECEPTACLE, MALE, USED ON HTR JUNCTION BOX, D4S COMPRESSOR | EA | | 22 | | 21 | | 06 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 670613 | | | | | | | |
| 6092 | 18-68-8863 | COMPRESSOR, AIR, D-4-S, UNIT FOR R-68A CARS. COMPLETE WITH MOTOR AND HEATER JUNCTION BOXES AND GRAHAM WHITE AIR DRYER. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 671134 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6093 | 18-68-8864 | HEAD ASS'Y., HIGH PRESSURE, U/O D-4-S COMPRESSORS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 672863 | | | | |
| 6094 | 18-68-8865 | HEAD ASS'Y., LOW PRESSURE, U/O D4S COMPRESSORS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 672862 | | | | |
| 6095 | 18-68-8867 | ELECTRIC PORTION & CABLE ASSEMBLY, 52 PIN, (FOR UNIT STORES CONTROL ONLY) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 67290708068 | | | | |
| 6096 | 18-68-8868 | SCREW, 5/16" X 2" LG | EA | 01 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 671486 | | | | |
| 6097 | 18-68-8874 | SPRING, 31/64" O.D. X 1/32" WIRE DIA. X 7/8" FREE HEIGHT, STAINLESS STEEL, U/O HOUSING DIAPHRAGM, N-3-E MAGNET VALVE | EA | 20 | 32 | 71 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 541029 | | | | |
| 6098 | 18-68-8875 | VALVE, N-3-E MAGNET, COMPLETE, U/O AIRBRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 670744 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6099 | 18-68-8876 | VALVE, N-3-E MAGNET, PORTION, USED ON AIRBRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 591273 | | | | |
| 6100 | 18-68-8877 | RECEPTACLE, 1/4 TURN CONNECTOR, U/O N-3-E MAGNET VALVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 671002 | | | | |
| 6101 | 18-68-8878 | BRACKET, PIPE, U/O N-3-E MAGNET VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 670746 | | | | |
| 6102 | 18-68-8879 | RECEPTACLE, MOUNTING BOX, U/O N-3-E MAGNET VALVE PORTION. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 591275 | | | | |
| 6103 | 18-68-8880 | HOUSING, DIAPHRAGM, BOTTOM, U/O N-3-E MAGNET VALVE PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 591269 | | | | |
| 6104 | 18-68-8881 | COVER, U/O N-3-E MAGNET VALVE PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 580020 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6105 | 18-68-8882 | WASHER, WAVE, U/O N-3-E MAGNET VALVE PORTION. | EA | 20 | 32 | 90 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569359 | | |
| 6106 | 18-68-8883 | BODY, N-3-E MAGNET VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 591271 | | |
| 6107 | 18-68-8885 | SPOOL, PISTON SPACER, U/O J-1.4-14 RELAY VALVE PORTION. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561008 | | |
| 6108 | 18-68-8886 | PIECE, BOTTOM FILLING, U/O J-1.4-14 RELAY VALVE PORTION. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 567699 | | |
| 6109 | 18-68-8887 | BODY, BUSHED AND DOWELED, J1.4-14 RELAY VALVE (NEW DESIGN) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 567698 | | |
| 6110 | 18-68-8889 | CYLINDER, BRAKE CHAMBER, U/O GR-90-HRQ TREAD BRAKE UNIT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671489 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6111 | 18-68-8891 | SPRING, BRAKE CHAMBER, U/O GR-90-HR TREAD BRAKE UNIT. | EA | 54 | 68 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671488 | | |
| 6112 | 18-68-8892 | DIAPHRAGM, BRAKE CHAMBER, U/O GR-90-HR TREAD BRAKE UNIT. | EA | 55 | 162 | 25 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671491 | | |
| 6113 | 18-68-8893 | STUD, CONTACT, STATIONARY, U/O STATIONARY CONTACTS ELECTRIC PORTION, B1-MOVABLE AND | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 673705 | | |
| 6114 | 18-68-8894 | PLUNGER, U/W ELECTRIC PORTION B1-MOVEABLE AND STATIONARY CONTACTS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672684 | | |
| 6115 | 18-68-8895 | BUSHING, INSULATING, U/O ELECTRIC CONTACTS PORTION, B1-MOVEABLE AND STATIONERY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672878 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6116 | 18-68-8896 | PLUNGER, MOVEABLE CONTACT ASSEMBLY, COMPLETE, U/O ELECTRIC PORTION, CONSIST OF PLUNGER, PT NO 0524401; NUT PLUNGER, PT NO 0524402; BUSHING- INSULATION, PT NO 0672878; SPRING, PT NO 0543723 | EA | 17 | 130 | 360 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | Y P WABCO 673888 | | | | |
| 6117 | 18-68-8897 | SPRING LIMP IN APPLICATION CHECK VALVE, 0.482"OD, FREE LENGTH:1.48", USE ON ME-43 BRAKE VALVE | EA | 100 | 75 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-52277 | | | | |
| 6118 | 18-68-8898 | SPRING, LIMP IN APPLICATION CHECK VALVE, 0.480" OD, FREE LENGTH: 1.25", USE ON ME-43 BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 697594 | | | | |
| 6119 | 18-68-8900 | TREAD BRAKE UNIT, LEFT HAND, GR-90-L | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 671026 | | | | |
| 6120 | 18-68-8901 | TREAD BRAKE UNIT, RIGHT HAND, GR-90-R. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 671027 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6121 | 18-68-8902 | TREAD BRAKE UNIT, GR-90-HR, RIGHT HAND WITH HAND BRAKE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671028 | | |
| 6122 | 18-68-8905 | GASKET, CYLINDER, U/O "GR-90" TREAD BRAKE UNIT. | EA | 19 | 59 | 135 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671036 | | |
| 6123 | 18-68-8906 | CLEVIS, 5/8" UNF X 3/4" I.D., U/O "GR-90" TREAD BRAKE UNIT. | EA | 15 | 06 | 120 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671187 | | |
| 6124 | 18-68-8907 | CHAMBER, BRAKE, CP. WITH WARNING LABEL, U/O GR-90 TREAD BRAKE UNIT. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671035 | | |
| 6125 | 18-68-8911 | PLUG, RUBBER, 1/4" X 7/16", USED ON TREAD BRAKE UNITS | EA | 200 | 234 | 585 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671493 | | |
| 6126 | 18-68-8918 | GASKET, WEATHER ELECTRIC PORTION | EA | 00 | 00 | 02 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670027 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6127 | 18-68-8920 | O RING, 3.020 O.D., U/O ELECTRIC PORTION"BL-36-G" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671050 | | |
| 6128 | 18-68-8921 | RING, TAPPET RETAINING, U/O ELECTRIC PORTION "BL-36-G" | EA | 80 | 25 | 85 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671584 | | |
| 6129 | 18-68-8922 | SEAL, 3" RUBBER, U/O "BL-36-G" ELECTRICAL PORTION | EA | 160 | 50 | 170 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 671296 | | |
| 6130 | 18-68-8924 | SHIM, INTERMEDIATE, 0.040" THK., USED INMOTORMAN'S BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 673393 | | |
| 6131 | 18-68-8927 | BUSHING, USED ON J-1.4-14 RELAY VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561007 | | |
| 6132 | 18-68-8929 | KIT, HEAD GASKETS, USED ON WABCO D4/D4S COMPRESSORS, 2 LARGE (#569780) AND ONE | KT | 11 | 09 | 09 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|--|-----|-----|-----|-----|-----|-----|
| | | SMALL (#569782) | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 674693 | | | | | | | |
| 6133 | 18-68-8931 | KIT, LOW PRESSURE RINGS, CONSISTS OF RING - 578730. USED WITH D-4-S | TWO COMPRESSION RINGS - 579142, ONE OIL COMPRESSOR | EA | 00 | 00 | 00 | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 674728 | | | | | | | |
| 6134 | 18-68-8932 | KIT, HIGH PRESSURE RINGS, CONSISTS OF 2 COMPRESSION RINGS - 578733, USED WITH D-4-S COMPRESSOR | 2 COMPRESSION RINGS - 579138, 1 OIL RING | EA | 00 | 00 | 00 | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 674729 | | | | | | | |
| 6135 | 18-68-8950 | PIN, MOVABLE CONTACT, SHUNTED, USED ON | REMANUFACTURED BL-52 ELECTRIC PORTION | EA | 56 | 30 | 03 | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 54270-3003 | | | | | | | |
| 6136 | 18-68-8951 | PIN, STATIONARY CONTACT, USED ON | REMANUFACTURED BL-52 ELECTRIC PORTION | EA | 57 | 23 | 04 | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 676303 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6137 | 18-68-8952 | QUADRANT WITH DOWEL PIN, NO.1, USED WITHME-42B & ME-43 BRAKE VALVE | EA | 00 | 00 | 03 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 679493 | | |
| 6138 | 18-68-8953 | SPRING, PISTON RETURN, FOR J1.4-14 RELAY VALVE, MODIFIED. UPGRADED TO NEW DESIGN - BOM 18-68-8884 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566305 | | |
| 6139 | 18-68-8954 | FILLING, BOTTOM PIECE, FOR J1.4-14 RELAY VALVE, MODIFIED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 678819 | | |
| 6140 | 18-68-8955 | EXCLUDER, WASP, FOR J1.4-14 RELAY VALVE MODIFIED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 555250 | | |
| 6141 | 18-68-8956 | PLUG, CHOKE, FOR J1.4-14 RELAY VALVE, MODIFIED. TO UPGRADE NEW DESIGN TO B.O.M. 18-68-8884 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 516206 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6142 | 18-68-8958 | BUSHING, FLOATING, FOR J1.4-14 RELAY VALVE, MODIFIED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 678822 | | |
| 6143 | 18-68-8959 | O RING, .862 ID X .103, J1.4-14 RELAY VALVE. UPGRADE TO NEW DESIGN OF BOM 18-68-8884 | EA | 575 | 965 | 310 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0584157 | | |
| 6144 | 18-68-8960 | RING, RETAINING, INVERTED EXTERNAL, J1.4-14 RELAY, MODIFIED. UPGRADED TO NEW DESIGN - BOM 18-68-8884 | EA | 00 | 50 | 60 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 6793040068 | | |
| 6145 | 18-68-8961 | STEM, FOR J1.4-14 RELAY VALVE, 18-68-8884 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 678816 | | |
| 6146 | 18-68-8962 | PISTON, SMALL DIAPHRAHM, FOR J1.4-14 RELAY VALVE, MODIFIED. UPGRADED TO NEW DESIGN - BOM 18-68-8884 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 678817 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6147 | 18-68-8963 | FOLLOWER, SMALL ASTON, FOR J1.4-14 DESIGN - BOM 18-68-8884 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 678818 | | | | |
| 6148 | 18-68-8964 | BUSHING, GUIDE, FOR J1.4-14 RELAY VALVE MODIFIED. UPGRADED TO NEW DESIGN - BOM 18-68-8884 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 678821 | | | | |
| 6149 | 18-68-8965 | COVER, WITH BUSHING (#678823), J14-1.4 RELAY VALVE (NEW DESIGN), USED ON SMALL DIAPHRAGM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 690451 | | | | |
| 6150 | 18-68-8966 | BUSHING, RYLON, 1.66 X 1, FOR J1.4-14 RELAY VALVE, MODIFIED. UPGRADED TO NEW DESIGN - BOM 18-68-8884 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 678823 | | | | |
| 6151 | 18-68-8967 | NAME PLATE, FOR J1.4-14 RELAY VALVE, MODIFIED. UPGRADED TO NEW DESIGN - BOM 18-68-8884 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 691161 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6152 | 18-68-8968 | BALL VALVE, 1/2" FLANGED CUT OUT COCK ASSEMBLY, NON-VENTED, WITH LOCKING HANDLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 694369 | | |
| 6153 | 18-68-8969 | FLANGE FOR USE ON BALL VALVE, CUT OUT COCK ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 694242 | | |
| 6154 | 18-68-8971 | KIT, RUBBER SEATED SELF LAPPING VALVE EXHAUST VALVE, SPRING AND DIAPHRAGM CONVERSION. KIT CONSISTS OF: VALVE, | KT | 36 | 57 | 06 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06926010001 | | |
| 6155 | 18-68-8973 | VALVE, SAFETY, F-3, 160 PSI, USED ON D-4-S COMPRESSOR, COLOR CODE - YELLOW | EA | 372 | 221 | 78 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06966210160 | | |
| | N | P | WABCO | 696621-0160 | | |
| 6156 | 18-68-8975 | BLOCK-FRONT USED ON BL-52 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0676175 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6157 | 18-68-8977 | COVER, USED ON ES-30 GOVERNOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672364 | | |
| 6158 | 18-68-8980 | KIT, CONVERSION, J1.4-14 RELAY, OVERHAUL AND UPGRADE KIT TO NEW DESIGN | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 679309 | | |
| 6159 | 18-68-8981 | PORTION, RELAY VALVE, J-1.4-14 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 678824 | | |
| 6160 | 18-68-8982 | KIT, CONTROL VALVE, DRAIN, USED ON D-4-SAIR COMPRESSOR | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 678150 | | |
| 6161 | 18-68-8983 | HOUSING, ME-43 BRAKE VALVE SPRING, STAINLESS STEEL | EA | 100 | 75 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 691885 | | |
| 6162 | 18-68-8985 | SEAT, VALVE, INLET, FOR FB-2 MAGNET VALVE | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 677542 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6163 | 18-68-8986 | VALVE, FOR FA-4 MAGNET VALVE ORFB-2 | EA | 1,520 | 2,108 | 780 |
| | | MAGNET VALVE | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 0677546 | | | | |
| | | 677546 | | | | |
| 6164 | 18-68-8987 | SEAT, RUBBER, CONVERSION KIT, USED ON | KT | 00 | 00 | 00 |
| | | FB-2 MAGNET VALVE | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 6775480002 | | | | |
| 6165 | 18-68-8988 | SEAT, RUBBER, CONVERSION KIT, USED ON | EA | 18 | 28 | 00 |
| | | FA-4 MAGNET VALVE | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 6775470002 | | | | |
| 6166 | 18-68-8989 | SEAT, EXHAUST VALVE, PRESS-IN, USED ON | EA | 00 | 01 | 00 |
| | | RUBBER SEAT CONVERSION KIT, FOR FA-4 | | | | |
| | | MAGNET VALVE | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 677544 | | | | |
| 6167 | 18-68-8992 | BUSHING, NEW STYLE BODY BUSHING, USED | EA | 10 | 15 | 03 |
| | | ON WABCO D-1 TRIP COCK REMOVABLE MAIN | | | | |
| | | BUSHING | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | MFG - PART-NO | | | | |
| | | 0676449 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6168 | 18-68-8993 | O RING, USED ON OVERHAULING WABCO D-1 TRIP COCK REMOVABLE MAIN BUSHINGS | EA | 1,570 | 2,120 | 325 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0592911 | | |
| | N | P | WABCO | 592911 | | |
| 6169 | 18-68-8995 | KIT, COVER, FOR ELECTRIC PORTION, BL-26-B, BL-36-G, BL-33, BL-52 | EA | 80 | 25 | 85 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 691353 | | |
| 6170 | 18-68-8996 | SOLENOID VALVE REPAIR KIT, USED ON ES-30 GOVERNOR | EA | 172 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 676044 | | |
| 6171 | 18-68-8998 | HANDLE, TRIP COCK, USED WITH WABCO TYPE ONLY (D1 & D-1-A), TRIP COCK. | EA | 1,948 | 2,946 | 585 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0534607 | | |
| 6172 | 18-68-9107 | SLEEVE, TRIGGER LATCH U/O "BL" STYLE ELECTRIC PATCH | EA | 80 | 25 | 85 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 70744 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6173 | 18-68-9108 | PIN, TRIGGER LATCH U/O BL STYLE ELECTRIC PORTION | EA | 80 | 25 | 85 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 70377 | | | | |
| 6174 | 18-68-9117 | SPRING, TRIP COCK PISTON | EA | 2,150 | 2,885 | 585 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 0678567 | | | | |
| 6175 | 18-68-9119 | SEAL, TRIP COCK PISTON | EA | 4,394 | 5,788 | 1,170 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 678564 | | | | |
| 6176 | 18-68-9120 | SPRING, PISTON, TRIP COCK, USED WITH WABCO PISTON ASSEMBLY FOR TRIP COCK MODELS D-1 AND D-1-A | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 678457 | | | | |
| 6177 | 18-68-9130 | VALVE ASSEMBLY, USED ON PNEUMATIC SELF -LAPPING VALVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 0692730 | | | | |
| 6178 | 18-68-9131 | EXHAUST VALVE SEAT, USED ON PNEUMATIC SELF-LAPPING VALVE. | EA | 140 | 85 | 90 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 692737 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6179 | 18-68-9134 | VALVE, F-3 SAFETY, 220 PSI, USED ON THE D4S AIR COMPRESSOR, COLOR CODE-RED | EA | 768 | 587 | 175 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696622-0220 | | | | |
| 6180 | 18-68-9135 | VALVE, SAFETY, F-3, 70 PSI, U/O D4S AIR COMPRESSOR, COLOR CODE-GREEN | EA | 599 | 303 | 126 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696621-0070 | | | | |
| 6181 | 18-68-9136 | BACK FLOW CHECK VALVE SPRING, USED ON THE ME43 BRAKE VALVE | EA | 103 | 137 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 698392 | | | | |
| 6182 | 18-68-9137 | NUT, CAP, INLET VALVE ASSEMBLY, PNEUMATIC SALF-LAPPING VALVE ME43 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 698618 | | | | |
| 6183 | 18-68-9138 | NUT, SPECIAL, SUPPLY VALVE, INLET VALVE ME43 VALVE ASSEMBLY, PNEUMATIC SEF-LAPPING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 692732 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 6184 | 18-68-9139 | STEM, INLET VALVE ASSEMBLY, PNEUMATIC SELF-LAPPING VALVE ME43 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 692729 | | | | | | | |
| 6185 | 18-68-9140 | SPRING, COMPRESSION HELICAL, INLET VALVE, ME43 VALVE ASSEMBLY, PNEUMATIC SELF-LAPPING | EA | | 140 | | 67 | | 108 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 692870 | | | | | | | |
| 6186 | 18-68-9141 | SEAT, VALVE, INLET VALVE ASSEMBLY, PNEUMATIC SELF-LAPPING VALVE ME43 | EA | | 140 | | 92 | | 90 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 692731 | | | | | | | |
| 6187 | 18-68-9142 | BEARING, NYLON, INLET VALVE ASSEMBLY, PNEUMATIC SELF-LAPPING VALVE ME43 | EA | | 140 | | 85 | | 90 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 6927280375 | | | | | | | |
| 6188 | 18-68-9145 | PRESSURE SWITCH COMPLETE KIT, U/W D4S RECTIFIER, #18 WIRE, FASTON, WIRE COMPRESSOR. INCLUDES: PRESSURE SWITCH MARKERS | KT | | 173 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 1-52242 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6189 | 18-68-9146 | PRESSURE SWITCH WITH BUSHING (18-68-9174), U/W D4S COMPRESSOR | EA | 44 | 12 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06986834150 | | | | |
| 6190 | 18-68-9161 | RECTIFIER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695671 | | | | |
| 6191 | 18-68-9162 | TERMINAL CLIP, FASTON 90 DEGREE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-52246 | | | | |
| 6192 | 18-68-9163 | SOLENOID, VALVE 3 WAY, INCLUDES VOLTS SOLENOID BODY AND DIN COIL, SOLENOID 37 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06786650002 | | | | |
| 6193 | 18-68-9164 | SOLENOID BODY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-500910002 | | | | |
| 6194 | 18-68-9165 | DIN COIL, SOLENOID, 37 VOLTS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-500920037 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6195 | 18-68-9166 | NIPPLE, 1/8" NPT, 1-1/2" LG, BRASS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0133103 | | |
| 6196 | 18-68-9167 | BUSHING, ADAPTER, 1/4" NPT X 1/8" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06762770001 | | |
| 6197 | 18-68-9169 | ADAPTER, FITTING, ELBOW, 1/4" NPT MALE, BRASS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06760470001 | | |
| 6198 | 18-68-9170 | POLYETHYLENE, TUBING 1/4" O.D. X 10" LONG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C030793 | | |
| 6199 | 18-68-9171 | SLEEVING, #2, 18" LONG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C020560 | | |
| 6200 | 18-68-9172 | WIRE, #18 GAUGE, GRAY EXANE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C020615 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 6201 | 18-68-9173 | FITTING, REDUCER, 1/4" NPT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 06760460002 |
| ----- | | | | | | | | | |
| 6202 | 18-68-9174 | BUSHING, ADAPTER, 1/4" NPT X 3/8" | EA | | 00 | | 00 | | 07 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 6986830003 |
| ----- | | | | | | | | | |
| 6203 | 18-68-9176 | BREATHER, HOSE ASSEMBLY | EA | | 417 | | 325 | | 84 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-52477 |
| ----- | | | | | | | | | |
| 6204 | 18-68-9177 | AIR COMPRESSOR TEFLON GASKET KIT FOR LOW PRESSURE CYLINDER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-500900004 |
| ----- | | | | | | | | | |
| 6205 | 18-68-9178 | AIR COMPRESSOR TEFLON GASKET KIT FOR HIGH PRESSURE CYLINDER | EA | | 00 | | 02 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-500900003 |
| ----- | | | | | | | | | |
| 6206 | 18-68-9179 | GASKET, HIGH PRESSURE CYLINDER HEAD, TEFLON, WHITE USED ON D-4S AIR | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | COMPRESSOR | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| 6207 | 18-68-9180 | GASKET, HIGH PRESSURE CYLINDER HEAD, TEFLON, WHITE, USED ON D-4S AIR COMPRESSOR | EA | 644 | 361 | 151 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| 6208 | 18-68-9181 | GASKET, LARGE, VALVE, TEFLON, WHITE, USED ON D-4S COMPRESSOR | EA | 2,960 | 1,909 | 677 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| 6209 | 18-68-9182 | GASKET, SMALL VALVE, TEFLON, WHITE, USED ON D-4S AIR COMPRESSOR | EA | 1,338 | 880 | 330 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| 6210 | 18-68-9183 | GASKET, FLANGE, TEFLON, WHITE, USED ON D-4S AIR COMPRESSOR | EA | 769 | 554 | 189 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| 6211 | 18-68-9184 | HOSE BREATHER, 0.75" P.D. X 17.25" LONG | EA | 180 | 85 | 50 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 6217 | 18-69-3650 | SUPPORT, ARC CHUTE, ASSEMBLY, USED WITH WABCO COMPRESSOR GOVERNOR TYPE S-20 | EA | | 141 | | 35 | | 75 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 558540 |
| ----- | | | | | | | | | |
| 6218 | 18-69-6300 | SWAB, LUBRICATOR FOR SLACK ADJUSTER TYPE C-15-D | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 527978 |
| ----- | | | | | | | | | |
| 6219 | 18-69-6400 | SWAB, U/W W.A.B. CO. TYPE 6 X 2-1/2 BRAKE CYLINDER PISTON | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 530137 |
| ----- | | | | | | | | | |
| 6220 | 18-69-6500 | SWAB U/W WABCO TYPE UAHT 7X6 BRAKE CYLINDER 7X2 TRACTION BRAKE CYLINDER LUBRICAT OR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 530138 |
| ----- | | | | | | | | | |
| 6221 | 18-69-7400 | SWITCH, COMPRESSOR, ELECTRO-PNEUMATIC, COMPLETE TYPE A6-B COMPRESSOR CAR EQUIPMENT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 501161 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 6222 | 18-69-7500 | SWITCH, SPECIAL, CAM, FOR TYPE ME-42 BRAKE VALVE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 539593 | | | | | | | |
| 6223 | 18-70-1100 | TAG, SET, USED WITH WABCO TYPE ME-42 BRAKE VALVE, TERMINAL BOARD | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 536114 | | | | | | | |
| 6224 | 18-70-1200 | TAG, SET USED WITH W.A.B. CO. ME-42 BRAKE VALVE | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 536115 | | | | | | | |
| 6225 | 18-70-1300 | TAG, SET, U/W WAB CO. TYPE ME-42 BRAKE VALVE TERMINAL, LEFT CONTACT BOARD | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 536116 | | | | | | | |
| 6226 | 18-70-1310 | TAG, SET USED WITH TYPE ME-42 BRAKE AND ME-43 BRAKE VALVE RIGHT CONTACT BOARD, BRAKE VALVE PORTION. | EA | 40 | | 120 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 536117 | | | | | | | |
| 6227 | 18-70-1325 | TAG, SET, TERMINAL F/APPLICATION VALVE PISTON U/W ME-42 BRAKE VALVE | SET | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 549294 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 6228 | 18-70-1350 | TAG, SET USED WITH TYPE ME-42 AND ME-43 BRAKE VALVE LEFT CONTACT BOARD, BRAKE VALVE PORTION | SET | | 40 | | 120 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 549796 | | | | | | | |
| ----- | | | | | | | | | |
| 6229 | 18-70-2151 | TEE, BRANCH PIPE, FOR AB-BRAKE VALVE, R-20 SERVICE CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 95490 | | | | | | | |
| | | N D NYCTA 5X5908 | | | | | | | |
| ----- | | | | | | | | | |
| 6230 | 18-70-2170 | TEE, U/W WABCO AIR BRAKE EQUIPT. 3/8" COMPRESSION STUD END, COMPLETE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 91935 | | | | | | | |
| ----- | | | | | | | | | |
| 6231 | 18-70-2180 | TEE, U/W W.A.B. CO. AIR BRAKE EQUIPT. CO MPRESSION, COMPLETE 1/4" X 1/2" OD. X 3/8" O.D. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 501429 | | | | | | | |
| ----- | | | | | | | | | |
| 6232 | 18-70-2190 | TEE, SIDE 1/4 IN. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | --- --- ----- ----- | | | | | | | |
| | | N P WABCO 51871 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 6233 | 18-70-3200 | TERMINAL FOR A-6 ELEC. PNEU. COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 34658 | | | | | | | |
| 6234 | 18-70-3400 | TERMINAL, FOR UE-5 UNIVERSAL VALVE SWITCH. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 38991 | | | | | | | |
| 6235 | 18-70-5100 | THIMBLE, U/W WAB CO. WHISTLE VALVE, WAB | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 31415 | | | | | | | |
| 6236 | 18-71-2510 | TRIGGER, PISTON, COMPLETE U/W TYPE BH-18 PORTION W/O RING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 73700 | | | | | | | |
| 6237 | 18-71-7400 | TUBE, INSULATING, CARBON HOLDER USED WITH WABCO. TYPE D-3-F AIR COMPRESSOR RELIANCE ELEC. CO. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 68422 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6238 | 18-71-7800 | TUBE, SPACING, FOR 2CY3B COMP. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 187870 | | |
| 6239 | 18-71-8100 | TUBE USED WITH W.A.B. CO. TYPE A-1 AIR COMPRESSOR UNIT 3/8 IN. O.D. W/ 1/4 IN. W EA | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 536258 | | |
| 6240 | 18-71-8134 | TUBE AFTER COOLER FOR TYPE A-3 COMPRESSOR UNIT R-12 R-22 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 548124 | | |
| 6241 | 18-71-8150 | TUBE, 3/8 IN. O.D. W/FITTING, FOR W.A.B. A-2 CUT-OUT COCK, R-10, 12 14, 15, AND 16 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 548264 | | |
| 6242 | 18-71-8153 | TUBE, 3/8 IN. O.D. W/FITTINGS FOR, W.A.B. A-2 DRAIN VALVE, R-12, 14, 15, 16, CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 548266 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6243 | 18-71-8200 | TUBE, 3/8 IN. O.D. W/FITTINGS FOR W.A.B. A-2-A DRAIN VALVE, R-17 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 556235 | | | | |
| 6244 | 18-71-8202 | TUBE, 3/8 IN. O.D. W/FITTING, FOR WAB A-2-A CUT-OUT COCK, R-17 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 556237 | | | | |
| 6245 | 18-71-8300 | TUBES, W/FITTINGS 3/8" O.D. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 557271 | | | | |
| 6246 | 18-71-8305 | TUBE, 3/8 IN. O.D. WITH SWEAT FITTINGS, FOR A-3 COMP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 557275 | | | | |
| 6247 | 18-71-8315 | TUBE, CONNECTING U/W WABCO TYPE #2CY3B AIR COMPRESSOR, F/R-26-33 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560824 | | | | |
| 6248 | 18-71-8325 | TUBE, UNLOADER, U/W WAB COMPRESSOR 2CY3B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563014 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD | |
|------|------------|---|--|---------------|---------|---------|----|
| 6249 | 18-71-8360 | TUBE | EA | 00 | 00 | 00 | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABCO | A564796 | | | |
| 6250 | 18-71-8380 | TUBE, UNLOADER, FOR 2CY3B COMPRESSOR R-10 TO 36 CARS | EA | 00 | 00 | 00 | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABCO | 565982 | | | |
| 6251 | 18-71-9100 | TURNBUCKLE, U/W WABCO TYPE A1 OPERATING UNIT | EA | 00 | 00 | 00 | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABCO | 535894 | | | |
| 6252 | 18-71-9102 | UNION, FOR COMPRESSOR 62-638 | EA | 00 | 00 | 00 | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABCO | 519174 | | | |
| 6253 | 18-72-0100 | KIT, REPAIR, FOR ABDX EMERGENCY NON-REVENUE EQUIPMENT. NOTE: MATERIAL ACCORDANCE WITH A QUALITY ASSURANCE AAR AGAINST M-1003, CERTIFICATION IS TO SHIPMENT THAT MATERIAL HAS BEEN | PORTION, WABCO PART NO. 592581, USED ON KT SUPPLIED MUST HAVE BEEN INSPECTED IN PROGRAM THAT HAS BEEN CERTIFIED BY THE BE SUPPLIED BY VENDOR WITH EACH INSPECTED AND IS IN COMPLIANCE. | KT | 00 | 00 | 02 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABCO | 592921 | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6254 | 18-72-0101 | KIT, REPAIR, FOR ABDX SERVICE PORTION, WABCO PART #592747, USED ON NON-REVENUE EQUIPMENT. NOTE: MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH QUANTITY ASSURANCE PROGRAM THAT HAS EEN CERTIFIED BY THE AAR AGAINST -1003. CERTIFICATION IS TO BE SUPPLIED BY HAS BEEN INSPECTED AND IS IN | KT | 00 | 00 | 01 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | 660846 |
| 6255 | 18-72-0102 | PORTION, SERVICE, USED WITH ABDX CONTROLVALVE, USED ON NON-REVENUE EQUIPMENT. CONSISTS OF ONE PART #0592747 PORTION SERVICE ABDX AND ONE COVER SHIPPING PART #0578764. NOTE: MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST M-1003. CERTIFICATION IS TO BE SUPPLIED BY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | 0661525 |
| 6256 | 18-72-0103 | PORTION, EMERGENCY, USED WITH ABDX CONTROL VALVE, USED ON NON-REVENUE EQUIPMENT. CONSISTS OF ONE PART #592581 PORTION EMERGENCY ABDX AND ONE COVER SHIPPING PART #0578757. NOTE: MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST M-1003. CERTIFICATION IS TO BE SUPPLIED BY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | 0661520 |
| 6257 | 18-72-0150 | KIT, INITIAL UPGRADE FOR ABDX EMERGENCY PORTION WABCO PART 592581. USED ON NON-REVENUE EQUIP. NOTE: MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM CERTIFIED BY AAR AGAINST | KT | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | M-1003, CERTIFICATION TO BE SUPPLIED WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0665512 | | | | |
| 6258 | 18-72-0151 | KIT, INITIAL UPGRADE FOR ABDX SERVICE PORTION WABCO # 592747. U/W NON-REVENUE CARS. MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QA PROGRAM CERTIFIED BY AAR AGAINST M-1003. CERTIFICATION MUST BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT IT HAS BEEN INSPECTED AND IS IN COMPLIANCE. | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0665516 | | | | |
| 6259 | 18-72-0152 | KIT, RUBBER REPAIR FOR ABD/-T SERVICE PORTION. FOR NON-REVENUE CARS. MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED USING A QA PROGRAM CERTIFIED BY AAR AGAINST M-1003. CERTIFICATION MUST BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE. | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0665517 | | | | |
| 6260 | 18-72-0153 | KIT, RUBBER REPAIR FOR ABDP/-T SERVICE PORTION FOR NON-REVENUE CARS. MATERIAL MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QA PROGRAM CERTIFIED BY AAR THAT MEETS AAR M-1003. CERTIFICATION MUST BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE. | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0665518 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 6267 | 18-72-0160 | SPOOL, EMERGENCY ACCELERATED RELEASE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 664753 | | |
| 6268 | 18-72-0161 | FILTER, STRAINER, FELT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 506276 | | |
| 6269 | 18-72-0162 | RETAINER, FELT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 525802 | | |
| 6270 | 18-72-0163 | CHOKE, 1/8" NPT PLUG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 660064 | | |
| 6271 | 18-72-0164 | FILTER, MESH SCREEN AIR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 660303 | | |
| 6272 | 18-72-0165 | BODY, CAST IRON, USED ON PART NO. 592581 CONFIGURATION CODE "C" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 592583 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6279 | 18-72-0172 | KIT, ABDX EMERGENCY PORTION REPAIR "CI" & "B" | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 664850 | | | | |
| 6280 | 18-72-0173 | BOLT, 1/2-13 X 1-3/4" HEX | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 542640 | | | | |
| 6281 | 18-72-0174 | DIAPHRAGM, EMERGENCY PISTON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 564588-0001 | | | | |
| 6282 | 18-72-0175 | SPRING, EMERGENCY SLIDE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 592110 | | | | |
| 6283 | 18-72-0176 | VALVE, EMERGENCY SLIDE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 660165 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6290 | 18-72-0215 | GASKET, HOLLOW, ROD GUIDE. WABCO PAC BRAKE UNIT ASSEMBLY. USED ON AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 567268 | | |
| 6291 | 18-72-0264 | CAGE, SPRING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 305921 | | |
| 6292 | 18-72-0265 | VALVE, EMERGENCY & AUXILIARY RESERVOIRS CHECK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551156-0001 | | |
| 6293 | 18-72-0266 | BOLT, 3/8"-16 X 1-3/4" HEX | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562463 | | |
| 6294 | 18-72-0267 | PIN, 3/16" X 2" COTTER (FOR SHIPPING) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 17963 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6295 | 18-72-0268 | GUARD, RELEASE VALVE STEM (FOR SHIPPING_) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 569669 | | | | |
| 6296 | 18-72-0269 | COVER, TOP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 660341 | | | | |
| 6297 | 18-72-0270 | BODY, RELEASE VALVE PORTION (ALTERNATE CONFIGURATION) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 663960 | | | | |
| 6298 | 18-72-0271 | DIAPHRAGM, SERVICE PISTON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 660338 | | | | |
| 6299 | 18-72-0272 | PIN, 5/32" X 1" CYLINDRICAL SPRING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 660340 | | | | |
| 6300 | 18-72-0273 | SPRING, SLIDE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 660322 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--------------------------|------------|---------------|---------|---------|
| 6301 | 18-72-0274 | VALVE, GRADUATING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660339 | | |
| 6302 | 18-72-0275 | VALVE, SLIDE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660333 | | |
| 6303 | 18-72-0276 | PISTON, SERVICE COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660336 | | |
| 6304 | 18-72-0277 | COVER, SAR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 665116 | | |
| 6305 | 18-72-0278 | SPRING, SAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 664856 | | |
| 6306 | 18-72-0279 | FOLLOWER, SAR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 665102 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|-------------------------------------|------------|---------------|---------|---------|
| 6307 | 18-72-0280 | DIAPHRAGM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 665098 | | |
| 6308 | 18-72-0281 | PISTON, SAR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 665103 | | |
| 6309 | 18-72-0282 | SPRING, KICKUP SAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 664958 | | |
| 6310 | 18-72-0283 | FOLLOWER, LIMITING VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660888 | | |
| 6311 | 18-72-0284 | STEM, BRAKE CYLINDER LIMITING VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660641 | | |
| 6312 | 18-72-0285 | O-RING, 7/32" O.D. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660648 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6313 | 18-72-0286 | SPRING, UPPER LIMITING VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 660643 | | | | |
| 6314 | 18-72-0287 | BODY, CAST IRON, ABDX SERVICE PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 592749 | | | | |
| 6315 | 18-72-0288 | PLUG, CHOKE, 3/8" NPT (PORT 1A) U/O ABDX SERVICE PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 87074 | | | | |
| 6316 | 18-72-0289 | STRAINER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 588168 | | | | |
| 6317 | 18-72-0290 | PISTON, BRAKE CYLINDER LIMITING VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 660342 | | | | |
| 6318 | 18-72-0291 | SCREW, 1/2"-13 X 2-3/4" HEX | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562645 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6319 | 18-72-0292 | DISK, WEAR PROTECTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 660666 | | |
| 6320 | 18-72-0293 | SPRING, CHECK VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 592673 | | |
| 6321 | 18-72-0294 | STRAINER, AIR (ALTERNATE CONFIGURATION "A" ARRANGEMENT) U/O ABDX SERVICE PORTION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 661224 | | |
| 6322 | 18-72-0295 | KIT, ABDX SERVICE PORTION REPAIR PARTS | EA | 00 | 00 | 02 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 592922 | | |
| 6323 | 18-72-0296 | BODY, U/O ABDX SERVICE PORTION (CAST IRON) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 661523 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|------------|---------------|-----|-----|-----|-----|-----|
| 6324 | 18-72-0378 | PISTON, USED ITH ABDX EMERGENCY PORTION | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 0660664 | | | | | |
| 6325 | 18-72-0379 | PISTON, USED WITH ABDX SERVICE PORTION | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 0660665 | | | | | |
| 6326 | 18-72-0380 | PIPE BRACKET PORTION "ABDX" BRAKE CONTROL VALVE | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 06649400002 | | | | | |
| 6327 | 18-74-1450 | VALVE, CHECK VALVE, U/W WABCO STRAINER AND CHECK VALVE C-1-3-0, COMPLETE | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 25909 | | | | | |
| 6328 | 18-74-1500 | VALVE, CHECK VALVE USED WITH WAB CO. CONTROL VALVE NO. 3 | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 36023 | | | | | |
| 6329 | 18-74-1600 | VALVE, CHECK VALVE, U/W DOUBLE CHECK VALVE #15 | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 507895 | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6330 | 18-74-1750 | VALVE, CHECK VALVE U/W A-1 OPERATING UNIT | EA | 03 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 93991 | | |
| 6331 | 18-74-1850 | PORTION, MAGNET VALVE, N-4-E, W/DIODE, FOR WABCO AIR BRAKE SYSTEM ON R-57 AND R-74 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672318 | | |
| 6332 | 18-74-2200 | VALVE, CHECK VALVE, U/W BRANCH PIPE TEE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 520460 | | |
| 6333 | 18-74-2250 | VALVE, CHECK VALVE, USED WITH WABCO DOUBLE CHECK VALVE PORTION ONLY | EA | 420 | 220 | 171 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 525994 | | |
| 6334 | 18-74-2350 | VALVE, CHECK VALVE U/W WABCO A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533727 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 6335 | 18-74-2400 | VALVE, CHECK | EA | | 110 | | 107 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 534 953 | | | | | | | |
| 6336 | 18-74-2480 | VALVE, W.A.B. STRAINER & CHECK TYPE C-1-5-0, COMPLETE, STRAINER AND CHECK | EA | | 00 | | 00 | | 00 |
| | | CORP. #543865 | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 31778 | | | | | | | |
| 6337 | 18-74-2495 | VALVE, CHECK USED WITH W.A.B. TYPE -AB-VALVE COMPLETE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 93971 | | | | | | | |
| 6338 | 18-74-2500 | VALVE, CHECK, LIFT, HORIZONTAL, BRASS, SCREWED 85 LB. TO 100 LB. AIR, BRASS DISC | EA | | 00 | | 00 | | 00 |
| | | , NON-RENEWABLE SEAT, 1 IN. - 4-1/4 IN. END TO END | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 519944 | | | | | | | |
| 6339 | 18-74-2600 | VALVE, CHECK LIFT, HORIZONTAL BRASS SCREWED 85 LBS. TO 100 LBS. AIR BRASS | EA | | 00 | | 00 | | 00 |
| | | DISC NON-RENEWABLE SEAT 1/2 IN., 3 IN. END TO END W/3/16 IN. DRILLED WABCO CO. | | | | | | | |
| | | 559893 | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 520031 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6344 | 18-74-3050 | VALVE, CHECK, SPRING SEATED, USED WITH TYPE ME-42 BRAKE VALVE ONLY | EA | 310 | 320 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 559894 | | |
| 6345 | 18-74-4015 | VALVE, CHECK AND CARRIER ASSEMBLY, USED WITH W.A.B. TYPE "J" RELAY VALVE | EA | 02 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 564045-PT | | |
| 6346 | 18-74-4031 | SPOOL, VALVE RELEASE, FOR WABCO AB. FOR BRAKE EQUIP. W/ABD CONT. VALVE RELEASE VALVE #566198 FOR FLAT CARS NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFAC- Turer'S NAME & PART #, PURCHASE ORDER #, DATE OF MANUFACTURE AND NYCTA COMMODITY NO. "MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE." | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566204 | | |
| 6347 | 18-74-4039 | SPOOL, VALVE RESET, FOR WABCO AB FOR BRAKE EQUIP. W/ABD CONT. VALVE-RELEASE VALVE #566198 FOR FLAT CARS NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFACTURER'S NAME & PART #, PURCHASE ORDER #, DATE OF MANUFACTURE AND NYCTA COMMODITY NO. MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003.CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 566209 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6348 | 18-74-4066 | VALVE EMERG. ACC. RELEASE SPOOL FOR VALVE EMERG. PORT PC #567195 FOR FLAT PACKAGED AND IDENTIFIED WITH MANUFAC-#, DATE OF MANUFACTURE AND NYCTA HAVE BEEN INSPECTED IN ACCORDANCE WITH BEEN CERTIFIED BY THE AAR AGAINST AAR BY VENDOR WITH EACH SHIPMENT THAT COMPLIANCE." INCLUDES TOP PLASTIC | EA | 00 | 00 | 00 |
| | | WABCO AB FR. BRAKE EQUIP. W/ABD CONT. CARS NOTE: PARTS MUST BE INDIVIDUALLY Turer's NAME & PART #, PURCHASE ORDER COMMODITY NO." MATERIAL SUPPLIED MUST A QUALITY ASSURANCE PROGRAM THATHAS M-1003. CERTIFICATION IS TO BE SUPPLIED MATERIAL HAS BEEN INSPECTED AND IS IN INSERT | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567216 | | | | |
| 6349 | 18-75-1600 | VALVE, COMPRESSOR FOR COMPRESSOR INLET VALVE AND D2F TYPE D--2-EG COMPR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 7088 | | | | |
| 6350 | 18-75-1650 | PARTS FOR D2F AIR COMPRESSOR, VALVES DISCHARGE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 7090 | | | | |
| 6351 | 18-75-2000 | VALVE, COMPRESSOR, FOR GOVERNOR CUT-OUT VALVE, TYPE S-6 GOVERNOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 32765 | | | | |
| 6352 | 18-75-2350 | VALVES, CUT-IN FOR S-6 & S-6-A GOVERNORS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 57318 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6353 | 18-75-2750 | VALVE, COMPRESSOR, FOR GOVERNOR CUT-IN VALVE, TYPE S-6-A GOVERNOR. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 78557 | | |
| 6354 | 18-75-2800 | VALVE, UNLOADING, FOR 2CY3B AIR COMPRESSOR, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 92235 | | |
| 6355 | 18-75-3050 | VALVE, L.P. INLET FOR 2CY3B AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 185721 | | |
| 6356 | 18-75-3072 | VALVE, RELIEF, FOR WABCO TYPE 2CY3B COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0569165 | | |
| 6357 | 18-75-3500 | VALVE, CUT-OUT AND SEAT COMBINATION FOR TYPE S-16 & NS-16 GOVERNOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 564436 | | |
| 6358 | 18-75-3625 | VALVE, UNLOADING REPAIR ASSY. U/W WAB COMPRESSOR 2CY3B. WA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 557268 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6359 | 18-76-1100 | VALVE, FOR VAR. LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 24349 | | |
| 6360 | 18-76-1200 | VALVE, FOR UNIVERSAL VALVE UE-5 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 33502 | | |
| 6361 | 18-76-1250 | VALVE, LOWER MAGNET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54446 | | |
| 6362 | 18-76-1300 | VALVE, UPPER MAGNET, FOR EMPTY AND LOAD BRAKE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54447 | | |
| 6363 | 18-76-1400 | MAGNET VALVE, USED WITH VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 65184 | | |
| 6364 | 18-76-1600 | VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 529327 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6365 | 18-76-1650 | VALVE, MAGNET, U/W WABCO OPERATING UNIT A-1, APPLICATION AND RELEASE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533599 | | | | |
| 6366 | 18-76-1700 | VALVE, MAGNET, EMERGENCY, FE-2, SHORT LEAD, U/W WABCO AIR BRAKE EQUIPMENT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 690445 | | | | |
| 6367 | 18-76-1850 | VALVE SAFETY E6 R-1-9 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 15890 | | | | |
| 6368 | 18-76-2000 | VALVE, E-1 SAFETY, COMPLETE, FOR A-2-A 150 LBS. VALVE, U/W A-3 TYPE COMPRESSOR # 556064. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 24108-0150 | | | | |
| 6369 | 18-76-2150 | VALVE, SAFETY VALVE U/W WAB TYPE E-1 SAFETY VALVE PART | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 10524 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 6370 | 18-77-0001 | FITTING, 1/2 FLANGE X 1/2 PORT, FOR AUTO DRAIN VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0559476 | | |
| 6371 | 18-77-0002 | BELLOWS, DUST-COVER, U/O LOCOMOTIVE SLACK-ADJUSTER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1104024-1301 | | |
| 6372 | 18-77-1090 | VALVE TRIPLE P1 WM & FLATS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1760 | | |
| 6373 | 18-77-1125 | VALVE, SPECIAL, U/W TRIPLE VALVE P-2, SLIDE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1786 | | |
| 6374 | 18-77-1286 | VALVES, R-2 TRIPLE, COMPLETE, WAB PC. NO. 558792 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 9942 | | |
| 6375 | 18-77-1300 | VALVE, REGULATING, FOR C-6 FEED VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 16183 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6376 | 18-77-1325 | VALVE, SPECIAL, DISTRIBUTING. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 16479 | | |
| 6377 | 18-77-1350 | VALVE, SPECIAL, VENT, USED WITH CONDUCTOR'S VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 16514 | | |
| 6378 | 18-77-1425 | VALVE, SPECIAL U/W WEST AIR BRAKE CO 14-EL EQUIPMENT FEED VALVE S.P. TYPE C-6 CO EA MP W/O PIPE BRAKE OR GASKET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 18480 | | |
| 6379 | 18-77-1475 | VALVE, SPECIAL, EQUALIZING, TYPE: K-14 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 19164 | | |
| 6380 | 18-77-1500 | VALVE, SPECIAL, 3/8" CHECK, COMPLETE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551864 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6381 | 18-77-1575 | VALVE, -F-, BLOWING NOZZLE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 25978 | | |
| 6382 | 18-77-1650 | VALVE, EXHAUST FOR A-6 COMPRESSOR SWITCH W.A.B. CO. PC. NO. 27348 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 27348 | | |
| 6383 | 18-77-1675 | VALVES, SUPPLY FOR A-6-A COMPRESSOR SWITCHES | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 27349 | | |
| 6384 | 18-77-1825 | VALVE TRIPLE K2, WM & FLATS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 30790 | | |
| 6385 | 18-77-1861 | VALVE TRIPLE R2 WM & FLATS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 33836 | | |
| 6386 | 18-77-1950 | VALVE, FOR BRAKE VALVE, M-24-A, R-20 SERVICE CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 40182 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6387 | 18-77-1975 | VALVE, SPECIAL, U/W A-1-B EQUIPMENT DEAD MAN'S APPLICATION V. COMP. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 46524 | | |
| 6388 | 18-77-2075 | VALVE, SPECIAL, U/W EMERGENCY EQUIP, CONDUCTORS VALVE TYPE B-3 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 16570 | | |
| 6389 | 18-77-2350 | VALVE SUPPLY F/EMPTY LOAD WORK CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58185 | | |
| 6390 | 18-77-2425 | VALVE, SPECIAL, U/W BRAKE VALVE, K-14-A, ROTARY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 59080 | | |
| 6391 | 18-77-2475 | VALVE BRAKE ME23 R-9 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 59526 | | |
| 6392 | 18-77-2525 | VALVES, RELAY - COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 59555 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6393 | 18-77-2800 | VALVE, DOUBLE BEAT PISTON | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 67987 | | |
| 6394 | 18-77-2825 | VALVE, SPECIAL USED WITH WEST. AIR BRAKE CO. UNIVERSAL VALVE VE-5, SLIDE VALVE, COMP. EQUALIZING PORTION, WABCO NO. 68008 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 68008 | | |
| 6395 | 18-77-2850 | VALVE LIMIT R-9 LV | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 70504 | | |
| 6396 | 18-77-2975 | VALVE, SPECIAL APPLICATION, TYPE: A3 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 73851 | | |
| 6397 | 18-77-3000 | VALVE, SPECIAL USED WITH WAB CO. APPLICATION V. A-3 PISTON VALVE FOR DOUBLE CUTOUT COCKS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 73858 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6398 | 18-77-3150 | VALVE SLIDE FOR TYPE M-3 SINGLE PRESSURE FEED VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 77985 | | |
| 6399 | 18-77-3175 | VALVE, SPECIAL, USED WITH ELEC. PNEU. COMPR. SWITCH, PROTECTION VALVE, ELEC. PNEU. SWITCH PORTION. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 78400 | | |
| 6400 | 18-77-3250 | VALVE, RELEASE RELAY PILOT, FOR TYPE A-1 VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83144 | | |
| 6401 | 18-77-3275 | VALVE, APPLICATION RELAY PILOT, FOR A1 VARIABLE LOAD VALVE, W.A.B. CO. PC. NO. 8 3146 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83146 | | |
| 6402 | 18-77-3300 | VALVE, SPECIAL U/W WEST AIR BRAKE CO. VARIABLE LOAD VALVE APPLICATION V. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83239 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|---|-----|---------|---------|---------------|
| 6403 | 18-77-3325 | VALVE, FOR A1 VAR. LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 83242 |
| ----- | | | | | | |
| 6404 | 18-77-3450 | VALVE, SPECIAL SUPPLY. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 84142 |
| ----- | | | | | | |
| 6405 | 18-77-3800 | VALVE V/L R-9 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 90426 |
| ----- | | | | | | |
| 6406 | 18-77-4025 | VALVE, USED WITH W.A.B. CO. A-1 OPERATING UNIT, R-10 CARS, EXHAUST VALVE, RELAY VALVE PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 97353 |
| ----- | | | | | | |
| 6407 | 18-77-4050 | VALVE, SPECIAL U/W WABCO A-1 OPERATING UNIT (R-10 CARS) APPLICATION V, RELAY V. PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 97361 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6408 | 18-77-4075 | VALVE, APPLICATION PISTON, VALVE PARTS, A & B CONTROL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 97362 | | |
| 6409 | 18-77-5050 | VALVE FEED L | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 500978 | | |
| 6410 | 18-77-5125 | VALVE APPLICATION A-5, R-9 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501164 | | |
| 6411 | 18-77-5200 | VALVE, SPECIAL CONDUCTOR. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501502 | | |
| 6412 | 18-77-5289 | VALVE EXHAUST, U/W R-20 FLAT CARS & SPINO RAIL GRINDER. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 506143 | | |
| 6413 | 18-77-5300 | VALVE, FOR ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 506601 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6414 | 18-77-5350 | VALVE, SPECIAL USED WITH W.A.B. CO. APPLICATION VALVE A-5-A PISTON VALVE COMP. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 558348 | | | | |
| 6415 | 18-77-5600 | VALVE EMERGENCY A2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 518018 | | | | |
| 6416 | 18-77-5625 | VALVE APPLICATION A5A R-9 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 518019 | | | | |
| 6417 | 18-77-5675 | VALVE, FOR MAGNET VALVE, TYPE FB-2 INLET & EXHAUST, R12-36 CARS | EA | 00 | 10 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 521280 | | | | |
| 6418 | 18-77-5700 | VALVE, EMERGENCY, W.A.B. CO. PC. NO. 523727, FOR ME-42 BRAKEVALVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 523727 | | | | |
| 6419 | 18-77-5725 | VALVE, DOUBLE CHECK, U/W TYPE D-24 CONTROL VALVE.ON TYPE A-1OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 523906 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6420 | 18-77-5875 | VALVE, DOUBLE CHECK, COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533793 | | |
| 6421 | 18-77-5900 | VALVE, SPECIAL, BRAKE APPLICATION V COMP. BRAKE VALVE ME-42 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533794 | | |
| 6422 | 18-77-5925 | BRAKE VALVE PTS. W.A.B. CO. TYPE ME-42, VALVE, COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533799 | | |
| 6423 | 18-77-6000 | PORTION, CHARGING, VALVE COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 536144 | | |
| 6424 | 18-77-6005 | VALVE BRAKE PIPE, CUTOFF WITH RING FOR H2-C AUTOMATIC CAR COUPLER R-10-29 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 536151 | | |
| 6425 | 18-77-6050 | VALVE FOR TYPE A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 536373 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 6426 | 18-77-6100 | VALVE, CHECK, FOR TYPE ME-42 BRAKE VALVE | EA | | 370 | | 448 | | 21 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 536473 | | | | | | | |
| 6427 | 18-77-6125 | VALVE, A-1 OPERATING UNIT DOUBLE CHECK V. COMP. FOR D-24 CONTROL VALVE. W.A.B. N EA O. 537551 | | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 537551 | | | | | | | |
| 6428 | 18-77-6150 | VALVE, INLET FOR ME42 BRAKE VALVE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 538123 | | | | | | | |
| 6429 | 18-77-6175 | VALVE, SPECIAL U/W WABCO BRAKE VALVE ME-42 EXHAUST VALVES | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 538125 | | | | | | | |
| 6430 | 18-77-6200 | VALVE, INLET COMPLETE, FOR ME-42 BRAKE VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | Y P WABCO 538127 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6431 | 18-77-6267 | VALVE, TYPE -AB- WITH QRR BRAKE CYLINDER RELEASE VALVE & ACCESSORIES FOR FLAT CA RS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 567779 | | | | |
| 6432 | 18-77-6268 | VALVE, APPLICATION PISTON COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 542223 | | | | |
| 6433 | 18-77-6269 | VALVE, APPLICATION PILOT VALVE, COMPLETE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 542224 | | | | |
| 6434 | 18-77-6270 | VALVE ASSY RELAY TYPE H-5-C USED WITH WAB SUPPLY VALVE 544700 FOR R-20 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 544701 | | | | |
| 6435 | 18-77-6275 | VALVE BRAKE, COMPLETE, LESS HANDLE USED WITH TYPE ME-42 BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 548961 | | | | |
| 6436 | 18-77-6280 | VALVE ASSY, FEED TYPE-D-24-B, U/W E-1 OPERATING UNITS, R38 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 550016-0070 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6437 | 18-77-6335 | VALVE, SPECIAL SELF LAPPING U/W BRAKE VALVE TYPE ME-42 | EA | 00 | 01 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551532 | | |
| 6438 | 18-77-6340 | VALVE, FOR ELECTRIC SELF LAPPING UNIT, USED WITH BRAKE VALVE TYPE ME-42, W.A.B. CO. NO. 551537 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 551537 | | |
| 6439 | 18-77-6405 | VALVE BRAKE ASSEMBLY, LESS HANDLE AND ACCESSORIES, TYPE ME42B. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 560910 | | |
| 6440 | 18-77-6410 | BRAKE ASSEMBLY, VALVE PORTION, FOR ME-42 -B BRAKE VALVE, R26-27-28 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561213 | | |
| 6441 | 18-77-6423 | VALVE, SPECIAL, AUTOMATIC DRAIN TYPE D-1 0.033" CHOKE, R-17 TO R-42 CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561350 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6442 | 18-77-6430 | VALVE VARIABLE LOAD ASSEMBLY USED WITH WAB TYPE A-1-A OPERATING UNIT FOR R27 CAR EA S | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 561409 | | | | |
| 6443 | 18-77-6440 | VALVE RELEASE INSURING FOR WABCO -AB- VALVES SERVICE PORTION NO. 522696 ON FLAT EA CARS & WORK CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 516616 | | | | |
| 6444 | 18-77-6451 | VALVE, GRADUATING, FOR WABCO TYPE AB-FR. BRAKE EQUIP. W/ABD-CONT. VALVE EA SERVICE PORT #566172 FOR FLAT CARS NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFAC- Turer's Name & Part #, Purchase Order #, DATE OF MANUFACTURE AND NYCTA COMMODITY NO."MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE." | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 552262 | | | | |
| 6445 | 18-77-6459 | VALVE, SLIDE, FOR WABCO TYPE AB-FR. BRAKE EQUIP W/ABD-CONT, VALVE SERVICE EA PORT. #566172 FOR FLAT CARS NOTE: PARTS MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH MANUFAC- Turer's Name & Part #, Purchase Order #, DATE OF MANUFACTURE AND NYCTA COMMODITY NO."MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE." | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 566175 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6456 | 18-77-7250 | ACTUATOR, TYPE A-2-H, 15 TO 80 PSI PRESSURE RANGE, U/O AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO P58430 | | | | |
| 6457 | 18-77-7251 | ACTUATOR, TYPE A-2-H, 3 TO 15 PSI PRESSURE RANGE, U/O AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO P59718-10 | | | | |
| 6458 | 18-77-7252 | ACTUATOR, TYPE A-2-H, 10 TO 60 PSI PRESSURE RANGE, U/O AIR BRAKE SYSTEM. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO P57159-10 | | | | |
| 6459 | 18-77-7264 | BRACKET, USED ON TYPE D-5 HORN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 90153 | | | | |
| 6460 | 18-77-7265 | BELL, 11-5/32 INCH SHORT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 540347 | | | | |
| 6461 | 18-77-7266 | BELL, 15 INCHES LONG. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 540345 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 6462 | 18-77-7267 | SPRING, ACTUATING PISTON, FOR A-1 CHARGING VALVE ON DIESEL | EA | | 35 | | 22 | | 10 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 578088 | | | | | | | |
| 6463 | 18-77-7298 | VALVE MOD KIT, MU-2AV. INCLUDES MU-2AV VALVE ARRANGED FOR "VENTING". | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 0593840 | | | | | | | |
| 6464 | 18-77-7317 | KIT, FOR CONVERSION OF 6-NR DISTRIBUTING VALVE TO A 26-F CONTROL VALVE AND J-1 RELAY VALVE, FOR USED ON GE 50 TON LOCOMOTIVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 593680 | | | | | | | |
| 6465 | 18-77-7318 | CONNECTOR, COMPRESSION FITTING, MALE, 5/8 X 1/2 NPT, STRAIGHT, BRASS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0650526 | | | | | | | |
| 6466 | 18-77-7322 | CONNECTOR, COMPRESSION FITTING, MALE, 1/2" OD X 3/8" NPT, BRASS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0650807 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6467 | 18-77-7323 | ELBOW, COMPRESSION FITTING, MALE, 1/2" OD X 3/8" NPT, BRASS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0650366 | | | | |
| 6468 | 18-77-7324 | TEE, COMPRESSION FITTING, 1/2" OD, BRASS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0654390 | | | | |
| 6469 | 18-77-7328 | VALVE, CONTROL, 26-F(SPECIAL FOR NYCT), USED ON DIESEL AND ELECTRIC LOCOMOTIVES | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0593676 | | | | |
| 6470 | 18-77-7330 | VALVE, REDUCING, N-1, COMPLETE WITH GASKETS AND PIPE BRACKET, WITH NUTS, USED ON DIESEL AND ELECTRIC LOCOMOTIVES | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0552238-0070 | | | | |
| 6471 | 18-77-7339 | WIRE E.R.A. STRAWER USED WITH ABDX EMERGENCY PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0661224 | | | | |
| 6472 | 18-77-7340 | RETAINING RING, USED WITH ABDX EMERGENCY PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0661296 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6473 | 18-77-7370 | VALVE REDUCING PORTION, N-1, WITHOUT GASKETS AND STRAINERS, USED ON DIESEL AND ELECTRIC LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 587553 | | | | |
| 6474 | 18-78-1100 | VALVE U/W WABCO WHISTLE VALVE ONLY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 3500 | | | | |
| 6475 | 18-78-1200 | VALVE, WHISTLE, TYPE H-2, COMPLETE W/HANDLE A | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 538792 | | | | |
| 6476 | 18-78-1500 | VALVE, WHISTLE COMPLET, TYPE H-4-A LESS FITTINGS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533802 | | | | |
| 6477 | 18-79-0000 | TREAD BRAKE UNIT (BRAKE) | EA | 25 | 04 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-M0028 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6478 | 18-79-0001 | TREAD BRAKE UNIT (TBU) WITH PARKING BRAKE ASSEMBLY/BRAKE SYSTEM/TRUCKS | EA | 39 | 08 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-M0029 | | | | |
| 6479 | 18-79-0002 | HEAD-BRAKE, LH LW (BRAKE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-539150001 | | | | |
| 6480 | 18-79-0003 | HEAD-BRAKE, RH LW (BRAKE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-539150002 | | | | |
| 6481 | 18-79-0004 | ASSEMBLY, VALVE, TRIP, D-1, TRIP VALVE INSTALLATION/TRUCKS | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-57048 | | | | |
| 6482 | 18-79-0005 | COTTER PIN 3/16 X 1-3/4 (BRAKE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000003-4359 | | | | |
| 6483 | 18-79-0006 | BOLT-HVY SQ HD, 0.75-10 X 2.31, GR8, ZINC PLATED YELLOW (BRAKE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO L546154 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 6484 | 18-79-0007 | BOLT-SQ HD MACHINE (BRAKE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | L546158 |
| 6485 | 18-79-0008 | ASSEMBLY, TRUCK CONTROL UNIT/TRUCK BRAKES | EA | 00 | 00 | 00 |
| | | CONTROL UNIT INSTALLATION/TRUCKS/AIR | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-56895 |
| 6486 | 18-79-0009 | BOX, CONTROL/ELECTRICAL CONTROL UNIT | EA | 00 | 00 | 00 |
| | | ASSEMBLY, /AIR BRAKE | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-570880200 |
| 6487 | 18-79-0010 | ASSEMBLY, VALVE, LOAD, VARIABLE, XB-1/A CARS OPERATING UNIT | EA | 00 | 02 | 00 |
| | | ASSEMBLY/AIR BRAKE | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-56896 |
| 6488 | 18-79-0011 | ASSEMBLY, VALVE WITH LOCKING HANDLE, AIR PIPING INSTALLATION/AIR BRAKE | EA | 00 | 00 | 00 |
| | | CUTOUT, NON-VENTED, 3/4 INCH.NO.2 END | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 0572472 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6489 | 18-79-0013 | ELEMENT, HEATER/E-1A TWIN TOWER AIR DRYER ASSEMBLY/AIRBRAKE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0675010 | | | | |
| 6490 | 18-79-0014 | ASSEMBLY, AIR COMPRESSOR UNIT, OIL FREE, 2CL-B1/A CARS ACU INSTALLATION/AIR BRAKES (USE EXISTING INVENTORY UNDER COMMODITY NUMBER 12-79-0036) | EA | 00 | 00 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-57046 | | | | |
| 6491 | 18-79-0015 | RIVET, Threaded / TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 320099 | | | | |
| 6492 | 18-79-0016 | PIN, Spring / TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 661725 | | | | |
| 6493 | 18-79-0018 | PLATE, Spring / TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 683037 | | | | |
| | | N P WABTEC PASSENGER K-328.813-11 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6494 | 18-79-0019 | BEARING / TBU | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 663478 | | |
| 6495 | 18-79-0020 | RECEPTACLE ASSEMBLY, Potted, with Connector / TRIP VALVE ASSY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 695912 | | |
| 6496 | 18-79-0021 | Bearing, nylon 0.25 in nom od/ TRIP VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06927280250 | | |
| 6497 | 18-79-0022 | Housing, Sensor/ TRIP VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-51680 | | |
| 6498 | 18-79-0023 | RING, Retaining/ TRIP VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-552950162 | | |
| 6499 | 18-79-0024 | COVER ASSEMBLY/ Trip valve with Sensor | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57049 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6506 | 18-79-0038 | END, Armour/ TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO K-230.222NN | | | | |
| 6507 | 18-79-0039 | SUPPORT, Slack Adjuster with Sleeves/ TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO K-230.236H | | | | |
| 6508 | 18-79-0040 | SPINDLE, Working/ TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO K-230.462W | | | | |
| 6509 | 18-79-0041 | SPINDLE, WORKING/ TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO K-230.462WA | | | | |
| 6510 | 18-79-0042 | CLUTCH, Working/ TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO K-230.465S | | | | |
| 6511 | 18-79-0043 | SEAT, Spring/ TBU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO K-230.478W | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--------------------------------------|-----|-----|-----|-----|-----|-----|-----|
| 6542 | 18-79-0074 | LEVER, LEFT/ TBU | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-328.852B | | | | | | | |
| 6543 | 18-79-0075 | LEVER, RIGHT/ TBU | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER K-328.853B | | | | | | | |
| 6544 | 18-79-0076 | BUSH/ TBU | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO K-328.888 | | | | | | | |
| 6545 | 18-79-0077 | SUPPORT, Manual Brake, Complete/ TBU | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO K-328.892 | | | | | | | |
| 6546 | 18-79-0078 | GAP, Bush/ TBU | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO K-329.809W | | | | | | | |
| 6547 | 18-79-0079 | PLUG, PLASTIC/ TBU | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO K-412.136-3 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|--------------------|---------------|---------|---------|
| 6548 | 18-79-0080 | PLUG, Plastic/ TBU | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | K-412.136-6 | | |
| 6549 | 18-79-0083 | OPERATING UNIT, A CAR, AIR BRAKE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-56893 | | |
| 6550 | 18-79-0084 | OPERATING UNIT, B CAR, AIR BRAKE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-56894 | | |
| 6551 | 18-79-0085 | KIT, OVERHAUL, XB-1 VARIABLE LOAD VALVE ASSY | KT | 00 | 04 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC CORPORATION | 1-568960001 | | |
| 6552 | 18-79-0089 | SPRING / VX VENT VALVE / AIRBRAKE | EA | 00 | 00 | 208 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0655276 | | |
| 6553 | 18-79-0090 | KIT, OVERHAUL, D-1 TRIP VALVE ASSEMBLY R179 | KT | 04 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-570480002 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|--|---------------|---------|---------|
| 6554 | 18-79-0091 | KIT, R179 TBU SERVICE BRAKE | KT | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-M00280001 | | |
| 6555 | 18-79-0092 | KIT, R179 TBU SPRING PARKING BRAKE | KT | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-M00290001 | | |
| 6556 | 18-79-0094 | WORKING SPINDLE, COMPLETE ASSEMBLY, 590452) AND GUIDE (P/N K-230.122), R179 TREAD BRAKE UNIT (TBU) WITH | PRE-DRILLED TO ACCOMMODATE PIN (P/N INCLUDE TIP PRE-DRILLED HOLE, USED ON PARKING BRAKE ASSEMBLY | EA | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | K-230.120A | | |
| 6557 | 18-79-0100 | Connector, straight plug for J2 Connector | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57514 | | |
| 6558 | 18-79-0101 | Connector, straight plug for J9 Connector | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57515 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6559 | 18-79-0102 | Contact, pin | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-552191114 | | | | |
| 6560 | 18-79-0103 | Contact, socket | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-552201114 | | | | |
| 6561 | 18-79-0105 | Control Unit Assembly, Electrical | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-57088 | | | | |
| 6562 | 18-79-0106 | COUNTERWEIGHT, CS MOTOR / AIR PORTION ASSY, 2CL-B1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-538081003 | | | | |
| 6563 | 18-79-0107 | COUNTERWEIGHT, CS FAN / AIR PORTION ASSY, 2CL-B1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-538081002 | | | | |
| 6564 | 18-79-0108 | Coupling, Motor | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-54248 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 6565 | 18-79-0109 | Cover, Inlet Manifold | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-54840 |
| 6566 | 18-79-0110 | Cover, Protective | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-551271002 |
| 6567 | 18-79-0111 | Crank, Center, 2 CL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-538080001 |
| 6568 | 18-79-0112 | Crankcase, Bushed, Left hand | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-540510025 |
| 6569 | 18-79-0113 | Crankcase, Helicoiled, Right hand | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-540510015 |
| 6570 | 18-79-0114 | INTERFACE UNIT, CAB (CIU)/A CARS CAB INTERFACE UNIT/PROPULSION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-57173 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6571 | 18-79-0115 | Fitting, Test, ARO, 0.25 in. Female | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 40100206S | | |
| 6572 | 18-79-0116 | Fitting, Swivel, 90 degree, Liquidtite | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06977690110 | | |
| 6573 | 18-79-0117 | Fitting, Liquidtite, 90 degree, 3/4 NPT m X NW17 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06991821775 | | |
| 6574 | 18-79-0118 | Fan, Cooling | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-52253 | | |
| 6575 | 18-79-0119 | Ferrule, Non-Insulated | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-53954 | | |
| 6576 | 18-79-0120 | Cylinder Assembly, Helicoiled, Low Pressure | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-540375500 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6577 | 18-79-0121 | Cylinder Assembly, Helicoiled, High Pressure | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-540493160 | | |
| 6578 | 18-79-0122 | Gasket, 139 dia. Viton | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-542450015 | | |
| 6579 | 18-79-0123 | Gasket, Bottom Plate | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54304 | | |
| 6580 | 18-79-0124 | Cylinder, HP Sleeved | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-563033160 | | |
| 6581 | 18-79-0125 | Frame, Top, Compressor | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-571540010 | | |
| 6582 | 18-79-0126 | Frame, Bottom, Compressor | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-571540020 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 6589 | 18-79-0169 | SCREW, ADJUSTING / XB-1 VALVE ASSY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0582100 | | |
| 6590 | 18-79-0170 | CAP, PISTON, VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0576198 | | |
| 6591 | 18-79-0171 | GASKET, MOUNTING, BACK PANEL / CONTROL UNIT ASSY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0587858 | | |
| 6592 | 18-79-0172 | GASKET, RECEPTACLE / CONTROL UNIT ASSY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0677512 | | |
| 6593 | 18-79-0173 | KIT, OVERHAUL, 2CL-B1 OIL FREE AIR COMPRESSOR UNIT (ACU) ASSEMBLY, WITH E-1A AIR DRYER KIT INCLUDED | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-57046001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6594 | 18-79-0174 | KIT, OVERHAUL, CRANKSHAFT, 2CL-B1 OIL FREE AIR COMPRESSOR UNIT (ACU) ASSEMBLY | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 13542441010 | | | | |
| 6595 | 18-79-0175 | KIT-E-1A DRYER, O/H | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 06924140001 | | | | |
| 6596 | 18-79-0176 | ISOLATOR-RUBBER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-535700240 | | | | |
| 6597 | 18-79-0177 | ELEMENT-FILTER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-531470004 | | | | |
| 6598 | 18-79-0178 | KIT-R1 DRAIN VALVE O/H, FOR ALT NUMBER REFER TO 25-42-0200 | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 06737980005 | | | | |
| 6599 | 18-79-0179 | KIT-MOTOR AIR 2CLB1, O/H | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-571720001 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------------------|------------------|---------------|---------|---------|
| 6600 | 18-79-0180 | KIT-CONTROL BOX, O/H | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-570880001 | | |
| 6601 | 18-79-0200 | Gasket, Flange, Low Pressure | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-52261 | | |
| 6602 | 18-79-0201 | Gasket, Head, Low Pressure | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54038 | | |
| 6603 | 18-79-0202 | Gasket, Inlet Flange, Low Pressure | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54058 | | |
| 6604 | 18-79-0203 | Gasket, Inlet, Manifold | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-52260 | | |
| 6605 | 18-79-0204 | Gasket, Valve, High Pressure | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-525040001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 6606 | 18-79-0205 | Gasket, Valve, Low Pressure | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-54039 |
| 6607 | 18-79-0206 | Gauge, Air, Parking Brake | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 520073248 |
| 6608 | 18-79-0209 | Handle Unit (PEHU) Installation, Emergency, Passenger | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | A4320005SA |
| 6609 | 18-79-0213 | Harness Assembly, 600 VDC | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-570463003 |
| 6610 | 18-79-0214 | Head Assembly, Helicoiled | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-540373160A |
| 6611 | 18-79-0215 | Head, Cylinder, Low Pressure | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-540505500 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------------|------------|---------------|---------|---------|
| 6612 | 18-79-0218 | Hose, Inlet Air | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-53258 | | |
| 6613 | 18-79-0219 | INDICATOR, MOISTURE | EA | 12 | 46 | 02 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57331 | | |
| 6614 | 18-79-0220 | Insert, Locking, M10 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-540360510 | | |
| 6615 | 18-79-0221 | Insert, M10 X 5 X 1.5D Helicoil | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-540360015 | | |
| 6616 | 18-79-0222 | Insert, M10 X 5 X Helicoil | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-540360010 | | |
| 6617 | 18-79-0223 | Insert, M12 X1.75D Helicoil | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-53636 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|-------|------------|------------------------------------|-----|---------|---------|---------------|
| 6624 | 18-79-0230 | Latch | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | NONUMBER12 |
| ----- | | | | | | |
| 6625 | 18-79-0234 | Manifold Assembly, Bypass | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 06951260007 |
| ----- | | | | | | |
| 6626 | 18-79-0235 | Manifold Assembly, Reservoir, Main | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 06923970005 |
| ----- | | | | | | |
| 6627 | 18-79-0236 | Manifold, Inlet, Low Pressure | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 1-54833 |
| ----- | | | | | | |
| 6628 | 18-79-0237 | Manifold, Truck Control Unit | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 1-57071 |
| ----- | | | | | | |
| 6629 | 18-79-0238 | Meter, Hour Counter | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 1-55127 |
| ----- | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6630 | 18-79-0239 | Operating Unit Installation, A Car | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | A4320033SA | | |
| 6631 | 18-79-0240 | Operating Unit Installation, B Car | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | A4320009SA | | |
| 6632 | 18-79-0241 | O-Ring, 4.234 in. nom id X 4.512 in. nom od X 0.139 in. thk | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06924020008 | | |
| 6633 | 18-79-0242 | O-Ring, 6.484 in. nom id X 6.762 in. nom od X 0.139 in. thk | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06924020010 | | |
| 6634 | 18-79-0243 | O-Ring, Dessicant Cartridge | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | NONUMBER17 | | |
| 6635 | 18-79-0244 | Pad, Blanking Kit, Supply Reservoir | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57866 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 6636 | 18-79-0245 | Panel Assembly, Electrical | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-57087 |
| 6637 | 18-79-0246 | Panel Weldment, Electrical | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-570870001 |
| 6638 | 18-79-0247 | Panel, Dryer, E-1A | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-571560010 |
| 6639 | 18-79-0252 | Pin, Clevis, gr 5, stl, zn pld, yel, 0.50 hd dia X 0.304 sft dia x 1.438 in. lg | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0675916-1125 |
| 6640 | 18-79-0253 | Pin, Cotter, 1.125 in. lg | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-53551 |
| 6641 | 18-79-0255 | Pin, Low Pressure Wrist CP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-523885500 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6642 | 18-79-0256 | Pipe | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532313000 | | |
| 6643 | 18-79-0300 | Reservoir (MR), main | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 520073246 | | |
| 6644 | 18-79-0307 | Ring, High Pressure Wear | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-523903160 | | |
| 6645 | 18-79-0308 | Ring, Retaining, Internal, sst, 0.694 in. nom id X 0.035 in. thk | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-52089 | | |
| 6646 | 18-79-0309 | Ring, Retaining, Internal, sst, 1.319 in. nom id X 0.50 in. thk | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-52086 | | |
| 6647 | 18-79-0314 | Screen, aftercooler/Air Compressor/ Air Brake | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532430100 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6654 | 18-79-0322 | Spring, sst 18-8, 0.415 in. nom id X 0.030 in. Wire dia X .075 in. lg | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06751400002 | | | | |
| 6655 | 18-79-0323 | Spring, Wave, 110mm | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-54301 | | | | |
| 6656 | 18-79-0339 | Valve Assembly, choke, Air Dryer | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06934710100 | | | | |
| 6657 | 18-79-0340 | Valve, H.P. metric | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-522570500 | | | | |
| 6658 | 18-79-0341 | Valve, metric, low pressure | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-54035 | | | | |
| 6659 | 18-79-0342 | Valve, rubber seated | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-53877 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6660 | 18-79-0343 | Washer, copper | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-53800 | | |
| 6661 | 18-79-0344 | Wiring, Harness Assembly, Control, Air Dryer | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-570463001 | | |
| 6662 | 18-79-0345 | Wiring, Harness Asssembly, Inverter | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-570463002 | | |
| 6663 | 18-79-0367 | Piston Assembly, Low Pressure | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-53807 | | |
| 6664 | 18-79-0370 | Piston, Complete | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57070 | | |
| 6665 | 18-79-0371 | Piston, High Pressure, Oil Free | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-523823160 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|----------------------|-----|---------|---------|---------------|
| 6666 | 18-79-0372 | Piston, Low Pressure | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-523825500 |
| 6667 | 18-79-0380 | Plate, Blanking | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-540570020 |
| 6668 | 18-79-0381 | Plate, Bottom Cover | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1-54056 |
| 6669 | 18-79-0382 | Plate, Nut | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06999990418 |
| 6670 | 18-79-0383 | Plate, Nut | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06999990420 |
| 6671 | 18-79-0384 | Plate, Nut | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06999990422 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6672 | 18-79-0385 | Plate, Shroud Mounting | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57293 | | |
| 6673 | 18-79-0389 | Plug, Sure Seal | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-552180214 | | |
| 6674 | 18-79-0394 | Receptacle, Sure Seal | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-552170214 | | |
| 6675 | 18-79-0395 | Reducer, 1/2 in. X 1/4 in. NPT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06762770005 | | |
| 6676 | 18-79-0402 | Adapter, 45 deg/ Oil Free Compressor Unit | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-566721208 | | |
| 6677 | 18-79-0403 | Adapter, 45 deg/ Oil Free Compressor Unit | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-566721212 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6678 | 18-79-0404 | Adapter, 90deg/ Air Dryer with Panel Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-51818 | | |
| 6679 | 18-79-0405 | Adapter, 90 deg/ Bypass Manifold Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-566710608 | | |
| 6680 | 18-79-0406 | Adapter, 90 deg/ Bypass Manifold Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-566711212 | | |
| 6681 | 18-79-0407 | Adapter, Front Bearing/ Air Portion Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54055 | | |
| 6682 | 18-79-0408 | Adapter, Motor/Air Portion Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54054 | | |
| 6683 | 18-79-0409 | Adapter, Motor/Air Portion Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54835 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6684 | 18-79-0410 | Adapter, NPT, 1-11.5/ Brake Pipe Vent Valve Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54110 | | |
| 6685 | 18-79-0411 | Adapter, Pushbutton/Pilot Air Valve Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | P051282 | | |
| 6686 | 18-79-0412 | Adapter, Straight/Bypass Manifold Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-566701212 | | |
| 6687 | 18-79-0413 | Aftercooler, Oil Free/ Oil Free Compressor Unit | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-522521000 | | |
| 6688 | 18-79-0415 | Air Compressor Unit Assembly, 2CL-B1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57172 | | |
| 6689 | 18-79-0416 | Air Dryer With Panel Assembly, E-1A | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57156 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6696 | 18-79-0432 | Body, Variable Load Valve/XB-1 Variable Load Valve Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57079 | | |
| 6697 | 18-79-0433 | Boot, Heat Shrink/ Air Dryer Control Wiring Harness Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-552153392 | | |
| 6698 | 18-79-0434 | Boot, Heat Shrink/ Air Dryer Control Wiring Harness Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-557931054 | | |
| 6699 | 18-79-0436 | Bracket Motor/ 2CL-B1 Oil Free Compressor Unit Assembly | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57295 | | |
| 6700 | 18-79-0437 | Bracket, Mounting, Air Generation Treatment Unit | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-571840010 | | |
| 6701 | 18-79-0438 | Bushing/ Motor Portion Assembly/ ACU | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57323 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6702 | 18-79-0439 | BUSHING, VARIABLE LOAD/ XB-1 VARIABLE LOAD VALVE ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57080 | | |
| 6703 | 18-79-0471 | Bracket, Air Portion/ Air Compressor Unit, Oil Free 2CL-B1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-57296 | | |
| 6704 | 18-79-0472 | Bracket, Inverter/ Air Compressor Unit, Oil Free 2CL-B1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-571540090 | | |
| 6705 | 18-79-0473 | Bracket, Inverter/ Air Compressor Unit, Oil Free 2CL-B2 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-571540100 | | |
| 6706 | 18-79-0474 | Bracket, Manifold, Bypass/ Air Compressor Unit, Oil Free 2CL-B1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-571540110 | | |
| 6707 | 18-79-0486 | Cartridge Assembly/ Air Dryer Assembly, Twin Tower E-1A | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06924241000 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 6708 | 18-79-0499 | Connector, Receptacle, 1/4 Turn Control Unit Assembly Electrical | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-57096 | | | | | | | |
| 6709 | 18-79-0504 | SCREW, Cap, Flat hexsoch, 5/16 x 0.625 in lg | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 053592-4027 | | | | | | | |
| 6710 | 18-79-0505 | INSERT, M6, Well Nut | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 05799680006 | | | | | | | |
| 6711 | 18-79-0506 | NUT, Hex lock, m6, class 8, zinc plated | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06739650006 | | | | | | | |
| 6712 | 18-79-0507 | NUT, Hex thin,m16,astm f563m class 5, zinc plated | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06739680016 | | | | | | | |
| 6713 | 18-79-0508 | STRAP-GROUND CP | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 0678642 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 6714 | 18-79-0509 | SCREW, Cap,hexsoch, gr 12.9, stl, zn pld, yel or clr, M6 x 1.0 x 55 mm lg | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06926480055 | | | | | | | |
| 6715 | 18-79-0510 | SCREW, Cap,hexsoch, gr 12.9, stl, zn pld, yel or clr, M6 x 1.0 x 65 mm lg | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06926480065 | | | | | | | |
| 6716 | 18-79-0511 | SCREW, Cap, hexsoch, stl, zn pld. yel or cir, M12 x 1. 75 x 35 mm lg | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06934590035 | | | | | | | |
| 6717 | 18-79-0512 | HOSE, Flex, 3/16, Air Dryer to Control Box | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06963064200 | | | | | | | |
| 6718 | 18-79-0513 | HOSE, Flex, 5/16, R-1 Activation Valve to Control Box | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 06983822150 | | | | | | | |
| 6719 | 18-79-0514 | GASKET, Receptacle, U/O 2CL-B1 AIR COMPRESSOR ASSY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 0699280 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 6726 | 18-79-0521 | RING, Low Pressure | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-523905500 | | |
| 6727 | 18-79-0522 | SCREW, Machine, Countersunk, Hexsol h, gr 10.9, stl, zn pld, yel or cir, M4-1-6g x 25 mm lg | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-524300025 | | |
| 6728 | 18-79-0523 | SCREEN, Fan | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-524920010 | | |
| 6729 | 18-79-0524 | GASKET, HP VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-525040100 | | |
| 6730 | 18-79-0525 | GUARD, Coupling, U/O 2CL-B1 AIR COMPRESSOR ASSY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-525070020 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 6731 | 18-79-0526 | SCREW, Cap, hexhd, gr 8.8, brz pld, M10-1.5-6h x 20 mm lg | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-525280020 | | | | | | | |
| 6732 | 18-79-0527 | HOSE, Motor, INLET AIR, U/O 2CL-B1 AIR COMPRESSOR ASSY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-532580325 | | | | | | | |
| 6733 | 18-79-0528 | HEAD, Cylinder, High Pressure | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-540503160 | | | | | | | |
| 6734 | 18-79-0529 | SCREW, Cap, hexsoch, gr 12.9, stl, blk, M10-1.50 x 30 mm lg | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-543050030 | | | | | | | |
| 6735 | 18-79-0530 | SCREW, Cap, hexsoch, gr 12.9, stl, zn pld, yel or clr, M10 x 1.5 x 35 mm lg | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-543050035 | | | | | | | |
| 6736 | 18-79-0531 | SCREW, Cap, hexsoch, gr 12.9, stl, zn pld, yel or clr, M10 x 1.5 x 80 mm lg | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-543050080 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 6737 | 18-79-0532 | WASHER, Snubber, U/O 2CL-B1 AIR COMPRESSOR ASSY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-564680001 | | | | | | | |
| 6738 | 18-79-0533 | TUBE, AIR 3/4" | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-569020001 | | | | | | | |
| 6739 | 18-79-0534 | MOTOR ASSEMBLY with Fly Wheel | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-57291 | | | | | | | |
| 6740 | 18-79-0535 | ACTIVATION VALVE, R1 DRAIN, U/O 2CL-B1 AIR COMPRESSOR ASSY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-58802 | | | | | | | |
| 6741 | 18-79-0536 | TUBE-AIR 3/4",A/C TO SOL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-610840001 | | | | | | | |
| 6742 | 18-79-0537 | TUBE-AIR 3/4",I/C BYPASS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 1-610840002 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6743 | 18-79-0538 | PIPE-NIPPLE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-611030001 | | | | |
| 6744 | 18-79-0539 | UNLOADER VALVE, U/O 2CL-B1 AIR COMPRESSOR ASSY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 1-612970001 | | | | |
| 6745 | 18-80-1750 | WASHER, FLAT FOR WABCO TYPE M-2 BRAKE VALVE 31/32 15/16" I.D .X 1-1/2" ODX5/32" THK LEATHER KEY WASHER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1998 | | | | |
| 6746 | 18-80-1970 | WASHER, COMMUTATOR NUT, SPECIAL FOR COMPRESSOR UNIT A2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 6041 | | | | |
| 6747 | 18-80-1995 | WASHER, DOUBLE, FOR A-2-A COMPRESSOR MOTOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 6103 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6748 | 18-80-2250 | WASHER, SPECIAL U/W WAB COMPRESSOR, D-3-F MOTOR, CUSHION | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 7482 | | |
| 6749 | 18-80-2375 | WASHER, U/W WABCO COMPRESSOR UNIT TYPE A-1 LOCK STEEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 9469 | | |
| 6750 | 18-80-2480 | SWITCH PARTS, A-6 ELEC. PNEU. COMPRESSOR WASHER, FILLING PIECE PISTON | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 18527 | | |
| 6751 | 18-80-2503 | WASHER, CAMSHAFT, FOR ME-42A BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 27735 | | |
| 6752 | 18-80-2650 | WASHER, SPECIAL USED WITH WAB AIR BRAKE, EMPTY AND LOAD BRAKE REGULAR VALVE, BRASS, CONE SHAPE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 33743 | | |
| 6753 | 18-80-2700 | WASHER, SPECIAL, U/W WAB CONTACT U/W UE5 UNIVERSAL VALVE, BRASS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 38855 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6754 | 18-80-2800 | WASHER, SPECIAL, FOR W.A.B. GOVENOR, TYPE S-6-A, STEEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 52003 | | |
| 6755 | 18-80-3175 | WASHER, DOUBLE LOCK, FOR D3F COMP. RELIANCE ELEC. CO. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 68477 | | |
| 6756 | 18-80-3250 | WASHER, FINGER FOR 516 GOVERNOR, R17- THRU R-21 CARS. NYCTA SPEC. 1188-C-83-007 & 1196-C-83, NYCTA DWG.#252-1370, LATEST ISSUE, PRO- CURE PER NYCTA SPEC. 1197-C-83 & 1198-C-83. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 72917 | | |
| 6757 | 18-80-5050 | WASHER, SPECIAL U/W WABCO BRAKE CYLINDER (6"X6" UAHT) LOCK F/PUSH ROD HOLDER | EA | 110 | 48 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 500163 | | |
| 6758 | 18-80-5180 | WASHER, PISTON ROD, FOR A-6 COMP. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501256 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 6759 | 18-80-5400 | WASHER, ARMATURE CORE, FOR FA-4 MAGNET BODY ASSY ON A-1 OPERATING UNIT #551287, R10-22 CARS | EA | | 225 | | 139 | | 90 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 574402 | | | | | | | |
| 6760 | 18-80-5690 | WASHER, .868" O.D., U/W TYPE D-1-A AUTOMATIC DRAIN VALVES, R26 TO 36 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 551137 | | | | | | | |
| 6761 | 18-80-5700 | WASHER, LOCK FOR A1 AIR COMPRESSOR UNIT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 537384 | | | | | | | |
| 6762 | 18-80-5802 | WASHER, CARBON HOLDER, INSULATING FOR COMPRESSOR TYPE A2-A2A, 600 V. MOTOR -RELIANCE ELEC. CO.- | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 548087 | | | | | | | |
| 6763 | 18-80-9001 | KIT, RUBBER, CONSISTING OF THE FOLLOWINGCOMPONENTS: (2) CYLINDER GASKET, (1) PACKING CUP, (1) HOLLOW ROD GUIDE GASKET, (2) 4-3/8" O.D. "O" RINGS, 1 "HOLLOW ROD PACKING SEAL, (1) PUSH ROD SEAL (1) ANTI RATTLER RING, (1) PUSH ROD END SEAL, U/O7-1/2" WABCO PAC BRAKE UNIT ASSEMBLY. | KT | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 584205 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6764 | 18-81-2200 | WHEEL, FOR W.A.B. CO. TYPE D-3-F AIR COMPRESSOR, OIL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 68192 | | |
| 6765 | 18-81-4100 | WICK FOR EMERG. VALVE PORTION OF TYPE A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 518089 | | |
| 6766 | 18-81-4300 | WICK FOR RELAY VALVE PORTION USED WITH A-1 OPERATING UNIT OIL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 97516 | | |
| 6767 | 18-82-0100 | WIRE, LOCK USED WITH W.A.B. TYPE -J RELAY VALVE F/R-26 CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 559388 | | |
| 6768 | 18-88-0000 | LON 1 MODULE, FOR AIR BRAKE SYSTEM, FOR R142A CONVERTED AND R 188 NEW CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-546451003 | | |
| 6769 | 18-88-0001 | MODULE-LON2, ELECTRONIC UNIT, PART OF BRAKE CONTROL UNIT | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-546451002 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 6770 | 18-88-0002 | MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-54990 |
| 6771 | 18-88-0003 | PRINTED CIRCUIT BOARD-LON WORKS, STUFFED | EA | 00 | 04 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-550111000 |
| 6772 | 18-88-0004 | D-1-A TRIP COCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-55128 |
| 6773 | 18-88-0005 | BRAKE PIPE VENT VALVE, NEW CAR | EA | 02 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-55132 |
| 6774 | 18-88-0006 | HORN, KJ PNEUMATIC | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-55174 |
| 6775 | 18-88-0008 | CUTOUT COCK | EA | 02 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | 1-55260 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|------------------------------|------------|------------------------------|---------|---------|
| 6776 | 18-88-0009 | BRAKE CONTROL UNIT-A CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55389 | | |
| | N | P | WABCO | 1455389 (FOR REFERENCE ONLY) | | |
| 6777 | 18-88-0010 | PNEUMATIC OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55390 | | |
| | N | P | WABCO | 1455390 (FOR REFERENCE ONLY) | | |
| 6778 | 18-88-0011 | BRAKE CONTROL UNIT (B/C-CAR) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55391 | | |
| | N | P | WABCO | 1455391 (FOR REFERENCE ONLY) | | |
| 6779 | 18-88-0012 | XB1 VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55398 | | |
| 6780 | 18-88-0013 | DRUM SWITCH | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-554193001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|------------------------------|---------|---------|
| 6781 | 18-88-0014 | FRICITION BRAKE ELECTRONIC UNIT (A-CAR) | EA | 02 | 03 | 02 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55429 | | |
| | N | P | WABCO | 1455429 (FOR REFERENCE ONLY) | | |
| 6782 | 18-88-0015 | FRICITION BRAKE ELECTRONIC UNIT (B/C-CAR) | EA | 10 | 01- | 01 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55430 | | |
| | N | P | WABCO | 1455430 (FOR REFERENCE ONLY) | | |
| 6783 | 18-88-0016 | TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-M0008 | | |
| 6784 | 18-88-0017 | TREAD BRAKE UNIT W/SPRING PARKING BRAKE | EA | 01 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-M0009 | | |
| 6785 | 18-88-0018 | AIR VOLTAGE MANIFOLD UNIT | EA | 00 | 01- | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 28698P | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6786 | 18-88-0023 | CAPSCREW, RD SOCH, STL, ZN PLD, YEL, 1/4-20 UNC X 0.5 IN LG, BCU | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0699279 | | | | |
| 6787 | 18-88-0024 | FRICITION BRAKE ELECTRONIC UNIT M136BW, (BRAKE CONTROL UNIT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-554291000 | | | | |
| 6788 | 18-88-0025 | PIN, COTTER, 1.125 IN. LG (BRAKE CONTROL UNIT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-53221 | | | | |
| 6789 | 18-88-0026 | AUXILIARY PNEUMATIC UNIT, (BRAKE CONTROL UNIT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55986 | | | | |
| 6790 | 18-88-0027 | AUXILIARY OPERATING UNIT, (BRAKE CONTROL UNIT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55987 | | | | |
| 6791 | 18-88-0028 | HARNESS, WIRING, BCU, (BRAKE CONTROL UNIT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55990 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6792 | 18-88-0030 | STUD, STL, GR 5, ZN PLD, YEL OR CLR, (AUXILIARY PNEUMATIC UNIT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06993320162 | | | | |
| 6793 | 18-88-0031 | DECAL, PTE CONNECTOR, (AUXILIARY PNEUMATIC UNIT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0696173 | | | | |
| 6794 | 18-88-0032 | SWITCH ASSEMBLY, 12 PSIG BRAKE CYLINDER (BCPS) PRESSURE, (AUXILIARY PNEUMATIC UNIT) | EA | 05 | 04 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-54076 | | | | |
| 6795 | 18-88-0033 | PIN, SPRING, 7/32 X 0.5 LG, (AUXILIARY PNEUMATIC UNIT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55397 | | | | |
| 6796 | 18-88-0034 | VARISTOR, METAL OXIDE, (AUXILIARY PNEUMATIC UNIT) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-50124 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6797 | 18-88-0035 | SWITCH ASSEMBLY, 3 PSIG PRESSURE, (AUXILIARY PNEUMATIC UNIT) | EA | 01 | 03 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-54660 | | |
| 6798 | 18-88-0036 | SWITCH ASSEMBLY, 97 PSIG PRESSURE, (AUXILIARY OPERATING UNIT) | EA | 02 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55255 | | |
| 6799 | 18-88-0037 | AUXILIARY OPERATING UNIT, B AND C CAR, (AUXILIARY OPERATING UNIT) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55988 | | |
| 6800 | 18-88-0038 | HARNESS, WIRING, (BCU WIRING HARNESS) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55989 | | |
| 6801 | 18-88-0039 | INLET, VALVE WEAR TIP, (VALVE ASSEMBLY, 3 WAY PILOT) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0538108 | | |
| 6802 | 18-88-0040 | BODY, BPVV, PLUGGED (BRAKE PIPE VENT VALVE) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55169 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6803 | 18-88-0041 | RING, RETAINING, INTERNAL, NA2, 200 (BRAKE PIPE VENT VALVE) | EA | 70 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06709562000 | | | | |
| 6804 | 18-88-0042 | CAP, BPVV (BRAKE PIPE VENT VALVE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55171 | | | | |
| 6805 | 18-88-0043 | O-RING, 1.739 ID X 0.07 THK (BRAKE PIPE VENT VALVE) | EA | 70 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0593569 | | | | |
| 6806 | 18-88-0044 | PISTON, BPVV (BRAKE PIPE VENT VALVE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55170 | | | | |
| 6807 | 18-88-0045 | SEAT, BPVV SPRING (BRAKE PIPE VENT VALVE) | EA | 70 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55172 | | | | |
| 6808 | 18-88-0046 | PLUG, FLUSH SEATING PRESS (BRAKE PIPE VENT VALVE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06721700500 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6809 | 18-88-0047 | BUSHING, BPVV (BRAKE PIPE VENT VALVE) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55173 | | |
| 6810 | 18-88-0048 | BODY, BPVV (BRAKE PIPE VENT VALVE) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55167 | | |
| 6811 | 18-88-0049 | GASKET, RING, 3.5 IN.NOM OD (BRAKE PIPE VENT VALVE) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0532699 | | |
| 6812 | 18-88-0051 | BODY, VARIABLE LOAD VALVE (BRAKE PIPE VENT VALVE) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55401 | | |
| 6813 | 18-88-0052 | HANDLE, DRILLED, 3/64 (VALVE, BALL VENTED) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-52053 | | |
| 6814 | 18-88-0053 | STEM, BALL VALVE (VALVE, BALL VENTED) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-55263 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6815 | 18-88-0054 | CAP, BALL VALVE (VALVE, BALL VENTED) | EA | 04 | 08 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55262 | | | | |
| 6816 | 18-88-0056 | BODY, BALL VALVE (VALVE, BALL VENTED) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-55261 | | | | |
| 6817 | 18-88-0057 | HOUSING, 6 PIN CONNECTOR (SWITCH ASSEMBLY, 3 PSIG PRESSURE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0695538 | | | | |
| 6818 | 18-88-0059 | PRESSURE SWITCH, 97 PSIG (SWITCH ASSEMBLY, 97 PSIG PRESSURE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-52047 | | | | |
| 6819 | 18-88-0063 | DIODE (SWITCH ASSEMBLY, 3 PSIG PRESSURE) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-54649 | | | | |
| 6820 | 18-88-0074 | BOARD, COM2, STUFFED, COMMON (COM2 BOARD) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-555261000 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6821 | 18-88-0075 | BOARD ASSEMBLY, BDI1 (BATTERY TO R143, R188. | EA | 00 | 00 | 00 |
| | | DIGITAL INPUT # 1). USED ON R142A, | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06942140001 | | | | |
| 6822 | 18-88-0076 | BOARD ASSEMBLY, BDI2 (BATTERY TO R143, R188. | EA | 00 | 00 | 00 |
| | | DIGITAL INPUT # 2). USED ON R142A, | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06942140002 | | | | |
| 6823 | 18-88-0077 | BOARD ASSEMBLY, BDI3 (BATTERY TO R143, R188. | EA | 00 | 00 | 00 |
| | | DIGITAL INPUT # 3). USED ON R142A, | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06942140003 | | | | |
| 6824 | 18-88-0078 | BOARD ASSEMBLY, SSI1, SPEED INPUT | EA | 00 | 00 | 00 |
| | | (MODULE, ISOLATED SPEED INPUT) | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06942160001 | | | | |
| 6825 | 18-88-0079 | BOARD ASSEMBLY, SSI1, SPEED INPUT | EA | 00 | 00 | 00 |
| | | (MODULE, SS12) | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06942160002 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 6826 | 18-88-0084 | BOARD, FET3, STUFFED (MODULE, FET3) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-534860001 | | |
| 6827 | 18-88-0086 | BOARD, FET2, STUFFED (MODULE, FET3) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-534860004 | | |
| 6828 | 18-88-0087 | BOARD ASSEMBLY, ANO1, ANALOG OUTPUT (MODULE, ANALOG INPUT) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942190001 | | |
| 6829 | 18-88-0088 | BOARD ASSEMBLY, ANI1 ANALOG INPUT (MODULE, INPUT FILTER) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942200001 | | |
| 6830 | 18-88-0089 | BOARD ASSEMBLY, INF1 INPUT FILTER (MODULE, INPUT FILTER) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942220001 | | |
| 6831 | 18-88-0090 | BOARD ASSEMBLY, SS12 SPEED INPUT (MODULE, SS12) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942170001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6832 | 18-88-0095 | BOARD, LON3, STUFFED (MODULE, LON2) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-546450002 | | |
| 6833 | 18-88-0096 | PNEUMATIC OPERATING UNIT, CONVERTED CARS (PNEUMATIC OPERATING UNIT) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1455390 | | |
| 6834 | 18-88-0097 | HARNESS, WIRING, COMMON (WIRING HARNESS, PNEUMATIC OPERATING UNIT) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-53981 | | |
| 6835 | 18-88-0098 | SWITCH, NO.8 (WIRING HARNESS, PNEUMATIC OPERATING UNIT) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0Y80329 | | |
| 6836 | 18-88-0101 | BOARD, PEHU, BUZZER (EMERGENCY HANDLE UNIT, PASSENGER) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06989101000 | | |
| 6837 | 18-88-0102 | HARNESS, PEHU, BUZZER (EMERGENCY HANDLE UNIT, PASSENGER) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06993823001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6838 | 18-88-0106 | LATCH ASSEMBLY, DOOR (EMERGENCY HANDLE UNIT, PASSENGER) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06947363001 | | |
| 6839 | 18-88-0115 | RING, CUSHION (HORN ASSEMBLY, KJ) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-551745004 | | |
| 6840 | 18-88-1069 | VALVE, HIGH PRESSURE INLET AND DISCHARGE STAINLESS STEEL, FOR D4S AND D4AS AIR COMPRESSOR | EA | 825 | 609 | 126 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0569781SS00 | | |
| 6841 | 18-88-1070 | VALVE, LOW PRESSURE INLET AND DISCHARGE STAINLESS STEEL, FOR D4S AND D4AS AIR COMPRESSOR | EA | 673 | 451 | 163 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | Y | P | WABCO | 0569784SS00 | | |
| 6842 | 18-88-1072 | SWITCH ASSEMBLY, 97 PSIG PARKING BRAKE PRESSURE SWITCH (PBPS), CONVERTED CAR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06947380001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-----|-----|-----|-----|---------------|
| 6843 | 18-88-1076 | BODY, BPVV, BRAKE PIPE VENT VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 1-55168 |
| ----- | | | | | | | | | |
| 6844 | 18-88-1080 | CAPSCREW, HEX WASHER HD, SLOT, VENTED BALL VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0306145 |
| ----- | | | | | | | | | |
| 6845 | 18-88-1081 | PIN, 1/8 X 1/2 CYLINDER SPRING, ON VENTED BALL VALVE | EA | | 50 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 0562180 |
| ----- | | | | | | | | | |
| 6846 | 18-88-1082 | RETAINING RING, INTERNAL, STL, ZN PLD, YEL OR CLR, 1.5 IN. NOM ID X 1.319 IN. VALVE ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | NOM OD X 0.5 IN THK, ON C-2-W RELAY | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 06709561500 |
| ----- | | | | | | | | | |
| 6847 | 18-88-1084 | RETAINING RING, INTERNAL, STL, ZN PLD, YEL OR CLR, 1.625 IN. NOM ID X 1.319 IN. VALVE ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | IN.NOM OD X 0.5 IN.THK, C-2-W RELAY | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 06709561625 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|---|-----|-----|-----|-----|-----|-----|-------------|
| 6848 | 18-88-1085 | CONNECTOR, PEHU | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | 0694292 |
| ----- | | | | | | | | | |
| 6849 | 18-88-1086 | GASKET, PEHU, FOR CABINET | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | 1-563414001 |
| ----- | | | | | | | | | |
| 6850 | 18-88-1087 | COVER, TRIP COCK, W/SENSOR, ASSEMBLY, PART OF D-1-A TRIP COCK VALVE ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | 1-55131 |
| ----- | | | | | | | | | |
| 6851 | 18-88-1088 | VALVE, PILOT, W/SENSOR, INCLUDES STEM, SEAL AND STEM EXTENSION, ON VALVE ASSEMBLY, PART OF D-1-A TRIP COCK VALVE ASSEMBLY | EA | | 03 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | 1-51728 |
| ----- | | | | | | | | | |
| 6852 | 18-88-1089 | STEM, PILOT VALVE EXTENSION, VALVE ASSEMBLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ---- ---- ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | 1-51677 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|--------------------|----------------|-----|-----|-----|-----|-----|
| 6859 | 18-88-1150 | KIT, OVERHAUL FOR R188 TREAD BRAKE UNIT, PARKING BRAKE | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABTEC CORPORATION | 1-M00090001 | | | | | |
| | N | P | WABTEC PASSENGER | 1-M00090001 | | | | | |
| 6860 | 18-88-1151 | KIT, OVERHAUL, FOR R188 TREAD BRAKE UNIT, SERVICE BRAKE | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABTEC PASSENGER | MZTKIT230401WR | | | | | |
| 6861 | 18-88-1153 | KIT, OVERHAUL FOR D-4-AS AIR COMPRESSOR WITH SPIN-ON DRYER ACCESSORY | KT | | 193 | | 288 | | 74 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABTEC PASSENGER | 06923560023 | | | | | |
| 6862 | 18-88-1154 | KIT, OVERHAUL FOR D-4-AS AIR COMPRESSOR WITH SPIN-ON DRYER HANGER ASSEMBLY | KT | | 169 | | 299 | | 106 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABTEC PASSENGER | 06923560024 | | | | | |
| 6863 | 18-88-1200 | KIT, R188 TBU SERVICE BRAKE | EA | | 246 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABTEC PASSENGER | 1-M00090002 | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|--------------------|---------------|-----|-----|-----|-----|-----|
| 6864 | 18-88-1201 | KIT, R188 TBU SPRING PARKING BRAKE | EA | | 75 | | 43 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABTEC PASSENGER | 1-M00090003 | | | | | |
| 6865 | 18-88-1240 | KIT, OVERHAUL, MASTER CONTROLLER FOR R188 | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABTEC CORPORATION | 1-549900001 | | | | | |
| 6866 | 18-88-1257 | WORKING SPINDLE, COMPLETE ASSEMBLY, PRE-DRILLED TO ACCOMMODATE PIN (P/N 590452) AND GUIDE (P/N K-230.122), USED ON R188 TREAD BRAKE UNIT, PBBCRK, W/ SPRING PARKING BRAKE, NEW CAR | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABTEC PASSENGER | K-230.120 | | | | | |
| 6867 | 18-90-0001 | H-5 RELAY VALVE, COMPLETE, WITH BRACKET & CHOKE, FOR SNOW THROWER | EA | | 00 | | 02 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 0699720 | | | | | |
| 6868 | 18-90-0002 | TREAD BRAKE UNIT, W/ PARKING BRAKE (FOR SNOWTHROWERS) | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 1-55120 | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 6869 | 18-90-0003 | SPRING, PARKING BRAKE U/O SNOW THROWERS TBU | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-532110275 | | | | | | | |
| 6870 | 18-90-0004 | H-5 RELAY AIR VALVE, PORTION, FOR SNOW THROWER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO W529955 | | | | | | | |
| 6871 | 19-38-3235 | WASHER, 3/8 X .170 X .032 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 4-X-2477 | | | | | | | |
| 6872 | 19-42-5970 | PLATE, BLANKING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 80649 | | | | | | | |
| 6873 | 19-42-6062 | TUBING, PARAFLEX | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 000025-4589 | | | | | | | |
| 6874 | 22-15-3890 | DECAL, "ELECTRICAL GROUND". USED ON B-CAR OPERATING UNIT, AIR BRAKE SYSTEM | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0697261 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT


| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------------|------------|---------------|---------|---------|
| 6875 | 22-15-7212 | DECAL, 38 VOLTS DC | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0582544 | | |
| 6876 | 22-15-7213 | DECAL, 38 VOLTS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695135 | | |
| 6877 | 22-15-7215 | DECAL, ELECTRICAL HAZARD | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0670320 | | |
| 6878 | 22-15-7216 | DECAL, FAN | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692501 | | |
| 6879 | 22-15-7217 | DECAL, WIRING DIAGRAM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0692503 | | |
| 6880 | 22-15-7218 | DECAL, CAUTION STATIC SENSITIVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695856 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 6881 | 23-68-0900 | BEARING, SHORT CENTER, FOR TYPE 3 VS 11 COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 10004 | | | | | | | |
| 6882 | 23-68-0950 | BEARING, PINION SHAFT FOR SIZE NB2 AIR COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 163573 | | | | | | | |
| 6883 | 23-68-0960 | BEARING, PINION SHAFT FOR SIZE NB5 AIR COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 163579 | | | | | | | |
| 6884 | 23-68-1200 | BODY, USED WITH WABCO TYPE NB-2,3,4,5 AIR COMPRESSOR STRAINER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 3273 | | | | | | | |
| 6885 | 23-68-1249 | BODY, UNLOADING CYLINDER U/W WAB SIZE NB 2,3, & 4 AIR COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 165808 | | | | | | | |
| 6886 | 23-68-1270 | BODY, U/W WABCO TYPE NB2-3-4-5 AIR COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 175742 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6887 | 23-68-1400 | BOLT, CYLINDER HEAD, F NB 5 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 102296 | | |
| 6888 | 23-68-1425 | ROD, CONNECTING, F NB 5 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 103032 | | |
| 6889 | 23-68-1460 | BEARING, FOR NB 2 3 4 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 108734 | | |
| 6890 | 23-68-1500 | MOTOR SHORT, F Q3 V D COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 118311 | | |
| 6891 | 23-68-1560 | NUT, W, 1 F 4 X 1 SQ HD FOR COMPRESSOR 2V5W | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 149485 | | |
| 6892 | 23-68-1890 | BRACKET, OIL PIPE, FOR COMPRESSOR 2VSW | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 158716 | | |

USER-ID : CHU
FILE-ID : WABP2024
PROG-ID : 

NEW YORK CITY TRANSIT AUTHORITY
COMMODITY MANAGEMENT SYSTEM

PAGE : 1257
DATE : 04/12/2024
VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 6893 | 23-68-2230 | BUSHING, CONNECTING ROD, PISTON END, CRISTENSEN B-B MOTOR | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 102038 | | | | | | | |
| 6894 | 23-68-2300 | BUSHING, WRIST PIN, FOR WABCO COMPRESSOR 2VSW | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 106881 | | | | | | | |
| 6895 | 23-68-2685 | BUSHING, CRANKSHAFT BEARING, GEAR END, 2273 2 HALVES FOR WABCO COMPRESSOR, 2VSW-21 SHEET | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 165594 | | | | | | | |
| 6896 | 23-68-2687 | BUSHING, CRANKSHAFT BEARING CENTER & REAR, FOR WABCO AIR COMPRESSOR 2VSW-21 SHEET 2273 2 HALVES | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 165595 | | | | | | | |
| 6897 | 23-68-2925 | CAGE, AIR COMPRESSOR 2 VSW | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 175928 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6898 | 23-68-3175 | CRANKSHAFT, FOR COMPRESSOR NB 5 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 107018 | | |
| 6899 | 23-68-3220 | VALVE, FOR COMPRESSOR, 3 V D | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 111870 | | |
| 6900 | 23-68-3250 | SPRING, CAP FOR COMPRESSOR 3 VD 1 3 VD 27 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 122715 | | |
| 6901 | 23-68-3330 | CAP, SPRING FOR COMPRESSOR, 3 VD 27 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 127012 | | |
| 6902 | 23-68-3510 | BEARING, FOR COMPRESSOR, NB 2 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 163200 | | |
| 6903 | 23-68-3515 | BEARING, FOR COMPRESSOR, NB 3 4 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 163205 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6904 | 23-68-3520 | BEARING, CAP FOR COMPRESSOR, NB 5 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 163210 | | |
| 6905 | 23-68-3580 | BEARING, CAP FOR COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 165592 | | |
| 6906 | 23-68-3582 | BEARING, CAP FOR COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 165593 | | |
| 6907 | 23-68-3625 | VALVE, CAP FOR COMPRESSOR, 3 VD 1 3 VD 27 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 166070 | | |
| 6908 | 23-68-3700 | BEARING, CAP FOR COMPRESSOR, NB 2 4 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 170816 | | |
| 6909 | 23-68-3800 | BEARING, CAP FOR COMPRESSOR, NB 2 4 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 171144 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|----------------------------------|---------|---------|
| 6910 | 23-68-3900 | CAP, FOR COMPRESSOR, 2 VSW 2VSAW | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 171859 | | |
| 6911 | 23-68-4500 | CLIP, FOR 2 VSW COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 115110 | | |
| 6912 | 23-68-4530 | SHUNT, FOR 3 VD COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 123219 | | |
| 6913 | 23-68-4850 | COLLAR, 2 HALVES, F TYPE 5A UNLOADER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 162242 | | |
| 6914 | 23-68-4875 | COLLAR, U/W WABCO AIR COMPRESSOR TYPE 2-VSW SHAFT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 172995 | | |
| 6915 | 23-68-5100 | COMMUTATOR, USED WITH COMRESSOR TYPE #2VSW | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | **** PART NO. NOT AVAILABLE **** | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 6922 | 23-68-6500 | END, MOTOR FOR COMPRESSOR 3 VS 11 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 10098 | | | | |
| 6923 | 23-68-6575 | CYLINDER, UNLOADING, FOR COMPRESSOR 3 V D | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 111975 | | | | |
| 6924 | 23-68-6675 | COVER, FOR COMRESSOR 2 VSW | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 156707 | | | | |
| 6925 | 23-68-6682 | COVER WITH UNLOADER, FOR COMPRESSOR 344969 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 164765 | | | | |
| 6926 | 23-68-6735 | VALVE ROTARY FOR UNLOADER SA | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 168085 | | | | |
| 6927 | 23-68-7400 | SWITCH, MAIN, F/COMP 3 VD 1 3 VD 27 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 122722 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 6928 | 23-68-7450 | SPRING, FOR COMPRESSOR 3 VD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 129270 | | |
| 6929 | 23-68-7550 | SWITCH, SHORT CIRCUITING FOR COMPRESSOR Q3 VD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 168492 | | |
| 6930 | 23-68-7625 | COVER, UNLOADING H P F/COMP Q3 V D | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 171913 | | |
| 6931 | 23-68-7860 | DIAPHRAGM, F/GOVERNOR R 4 14 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 122353 | | |
| 6932 | 23-68-8100 | DISC, UNLOADING CYLINDER, F Q3 VD COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 168349 | | |
| 6933 | 23-68-8125 | TUBE, CARBON, RESISTANCE, F Q3 VD COMP | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 168710 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------------|
| 6934 | 23-68-8400 | FERRULE FOR INTERCOOLER, USED ON & 752 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 166091 |
| 6935 | 23-68-8704 | GEAR, HERRING BONE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 175109 |
| 6936 | 23-68-8706 | GEAR, HERRING BONE FOR NB 5 COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 175110 |
| 6937 | 23-68-9290 | WRENCH DISCH VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 156516 |
| 6938 | 23-68-9550 | HEAD, CYLINDER, U/W WABCO TYPE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 171415 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6939 | 23-68-9565 | HEAD, CYLINDER, U/W WABCO TYPE NB-2-3-4-5 AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 171448 | | | | |
| 6940 | 23-68-9610 | HEAD, CYLINDER U/W WABCO TYPE NB-2-3-4-5 AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 175249 | | | | |
| 6941 | 23-69-0200 | PINION, KEY, FOR NB COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 111576 | | | | |
| 6942 | 23-69-0225 | GEAR, FOR NB COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 118372 | | | | |
| 6943 | 23-69-0260 | YOKE SLEEVE F/ NB COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 164419 | | | | |
| 6944 | 23-69-0325 | KEY, SPECIAL SUPPORT, UNLOADER FOR TYPE NB COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 169352 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6945 | 23-69-0500 | LEAD, ELECTRICAL SHUNT, CONTROLLER "HP" U/W WABCO AIR COMPRESSOR TYPE 3VD-1 TO 3VD-27 19" LG O/A | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 147827 | | | | |
| 6946 | 23-69-0600 | LEVER, SPECIAL U/W WABCO MOTOR DRIVEN COMPRESSOR, TYPE 3-VD-1 TO 3-VD-27 SERIAL # 700 EQUALIZING, UPPER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 123246 | | | | |
| 6947 | 23-69-0660 | LEVER, FOR W.A.B. CO. S.A. UNLOADER, ROTARY VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 162239 | | | | |
| 6948 | 23-69-0700 | LEVER, U/W WABCO MOTOR DRIVEN AIR COMPRESSOR, TYPE 3VD-1 TO 3VD-27 SERIAL #700 CONTACT W/PIN "HP" CONTROLLER PORTION W/PINS INCLUDES #108 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 163515 | | | | |
| 6949 | 23-69-0740 | LEVER, U/W WABCO MOTOR DRIVEN COMPRESSOR TYPE 3-VD-1 TO 3-VD-27 SERIAL # 700, REF # 124 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 174544 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6950 | 23-69-1245 | NUT, U/W WABCO AIR COMPRESSOR TYPE 2VSW, 124-150 CU/FT. CRANKSHAFT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 103015 | | | | |
| 6951 | 23-69-1250 | NUT, U/W WABCO AIR COMPRESSOR TYPE NB | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 103033 | | | | |
| 6952 | 23-69-1275 | NUT, U/W W.A.B. CO. COMPRESSOR AIR TYPE 3VD-1 TO 3 VD-27 MOTOR DRIVEN, LOCK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 103284 | | | | |
| 6953 | 23-69-1345 | NUT, U/W WAB AIR COMPRESSOR TYPE 2VSW HEX, 5/8" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 108236 | | | | |
| 6954 | 23-69-1350 | NUT, U/W WABCO AIR COMPRESSOR TYPE Q3VD COMPRESSOR SLOTTED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 108418 | | | | |
| 6955 | 23-69-1375 | NUT, U/W WABCO AIR COMPRESSOR SLOTTED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 110755 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6956 | 23-69-1400 | NUT, U/W WABCO AIR COMPRESSOR TYPE Q3-VD MOTOR DRIVEN CAP, VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 111831 | | | | |
| 6957 | 23-69-1430 | NUT, U/W WAB CO. COMPRESSOR AIR TYPE Q3-V-D AND 3-VD-27, SPECIAL HEX | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 122742 | | | | |
| 6958 | 23-69-1485 | NUT, U/W WABCO AIR COMPRESSOR TYPE NB-2-3-4 SLOTTED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 134207 | | | | |
| 6959 | 23-69-1490 | NUT, U/W WABCO AIR COMPRESSOR TYPE Q3-V-D, MOTOR DRIVEN CONNECTING ROD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 134210 | | | | |
| 6960 | 23-69-1570 | NUT, U/W WABCO AIR COMPRESSOR TYPE 5/8" HEAVY SLOTTED 2VSW, 124-150 CU/FT. BEARING CAP STUD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 156629 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 6961 | 23-69-1590 | SUPPORT FOR UNLOADER, FOR COMPRESSOR 2 VSW | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 169343 | | | | | | | |
| 6962 | 23-69-1610 | STUB SHAFT, FOR COMPRESSOR 2 VSW | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 184733 | | | | | | | |
| 6963 | 23-69-1785 | PIN, U/W WABCO AIR COMPRESSOR TYPE 2VSW ROUND, 1/4" DIA. X 1/2" LG. | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 101055 | | | | | | | |
| 6964 | 23-69-1810 | PIN, U/W WABCO AIR COMPRESSOR TYPE 2VSW COTTER, 1/4" X 1-3/4" | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 103017 | | | | | | | |
| 6965 | 23-69-1817 | PIN, U/W WABCO AIR COMPRESSOR TYPE 2VSW FOR CYLINDER BLOCK, 1/2" X 1-1/4" | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 106092 | | | | | | | |
| 6966 | 23-69-1825 | PIN, BRASS, .134 INCH X 3/4 INCH TYPE 3-VD MOTOR NO. 686 COMPRESSOR | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 109845 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6967 | 23-69-1865 | PIN, U/W WABCO AIR COMPRESSOR TYPE 2VSW 124-150 CU/FT. STEEL 5/32" X 3/8" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 120159 | | | | |
| 6968 | 23-69-1880 | PIN, U/W WABCO TYPE 3-VD-27 MOTOR DRIVEN AIR COMPRESSOR SPECIAL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 122765 | | | | |
| 6969 | 23-69-1900 | PIN, U/W WAB CO. Q3-VD MOTOR #751-752 COMPRESSOR, FOR CENTERING CONTACT SUPPORT AND LEVER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 122799 | | | | |
| 6970 | 23-69-1960 | PIN, U/W WABCO TYPE NB-2 AIR COMPRESSOR WRIST, PISTON 2 PER SET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 159341 | | | | |
| 6971 | 23-69-1980 | PIN, U/W WABCO TYPE NB-5 AIR COMPRESSOR WRIST, PISTON 2 PER SET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 159463 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6972 | 23-69-1990 | PIN, U/W WABCO TYPE NB-3-4 AIR COMPRESSOR WRIST, PISTON 2 PER SET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 159487 | | | | |
| 6973 | 23-69-2015 | PIN, U/W WABCO TYPE SA UNLOADER FOR ROTARY VALVE LEVER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 162240 | | | | |
| 6974 | 23-69-2032 | PIN U/W WABCO AIR COMPRESSOR, TYPE 2VSW 124-150 CU/FT WRIST PIN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 162886 | | | | |
| 6975 | 23-69-2060 | PIN, U/W WAB CO. COMPRESSOR, FOR UNLOADER, STEEL 3/16" X 2-5/8" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 169642 | | | | |
| 6976 | 23-69-2400 | PINION, HERRINGBONE STEEL, 14-1/2 DEG PRESSURE ANGLE EXTERNAL TEETH, 45 DEG HELIX ANGLE PLAIN, SOLID 7 D.P. 2" P.D. 14 TEETH 2-3/8" FACE 1-1/8" DIA. BORE W/1/4" KEYWAY W/O HUB SIZE NB-3 AIR COMPRESSOR, REF. 90 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 159479 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD | |
|------|------------|---|---|---------------------|------------------------|---------|----|
| 6977 | 23-69-2425 | PINION, HERRINGBONE STEEL, 14-1/2 DEG PLAIN, SOLID 9 D.P. 2" P.D. 18 TEETH TAPERED BORE W/3/16 KEY W/O HUB PINION | P.A. EXTERNAL TEETH, 45 DEG HELIX ANGLE 1-3/4" FACE 13/16" TO .725" DIA. F/SIZE NB-2 AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL --- | CODE --- | MFG - NAME ----- | MFG - PART-NO ----- | | |
| | | N | P | WABCO | 160863 | | |
| 6978 | 23-69-2550 | PIPE, U/W WABCO 2VSW & 2VSAW AIR | COMPRESSOR OIL SUCTION | EA | 00 | 00 | 00 |
| | | QPL --- | CODE --- | MFG - NAME ----- | MFG - PART-NO ----- | | |
| | | N | P | WABCO | 168758 | | |
| 6979 | 23-69-2700 | PISTON, U/W WABCO TYPE 3VS-11 AIR | COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL --- | CODE --- | MFG - NAME ----- | MFG - PART-NO ----- | | |
| | | N | P | WABCO | 10003 | | |
| 6980 | 23-69-2780 | PISTON, U/W WABCO AIR COMPRESSOR TYPE PORTION MAIN SWITCH | 3VD-1 TO 3VD-27 ("HP" CONTROLLER | EA | 00 | 00 | 00 |
| | | QPL --- | CODE --- | MFG - NAME ----- | MFG - PART-NO ----- | | |
| | | N | P | WABCO | 122726 | | |
| 6981 | 23-69-2850 | PISTON, U/W WABCO AIR COMPRESSOR TYPE | 3-VD UNLOADING CYLINDER W/PIN | EA | 00 | 00 | 00 |
| | | QPL --- | CODE --- | MFG - NAME ----- | MFG - PART-NO ----- | | |
| | | N | P | WABCO | 129514 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|------|------------|-----|---------------|-----|-----|-----|-----|
| 6982 | 23-69-2865 | PISTON, USED WITH WABCO AIR COMPRESSOR TYPE VSW, 124-150 CU/FT FOR RELIEF VALVE | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | | N | P | WABCO | | 160359 | | | | |
| 6983 | 23-69-2875 | PISTON, U/W WABCO AIR COMPRESSOR TYPE 3VD-1 TO 3VD-27 COMPRESSOR W/ROD, W/O RINGS | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | | N | P | WABCO | | 161773 | | | | |
| 6984 | 23-69-2920 | PISTON U/W WABCO AIR COMPRESSOR TYPE NB-2 COMPRESSOR COMPLETE | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | | N | P | WABCO | | 163086 | | | | |
| 6985 | 23-69-2940 | PISTON, USED WITH WABCO AIR COMPRESSOR TYPE NB-3 COMPRESSOR COMPLETE | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | | N | P | WABCO | | 163600 | | | | |
| 6986 | 23-69-2945 | PISTON, U/W WABCO AIR COMPRESSOR TYPE NB-4 COMPRESSOR COMPLETE | | EA | | 00 | | 00 | | 00 |
| | | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | | N | P | WABCO | | 163605 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 6987 | 23-69-2950 | PISTON, U/W WABCO AIR COMPRESSOR TYPE NB-5 COMPRESSOR COMPLETE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 163610 | | | | | | | |
| 6988 | 23-69-3000 | PISTON, U/W WABCO AIR COMPRESSOR TYPE 2-VSW COMPRESSOR W/RINGS COMPLETE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 167998 | | | | | | | |
| 6989 | 23-69-3030 | PISTON, U/W WABCO AIR COMPRESSOR TYPE 3VD-1 TO 3VD-27 ACCUMULATOR, SMALL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 170404 | | | | | | | |
| 6990 | 23-69-3055 | PISTON, U/W WABCO AIR COMPRESSOR TYPE Q-3-VD (L.P. UPPER & LOWER CYLINDER HD.) UNLOADING, CYLINDER COMPLETE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 171915 | | | | | | | |
| 6991 | 23-69-3085 | PISTON, U/W WABCO AIR COMPRESSOR TYPE Q-3-VD HIGH PRESSURE W/PIN COMPLETE W/ADJUSTMENT W/O RINGS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 172140 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 6992 | 23-69-3107 | PISTON, U/W WAB CO. AIR COMPRESSOR, TYPE Q-3-VD, LOW PRESSURE W/ROD & RINGS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 172904 | | | | | | | |
| 6993 | 23-69-3140 | PISTON, U/W WABCO AIR COMPRESSOR TYPES NB-2 & NB-5 COMPRESSOR W/ROD | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 177471 | | | | | | | |
| 6994 | 23-69-3310 | PLATE, GUARD, UPPER CYLINDER HEAD U/W WABCO TYPE 3VD-1 TO 3VD-27 AIR COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 111937 | | | | | | | |
| 6995 | 23-69-3312 | PLATE, GUARD, LOWER CYLINDER HEAD U/W WABCO COMPRESSOR TYPE 3VD | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 111938 | | | | | | | |
| 6996 | 23-69-3340 | PLATE, U/W WABCO AIR COMPRESSOR TYPE 3VD-1 TO 3VD-27 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 122751 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 6997 | 23-69-3670 | PLUG, U/W WABCO TYPE 3VD-1 TO 3VD-27 AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 111993 | | | | |
| 6998 | 23-69-3700 | PLUG, U/W WAB CO. TYPE Q3VD AIR COMPRESSOR, DISCHARGE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 168243 | | | | |
| 6999 | 23-69-3850 | PLUNGER UNLOADING U/W AIR COMPRESSOR TYPE NB2 & 5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 171458 | | | | |
| 7000 | 23-69-3880 | PLUNGER, U/W WABCO TYPE 2VSW AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 176432 | | | | |
| 7001 | 23-69-4230 | RETAINER, U/W WABCO AIR COMPRESSOR TYPES NB-2-3-4-5 SPRING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 175722 | | | | |
| 7002 | 23-69-4240 | RETAINER, U/W WABCO AIR COMPRESSOR TYPES WB2-3-4-5 SPRING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 175741 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 7003 | 23-69-4400 | RING, U/W TYPE NB-2 AIR COMPRESSOR OIL BEARING RING BRASS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 101073 | | | | | | | |
| 7004 | 23-69-4430 | BEARING, OIL, FOR NB 5 COMPRESSOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 102073 | | | | | | | |
| 7005 | 23-69-4460 | RING, U/W TYPE NB5 AIR COMPRESSOR OIL BEARING RING BRASS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 103073 | | | | | | | |
| 7006 | 23-69-4500 | RING U/W WABCO TYPE 3-V-D COMPRESSOR SUPPORT RING BRASS LOWER HEAD ONLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 111960 | | | | | | | |
| 7007 | 23-69-4505 | RING U/W WABCO TYPE 3-V-D COMPRESSOR SUPPORT RING BRASS LOWER HEAD ONLY | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 111965 | | | | | | | |
| 7008 | 23-69-4550 | RING, U/W TYPE NB AIR COMPRESSOR, COLLAR LOCK RING, STEEL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 162749 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 7009 | 23-69-4750 | ROD, CONNECTING U/W WABCO TYPE 3-V5-11 AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 10045 | | |
| 7010 | 23-69-4825 | ROD, CONNECTING U/W WABCO SIZE NB3 AIR COMPRESSOR COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 163992 | | |
| 7011 | 23-69-4827 | ROD, CONNECTING U/W WABCO SIZE NB2 AIR COMPRESSOR COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 163993 | | |
| 7012 | 23-69-4850 | ROD, CONNECTING U/W WABCO SIZE NB5 AIR COMPRESSOR COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 165084 | | |
| 7013 | 23-69-4875 | ROD, CONNECTING U/W WABCO SIZE NB4 AIR COMPRESSOR COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 165930 | | |
| 7014 | 23-69-4900 | ROD, CONNECTING COMPLETE U/W WABCO COMPRESSOR TYPE NB-2-4 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 168059 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7015 | 23-69-5025 | SCREEN U/W WABCO TYPE 3VD AIR COMPRESSOR 6" SUCTION STRAINER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 128107 | | | | |
| 7016 | 23-69-5050 | SCREEN U/W WABCO TYPE AIR COMPRESSOR OUTER REAR COVER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 167616 | | | | |
| 7017 | 23-69-5054 | SCREEN U/W WABCO AIR COMPRESSOR TYPE, 2VSW 124-150 CU/FT. GALV. AIR FILTER INNER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 167617 | | | | |
| 7018 | 23-69-5055 | SCREEN U/W WABCO TYPE AIR COMPRESSOR INNER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 167618 | | | | |
| 7019 | 23-69-5225 | SCREW, U/W WABCO TYPE AIR COMPRESSOR CAP, HEX HD 5/8-11 X 1-1/2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 101395 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 7020 | 23-69-5235 | SCREW, USED WITH WABCO AIR COMPRESSOR TYPE 2VSW MACHINE #10-1/2" RD. HD | GRO | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 106764 | | | | | | | |
| 7021 | 23-69-5242 | SCREW, U/W WABCO AIR COMPRESSOR TYPE 2VSW CAP 5/8" X 4" | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 111010 | | | | | | | |
| 7022 | 23-69-5250 | SCREW, U/W WAB CO. TYPE #VD1 TO 27 AIR COMPRESSOR, SUCTION VALVE, SET | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 111958 | | | | | | | |
| 7023 | 23-69-5280 | SCREW, U/W WABCO TYPE Q-3V-D AIR COMPRESSOR H.P. CONTROLLER PORTION SHOULDER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 126664 | | | | | | | |
| 7024 | 23-69-5350 | CYLINDER HEAD, SCREW, 1F2 13 X 3, FOR COMPRESSOR NB 2 4 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 131068 | | | | | | | |
| 7025 | 23-69-5375 | SCREW, U/W WABCO TYPE 3VD 1 TO 27 AIR COMPRESSOR SET HEAD 6SS 5/16-18 X 3/4 | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---------------------------------------|---|---------|---------|---------|
| | | DOG P T. | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | 148540 |
| 7026 | 23-69-5380 | CAP, SCREW, HEX HEAD, FOR COMPRESSOR | 2 VSW | EA | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | 161675 |
| 7027 | 23-69-5390 | SCREW, U/W WABCO AIR COMPRESSOR TYPE | 2VSW MACHINE 1/4" X 3/4" RD. HD. | EA | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | 164715 |
| 7028 | 23-69-5404 | SCREW, U/W WABCO AIR COMPRESSOR #2VSW | 124 -150 CU/FT. FIL. HD. SLOTTED 3/8" X | EA | 00 | 00 |
| | | 1-5/8" | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | 168973 |
| 7029 | 23-69-5410 | SCREW, U/W WABCO TYPE Q3-V-D AIR | COMPRESS OR PRESSURE PLUG | EA | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | 171291 |
| 7030 | 23-69-5450 | SCREW, U/W WABCO TYPE Q3-VD AIR | COMPRESSO R ADJUSTING CAP HEX. HD. | EA | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| | | 1/2-13 X 1/2 | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 172967 | | | | |
| 7031 | 23-69-5475 | SCREW, U/W WABCO TYPE Q3-VD AIR COMPRESSO R ADJUSTING CAP, HEX. HD. 1/2-13 X 1-1/2 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 173529 | | | | |
| 7032 | 23-69-5500 | SCREW, U/W WABCO TYPE 2VSW & 2VSAW AIR COMPRESSOR SUCTION VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 173995 | | | | |
| 7033 | 23-69-5502 | SCREW, U/W WABCO TYPE 2VSW & 2VSAW AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 173996 | | | | |
| 7034 | 23-69-5550 | SCREW, U/W WABCO TYPE NB2-5 AIR COMPRESSOR DISC VALVE MACHINE FILLISTER HD 1/2-20 X 1-5/32 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 175737 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 7035 | 23-69-5555 | SCREW, U/W WABCO TYPE NB-2-5 AIR COMPRESSOR SUCTION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 175738 | | |
| 7036 | 23-69-5710 | SEAT, SPRING WABCO AIR COMPRESSOR TYPE 3VD & 3VD-1 TO 27 UNLOADING CYLINDER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 162209 | | |
| 7037 | 23-69-5840 | SEAT, VALVE U/W WABCO TYPE 3VD AIR COMPRESSOR SUCTION VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 111869 | | |
| 7038 | 23-69-5915 | SEAT, VALVE U/W WAB CO. TYPE Q3UD AIR COMPRESSOR SUCTION VALVE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 168350 | | |
| 7039 | 23-69-5950 | SEAT, VALVE U/W WABCO TYPE Q3VD AIR COMPRESSOR DISCHARGE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 169440 | | |
| 7040 | 23-69-6075 | SHAFT U/W WABCO AIR COMPRESSOR TYPE 3-V.S.-11 CRANK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 10027 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7041 | 23-69-6105 | SHAFT WABCO TYPE NB-2 COMPRESSOR CRANK W/NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 126600 | | | | |
| 7042 | 23-69-6170 | SHAFT U/W WABCO COMPRESSOR TYPE 2VSW GEAR IDLER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 156710 | | | | |
| 7043 | 23-69-6205 | SHAFT U/W AIR COMPRESSOR TYPE NB-2 PINION W/NUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 162231 | | | | |
| 7044 | 23-69-6450 | SHIM U/W WABCO TYPE 2VSW AIR COMPRESSOR FOR CRANK PIN BUSHING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 168571 | | | | |
| 7045 | 23-69-6452 | SHIM U/W WABCO TYPE 2VSW AIR COMPRESSOR FOR WRIST PIN BUSHING | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 168572 | | | | |
| 7046 | 23-69-6460 | SHIM U/W WABCO TYPE 2-VSW AIR COMPRESSOR FOR BEARING CAP GEAR END | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 168583 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7047 | 23-69-6462 | SHIM USED WITH WABCO TYPE 2-VSW AIR COMPRESSOR FOR CRANKSHAFT BEARING CAP CENTER AND REAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 168584 | | | | |
| 7048 | 23-69-6464 | SHIM U/W WABCO TYPE 2VSW AIR COMPRESSOR FOR BEARING CAP GEAR END | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 168585 | | | | |
| 7049 | 23-69-6466 | SHIM U/W WABCO TYPE 2VSW AIR COMPRESSOR FOR CRANKSHAFT BEARING CAP, CENTER AND REAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 168586 | | | | |
| 7050 | 23-69-6480 | SHIM, U/W WABCO TYPE 2VSW AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 171404 | | | | |
| 7051 | 23-69-6640 | SKIRT U/W WABCO AIR COMPRESSOR TYPE 2VSW 124-150 CU/FT FOR RELIEF VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 160828 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7052 | 23-69-6955 | SPRING, HELICAL, COMPRESSION FOR 1 IN. DISC CHECK VALVE, WABCO., ALSO, SUCTION VALVE, FOR AIR COMPRESSOR, WAB CO. TYPE Q3VD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 106416 | | | | |
| 7053 | 23-69-7000 | SPRING, HELICAL COMPRESSION, UPPER HEAD DISCHARGE VALVE, FOR AIR COMPRESSOR, W.A.B. CO. TYPE 3-V-D. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 110078 | | | | |
| 7054 | 23-69-7025 | SPRING, HELICAL COMPRESSION VALVE UPPER HEAD SUCTION VALVE FIG. 4 FOR MOTOR DRIVEN AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 110242 | | | | |
| 7055 | 23-69-7050 | SPRING, HELICAL COMPRESSION VALVE, LOWER HEAD, SUCTION VALVE FIG. 4 FOR MOTOR DRIVEN AIR COMPRESSOR WABCO TYPE 3VD 3VD 1 TO 27 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 111957 | | | | |
| 7056 | 23-69-7065 | SPRING, HELICAL COMPRESSION PISTON FOR WATER GOVERNOR WABCO TYPE "Q" FOR MOTOR DRIVEN AIR COMPRESSOR WABCO TYPES 3VD 3VD 1 TO 27 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 111979 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7057 | 23-69-7110 | SPRING, HELICAL COMPRESSION, LEVER FOR "HP" CONTROLLER PORTION, FOR MOTOR DRIVEN AIR COMPRESSOR, WABCO TYPE 3VD 3VD1 TO 27 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 122754 | | | | |
| 7058 | 23-69-7180 | SPRING, MAIN SWITCH CYLINDER PISTON FOR HIGH PRESSURE PORTION OF AIR COMPRESSOR, WABCO TYPES 3VD-1 TO 3-VD-27 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 128229 | | | | |
| 7059 | 23-69-7182 | SPRING, BLOWOUT VALVE, FOR AIR COMPRESSOR, WABCO TYPES-3-VD-1 TO 3-VD-27 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 128230 | | | | |
| 7060 | 23-69-7200 | SPRING, FOR STATIONARY CONTACT REF. NO. 110 FOR WEST. AIR BRAKE CO. 3-V-3 NO. 686 MOTOR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 129044 | | | | |
| 7061 | 23-69-7202 | SPRING, HELICAL, COMPRESSION, RESISTANCE INITIAL PRESSURE FOR MOTOR DRIVEN AIR COMPRESSOR W.A.B. CO. TYPE Q3-V-D | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 129045 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7062 | 23-69-7265 | SPRING, HELICAL, COMPRESSION, RESISTANCE PRESSURE FOR MOTOR DRIVEN AIR COMPRESSOR, WABCO TYPES 3VD 3VD1 TO 27 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 149898 | | | | |
| 7063 | 23-69-7285 | SPRING, U/W WABCO AIR COMPRESSOR, TYPE 2 VSW, 124-150 CU/FT, RELIEF VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 160356 | | | | |
| 7064 | 23-69-7300 | SPRING, HELICAL COMPRESSION AIR COMPRESSOR TYPE 2VSW | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 161652 | | | | |
| 7065 | 23-69-7325 | SPRING, HELICAL COMPRESSION SLEEVE, FOR UNLOADER, WABCO TYPE S.A. (REF. #10) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 162203 | | | | |
| 7066 | 23-69-7345 | SPRING, HELICAL EXTENSION, PART FOR GOVERNOR, WABCO TYPE R-4-14 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 162631 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7072 | 23-69-7500 | SPRING, HELICAL COMPRESSION ROTARY VALVE FOR ACCUMULATOR OF MOTOR DRIVEN AIR COMPRESSION, WABCO TYPE 3-VD-1 TO 3-VD-27 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 170153 | | | | |
| 7073 | 23-69-7525 | SPRING, HELICAL COMPRESSION U/W WABCO TYPES NB-2-3-4&5 AIR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 171459 | | | | |
| 7074 | 23-69-7570 | SPRING, HELICAL, COMPRESSION VALVE, FOR AIR COMPRESSOR, WABCO TYPE 3-VD-1 TO 3-VD-27 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 172090 | | | | |
| 7075 | 23-69-7600 | SPRING, HELICAL COMPRESSION, ACCUMULATOR AIR COMPRESSOR, WABCO TYPE Q-3-VD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 174027 | | | | |
| 7076 | 23-69-7775 | STEM, U/W WAB CO. TYPE S.A. UNLOADER, VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 168086 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7077 | 23-69-7800 | STRAINER, USED WITH W.A.B. AIR COMPRESSOR TYPE 2VSW, 3/8", FOR S.A. UNLOADER | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 103272 | | | | |
| 7078 | 23-69-7915 | STUD, U/O WABCO'S AIR COMPRESSOR TYPE 2VSW BEARING CAP STEEL (5/8-11 X 3-1/4" LONG O/2) | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 102874 | | | | |
| 7079 | 23-69-8010 | STUD, U/W WABCO AIR COMPRESSOR, TYPE 2-VSW, 124-150 CU/FT BEARING CAP | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 173799 | | | | |
| 7080 | 23-69-8020 | STUD, U/W WABCO AIR COMPRESSOR LARGE 3/4" X 5" | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 175023 | | | | |
| 7081 | 23-69-8200 | SUPPORT, U/W WABCO TYPE 3-VD-1-TO 27 AIR COMPRESSOR CONTACT H.P. CONTROLLER PORTION W/2 OF #116 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 126716 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7082 | 23-69-8775 | VALVE, COMPRESSOR FOR MOTOR DRIVEN AIR COMPRESSOR, SUCTION VALVE, FOR TYPE 3-VD-1 TO 3-VD-27 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 110208 | | | | |
| 7083 | 23-69-8810 | VALVE, COMPRESSOR FOR WABCO MOTOR DRIVEN COMPRESSOR ACCUMULATOR VALVE, MODEL 3-VD-27 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 122664 | | | | |
| 7084 | 23-69-8875 | VALVE COMPRESSOR, FOR WABCO COMPRESSOR DISCHARGE VALVE FOR #2 VSW COMPR. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 163221 | | | | |
| 7085 | 23-69-8905 | VALVE COMPRESSOR, U/W W.A.B. CO. S-A UNLOADERS, ROTARY V. W/PLUG, REF. 11 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 168083 | | | | |
| 7086 | 23-69-8940 | VALVE, SUCTION, FOR Q3-V-D COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 168351 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|----------------------------------|
| 7087 | 23-69-8975 | VALVE, COMPRESSOR, FOR WABCO MOTOR TYPE 3-VD-1 TO 27 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- N P WABCO | | | | |
| | | | | | | MFG - PART-NO ----- 169612 |
| 7088 | 23-69-9204 | VALVE, COMPRESSOR FOR WABCO AIR FOR MODELS NB2 TO NB5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- N P WABCO | | | | |
| | | | | | | MFG - PART-NO ----- 175721 |
| 7089 | 23-69-9350 | WASHER, U/W W.A.B. ELECTRIC CONTROLLER PHASE SERIAL #20372, DIAPHRAGM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- N P WABCO | | | | |
| | | | | | | MFG - PART-NO ----- 124855 |
| 7090 | 23-69-9380 | WASHER, F/INTER COOLER U/W TYPE Q3VD COMPRESSOR SERIAL NOS. 751 & 752 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- N P WABCO | | | | |
| | | | | | | MFG - PART-NO ----- 166461 |
| 7091 | 23-69-9400 | WASHER, F/SUCTION VALVE USED WITH W.A.B. CO. Q3-VD MOTOR COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- N P WABCO | | | | |
| | | | | | | MFG - PART-NO ----- 168352 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|-------|------------|--|-----|-----|-------|-----|-------|-----|---------------|
| 7092 | 23-69-9420 | WASHER, U/W WABCO AIR COMPR. TYPE 2 VSW 124-150 CU/FT, DISCHARGE VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 174554 |
| ----- | | | | | | | | | |
| 7093 | 23-69-9600 | WEIGHT, U/W UNLOADER TYPE SA FOR AIR COMPRESSOR TYPE NB | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 168501 |
| ----- | | | | | | | | | |
| 7094 | 23-69-9750 | YOKE, U/W WABCO TYPE SA UNLOADER, ROTARY VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 168548 |
| ----- | | | | | | | | | |
| 7095 | 25-15-1900 | KIT, O/H FOR SPRING PARKING BRAKE R142 AND R142A CAR CLASSES | KT | | 691 | | 785 | | 143 |
| | | ASSEMBLY, PURCHASED FROM VENDOR, FOR | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 06927760001 |
| ----- | | | | | | | | | |
| 7096 | 25-15-1905 | KIT, O/H FOR SPRING PARKING BRAKE R143 AND R160 CAR CLASSES | KT | | 1,044 | | 1,342 | | 342 |
| | | ASSEMBLY, PURCHASED FROM VENDOR, FOR | | | | | | | |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABTEC PASSENGER | | | | | | | |
| | | | | | | | | | MFG - PART-NO |
| | | | | | | | | | ----- |
| | | | | | | | | | 06978390001 |
| ----- | | | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD | |
|------|------------|--|---|---------------|---------|---------|----|
| 7097 | 25-18-0001 | KIT, OVERHAUL FOR BFC TBU | KT | 1,798 | 2,154 | 336 | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABTEC PASSENGER | 06927750003 | | | |
| 7098 | 25-18-0002 | KIT, OVERHAUL FOR BFC TBU | EA | 3,330 | 4,070 | 833 | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABTEC PASSENGER | 06934450001 | | | |
| 7099 | 25-18-0011 | KIT, OVERHAUL FOR BRAKE HEAD HANGER | KT | 00 | 00 | 00 | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABCO | 06742410003 | | | |
| 7100 | 25-26-1000 | KIT, SET, BRAKE EQUIPMENT U/O TRUCK, A) ONE (1) SLACK ADJUSTER WABCO # B) ONE (1) BRAKE CYLINDER 6X6 WABCO # | SET | 00 | 00 | 00 | |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | |
| | N | P | WABCO | 674291 | | | |
| 7101 | 25-33-8000 | KIT, SET, MASTER KIT FOR WABCO R33 OF THE FOLLOWING PARTS. TWO(2) VALVE, WABCO #673993. TWO(2) VALVE, WABCO #673997. TWO(2) PORTION, WABCO #6742470001. ONE(1) VALVE ASSEMBLY, WABCO 673995. TWO(2) DOUBLE CHECK VALVE, WABCO #674248. | OPERATING UNIT, CAR SET. KIT CONSISTS 25-18-0080, OVERHAUL KIT FOR MAGNET 25-18-0110, OVERHAUL KIT FOR EMG. 25-18-0130, OVERHAUL KIT FOR WABCO U/O 25-18-0140, OVERHAUL KIT FOR WABCO FEED 25-18-0280, OVERHAUL KIT FOR WABCO EIGHT(8) 25-18-0290, OVERHAUL KIT FOR | SET | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| | | WABCO CHECK ASSEMBLY VALVE, WABCO #674249. FOUR(4) 25-18-0380, OVERHAUL KIT FOR WABCO CHARGING VALVE, WABCO #674251. TWO(2) 25-18-0490, OVERHAUL KIT FOR WABCO LOAD SENSOR, WABCO #674252. TWO(2) 25-18-0570, OVERHAUL KIT FOR WABCO MAGNET VALVE, WABCO #6742530001. TWO(2) 25-18-0870, OVERHAUL KIT FOR WABCO LOAD SENSOR ARM, WABCO #677215. TWO(2) 25-18-0900, OVERHAUL KIT FOR WABCO VARIABLE LOAD VALVE, WABCO #6712430001. TWO(2) 25-18-1520, OVERHAUL KIT FOR WABCO J-14D RELAY VALVE, WABCO #674255 | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO --- --- N P WABCO 690571 | | | | | | | |
| 7102 | 25-36-2000 | KIT, SET, MASTER KIT FOR R36 WABCO #678973. CONSISTS OF THE FOLLOWING OVERHAUL FOR EMERGENCY VALVE, WABCO #673997. TWO(2) 25-18-0130 KIT, OVERHAUL FOR U/O WABCO TYPE PORTION, WABCO #6742470001.TWO(2) 25-18-0520 KIT, OVERHAUL FOR DOUBLE CHECK VALVE, WABCO #678975. TWO(2) 25-18-0530 KIT, OVERHAUL FOR RESET MAGNET VALVE, WABCO #678976. TWO(2) 25-18-0570 KIT, OVERHAUL FOR MAGNET VALVE, WABCO #6742530001. TWO(2) 25-18-0710 KIT, OVERHAUL FOR VARIABLE LOAD VALVE, WABCO #678977. TWO(2) 25-18-0910 KIT, OVERHAUL FOR CHARGING VALVE, WABCO #678982. TWO(2) 25-18-0920 KIT, OVERHAUL FOR APPLICATION VALVE, WABCO #678983. ONE(1) 25-18-0930 KIT, OVERHAUL FOR M3 FEED VALVE, WABCO #678984. TWO(2) 25-18-1520 KIT, OVERHAUL FOR J14D RELAY VALVE, WABCO #674255. | SET | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO --- --- N P WABCO 678973 | | | | | | | |
| 7103 | 25-36-3000 | KIT, SET, MASTER KIT FOR R36 WABCO #678974. CONSISTS OF THE FOLLOWING OVERHAUL EMERGENCY VALVE, WABCO #673997.TWO(2) 25-18-0130 KIT, OVERHAUL FOR U/O WABCO TYPE PORTION, WABCO #6742470001. TWO(2) 25-18-0520 KIT, OVERHAUL FOR DOUBLE CHECK VALVE, WABCO #678975. TWO(2) 25-18-0530 KIT, OVERHAUL FOR RESET MAGNET VALVE, WABCO #678976. TWO(2) 25-18-0570 KIT, OVERHAUL FOR MAGNET VALVE, WABCO #6742530001. TWO(2)25-18-0910 KIT, OVERHAUL FOR CHARGING VALVE, WABCO #678982. TWO(2) 25-18-0920KIT, OVERHAUL FOR APPLICATION VALVE, WABCO #678983. ONE(1) 25-18-0930 KIT, OVERHAUL FOR M3 FEED VALVE, WABCO | SET | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD | |
|------|------------|---|---|---------|---------|---------|----|
| | | #678984. TWO(2) 25-18-1520 KIT, #674255. | | | | | |
| | | OVERHAUL FOR J-14D RELAY VALVE, WABCO | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | |
| | | N P WABCO 678974 | | | | | |
| 7104 | 25-40-1000 | KIT, SET, BRAKE OPERATING UNIT, A) TWO (2) N4E MAGNET VALVE WABCO # 673993 B) TWO (2) FA4 LOCKOUT MAGNET WABCO # 674247 C) ONE (1) D24B FEED VALVE WABCO # 673995 D) TWO (2) DOUBLE CHECK VALVE WABCO # 674248 E) EIGHT (8) CHECK VALVE WABCO # 674249 F) TWO (2) BYPASS VALVE WABCO # 674250 G) TWO (2) CHARGING VALVE WABCO # 674251 H) TWO (2) LOAD SENSOR WABCO # 674252 I) TWO (2) FB2 EMERG MAGNET VALVE WABCO# 674253 J) TWO (2) EMERGENCY VALVE WABCO # 673997 K) TWO (2) VARIABLE LOAD WABCO # 674254 L) TWO (2) J14D RELAY VALVE WABCO # 674255 | CONSISTING OF THE FOLLOWING KITS: SET | 00 | 00 | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | |
| | | N P WABCO 674290 | | | | | |
| 7105 | 25-40-2000 | KIT, SET, MASTER KIT FOR R38 AND R40, THE FOLLOWING KITS: MAGNET VALVE PORTION, WABCO #673993. EMERGENCY VALVE, WABCO #673997. PORTION, WABCO #674247001. ONE(1) VALVE ASSEMBLY, WABCO #673995. DOUBLE CHECK VALVE, WABCO #674248. CHECK VALVE ASSEMBLY, WABCO #674249. FOR CHARGING VALVE, WABCO #674251. LOAD SENSOR, WABCO #674252. TWO(2) VALVE, WABCO #674253001. TWO(2) LOAD VALVE, WABCO #6742540001. TWO(2) RELAY VALVE, WABCO #674255. | WABCO OPERATING UNITS. CONSISTS OF TWO(2) 25-18-0080, OVERHAUL KIT FOR TWO(2) 25-18-0110, OVERHAUL KIT FOR TWO(2) 25-18-0130, OVERHAUL KIT FOR U/O 25-18-0140, OVERHAUL KIT FOR FEED TWO(2) 25-18-0280, OVERHAUL KIT FOR EIGHT(8) 25-18-0290, OVERHAUL KIT FOR FOUR(4) 25-18-0380, OVERHAUL KIT TWO(2) 25-18-0490, OVERHAUL KIT FOR 25-18-0570, OVERHAUL KIT FOR MAGNET 25-18-0840, OVERHAUL KIT FOR VARIABLE 25-18-1520, OVERHAUL KIT FOR J-14D | SET | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | |
| | | N P WABCO 6772420001 | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD | |
|------|------------|---|--|---------|---------|---------|----|
| 7106 | 25-40-4100 | KIT, SET, MASTER KIT FOR R38 AND R40 FOLLOWING OVERHAUL KITS: TWO(2) MAGNET VALVE, WABCO #673993. TWO(2) VALVE, WABCO #673997. TWO(2) LOCKOUT VALVE, WABCO #6742470001. D-24B FEED VALVE, WABCO #673995. TWO(2) CHECK VALVE, WABCO #674248. EIGHT(8) WABCO #674249. FOUR(4) 25-18-0380, #674251. TWO(2) 25-18-0490, OVERHAUL TWO(2) 25-18-0570, OVERHAUL KIT FB-2 TWO(2) 25-18-0870, OVERHAUL KIT FOR 25-18-1340, OVERHAUL KIT VARIABLE LOAD 25-18-1520, OVERHAUL KIT J-14D RELAY | OPERATING UNIT CAR SET. CONSISTS OF THE SET 25-18-0080, OVERHAUL KIT FOR N-4E 25-18-0110, OVERHAUL KIT FOR EMERGENCY 25-18-0130, OVERHAUL KIT FA-4 MAG. ONE(1) 25-18-0140, OVERHAUL KIT FOR 25-18-0280, OVERHAUL KIT 24C DOUBLE 25-18-0290, OVERHAUL KIT CHECK VALVE, OVERHAUL KIT BY-PASS VALVE, WABCO KIT FOR LOAD SENSOR, WABCO #674252. EMG. MAG. VALVE, WABCO #6742530001. LOAD SENSOR, WABCO #677215. TWO(2) VALVE, WABCO #674254. TWO(2) VALVE, WABCO #674255. | SET | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | | |
| | | N P WABCO | 679005 | | | | |
| 7107 | 25-42-0040 | KIT, OVERHAUL, FOR ME43 BRAKE VALVE BODY | KT | 00 | 00 | 00 | |
| | | QPL CODE MFG - NAME | MFG - PART-NO | | | | |
| | | N P WABCO | 677222 | | | | |
| | | N P WABCO | BOM # 18629002 (FOR REF. ONLY) | | | | |
| 7108 | 25-42-4100 | KIT, SET, MASTER KIT FOR R42 OPERATING OVERHAUL KITS: TWO(2) 25-18-0080, WABCO #673993. TWO(2) 25-18-0110, #673997. TWO(2) 25-18-0130, OVERHAUL #674247. ONE(1) 25-18-0140, OVERHAUL #673995. TWO(2) 25-18-0280, OVERHAUL #674248. EIGHT(8) 25-18-0290, OVERHAUL 25-18-0380, OVERHAUL KIT BY-PASS VALVE, OVERHAUL KIT FOR LOAD SENSOR, WABCO KIT FOR LOAD SENSOR, WABCO #677215. VARIABLE LOAD VALVE, WABCO #674254. EMG. MAG. VALVE, WABCO #677217. TWO(2) | UNIT CAR SET. CONSISTS OF THE FOLLOWING SET OVERHAUL KIT FOR N-4E MAGNET VALVE, OVERHAUL KIT FOR EMERGENCY VALVE, WABCO KIT FA-4 MAG. LOCKOUT VALVE, WABCO KIT FOR D-24B FEED VALVE, WABCO KIT 24C DOUBLE CHECK VALVE, WABCO KIT CHECK VALVE, WABCO #674249. FOUR(4) WABCO #674251. TWO(2) 25-18-0490, #674252. TWO(2) 25-18-0870, OVERHAUL TWO(2) 25-18-1340, # OVERHAUL KIT TWO(2) 25-18-1410, OVERHAUL KIT N-3E 25-18-1520, OVERHAUL KIT J-14D RELAY | SET | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|----------------------------------|
| | | VALVE, WABCO #674255. | | | | |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 677244 |
| 7109 | 25-42-6000 | KIT, AIR COMPRESSION ASSEMBLY, F/R42 CARS. * NOTE: USE FOR REFERENCE ONLY. THIS MATERIAL. IT SHOULD NOT BE USED TO PRO-EQUIPMENT STANDARDS FOR DRAWINGS, | KT | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | **** PART NO. NOT AVAILABLE **** |
| | | N P WABCO | | | | 670264 |
| 7110 | 25-42-8000 | KIT, SET, MASTER KIT FOR R42, WABCO OPERATING UNITS. CONSISTS OF THE FOLLOWING KITS: MAGNET VALVE PORTION, WABCO #673993. EMERGENCY VALVE, WABCO #673997. PORTION, WABCO #674247001. ONE (1) VALVE ASSEMBLY, WABCO #673995. DOUBLE CHECK VALVE, WABCO #674248. CHECK VALVE ASSEMBLY, WABCO #674249. FOR CHARGING VALVE, WABCO #674251. LOAD SENSOR, WABCO #674252. TWO (2) LOAD VALVE, WABCO #674254001. TWO (2) MAGNET VALVE, WABCO #677217. TWO (2) RELAY VALVE, WABCO #674255. | SET | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 6772440001 |
| 7111 | 25-42-8944 | KIT BOX, SMS, BRAKE CONTROL UNIT FOR KNORR CARS, FOR MATERIAL DISTRIBUTION USE ONLY | BX | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | --- --- ----- | | | | ----- |
| | | N P WABCO | | | | 670663 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 7112 | 25-42-8945 | KIT, SMS, BRAKE CONTROL UNIT FOR R42 ODD CAR WABCO. FOR DISTRIBUTION USE ONLY BX | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670662 | | |
| 7113 | 25-44-0200 | KIT, REPAIR/OVERHAUL, THREADBRAKE FOR R44 O/H CARS. | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672994 | | |
| 7114 | 25-44-0300 | KIT, HANDBRAKE, FOR R44 THREAD BRAKE UNIT. | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672995 | | |
| 7115 | 25-62-0230 | KIT, OVERHAUL, CRADLE BUILD-UP FOR D-4-S COMPRESSOR (18-44-9600) | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 675133 | | |
| 7116 | 25-62-0240 | KIT, OVERHAUL, FOR AIR COMPRESSOR ASSEMBLY (2CY3MD) (18-44-9622) FOR D-4-S COMPRESSOR | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 675132 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 7117 | 25-62-4000 | KIT, SET, MASTER KIT FOR R62, WABCO THE FOLLOWING KITS: RELAY VALVE, WABCO #677224. ONE(1) VALVE PORTION, WABCO #673993. ONE(1) LOAD VALVE, WABCO #677225. ONE(1) EMERGENCY VALVE, WABCO #673997. PORTION, WABCO #674247001. ONE(1) VALVE ASSEMBLY, WABCO #673995. ONE(1) CHECK VALVE, WABCO #674248. FOUR(4) VALVE ASSEMBLY, WABCO #674249. CHARGING VALVE, WABCO #674251. ONE(1) EMERGENCY VALVE, WABCO #6742530002. LOAD SENSOR, WABCO #674252. | SET | | 00 | | 00 | | 00 |
| | | OPERATING UNITS. CONSISTS OF ONE(1) 25-18-0070, OVERHAUL KIT FOR J-1 25-18-0080, OVERHAUL KIT FOR MAGNET 25-18-0090, OVERHAUL KIT FOR VARIABLE 25-18-0110, OVERHAUL KIT FOR ONE(1) 25-18-0130, OVERHAUL KIT FOR U/O 25-18-0140, OVERHAUL KIT FOR FEED 25-18-0280, OVERHAUL KIT FOR DOUBLE 25-18-0290, OVERHAUL KIT FOR CHECK TWO(2) 25-18-0380, OVERHAUL KIT FOR 25-18-0390, OVERHAUL KIT FOR FB-2 ONE(1) 25-18-0490, OVERHAUL KIT FOR | | | | | | | |

| QPL | CODE | MFG - NAME | MFG - PART-NO |
|-----|------|------------|---------------|
| N | P | WABCO | 6772430001 |

| | | | | | | | | | |
|------|------------|---|----|--|----|--|----|--|----|
| 7118 | 25-62-9002 | KIT, BRAKE VALVE, R62 (18-62-9002). FOR MATERIAL DISTRIBUTION USE ONLY | KT | | 00 | | 00 | | 00 |
| | | | | | | | | | |

| QPL | CODE | MFG - NAME | MFG - PART-NO |
|-----|------|------------|----------------------------------|
| N | P | WABCO | **** PART NO. NOT AVAILABLE **** |

| | | | | | | | | | |
|------|------------|---|-----|--|----|--|----|--|----|
| 7119 | 25-68-4000 | KIT, SET, MASTER KIT FOR R68A WABCO FOLLOWING PARTS. ONE(1) 25-18-0080, WABCO #673993. ONE (1) 25-18-0110, WABCO #673997. ONE(1) 25-18-0130, WABCO #6742470001. ONE(1) 25-18-0140, WABCO #673995. ONE(1) 25-18-0280, VALVE, WABCO #674248. FOUR(4) CHECK ASSEMBLY VALVE, WABCO #674249. WABCO J-1.4-14 VALVE, WABCO OVERHAUL KIT FOR WABCO CHARGING VALVE, OVERHAUL KIT FOR WABCO LOAD SENSOR, OVERHAUL KIT FOR WABCO LOAD SENSOR ARM, OVERHAUL KIT FOR VARIABLE LOAD VALVE, OVERHAUL KIT FOR WABCO N-3-E VALVE, | SET | | 00 | | 00 | | 00 |
| | | OPERATING UNIT. KIT CONSISTS OF THE OVERHAUL KIT FOR WABCO MAGNET VALVE, OVERHAUL KIT FOR WABCO EMG. VALVE, OVERHAUL KIT FOR WABCO U/O PORTION, OVERHAUL KIT FOR WABCO FEED ASSEMBLY, OVERHAUL KIT FOR WABCO DOUBLE CHECK 25-18-0290, OVERHAUL KIT FOR WABCO ONE(1) 25-18-1590, OVERHAUL KIT FOR #5676960002. TWO(2) 25-18-0380, WABCO #674251. ONE(1) 25-18-0490, WABCO #674252. ONE(1) 25-18-0870, WABCO #677215. ONE(1) 25-18-1400, WABCO #6709210001. ONE(1) 25-18-1410, WABCO #677217 | | | | | | | |

| QPL | CODE | MFG - NAME | MFG - PART-NO |
|-----|------|------------|---------------|
| N | P | WABCO | 6707400001 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|--------------------|----------------------------------|---------|---------|
| 7120 | 25-68-8590 | KIT, SMS, BRAKE CONTROL UNIT FOR R68A CARS WABCO. FOR MATERIAL DISTRIBUTION USE ONLY. | BX | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 670740 | | |
| 7121 | 25-68-8800 | KIT, COMPRESSOR, D-4S, R68 (18-68-8800). FOR MATERIAL DISTRIBUTION USE ONLY | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | **** PART NO. NOT AVAILABLE **** | | |
| 7122 | 26-79-0020 | SWITCH, Double Break | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 678467 | | |
| 7123 | 26-79-0123 | 3 PSI PRESSURE SWITCH ASSEMBLY CP WITH DIODE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC CORPORATION | 06961803001 | | |
| 7124 | 27-08-1245 | CAPACITOR, 0.0047 MFD, 600 VDC, + OR -10% | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | J706610 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 7125 | 27-36-1829 | RESISTOR, FIXED, AXIAL WIRE LEADS, 5 OHMS, 3 WATTS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | J723293 | | |
| 7126 | 27-43-6700 | RESISTOR, FIXED, WIREWOUND, 1000 OHMS USED ON WORK EQUIPMENT RIDER CARS IN 600 EA VOLT TAIL LIGHT CIRCUIT | | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 23D6695L12 | | |
| 7127 | 27-69-0013 | TRANSFORMER, DOUGHNUT SHAPED IRON CORE WITH 10 LEADS, MOUNTED ON HIGH VOLTAGE AND INVERTER ASSY LVPS BOARD, PART OF SUBWAY CAR CIRCUITRY. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | TD357 | | |
| 7128 | 27-69-3714 | TRANSFORMER, ENCLOSED IN BLACK CIRCULAR IRON CORE HOUSING, 1-3/8 DIA X 7/8 HIGH HAS 6 LEADS, PART OF BOARD, HIGH VOLTAGEAND INVERTER ASSY L.V.P.S. PART OF SUB- WAY CAR CIRCUITRY. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | T-25613-2 | | |
| 7129 | 30-10-7700 | BLOCK, TERMINAL, STRIP, SINGLE ROW, 20 POSITION, USED ON (R42) MOTHER BOARD, CAR EQUIPMENT. ALL SEMICONDUCTOR DEVICES MUST POSSESS THE MANUFACTURER'S LATEST DATE CODE. ALL MERCHANDISE MUST MEET THE REQUIRED OEM PACKAGING STANDARD | EA | 30 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | T-18661-20 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7130 | 31-28-4500 | INSULATOR, ELECTRICAL, SPOOL TYPE "C" 500,000 CM-CABLE SINGLE INSULATOR, | EA | 00 | 00 | 00 |
| | | MINE FEEDER WIRE, PORCELAIN, FOR USE ON COMPLETE W/ONE 3" SPOOL | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 16717 | | | | |
| 7131 | 33-27-7610 | RECEPTACLE, F/LIMIT SWITCH 5-TERMINAL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO E50RA | | | | |
| 7132 | 33-79-0034 | CLIP, Ring Terminal, no 6 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 532352 | | | | |
| 7133 | 33-79-0035 | RECEPTACLE, 1/4 Turn | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51311AM00 | | | | |
| 7134 | 33-79-0036 | RECEPTACLE, 1/4 Turn | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-57182AM00 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 7135 | 36-01-0912 | COCK, PANEL MOUNT, FOR BROOKVILLE LOCOMOTIVE BL20G DIESEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 584169 | | |
| 7136 | 36-01-1504 | GASKET, LB-8 MAG V PORTION FOR BROOKVILLE LOCOMOTIVE BL20G DIESEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 567666 | | |
| 7137 | 36-01-1510 | GASKET, 3/4 X 7/16 X 13/64 RING FOR BROOKVILLE LOCOMOTIVE BL20G DIESEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 550992 | | |
| 7138 | 36-01-1516 | GASKET, 26-F QUICK REL PORT. LAM PIPE BRKT FOR BROOKVILLE LOCOMOTIVE BL20G DIESEL | EA | 15 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 568032 | | |
| 7139 | 36-01-1522 | GASKET, CO COCK BODY FOR BROOKVILLE LOCOMOTIVE BL20G DIESEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 568033 | | |
| 7140 | 36-01-3100 | MODULE, DOUBLE CHECK VALVE, CP FOR BROOKVILLE LOCOMOTIVE BL20G DIESEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 0592734 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 7141 | 36-01-4402 | PORTION, FILLING PIECE, J-84-B RELAY V. FOR BROOKVILLE LOCOMOTIVE BL20G DIESEL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 564733 | | | | | | | |
| 7142 | 36-01-4404 | PORTION, J-84-B RELAY V, CP FOR BROOKVILLE LOCOMOTIVE BL20G DIESEL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 564719 | | | | | | | |
| 7143 | 36-01-4406 | PORTION, INSHOT V, J-RLY V, 10 PSI BROOKVILLE LOCOMOTIVE BL20G DIESEL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 566420 | | | | | | | |
| 7144 | 36-01-4414 | PORTION, 3/8 TWO WAY CHK V BROOKVILLE LOCOMOTIVE BL20G DIESEL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 05899012-GW | | | | | | | |
| 7145 | 36-01-6000 | SCREEN ASSEMBLY, INERTIA FILTER FOR BROOKVILLE LOCOMOTIVE BL20G DIESEL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABTEC PASSENGER 088468 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|--------------------|---------------|---------|---------|
| 7146 | 36-01-8000 | VALVE, BREAK APPLICATION, P-2-A, FOR BROOKVILLE LOCOMOTIVE BL20G DIESEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC CORPORATION | 561925 | | |
| 7147 | 36-06-5283 | ASSEMBLY, CONTROL VALVE PORTION TYPE 27A R43 & 47 DIESEL LOCO | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561557 | | |
| 7148 | 36-06-5299 | BODY, FOR #564802 VENT VALVE #8 ON LOCOS & FLAT CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 564811 | | |
| 7149 | 36-06-5304 | BODY, U/W CONTROL VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534499 | | |
| 7150 | 36-06-5316 | CAM, REGULATING, FOR TYPE A-9-P LOCOMOTIVE AUTOMATIC BRAKE VALVE, R-52 DIESEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 579924 | | |
| 7151 | 36-06-5366 | CYLINDER, BRAKE WITH PUSH ROD, 6 IN. X 8 IN. LESS FITTINGS, TYPE UAH, USED | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| | | WITH DIESEL LOCO | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 518979-2500 |
| 7152 | 36-06-5367 | CYLINDER, BRAKE, LESS PUSH ROD, 6" X 8", LESS FITTINGS, TYPE UAH, FOR GE LOCOMOTIVES | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 522215-2500 |
| 7153 | 36-06-5369 | DOG, FOR TYPE A-9 AUTO BRAKE VALVE, R43 & 47 DIESEL LOCO | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 561357 |
| 7154 | 36-06-5387 | HOUSING, DIAPHRAGM FOR #564802 VENT VALVE ON LOCOS AND FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 564872 |
| 7155 | 36-06-5393 | HEAD, GASKET, FOR WABCO TYPE UAH 8" X 10" BRAKE CYLINDER ASSY. #511150, FOR DIESEL CARS SPENO #10 & 11 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 99109 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7156 | 36-06-5397 | KIT, REBUILDING FOR TYPE 27A CONTROL VALVE #559920, FOR DIESEL LOCOS #50 TO #59 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562254 | | | | |
| 7157 | 36-06-5399 | KIT, MAINTENANCE, RUBBER, FOR MOVING PARTS, FOR P-2A BRAKE APPLICATION VALVE, R43 & 47 DIESEL LOCO | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562534 | | | | |
| 7158 | 36-06-5405 | LATCH, BRAKE VALVE PORTION, FOR TYPE A-9 AUTOMTIC BRAKE VALVES | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 562376 | | | | |
| 7159 | 36-06-5520 | O RING, 3/4" O.D., USED ON AIR CONTROL VALVE, FOR LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO P0497080016 | | | | |
| 7160 | 36-06-5545 | PLUNGER, CHECK VALVE, FOR DIESEL LOCOS. #50- #59 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 94893 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 7161 | 36-06-5548 | ROLLER, FOR TYPE A-9 AUTO BRAKE VALVE, R43 & 47 DIESEL LOCO | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 559232 | | | | | | | |
| 7162 | 36-06-5550 | VALVE, PORTION REDUCING, COMPLETE FOR DIESEL LOCOS #50-#59 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 529445 | | | | | | | |
| 7163 | 36-06-5552 | RESERVOIR, 10-3/8 X 12-5/8, 800 CU IN F/R77E LOCOMOTIVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 99574 | | | | | | | |
| 7164 | 36-06-5560 | SEAT, EXHAUST VALVE, FOR AIR CONTROL VALVE, R77 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO P55484 | | | | | | | |
| 7165 | 36-06-5565 | SPRING, LATCH, BRAKE VALVE PORTION FOR TYPE A-9 AUTOMATIC BRAKE VALVES | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 562375 | | | | | | | |
| 7166 | 36-06-5566 | SPRING, USED ON VALVE, CONTROL AIR, DIESEL LOCO | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO P55442 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|-----------------|---------|---------|
| 7167 | 36-06-5567 | SPRING, USED ON AIR CONTROL VALVE, FOR LOCOMOTIVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | P54653 | | |
| 7168 | 36-06-5570 | STRAINER, AIR CONTROL VALVE, FOR LOCOMOTIVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | P55382 | | |
| 7169 | 36-06-5574 | SEAL, VALVE, FOR TYPE A-9 AUTO BRAKE VALVE, R43 & 47 DIESEL LOCO | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 561389 | | |
| 7170 | 36-06-5578 | SEAT, EXHAUST VALVE, FOR #8 VENT VALVE W. A. B. CO. #56802, | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 564813 | | |
| 7171 | 36-06-5600 | VALVE, CONTROL, ASSEMBLY, FOR G.E. 45 TON DIESEL LOCOMOTIVES NO. 50-53 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 559920 TYPE 27A | | |
| 7172 | 36-06-5609 | VALVE, INLET AND EXHAUST, FOR CONTROL AIR VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 545536 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7173 | 36-06-5610 | VALVE, RELEASE CONTROL SPOOL, USED IN P-2-A BRAKE APPLICATION VALVE ON DIESEL LOCOMOTIVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561920 | | | | |
| 7174 | 36-06-5614 | VALVE, SAFETY, TYPE E-7-C, WITH ADAPTER "A", 100 P.S.I. FOR GARDNER DENVER TYPE ADO AIR COMPRESSOR, MODELS ADO 9000 THRU ADO 9006, R-43 & 47, 50 TON DIESELS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 547391-0100 | | | | |
| 7175 | 36-06-5616 | VALVE, SAFETY, TYPE E-7-C, WITH ADAPTER "A", 125 P.S.I, FOR GARDENER-DENVER THPE ADO AIR COMPRESSOR, MODEL-S ADO 9000 THRU ADO 9066, R43 & 47 50 TON DIESELS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 547391-0125 | | | | |
| 7176 | 36-06-5640 | VALVE, INDEPENDENT BRAKE ASSEMBLY, WITH HANDLE, FOR GE 45 TON DIESEL LOCOMOTIVES #50-53, REPAIRABLE UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563849 "TYPE" SA-9 | | | | |
| 7177 | 36-06-5650 | VALVE, BRAKE ASSEMBLY WITH HANDLE, FOR G.E. 45 TON DIESEL LOCOMOTIVES NO. 50-53 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563965 A-9 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 7178 | 36-06-5818 | BODY, U/O N-1 REDUCING VALVE PORTION. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 564851 | | |
| 7179 | 36-06-5826 | DOG, CAM, FOR TYPE 5A 9 INDEPENDENT BRAKE VALVE #563965, R-43 & R-47 DIESEL LOCO | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562381 | | |
| 7180 | 36-06-5829 | DIAPHRAGM, FOR WABCO TYPE AB-FRONT PORT #566172 FOR FLAT CARS BRAKE EQUIP. W/ABD CONT. VALVE SERVICE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565048 | | |
| 7181 | 36-06-5831 | RING, GASKET, 2" O.D. FOR WABCO TYPE AB FRONT BRAKE EQUIP. W/ABD CONT. VALVE SERVICE PORT #566172, FOR FLAT CARS | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 533416 | | |
| 7182 | 36-06-5833 | GASKET, FOR TYPE P-2-A APPLICATION PORTION - R43 & R47 DIESEL LOCOS | EA | 10 | 15 | 08 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 562872 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7183 | 36-06-5834 | 2" PIPE SIZE FLANGE FITTING GASKET, FOR WABCO TYPE AB-FRONT BRAKE EQUIP. FOR FLAT CARS | EA | 15 | 00 | 00 |
| | | 3.385" +/- .01 O.D. 2.83" +/- .01 I.D, W/ABD CONT. VALVE SERVICE PORT #566172, | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 95206 | | | | |
| 7184 | 36-06-5842 | KIT, RUBBER COMPLETE, FOR WABCO TYPE P2 & P2A BRAKE APPLICATION VALVE, FOR DISEL LOCOS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 560727 | | | | |
| 7185 | 36-06-5853 | PLUG, CHOKE, 3/8" (#18DR.) FOR WABCO VALVE SERVICE PORT #566172. FOR FLAT | EA | 00 | 00 | 00 |
| | | TYPE AB-FR. BRAKE EQUIP. W/ABD-CONT. CARS. | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 566219 | | | | |
| 7186 | 36-06-5856 | PLUG, CHOKE, 3/8" (3/32 DR.) FOR WABCO VALVE SERVICE PORT #566172, FOR FLAT PACKAGED AND IDENTIFIED WITH MANUFAC- #, DATE OF MANUFACTURE AND NYCTA HAVE BEEN INSPECTED IN ACCORDANCE WITH BEEN CERTIFIED BY THE AAR AGAINST AAR BY VENDOR WITH EACH SHIPMENT THAT COMPLIANCE." | EA | 00 | 00 | 00 |
| | | TYPE AB-FR. BRAKE EQUIP. W/ABD-CONT. CARS NOTE: PARTS MUST BE INDIVIDUALLY TURER'S NAME & PART #, PURCHASE ORDER COMMODITY NO."MATERIAL SUPPLIED MUST A QUALITY ASSURANCE PROGRAM THAT HAS M-1003. CERTIFICATION IS TO BE SUPPLIED MATERIAL HAS BEEN INSPECTED AND IS IN | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 57585 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7187 | 36-06-5861 | PLUG, CHOKE, 3/8" (#55DR) FOR WABCO VALVE SERVICE PORT #566172, FOR FLAT PACKAGED AND IDENTIFIED WITH MANUFAC- #, DATE OF MANUFACTURE AND NYCTA HAVE BEEN INSPECTED IN ACCORDANCE WITH BEEN CERTIFIED BY THE AAR AGAINST AAR BY VENDOR WITH EACH SHIPMENT THAT COMPLIANCE." | EA | 00 | 00 | 00 |
| | | TYPE AB-FR. BRAKE EQUIP. W/ABD-CONT, CARS NOTE: PARTS MUST BE INDIVIDUALLY Turer'S NAME & PART #, PURCHASE ORDER COMMODITY NO."MATERIAL SUPPLIED MUST A QUALITY ASSURANCE PROGRAM THAT HAS M-1003. CERTIFICATION IS TO BE SUPPLIED MATERIAL HAS BEEN INSPECTED AND IS IN | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 538390 | | | | |
| 7188 | 36-06-5868 | RESERVOIR, 4-1/2 X 11-1/8.110 CU IN FOR R77E DIESEL LOCOMOTIVE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 901386 | | | | |
| 7189 | 36-06-5876 | SEAT, SPRING, FOR TYPE "A-9" AUTO BRAKE VALVE, R43 & 47 DIESEL LOCO | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563967 | | | | |
| 7190 | 36-06-5877 | SEAT, EXHAUST VALVE, FOR TYPE SA-9 DIESEL LOCO INDEPENDENT BRAKE VALVE, R43 & 47 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 561354 | | | | |
| 7191 | 36-06-5879 | SPRING, FOR TYPE "A-9" AUTO BRAKE VALVE, R43 & 47 DIESEL LOCO | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563069 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7198 | 36-06-5894 | SPRING, SLIDE VALVE, FOR WABCO TYPE AB-FR. BRAKE EQUIP. W/ABD-CONT. VALVE SERVICE PORT #566172, FOR FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 93946 | | | | |
| 7199 | 36-06-5895 | SPRING, SEAT, FOR WABCO TYPE AB-FRONT BRAKE EQUIP. W/ABD CONT. VALVE SERVICE PORT #566172, FOR FLAT CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563921 | | | | |
| 7200 | 36-06-5896 | VALVE, BACK FLOW CHECK, FOR WABCO TYPE AB-FRONT BRAKE EQUIP. W/ABD CONT. VALVE SERVICE PORT #566172, FOR FLAT CARS | EA | 415 | 387 | 216 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 552203 | | | | |
| 7201 | 36-07-0466 | COCK, CUTOUT, 1" VENTED, U/W AIR EQUIPMENT, R37 R41, R43, R47, R52 DIESEL LOCOS | EA | 01 | 05 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABTEC PASSENGER 0307822 | | | | |
| 7202 | 36-07-6255 | DIAPHRAGM, HORN, F/15" BELL, U/ON R77 DIESEL LOCOS, R77E ELECT. LOCOS | EA | 00 | 03 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 591778 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|--------------------|---------|---------|
| 7203 | 36-07-6256 | DIAPHRAGM, HORN, F/11 - 5/32" BELL, USED ON DIESEL LOCOS, ELECTRIC LOCOS | EA | 00 | 00 | 10 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 591779 | | |
| 7204 | 36-07-6261 | PUSH ROD, 35-7/8" LONG (COMPLETE) (R77E) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 541549 | | |
| | N | S | NYCTA | PALLET SPEC. | | |
| 7205 | 36-07-6262 | ROD, PUSH, U/W DIESEL BRAKE CYLINDER, R77 DIESEL. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 541551 | | |
| 7206 | 37-34-6288 | SCREW, RD. HD. MACH., # 10-32 X 1-1/4LG.PPLT. STEEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 581766 | | |
| 7207 | 37-42-2058 | SALVAGED ASSEMBLY, COUPLER, ELECTRICAL, COMPLETE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693535-3001 REV.J | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 7208 | 37-42-2101 | SALVAGED SWITCH, DRUM | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693437 | | |
| 7209 | 37-42-3376 | SALVAGED CAB INTERFACE UNIT (CIU) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694284 | | |
| 7210 | 37-42-3379 | SALVAGED BFC TREAD BRAKE UNIT, FOR (REPAIRABLE ONLY) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693445 | | |
| 7211 | 37-42-3398 | SALVAGED FRICTION BRAKE ELECTRONIC CONTROL UNIT (A-CAR) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693449 REV.N | | |
| 7212 | 37-42-3406 | SALVAGED FET 1 OUTPUT MODULE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942181001 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|----------------------------|---------|---------|
| 7213 | 37-42-3407 | SALVAGED FET 2 OUTPUT MODULE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06942181002 | | |
| 7214 | 37-42-3414 | SALVAGED LON WORKS MODULE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-546451001 | | |
| 7215 | 37-42-3419 | SALVAGED FRICTION BRAKE ELECTRONIC CONTROL UNIT (B-CAR) | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0694209 REV.N | | |
| 7216 | 37-42-3456 | SALVAGED BRAKE HEAD | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0674302 | | |
| 7217 | 38-12-4920 | BOLT, MACHINE, 7/8-9 X 6 LONG, UNC 2A, HEX HEAD, ZINC PLATED, GRADE 5, USED ON ELECTRIC PORTION. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 17160 (FOR REF. ONLY) | | |
| 7218 | 38-14-5228 | CAPSCREW, FL HD SOCKET, STL, ZN PLD, YEL, NO 4-40 UNC-2A X 3/8 IN LG | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06900730375 (FOR REF ONLY) | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|-----------------------------|---------|---------|
| 7219 | 38-16-3950 | BOLT, 3/8-16 X 1 LONG, HEX HEAD, STEEL ZINC PLATED | EA | 4,490 | 2,130 | 620 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000001-4593 (REF ONLY) | | |
| 7220 | 38-16-8120 | BOLT, 5/16-18 X 1-1/2 LONG HEX HEAD, CONTROL PORTION. | EA | 960 | 652 | 160 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 000001-4581 | | |
| 7221 | 38-16-8910 | BOLT, 1/2-13 X 1 LONG, HEX HEAD, CP STEEL. | EA | 720 | 340 | 93 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 584840 (FOR REFERENCE ONLY) | | |
| 7222 | 38-16-8925 | BOLT, MACHINE, 1/2-13 X 2-3/4 LONG, HEX HEAD, ZINC CHROMATE, GRADE 5. | EA | 8,970 | 7,700 | 600 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 576507 (FOR REFERENCE ONLY) | | |
| 7223 | 38-30-1415 | NUT, S/F 3/8" - 16 NC THD., STEEL, CAD. PLTD., LIGHT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 58877 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7224 | 38-30-4290 | NUT, JAM, 5/8"-18 UNF-2B X 3/8" THICK, STEEL, GRADE 2, U/O GR-90 TREAD BRAKE UNIT. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 521081 (REF ONLY) | | | | |
| 7225 | 38-30-4405 | NUT, HEX, #14-24, SPECIAL THREAD, 5/32" THICK, 7/16" ACROSS FLATS, BRASS, MACHINE SCREW, ONE GROSS PACKAGES | GRO | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 17039 | | | | |
| 7226 | 38-31-0650 | NUT, 5/18-18 SERRATED FLANGE HEX LOCKNUT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0671485 | | | | |
| 7227 | 38-32-0028 | NUT, HEXAGON, 5/8"-11 NC THD., STEEL, HEAVY | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 27009 | | | | |
| 7228 | 38-32-3012 | NUT, HEXAGON, 4-40 NC THD., STEEL, MACHINE SCREW, SEMI-FINISHED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501786 (FOR REF. ONLY) | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|------------------------|
| 7229 | 38-32-4520 | NUT, HEX, SPECIAL, U\W WAB CO. TYPE C-6 SINGLE PRESSURE FEED VALVE, U\W WABCO STUD #35384 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 1012 |
| 7230 | 38-32-5020 | NUT, 1/2-13 NC THD., HEXAGON, STEEL REGULAR, JAM SEMI-FINISHED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 2052 (REF ONLY) |
| 7231 | 38-33-0012 | NUT, HEX, 1/4-20 UNC, 7/16 WIDTH, 5/16 HEIGHT, STEEL, ZINC PLATED, NYLOCK, U/O E-2 OPERATING UNIT | EA | 945 | 390 | 375 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 569378 (FOR REF. ONLY) |
| 7232 | 38-33-3112 | NUT, HEXAGON, 3/8-24 NF THD., STEEL, ZINC PLATED, REGULAR JAM, S/J | EA | 1,760 | 2,069 | 350 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 517054 |
| 7233 | 38-35-2274 | NUT, ELASTIC, 3/8-24 UNF-3B, STL, ZN PLD, YEL OR CLR | EA | 3,140 | 4,240 | 650 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0576131 |
| | | N P WABCO | | | | 576131 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|-----------------------------|---------|---------|
| 7234 | 38-35-2552 | NUT, STOP, STL, ZN PLD, YEL, NO 6-32 UNC-3B | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-51352 (FOR REF ONLY) | | |
| 7235 | 38-35-4762 | NUT, LOCK, 5/8-11 LONG THREAD, STEEL, ZINC PLATED, WITH NYLON COLLAR. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0569170 | | |
| 7236 | 38-35-4931 | STOPNUT, HEX, LIGHT THIN, GRADE A, STEEL, ZINC PLATED YELLOW OR CLEAR, NO. 8-32 UNC-3B | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06788400832 (FOR REF. ONLY) | | |
| 7237 | 38-38-0457 | NUT, 5/16 LONG, STEEL, LIGHT THICK, SLOTTED. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 79069 | | |
| 7238 | 38-38-0463 | NUT, 7/16-20 LONG NF TTHREAD, HEX, NO. 77961. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 77961 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|----------------------------|---------|---------|
| 7239 | 38-38-0466 | NUT, 1/2-20 LONG NF THREAD, STEEL, SLOTTED, LIGHT THICK S/F. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 70692 | | |
| 7240 | 38-38-0475 | NUT, 3/4-16 LONG NF THREAD, STEEL, SLOTTED, LIGHT THICK, S/F | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 79051 (FOR REFERENCE ONLY) | | |
| 7241 | 38-38-2551 | NUT, 3/4-16 LONG NF THREAD, HEX HEAD, STEEL, ZINC PLATED, SLOTTED, HEAVY. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 3-4748 | | |
| 7242 | 38-52-2760 | WASHER, ROUND, 0.125 ID (1/8)", 1/4 OD X 1/32 THICK, BRASS | EA | 420 | 465 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 563281 | | |
| 7243 | 38-52-3265 | WASHER, FLAT, 1/4 ID X 7/16 OD X 1/16 THICK, BRASS, SPIRAL SCREW. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 83787 | | |
| 7244 | 38-52-3425 | WASHER, 17/64 ID, 7//16 OD, 1/32 THICK, FLAT, BRASS, ROUND. | EA | 286 | 70 | 150 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 9040 (FOR REF ONLY) | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7245 | 38-52-4220 | WASHER, 29/64 ID, 1-1/8 OD, 0.091 THICK SPECIAL, FLAT, ROUND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 16351 | | | | |
| 7246 | 38-52-4450 | WASHER, 33/64 ID, 1-3/16 OD, 0.091 THICKBRASS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 10276 | | | | |
| 7247 | 38-52-4820 | WASHER, 41/64 ID, 1-3/16 OD, 1/8 THICK FLAT, BRASS, ROUND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 68700 | | | | |
| 7248 | 38-52-5570 | WASHER, 1-13/32 ID, 2-1/4 OD, 1/32 THICKFLAT, BRASS ROUND, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 502234 | | | | |
| 7249 | 38-52-5680 | WASHER, 1-5/8 ID, 3-3/32 OD, 3/32 THICK FLAT, BRASS, ROUND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501380 | | | | |
| 7250 | 38-52-5720 | WASHER, 1-21/32 ID, 2 OD, 3/16 THICK FLAT, BRASS, ROUND, | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 5760 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7251 | 38-53-6630 | WASHER, PISTON, 1-1/32 ID X 1-3/4 OD FOR TYPE ME-23 BRAKE VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 517992 | | | | |
| 7252 | 38-53-9780 | WASHER, 29/32 ID, 1-1/2 OD, 1/8 THICK FLAT, EVERDUR, ROUND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 501729 | | | | |
| 7253 | 38-55-1900 | WASHER, ADJUSTING ARM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83223 | | | | |
| 7254 | 38-55-4900 | WASHER, 3-1/8 ID, 3-7/8 OD, 3/8 THICK FELT, FLAT, ROUND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 165775 | | | | |
| 7255 | 38-56-0180 | WASHER, 5/32 ID, 1-1/8 OD, 1/8 THICK, FLAT, FIBRE, GREY, ROUND | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 35731 | | | | |
| 7256 | 38-56-1380 | WASHER, FLAT, 1-1/8" ID 1-3/4" OD X 1/8" FIBRE, RED, ROUND. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 93328 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|------------|--------------------|-----|-----|-----|-----|-----|
| 7257 | 38-64-1720 | WASHER, FLAT, ROUND, 7/32 ID X 3/8 OD X 1/16 THICK, STEEL | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 8146 | | | | | |
| 7258 | 38-64-3250 | WASHER, SPACING, SERVICE PORTION, "26-F" CONTROL VALVE, AIR BRAKE SYSTEM, R47 50-TON DIESEL ELECTRIC LOCOMOTIVE | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 5724 FOR REF. ONLY | | | | | |
| 7259 | 38-64-4150 | WASHER, STANDARD, ROUND, 5/16 ID X 3/4 OD X 1/16 THICK, STEEL. IN ONE LB BOXES | LBR | | 18 | | 50 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 11777 (REF. ONLY) | | | | | |
| | N | S | A.S.A. | B27.2 | | | | | |
| 7260 | 38-64-4151 | WASHER, STEEL, STANDARD, 5/16" I.D. X 3/4" O.D. X 1/16" THICK, FOR KITTING PURPOSES ONLY | EA | | 180 | | 420 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 11777 | | | | | |
| 7261 | 38-66-0650 | WASHERS, FLAT, ROUND, 13/32 ID X 3/4 OD X 1/32 THICK, STEEL, FOR R-17 AND 21 CARS SUPPLY UNITS. | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 534733 | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|--------|-----|-------|-----|-------|
| 7262 | 38-66-3150 | SHIM, 1" O.D. X 33/64" I.D. X 1/64" THICK, USED WITH BL-33-E AND BL-52 ELECTRIC PORTIONS | EA | | 10 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 78977 | | | | | | | |
| 7263 | 38-66-4400 | WASHER, SLIDE SUPPORT ROD, FOR H2A AUTO COUPLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 54134 | | | | | | | |
| 7264 | 38-66-5250 | WASHERS, 17/32 ID X 1-1/16 OD X 3/32 THICK, STEEL, SAE, FOR 1/2 BOLTS IN 100 LB. KEGS | EA | | 12,180 | | 7,210 | | 2,060 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | N S A.S.A. | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 27639 REFERENCE ONLY | | | | | | | |
| | | B27.2 | | | | | | | |
| 7265 | 38-66-5251 | WASHER, 17/32 ID X 1-1/16 OD X 3/32 THICK, STEEL, SAE, FOR 1/2" BOLTS, IN 100 LB KEGS, 56 WASHERS PER LB. NOTE: (02) UNDER STOCK# 38-66-5250. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | N S A.S.A. | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 27639 (REFERENCE ONLY) | | | | | | | |
| | | B27.2 | | | | | | | |
| 7266 | 38-68-0400 | WASHER, 21/32" ID 1-5/16" OD X 3/32" THKSTEEL, FLAT, SAE, STANDARD ROUND, FOR 5/8" BOLT A.S.A. B27-2 | EA | | 3,104 | | 4,325 | | 1,220 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 808181 (FOR REF. ONLY) | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|-----------------------------|---------|---------|
| 7267 | 38-68-2975 | WASHER, 13/16" ID 1-3/8" OD X 7/64" THK, STEEL, FLAT, ROUND | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 76727 | | |
| 7268 | 38-72-0232 | WASHER, NYLON, ROUND, 5/8" OD X 3/8" ID X 1/16" THICK. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 672813 (REF ONLY) | | |
| 7269 | 38-72-0285 | WASHER, FLAT, NYLON, NO. 8, 0.171 INCH ID X 0.375 INCH NOMINAL OD X 0.032 INCH THICK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06747570007 (FOR REF. ONLY) | | |
| 7270 | 38-72-1037 | WASHER, FLAT, 1/2 IN NOM ID X 1.0 IN NOM OD X 1/10 IN NOM THK, STL, ZN PLD, YEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0698187 | | |
| 7271 | 38-72-1855 | WASHER, FLAT, 1-11/16" I.D.(1.693" NOMINAL) X 3-5/8" O.D.(3.622" NOMINAL) X 1/16" THICK, STEEL, ZINC PLATED, YELLOW | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1-532110080 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7272 | 38-72-2500 | WASHER, FLAT, STL, ZN PLD, YEL, 0.130 IN THK IN NOM ID X 0.250 IN NOM OD X 0.031 | EA | 00 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 1-51350 (FOR REF ONLY) | | | | |
| 7273 | 38-72-2504 | WASHER, FLAT, STL, ZN PLD, YEL, 0.260 THK IN NOM ID X 0.500 IN NOM OD X 0.022 IN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 1-51351 (FOR REF ONLY) | | | | |
| 7274 | 38-72-6122 | WASHER, FLAT, 0.532" NOM. I.D., X 1.063 NOM. O.D. X 0.095" THICK, STEEL, ZINC PLATED, YELLOW | EA | 21,940 | 23,639 | 1,364 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 0524387 N P WABCO 524387 | | | | |
| 7275 | 38-74-4600 | LOCKWASHER, INTERNAL TOOTH, 0.115 IN THK, STL, ZN PLD, YEL OR CLR NOM ID X 0.270 IN NOM OD X 0.019 IN | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 0553634 | | | | |
| 7276 | 38-75-5210 | LOCKWASHER, 18-8, SST, NO 4 (0.115 IN THK) NOM ID X 0.212 IN NOM OD X 0.019 IN | EA | 6,280 | 8,545 | 800 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 06747710004 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 7277 | 38-75-5212 | LOCKWASHER, SST 18-8, NO 6 | EA | 3,140 | 4,240 | 650 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06747710006 | | |
| 7278 | 38-75-5214 | LOCKWASHER, SST 18-8, NO 8 | EA | 23,270 | 21,184 | 1,892 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06747710008 | | |
| 7279 | 38-78-1271 | LOCKWASHER, WAVE, 4.0 MM NOM ID X 9.0 MM NOM OD, STL, ZN PLD, YEL OR CLR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 3370402.054 | | |
| 7280 | 38-78-5500 | LOCKWASHER, 5/8" I.D.(0.636" NOMINAL) X 1-5/64" O.D.(1.086" NOMINAL) X 0.156" THICK, STEEL, ZINC PLATED, YELLOW | EA | 6,464 | 5,641 | 824 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0514301 | | |
| 7281 | 38-79-0040 | NUT, STOP, U/O R179 TREAD BRAKE UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 0653672 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|------------------|----------------------------|-----|-------|-----|-----|-----|
| 7282 | 38-79-0041 | NUT, STOP, U/O R179 TREAD BRAKE UNIT | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABTEC PASSENGER | 0653918 | | | | | |
| 7283 | 39-01-3225 | NUT, ON HV MACHINE | LBR | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 3 | | | | | |
| 7284 | 39-07-0015 | SCREW, CAP, 1/4-20 X 3/4 LONG NC, HEX HEAD, SLOT DRIVE, STEEL | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 64699 | | | | | |
| 7285 | 39-07-0130 | SCREW, CAP, 5/16-18 X 1/1/4 LONG NC, HEX HEAD, SLOT DRIVE, STEEL, A.S.A. SPEC. B18.6 LATEST ISSUE | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 15683 | | | | | |
| 7286 | 39-07-0230 | SCREW, CAP, 3/8-16 X 1-1/8 LONG NC, HEX HEAD, STEEL | EA | 1,454 | | 2,205 | | | 870 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | | | | |
| | N | P | WABCO | 6733131125 (FOR REF. ONLY) | | | | | |
| 7287 | 39-07-0320 | SCREW, CAP, 7/16-14 X 1-1/4 LONG, NC, HEX HEAD BRIGHT, SLOT DRIVE, STEEL, | EA | | 00 | | 00 | | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| | | U.S.S. COARSE THREAD, ASTM SPEC. A-307, LATEST ISSUE, CLASS 2 FIT, IN STD. PKGS. | | | | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 577485 | | | | | | | |
| 7288 | 39-07-3241 | SCREW, CAP, 3/8-16 X 1-3/8 LONG NC, HEX HEAD, BRIGHT, U.S.S. COARSE THD, ASTM SPEC A-307 LATEST ISSUE, CLASS 2 FIT, IN STANDARD PACKAGES. | EA | 600 | | 140 | | 300 | |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 25410 (FOR REF. ONLY) | | | | | | | |
| 7289 | 39-07-3265 | SCREW, CAP, 3/8-16 X 2-1/2 LONG NC, HEX HEAD, WRENCH DRIVE, STEEL | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 11115 | | | | | | | |
| 7290 | 39-07-3525 | SCREW, CAP, 1/2-13 X 1-3/8 LONG NC, HEX HEAD, STEEL | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 11760 | | | | | | | |
| 7291 | 39-07-3530 | SCREW, CAP, 1/2-13 X 1-1/2 LONG NC, HEX HEAD, STEEL, 50 TO A CARDBOARD BOX | EA | 00 | | 00 | | 00 | |
| | | QPL CODE MFG - NAME MFG - PART-NO ----- N P WABCO 5951 (FOR REF. ONLY) | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7292 | 39-07-3545 | SCREW, CAP, 1/2-13 X 1-7/8 LONG NC, HEX HEAD, WRENCH DRIVE, STEEL, 50 TO A CARDBOARD BOX | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 33341 (FOR REFERENCE ONLY) | | | | |
| 7293 | 39-07-3590 | SCREW, CAP, 1/2-13 X 3-1/2 LONG NC, HEX HEAD, STEEL, 25 TO A CARDBOARD BOX | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 24542 (REFERENCE ONLY) | | | | |
| 7294 | 39-07-3600 | SCREW, CAP, 1/2-13 X 3-7/8 LONG NC, HEX HEAD, WRENCH DRIVE, STEEL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 506303 FOR REF. ONLY | | | | |
| 7295 | 39-07-3835 | SCREW, CAP, 5/8-11 X 1-1/2 LONG NC, HEXAGON DRIVE, STEEL, 25 TO A CARDBOARD BOX | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1759 | | | | |
| 7296 | 39-07-3870 | SCREW, CAP, 5/8-11 X 2-1/2 LONG NC, HEX HEAD, STEEL, 25 TO A CARDBOARD BOX | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 17967 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7297 | 39-07-3985 | SCREW, CAP, 3/4-10 X 1-1/2 LONG NC, HEX HEAD, WRENCH DRIVE, STEEL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 25440 (REF ONLY) | | | | |
| 7298 | 39-07-3995 | SCREW, CAP, 3/4-10 X 2 LONG NC, HEX HEAD, STEEL, 20 TO A CARDBOARD BOX | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 514414 (FOR REF. ONLY) | | | | |
| 7299 | 39-09-1530 | SCREW, CAP, 1/2-13 X 4-1/2 LONG NC, SQUARE HEAD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 5327 | | | | |
| 7300 | 39-10-7000 | SCREW, CAP, 10-24 X 1-3/4 LONG NC, HEX HEAD, SOCKET DRIVE, STEEL, ZINC PLATED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 575752 (REF ONLY) | | | | |
| 7301 | 39-12-0027 | SCREW, CAP, 1/4-20 X 7/8 LONG, HEX HEAD, STEEL, ZINC PLATED, USED ON BL-26-C, ELECTRIC PORTION | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 563134 (REF. ONLY) | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-------|-----|-------|-----|----------------------|
| 7302 | 39-12-0487 | SCREW, CAP, 1/2-13 X 4-3/4 LONG, HEX HEAD, WRENCH DRIVE, STEEL, ZINC PLATED, USED WITH EMERGENCY VALVE PORTION | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | 577516 FOR REF. ONLY |
| 7303 | 39-12-3003 | SCREW, CAP, 1/4-20 X 3/8 LONG, HEX HEAD, PLATED STEEL, USED WITH ME-43 BRAKE VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | 577412 |
| 7304 | 39-12-3253 | SCREW, CAP, 3/8-16 X 3 LONG, HEX HEAD, STEEL, ZINC PLATED | EA | | 2,420 | | 1,640 | | 324 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | 6733133000 |
| 7305 | 39-12-3546 | SCREW, CAP, 1/2-13 X 3-1/4 LONG, HEX HEAD, STEEL, ZINC PLATED | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | 557879 |
| 7306 | 39-12-3547 | SCREW, CAP, 1/2-13 X 3-1/4 LONG, HEX HEAD, STEEL, ZINC PLATED, GRADE 5 CARDBOARD BOX | EA | | 2,345 | | 1,760 | | 456 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | 4110 |
| | | N P WABCO | | | | | | | 584546 (REF. ONLY) |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7307 | 39-12-3548 | SCREW, CAP, 1/2-13 X 3-1/2 LONG, HEX HEAD, STEEL, ZINC PLATED, GRADE 5 | EA | 180 | 50 | 35 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578996 (FOR REF. ONLY) | | | | |
| 7308 | 39-12-3620 | SCREW, CAP, 1/2-13 X 5 LONG, HEX HEAD, STEEL, GRADE 5 | EA | 360 | 100 | 70 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 578293 (REF. ONLY) | | | | |
| 7309 | 39-13-2566 | CAPSCREW, HEX HD, 3/8-16 UNC-2A X 0.500 IN LG, STL, GR 5, ZN PLD, YEL OR CLR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 000001-4589 | | | | |
| 7310 | 39-13-2907 | BOLT, CAP, 1/2-13 X 2-1/4 LONG, HEX HEADSTEEL, CP | EA | 10 | 11 | 07 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 584545 (FOR REF. ONLY) | | | | |
| 7311 | 39-14-0077 | CAPSREW, SOCKET, NO. 1/4-20 UNC-2A X 0.625 INCHES LONG, GRADE 5 STEEL, ZINC PLATED YELLOW OR CLEAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 06710400625 (FOR REF. ONLY) | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7312 | 39-14-5202 | SCREW, HEX-SOCKET HEAD, STL ZN PLD, YEL, #5-40 UNC-3A X 0.25" LG | EA | 04 | 02 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51356 (FOR REF ONLY) | | | | |
| 7313 | 39-14-5204 | CAPSCREW, HEX HD, STL, ZN PLD, YEL, 1/4-20 UNC-3A X 1 1/8 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51355 (FOR REF ONLY) | | | | |
| 7314 | 39-14-5205 | SCREW, HEX SOCKET HEAD, NO. 8-32 UNC X 0.75 INCHES LONG, STEEL, ZINC PLATED YELLOW | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-527060750 (FOR REF. ONLY) | | | | |
| 7315 | 39-14-5206 | CAPSCREW, HEX HD, STL, ZN PLD, YEL, 8-32 UNC-3A X 1 1/8 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51354 (FOR REF ONLY) | | | | |
| 7316 | 39-14-5208 | CAPSCREW, HEX HD, STL, ZN PLD, YEL, 8-32 UNC-3A X 3/8 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 1-51353-FOR REF ONLY | | | | |
| 7317 | 39-14-5211 | CAPSCREW, HEX SOCKET HEAD, STAINLESS STEEL 18-8, NO.8-32 UNC-2A X 1.5 INCHES | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|-----------------------------|
| | | LONG | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 06779951500 (FOR REF. ONLY) |
| 7318 | 39-14-5212 | CAPSCREW, HEX SOCKET, LOW, SST, 8-32 UNC-3A X 3/8 IN LG | EA | 04 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 1-513480375 (FOR REF ONLY) |
| 7319 | 39-14-5213 | CAPSCREW, HEX SOCKET HEAD, STAINLESS STEEL 18-8, NO.6-32-UNC-3A X 0.75 INCH | EA | 00 | 00 | 00 |
| | | LONG | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 06747650750 (FOR REF. ONLY) |
| 7320 | 39-14-5214 | CAPSCREW, HEX SOCKET, LOW SST, 8-32 UNC-3A X 1/4 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 1-513480250 (FOR REF ONLY) |
| 7321 | 39-14-5215 | CAPSCREW, HEX SOCKET HEAD, STEEL, ZINC PLATED YELLOW OR CLEAR, NO. 8-32 UNC-3A | EA | 00 | 00 | 00 |
| | | X 1 INCH | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | ---- ---- ----- | | | | |
| | | N P WABCO | | | | |
| | | | | | | MFG - PART-NO |
| | | | | | | ----- |
| | | | | | | 0583032 (FOR REF ONLY) |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 7322 | 39-14-5216 | CAPSCREW, FL HD SOCKET, GR 5, STL, ZN PLD, YEL, NO 4-40 UNC-2A X 3/8 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 069000730375 (FOR REF ONLY) | | | | | | | |
| 7323 | 39-14-5219 | CAPSCREW, FLH SOC, STAINLESS STEEL 18-8, NO.8-32 UNC-3A X 1.25 INCHES LONG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06787331250 (FOR REF. ONLY) | | | | | | | |
| 7324 | 39-14-5220 | CAPSCREW, HEX HD, STL, ZN PLD, YEL, 1/4-20 UNC-3A X 1/2 IN LG | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0699272 (FOR REF ONLY) | | | | | | | |
| 7325 | 39-14-5221 | CAPSCREW, FLAT SOCKET HEAD, GRADE 5, NO. 6-32 UNC-2A X 0.375 INCHES LONG, STEEL, ZINC PLATED YELLOW OR CLEAR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 06715740375 (FOR REF. ONLY) | | | | | | | |
| 7326 | 39-14-5227 | CAPSCREW, HEX SOCKET HEAD, LOW, NO. 8-32 UNC-3A X 0.75 INCHES LONG, STAINLESS STEEL | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 1-513480750 (FOR REF. ONLY) | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---|
| 7327 | 39-14-5228 | CAPSCREW, HEX SOCKET HEAD, NO.8-32 STAINLESS STEEL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- N P WABCO | | | | |
| | | | | | | MFG - PART-NO ----- 06779951250 (FOR REF. ONLY) |
| 7328 | 39-14-5229 | CAPSCREW, HEX SOCKET HEAD, NO. 8-32 PLATED YELLOW OR CLEAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- N P WABCO | | | | |
| | | | | | | MFG - PART-NO ----- 000001-4721 (FOR REF. ONLY) |
| 7329 | 39-14-5310 | CAPSCREW, TORX HEAD, STEEL, ZINC PLATED YELLOW OR CLEAR, NO 8-32 INCH LONG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- N P WABCO | | | | |
| | | | | | | MFG - PART-NO ----- 1-55009 (FOR REF. ONLY) |
| 7330 | 39-15-4615 | CAPSCREW, HEX HD, 1/4-20 UNC-2A X 2.50 IN LG, GR 5, STL, ZN PLD, YEL OR CLR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- N P WABCO | | | | |
| | | | | | | MFG - PART-NO ----- 000001-4571 |
| 7331 | 39-17-1367 | SCREW, MACHINE, 10-32 X 3/8 LONG NF, CLASS 2A. | EA | 300 | 70 | 150 |
| | | QPL CODE MFG - NAME | | | | |
| | | ----- N P WABCO | | | | |
| | | | | | | MFG - PART-NO ----- 14678 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|-----------------------|
| 7332 | 39-18-2878 | SCREW, MACHINE, #1/4-20 X 1/2 LONG NC, BRASS, ROUND HEAD, SLOT DRIVE, USED WITH ES-30 GOVENOR. | EA | 510 | 205 | 175 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 74955 (FOR REF. ONLY) |
| 7333 | 39-18-7009 | SCREW, MACHINE, 6-32 X 5/8 LONG, ROUND HEAD, PLATED STEEL, U/O PORTABLE TEST ANALYZER. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 568855 (REF ONLY) |
| 7334 | 39-22-3276 | SCREW, FILLISTER HEAD, SLOT DRIVE, MACHINE, 10-24 X 5/8 INCHES LONG, UNC, STEEL, ZINC PLATED | EA | 450 | 278 | 180 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 000001-4817 |
| 7335 | 39-22-3387 | SCREW, MACHINE, 1/4-20 X 7/8 LONG NC, FILLISTER HEAD, SLOT DRIVE, STEEL. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 3118 REFERENCE ONLY |
| 7336 | 39-22-7050 | SCREW, MACHINE, 0.190 X 1/2 LONG, FLAT HEAD, PLATED STEEL, USED ON BL33F ELECTRIC PORTION. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 578143 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|------------------------|---------|---------|
| 7337 | 39-22-7216 | SCREW, MACHINE, 8-32 X 1/2 LONG, FLAT HEAD, SLOT DRIVE, STEEL. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 25521 (REFERENCE ONLY) | | |
| 7338 | 39-22-7873 | SCREW, 10-32 X 1/2 LONG, FLAT HEAD. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 22293 | | |
| 7339 | 39-22-7876 | SCREW, MACHINE, 10-32 X 5/5 NF, FLAT HEAD, SLOT DRIVE, STEEL. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 589771 | | |
| 7340 | 39-22-7879 | SCREW, MACHINE, 10-32 X 3/4 LONG, NF, FLAT HEAD, PHILLIPS DRIVE, STEEL. | EA | 00 | 405 | 36 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06993800750 | | |
| 7341 | 39-26-6396 | BOLT, 1/4-20 X 1-1/4 LONG UNC, ROUND HEAD, STEEL, ZINC PLATED, USED ON D5 PNEUPHONIC HORN | EA | 180 | 00 | 72 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06993741250 | | |

USER-ID : CHU
 FILE-ID : WABP2024
 PROG-ID :

NEW YORK CITY TRANSIT AUTHORITY
 COMMODITY MANAGEMENT SYSTEM

PAGE : 1345
 DATE : 04/12/2024
 VERSION : 1.01.00

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|----------------------------|---------|---------|
| 7342 | 39-32-0410 | SCREW, MACHINE, 6-32 X 7/16 LONG, ROUND HEAD, PLATED STEEL, USED ON PORTABLE TEST ANALYZER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 565557 (REF ONLY) | | |
| 7343 | 39-32-2104 | SCREW, MACHINE, 4-48, 5/16" LENGTH, COUNTERSUNK GR2, STAINLESS STEEL, SLOTTED FLAT HEAD, HEAD ANGLE 80-82 DEGREES | EA | 1,301 | 997 | 254 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0578966 (FOR REF. ONLY) | | |
| 7344 | 39-32-2109 | SCREW, MACHINE, 4-40 X 1/2" LONG, PAN HEAD, CROSS-RECESSED, STAINLESS STEEL, USED ON PRESSURE SWITCH ASSEMBLY | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 6743940500 | | |
| 7345 | 39-34-4007 | SCREW, PAN HD MACHINE, NO 10-32 UNF-2A X 0.75 IN LG, STL, ZN PLD, YEL OR CLR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0565558 | | |
| | N | P | WABCO | 06711620750 | | |
| 7346 | 39-34-5556 | SCREW, MACHINE, 6-32 X 3/16 LONG NC, ROUND HEAD, SLOT DRIVE, ZINC PLATED STEEL. | EA | 265 | 125 | 120 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 54999 (FOR REFERENCE ONLY) | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|-------------------------|
| 7347 | 39-37-2155 | SCREW, PH HD MACHINE, NO 6-32 UNC-2A X 1.50 IN LG, SST 18-8, PANEL MOUNTED CUTOUT VALVE ASSEMBLY W/MICROSWITCH, AIR BRAKE SYSTEM | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06745231500 |
| 7348 | 39-37-4024 | SCREW, MACHINE, 10-24 UNC-2A X 1.25" LONG, PAN HEAD, GRADE 5, ZINC PLATED, STEEL, YELLOW OR CLEAR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 06728421250 |
| 7349 | 39-37-5956 | SCREW, FLAT SOCKET HEAD, CSK, NO. 8-32 X 0.5 INCHES LONG, STEEL, ZINC PLATED YELLOW | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 0699478 (FOR REF. ONLY) |
| 7350 | 39-37-7421 | SCREW, RD HD MACHINE, SST 18-8, NO 8-32 UNC-2A X 0.625 IN LG | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 000002-4016 |
| 7351 | 39-43-6270 | SCREW, SET, 3/8-16 X 1-1/4 LONG NC THREAD, SQUARE HEAD, WRENCH DRIVE, STEEL, HALF DOG POINT, USED ON R-32 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 534845 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 7352 | 39-44-5230 | SCREW, SET, 1/4-28 X 1 LONG NF THREAD, HEADLESS, SLOTTED DRIVE, STEEL, ZINC PLATED, OVAL POINT. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 536503 (REF. ONLY) | | | | | | | |
| 7353 | 39-79-0033 | SCREW, U/O R179 TBU | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 661732 | | | | | | | |
| 7354 | 39-79-0034 | SCREW, U/O R179 TBU | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 659175 | | | | | | | |
| 7355 | 40-15-5307 | PIN COTTER 1/8" X 7/8" LG STEEL SPRING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 3-4341 | | | | | | | |
| 7356 | 40-15-5330 | PIN, COTTER, 1/8" X 1-3/4", STEEL SPRING, IN STD. 100 PER BOX. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 507487 (REF. ONLY) | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|------------------------|
| 7357 | 40-15-5410 | PIN, COTTER 3/16" X 1" STEEL SPRING IN STD. PKGS. OF 1000 | EA | | 240 | | 230 | | 250 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 4411 |
| 7358 | 40-15-5435 | PINS, COTTER, STEEL IN STD. PKGS. 3/16" X 2-1/4" | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 538662 (FOR REF. ONLY) |
| 7359 | 40-15-5665 | PINS, COTTER, SPRING STEEL IN STD. PKGS. 1/4" X 1-3/4", U/W TYPE H-2-C COUPLER. | EA | | 80 | | 40 | | 40 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 1589 |
| 7360 | 40-56-2605 | RIVET, FLAT HEAD, STEEL, .500" HEAD SIZE 1/4" DIAMETER, 5/8" LENGTH, PACKAGED IN ONE POUND UNITS. (APPROX. 72 RIVETS PER LB.) | LBR | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 548320 (REF ONLY) |
| 7361 | 40-56-2606 | RIVET, FLAT HEAD, TRUE FLAT STEEL 0.500" HEAD SIZE 1/4" DIAMETER, 5/8" LENGTH | EA | | 566 | | 639 | | 400 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | --- --- ----- | | | | | | | |
| | | N P WABCO | | | | | | | 548320 (FOR REF. ONLY) |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|------------------|---------|---------|
| 7362 | 40-64-1955 | RIVET 1/4" X 3-5/16" STEEL RD HD SOLID | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501368 | | |
| 7363 | 40-76-5550 | RIVET, STEEL, BUTTON HEAD, 1/8" X 1-1/2" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 564458 | | |
| 7364 | 41-24-0001 | PIN, STRAIGHT, .062" X .002" O.D. X 5/16" X 1/64" LONG, STAINLESS STEEL, USED ON WABCO D1 TRIP COCK | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 10193 (REF ONLY) | | |
| 7365 | 41-25-2995 | PIN, CLEVIS, STEEL, 7/16" DIA. X 1-1/16 LG. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 535679 | | |
| 7366 | 41-25-3145 | PIN, CLEVIS, 1/2" DIA. X 1-5/8" LG., 3/4" DIA. FLAT HEAD, 1/8" COTTER HOLE, STEEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 70402 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7367 | 41-25-3275 | PIN, CLEVIS, 5/8" DIA. X 1-3/4" LG. HOLE STEEL, USED WITH A-1-A OPERATING UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 81609 | | | | |
| 7368 | 41-79-0032 | RING, Retaining, Internal | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 6709560312 | | | | |
| 7369 | 41-79-0033 | RING, Retaining, Internal, 0.579 mm nom id x 0.035 mm nom thk | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 698654 | | | | |
| 7370 | 42-46-2100 | DRAWBAR WRENCH WITH LONG HANDLE | EA | 00 | 07 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 09011663001 | | | | |
| 7371 | 42-46-2102 | DRAWBAR WRENCH WITH STANDARD HANDLE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0901166 | | | | |
| 7372 | 43-10-3150 | BALL, 9/16" OD BEARING, STEEL, CHROME AFBMA, GRADE #25 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 133069 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 7373 | 43-10-3225 | BALL, VENTED, SST 18-8, 1/2 IN NOM DIA | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0306156 | | |
| 7374 | 45-30-6020 | PACKING, FELT | EA | 10 | 25 | 30 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 513007 | | |
| 7375 | 45-35-7600 | PACKING CUP, 4-1/2" ID 6-1/4" OD X 3/4" OS LIP X 5/32" MATERIAL DIESEL LOCO'S, RUBBER, NO HOLE, FOR 6 U.B. CYLINDER AND 6 X 8 TYPE UAH | EA | 55 | 24 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 501530 | | |
| 7376 | 45-35-7670 | PACKING CUP, RUBBER, NO HOLE, 5-1/2" I.D. X 7-1/4" O.D. X 3/4" O.S. LIP FOR 7-1/2" X 1-1/2" BRAKE CYLINDER R16 AND UP | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 99174 | | |
| 7377 | 45-35-7720 | PACKING CUP, 8-1/2" ID 10-1/2" OD X 1" OS LIP X 1/8" MATERIAL RUBBER NO HOLE FOR 10 X 12 BRAKE CYLINDER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 94800 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|------------|-----|------------------|-----|-----|-----|-----|
| 7378 | 45-35-7770 | PACKING MATERIAL, 10-1/2" ID 12-1/2" OD X 3/4" OS LIP X 1/ 8" MATERIAL FOR 12 X 10 BRAKE CYLINDER, RUBBER NO HOLE | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 99882 | | | | |
| 7379 | 45-35-8120 | PACKING CUP 1-1/4" OD X 3/8" OS DEPTH X 1-1/16" MATERIAL 3/8" HOLE RUBBER | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 92193 | | | | |
| | N | D | NYCTA | | R6-749-B DET #11 | | | | |
| 7380 | 45-35-8150 | CUP, PACKING, 2" OD X 3/8" OS DEPTH X 3/32" MATERIAL 3/8" HOLE RUBBER | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 91078 | | | | |
| 7381 | 45-35-8650 | CUP, PACKING, 3-5/8" OD X 5/8" OS DEPTH 1/8" MATERIAL | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 84976 | | | | |
| 7382 | 45-35-9200 | PACKING CUP. | EA | | 00 | | 00 | | 00 |
| | QPL | CODE | MFG - NAME | | MFG - PART-NO | | | | |
| | N | P | WABCO | | 68577 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 7383 | 45-35-9320 | PACKING CUP, 12-3/8" OD X 9/16" OS DEPTH X 5/32" MATERIAL 9-1/4" HOLE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 68580 | | | | | | | |
| 7384 | 45-35-9370 | CUP, PACKING, 14-5/6" OD X 5/8" OS DEPT H X 5/32" MATERIAL 11-1/4" HOLE RUBBER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 68581 | | | | | | | |
| 7385 | 45-35-9470 | CUP, PACKING, 18-1/2" OD X 3/4" OS DEPTH X 3/16" MATERIAL 15-1/4" HOLE R-1 TO R-4 CARS | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 68583 | | | | | | | |
| 7386 | 45-45-4530 | PACKING, RING, 5/8" I.D., 1-1/8" O.D., 3/8" THICK, FOR TYPE G FILTER ON AIR COMPRESSOR TYPE 3YC, FELT 1 RING | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 510865 | | | | | | | |
| 7387 | 45-50-0800 | "O" RING, 3-3/8" OD FOR TYPE GR-90 TREAD BRAKE UNIT R44 CARS | EA | | 854 | | 501 | | 226 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0536585 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 7388 | 46-40-0501 | GASKET, EMERGENCY PORTION, FOR "AB" TEST RACK NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 96717 | | | | | | | |
| 7389 | 46-40-0502 | GASKET, SERVICE PORTION, FOR "AB" TEST RACK | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 525669 | | | | | | | |
| 7390 | 46-40-0630 | GASKET, COUPLING, 1" HOSE, HP-4 NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | | 186 | | 381 | | 100 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 563952 | | | | | | | |
| 7391 | 46-40-0645 | GASKET, SPECIAL, U/W WABCO AIR HOSE, COUPLING TYPE MK-4 #46344 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 3313 | | | | | | | |
| 7392 | 46-40-0795 | GASKET, VALVE, U/W WABCO TRIPLE VALVE TYPE M-2-A | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 9356 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------|---------------|---------|---------|
| 7393 | 46-40-0870 | GASKET, LOWER FOR TYPE K-14-A BRAKE VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 12303 | | |
| 7394 | 46-40-1035 | GASKET, SPECIAL UPPER U/W WABCO BRAKE VALVE TYPE M-19-A | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 25785 | | |
| 7395 | 46-40-1125 | SEAL, PISTON, FOR NO. 3 ELEC. PNEUMATIC PIPE VENT VALVE NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 30095 | | |
| 7396 | 46-40-1220 | GASKET, SPECIAL COUPLER, U/W WABCO AUTOMATIC CAR & AIR COUPLER F & J1 NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 34411 | | |
| 7397 | 46-40-1380 | GASKET, SPECIAL CASE QUICK ACTION VALVE QUICK ACTION PORTION U/W WABCO UNIVERSAL VALVE TYPE UE-5 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 73020 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7403 | 46-40-2350 | GASKET, SPECIAL BRACKET, FOR COMPRESSOR GOVERNOR TYPE NS-16, DIESEL LOCO'S #35769 & #35772 NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 263 | 244 | 128 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 77736 | | | | |
| 7404 | 46-40-2385 | GASKET, STRUT CYL. HEAD FOR A-1-A VARIABLE LOAD NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 78145 | | | | |
| 7405 | 46-40-2495 | GASKET, SPECIAL, COVER, U/W WABCO FEED VALVE TYPE M-3 NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 00 | 07 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 81006 | | | | |
| 7406 | 46-40-2529 | GASKET, 3/8" NOMINAL PIPE SIZE, FOR AIR BRAKE HOSE UNION CONNECTION, ALSO MAY BE USED AS A SEAT, U/W COVER ASSEMBLY OF A-1 LOAD SENSOR PC #591785 | EA | 230 | 166 | 60 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 81600 | | | | |
| | | N D NYCTA IND 562-133C DET 3 | | | | |
| 7407 | 46-40-2595 | GASKET, COVER, FOR AIA VARIABLE LOAD VALVE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 82063 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7413 | 46-40-2900 | GASKET, CONNECTION AIR FOR AUTOMATIC CAR COUPLER TYPE H-2-A. RUBBER HARDNESS (DUROMETER) SHAL BE 87+/-5A. ONE SAMPLE PER 100 PIECES SHALL BE TESTED AND DUROMETER RESULTS SHALL BE PROVIDED TO NYCT. | EA | 5,194 | 4,154 | 1,342 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 00870420001 | | | | |
| 7414 | 46-40-2965 | GASKET, FOR DUAL AIR HORN, FOR R77 DIESEL LOCOS & R77E ELECTRIC LOCOS NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 70 | 24 | 10 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 88762 | | | | |
| 7415 | 46-40-3164 | GASKET, USED WITH WABCO TYPE AB VALVE NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OFMANUFACTURE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 94783 | | | | |
| 7416 | 46-40-3165 | GASKET, USED WITH WABCO TYPE AB VALVE NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OFMANUFACTURE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0994784 | | | | |
| 7417 | 46-40-3245 | GASKET, SPECIAL, FILLING, USED WITH WABCO TEST RACK | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 96715 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7418 | 46-40-3280 | GASKET, SPECIAL, COVER RELAY PISTON RELAY VALVE PORTION, U/W WABCO OPERATING UNIT TYPE A-1 & WABCO CONTROL VALVE TYPE 21-A & 21-B | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 97365 | | | | |
| 7419 | 46-40-3300 | GASKET, HOUSING, MAGNET, APPLICATION & RELEASE MAGNET VALVE WABCO #533599, U/W WABCO OPERATING UNIT TYPE A-1 & WABCO MAGNET TYPE 21-A NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 00 | 10 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 97 871 | | | | |
| 7420 | 46-40-3375 | GASKET, HEAD NON-PRESSURE U/W WABCO BRAKE CYLINDER TYPE UAHT 7" X 6" R16-27-30 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 99120 | | | | |
| 7421 | 46-40-3402 | GASKET | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 99285 | | | | |
| 7422 | 46-40-3430 | GASKET, SPECIAL, VALVED, H.P. AIR COMPRESSOR TYPE 3-YC WABCO 187683, U/W WABCO AIR COMPRESSOR UNIT TYPE A1, O.D. NOT TO EXCEED 1.615", I.D. 1.375", 0.032" THICK, R-10 TO R-36 CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 99721 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7428 | 46-40-6350 | GASKET, SPECIAL, COVER, AIR STRAINER CHARGING VALVE, U/W WABCO OPERATING UNIT TYPE A-1 NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 510074 | | | | |
| 7429 | 46-40-6352 | GASKET, BODY CHARGING VALVE OPERATING UNIT, TYPE A-1 AND FLANGE GASKET, TEST RACK, TYPE AB NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 510075 | | | | |
| 7430 | 46-40-6385 | GASKET, SPECIAL, CHAMBER, DIRT, USED WITH WABCO SUPPLY UNIT TYPE A-1 NOTE: ITEM MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 510870 | | | | |
| 7431 | 46-40-6400 | GASKET, COVER, 6-11/16" O.D. X 6-7/32" I.D. X .313" W, WABCO MATERIAL, U/W "J" TYPE FILTER NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 250 | 520 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO N P WABCO 511326 | | | | |
| 7432 | 46-40-6470 | GASKET, BODY, DOUBLE CHECK VALVE, FOR OPERATING UNIT TYPE A-1 & AB TEST RACK | EA | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|---|------------|--|-----|---------|---------|---------|
| NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | | | | | | |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| 7433 | 46-40-6635 | GASKET, SPECIAL, SPOOL, MAGNET, LOCKOUT MAGNET TYPE FA-4, U/W WABCO OPERATING UNIT TYPE A-1 NOTE: INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 450 | 269 | 209 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| 7434 | 46-40-6835 | GASKET, SPECIAL, BODY, VARIABLE LOAD PORTION & PIPE BRACKET PORTION U/W WABCO OPERATING UNIT TYPE A-1 NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| 7435 | 46-40-6840 | GASKET, COVER, STRUT CYLINDER, VARIABLE LOAD PORTION, FOR OPERATING UNIT, TYPE A-1 NOTE: EACH INDIVIDUAL CONTAINER TO BE IDENTIFIED WITH CURE DATE AND/OR DATE OR MANUFACTURE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | |
| 7436 | 46-40-6875 | GASKET, SPECIAL, COVER, PISTON, EMERGENCY VALVE, WABCO #536407 U/W WABCO OPERATING UNIT TYPE A-1 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | |
| | | N P WABCO | | | | |
| | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 7437 | 46-40-6880 | GASKET, SPECIAL COVER, F/EMERGENCY CHECKVALVE, U/O ALL A-1 OPERATING UNITS NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533607 | | | | | | | |
| 7438 | 46-40-6905 | GASKET, PIPE BRACKET | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533667 | | | | | | | |
| 7439 | 46-40-6910 | GASKET, SPECIAL, BODY, SELF-LAPPING VALVE, BRAKE VALVE PORTION, U/W WABCO BRAKE VALVE TYPE ME-42 NOTE: ITEM MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533673 | | | | | | | |
| 7440 | 46-40-6915 | GASKET, COVER NOTE: ITEM MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533680 | | | | | | | |
| 7441 | 46-40-6925 | GASKET, SPECIAL, BODY, CHECK VALVE NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533728 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7442 | 46-40-6940 | GASKET, SPECIAL BODY, GASKET SOCKET USED WITH WABCO AUTOMATIC CAR COUPLER TYPE H-2-C NOTE: ITEM MUST BE PACKAGED 25/CONTAINER AND IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 20 | 70 | 45 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533837 | | | | |
| 7443 | 46-40-6950 | GASKET, BUSHING, PISTON, FOR AUTOMATIC CAR COUPLER TYPE H-2-C NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 170 | 145 | 132 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533850 | | | | |
| 7444 | 46-40-6960 | GASKET, COVER, AFTER COOLER HEAD, FOR A-1 COMP NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533876 | | | | |
| 7445 | 46-40-6965 | GASKET, FOR A-1 OPER. UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533879 | | | | |
| 7446 | 46-40-6967 | GASKET, FOR A1, OPERATING UNIT NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 533880 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 7447 | 46-40-6990 | GASKET, BODY, FOR TYPE A-1 OPERATING UNIT NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533911 | | | | | | | |
| 7448 | 46-40-6992 | GASKET, SPECIAL, BODY EMERGENCY VALVE PORTION, U/W WABCO OPERATING UNIT TYPE A-1 NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533 912 | | | | | | | |
| 7449 | 46-40-7015 | GASKET, U/W WABCO BRAKE VALVE NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | | 287 | | 197 | | 122 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0534526 | | | | | | | |
| 7450 | 46-40-7025 | GASKET, 1-1/8" O.D. U/O N-3 MAGNET VALVE PORTION NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | | 534 | | 547 | | 381 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 0534683 | | | | | | | |
| 7451 | 46-40-7030 | GASKET, FOR WAB CO. UNCOUPLING VALVE B-3 NOTE: EACH INDIVIDUAL CONTAINER MUST BE IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | | 220 | | 100 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 534709 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------------|---------------|---------|---------|
| 7452 | 46-40-7045 | GASKET, INSHOT VALVE SIDE COVER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534843 | | |
| 7453 | 46-40-7050 | GASKET, 1-3/4" OD, RING | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 538079 | | |
| 7454 | 46-40-7299 | GASKET, FOR CONNECTION HOSE BETWEEN CARSNOTE: ITEM MUST BE INDIVIDUALLY PACKAGED AND IDENTIFIED WITH CURE DATE AND/OR DATE OF MANUFACTURE. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | A-562165 | | |
| 7455 | 46-40-7500 | GASKET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | A563809 | | |
| 7456 | 46-40-7570 | GASKET, FOR D3 COMPRESSOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 569828 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7457 | 46-40-7585 | GASKET, U/W FRONT SLIDE FRAME AND INSULATOR, BL-26-B ELECTRIC PORTION. | EA | 11 | 71 | 14 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 670026 | | | | |
| 7458 | 49-50-0090 | RING PISTON COMPRESSION BRONZE 1 PIECE ANGLE CUT JOINT FOR TYPE H-2-A K1-K2 TRI EA PLE VALVE COUPLER ON "D" ARTICULATED CARS & 67 FT MODIFIED CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 83418 | | | | |
| 7459 | 49-50-0210 | RING, PISTON---COMPRESSION, STD. BRONZE 1 PIECE, ANGLE CUT JOINT, F/RELAY VALUE EA PORTION A-1 OPER. UNIT | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 531554 | | | | |
| 7460 | 49-50-0240 | RING, PISTON, 7/8" DIA. X .105" WIDE COMPRESSION, STD., BRONZE, 1 PIECE, ANGLE C EA UT JOINT, FOR WAB CO. VENT VALVES | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 27534 | | | | |
| 7461 | 49-50-0360 | RING, PISTON F/H2C COUPLER, U/BRAKE PIPE CUT OFF VALVE ASSY. 1-1/4" (3RD EA REPAIR) R15-38 & 62A CARS | | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 40347 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 7462 | 49-50-0390 | RING, PISTON, COMPRESSION, STD, BRONZE 1 PIECE ANGLE CUT JOINT, 1-1/4" | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 534371 | | |
| 7463 | 49-50-0540 | RING, PISTON, 3-RD REPAIR, 1-1/2", U/O GASKET SOCKET COVER ASSEMBLY FOR H-2-C AUTOMATIC CAR COUPLER. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 45241 | | |
| 7464 | 49-50-0660 | RING, PISTON, 1-5/8" 2 COMPRESSION, BRONZE, 1 PIECE ANGLE CUT JOINT, 2ND REPAIR FOR E-11 CONT. VALVE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 40765 | | |
| 7465 | 49-50-0690 | RING, PISTON 1-5/8" COMPRESSION BRONZE 1 PIECE ANGLE CUT JOINT FOR RELAY VALVE PORTION A-1 OPERATING UNIT | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 81207 | | |
| 7466 | 49-50-0840 | RING, PISTON COMPRESSION, STD. BRONZE 1 PIECE ANGLE CUT JOINT 1-13/16" FOR M . STARTING GOVERNOR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 29486 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|--|-----|-----|-----|-----|-----|-----|-----|
| 7467 | 49-50-0870 | RING, PISTON, COMPRESSION, BRONZE, 1 WABCO TYPE H-2-C COUPLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 44088 | | | | | | | |
| 7468 | 49-50-0900 | RING PISTON 1-7/8" COMPRESSION BRONZE 1 E S-16 GOVERNOR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 72926 | | | | | | | |
| 7469 | 49-50-0960 | RING, PISTON, 1-7/8" DIA. X .125 WD. COMPRESSION, JOINT, F/WABCO BRAKE APPLICATION VALVE TYPE A-3 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 45240 | | | | | | | |
| 7470 | 49-50-0990 | RING, PISTON 1-7/8" DIA. X .105 WD COMPRESSION D REPAIR FOR GOVERNOR TYPE S-16 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 73558 | | | | | | | |
| 7471 | 49-50-1050 | RINGS, EMERGENCY SWITCH PORTION PISTON | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | ----- | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | ----- | | | | | | | |
| | | 14284 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 7472 | 49-50-1080 | RING PISTON 2" COMPRESSION, STD BRONZE 1 PIECE ANGLE CUT JOINT FOR DBL. CH. V. PORTION OF ELEC ROAD UNIV. VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 81221 | | | | | | | |
| 7473 | 49-50-1290 | RING PISTON 2-3/8" DIA X .105 WD. COMPRESSION STD BRONZE 1 PIECE ANGLE CUT JOINT FOR WABCO BRAKE CYLINDER PRESSURE LIMITING VALVE | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 58184 | | | | | | | |
| 7474 | 49-50-1560 | RING, PISTON, 3-1/4" FOR UE-5 UNIVERSAL VALVE, COMPRESSION, STD. BRONZE 1 PIECE ANGLE CUT JOINT | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 81227 3-1/4" | | | | | | | |
| 7475 | 49-50-1620 | RING, PISTON, COMPRESSION, BRONZE, 1 PIECE ANGLE CUT JOINT, 3-7/8" 3RD REPAIR U/W W.A.B. FOR TYPE H-2-A COUPLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 510355 | | | | | | | |
| 7476 | 49-50-1710 | RING PISTON, COMPRESSION BRONZE 1 PIECE STEP CUT JOINT 1.50" DIA OPERATING FOR PILOT VALVE U/W H-2-A & H-2-C COUPLER | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 31471 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 7477 | 49-50-1770 | RING, PISTON, COMPRESSION, STD, BRONZE, 1 PIECE, STEP CUT JOINT, 2-3/4"DIA., F OR ME-42 BRAKE VALVE | EA | | 155 | | 65 | | 95 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 86829 | | | | | | | |
| 7478 | 49-50-1800 | RING, PISTON, 2.754" COMPRESSION BRONZE 1 PIECE STEP CUT JOINT 2ND REPAIR | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 86830 | | | | | | | |
| 7479 | 49-50-1830 | RING, PISTON | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 86831 | | | | | | | |
| 7480 | 49-50-1860 | RING, PISTON, COMPRESSION, 2.762 | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 86832 | | | | | | | |
| 7481 | 49-50-1890 | RING, PISTON, 3" 1ST REPAIR U/W H2C COUPLER TRIGGER RELEASE PISTON AND EMERGENCY VALVE #569711. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME | | | | | | | |
| | | N P WABCO | | | | | | | |
| | | MFG - PART-NO | | | | | | | |
| | | 87007 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------------|
| 7487 | 49-50-2210 | RING, PISTON 3.5/2" DIA. X .105 WD FOR TYPE R2C TRIPLE VALVECOMPRESSION, BRONZE 1 PIECE STEP CUT JOINT 4TH SIZE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 85814 |
| 7488 | 49-50-2240 | RING PISTON 4" DIA X .105 WD COMPRESSION STD BRONZE 1 PIECE STEP CUT JOINT FOR W ABCO VALVE TYPE UE-5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 87017 |
| 7489 | 49-50-2270 | RING, PISTON, COMPRESSION, BRONZE, 1 PIECE, STEP CUT JOINT, 4.004" DIA. X .105 WD., 2ND SIZE - 2, F/WAB CO. VALVE TYPE U.E.-5 | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WAB CO. | | | | 87018 |
| 7490 | 49-50-2480 | RING, PISTON, COMPRESSION, BRONZE, 1 PIECE, STEP CUT JOINT, 4-3/4", 1ST REPAIR, FOR RELAY VALVE PORTION A-1 OPER. UNIT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 86159 |
| 7491 | 49-50-3530 | RING, PISTON, 6" DIA. X 5/16" WD COMPRESSION, IRON, HEAT TREATED, 1 PIECE, ANGLE CUT JOINT, F/WABCO COMPRESSOR TYPE D-3-F | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME | | | | MFG - PART-NO |
| | | N P WABCO | | | | 79106 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7492 | 49-50-4580 | RING, PISTON .020" OVERSIZE COMPRESSION IRON, HEAT TREATED 1 PIECE STRAIGHTCUT J OINT R10 TO 36 CARS L.P. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 184718 | | | | |
| 7493 | 49-50-4640 | RING, PISTON, .020" COMPRESSION IRON, HEAT TREATED, 1 PIECE STRAIGHT CUT JOINT, H.P. OVERSIZE, R10 TO 36 CARS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO A-184726 | | | | |
| 7494 | 49-50-4700 | RING, PISTON, .030" COMPRESSION IRON, HEAT TREATED 1 PIECE STRAIGHT CUT JOINT, OVERSIZE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO A-185310 | | | | |
| 7495 | 49-50-6140 | RING, PISTON, 0.020" OIL CONTROL, IRON, HEAT TREATED 1 PIECE STRAIGHT CUT JOINT, L.P. OVERSIZE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 184722 | | | | |
| 7496 | 49-50-6170 | RING, OIL, OVERSIZE, H.P. .010 IN. FOR 3YC COMPRESSOR | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO A-184728 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7497 | 49-50-6200 | RING, PISTON, .020" OIL CONTROL IRON, R10 TO 36 CARS OVERSIZE 2CY3B COMP. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO A-184730 | | | | |
| 7498 | 49-50-6260 | RING, PISTON .030" OIL CONTROL IRON, JOINT OVERSIZE | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO A-185311 | | | | |
| 7499 | 52-09-3110 | BUSHING, FITTING, 3/8" X 1/4", OUTSIDE HEX, BLACK, MALLEABLE IRON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0676277-0003 (FOR REF. ONLY) | | | | |
| 7500 | 52-09-3835 | BUSHING, 3/4" X 1/4", GALVANIZED MALLEABLE IRON FITTING, OUTSIDE HEX | EA | 00 | 00 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 50014 | | | | |
| 7501 | 52-12-6715 | COUPLING, PIPE, 3/8", SCREWED, PLAIN, EXTRA HEAVY, GALVANIZED, WROUGHT STEEL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 59966 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|-----------------------|---------|---------|
| 7502 | 52-12-6725 | COUPLING, PIPE, 3/4", SCREWED, PLAIN, EXTRA HEAVY, GALVANIZED, WROUGHT STEEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 59968 | | |
| 7503 | 52-12-6735 | COUPLING, PIPE, 1-1/4", SCREWED, PLAIN, EXTRA HEAVY, GALVANIZED, WROUGHT STEEL | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 59970 | | |
| 7504 | 52-17-1115 | ELBOW, PIPE, 1/2", SCREWED, BANDED, 150 LBS. STEAM, STRAIGHT, 45 DEGREES, GALVANIZED MALLEABLE IRON | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 59813 (FOR REF. ONLY) | | |
| 7505 | 52-17-1120 | ELBOW, PIPE, 3/4", 45 DEGREE, BANDED, 150 LBS., STEAM, STRAIGHT, GALVANIZED, MALLEABLE IRON | EA | 00 | 03 | 01 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 57794 (FOR REF. ONLY) | | |
| 7506 | 52-17-1125 | ELBOW, PIPE, 1", 45 DEGREE, BANDED, SCREWED, STRAIGHT, GALVANIZED | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 59442 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| 7507 | 52-17-1140 | ELBOW, PIPE, 2", 45 DEGREE, BANDED, SCREWED, STRAIGHT, STANDARD, 150 LBS., STEAM, MALLEABLE IRON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 59817 | | | | |
| 7508 | 52-17-1240 | ELBOW, PIPE, STREET, 2", 45 DEGREE, SCREWED, BANDED, 150 LBS., STEAM, GALVANIZED, MALLEABLE IRON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 59801 | | | | |
| 7509 | 52-17-1425 | ELBOW, PIPE, STREET, 1/8", 90 DEGREE, BANDED, 150 LBS., STEAM, SCREWED, GALVANIZED MALLEABLE IRON | EA | 01 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 59786 | | | | |
| 7510 | 52-17-1445 | ELBOW, PIPE, STREET, 3/4", 90 DEGREE, 150 LBS., STEAM, SCREWED, BANDED, GALVANIZED, MALLEABLE IRON | EA | 00 | 01 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 55403 (FOR REF. ONLY) | | | | |
| 7511 | 52-17-1450 | ELBOW, PIPE, STREET, 1", 90 DEGREE, GALVANIZED MALLEABLE IRON, BANDED, 150 LBS., SCREWED | EA | 00 | 03 | 01 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 56816 (FOR REF. ONLY) | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7512 | 52-17-1605 | ELBOW, REDUCING, 1/4" X 1/8", 90 DEGREE, BANDED, 150 LBS., SCREWED, GALVANIZED, MALLEABLE IRON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 59441 | | | | |
| 7513 | 52-17-1660 | ELBOW, PIPE, REDUCING, 1" X 1/2" 90 DEGREE, BANDED, 150 LBS., STEAM, SCREWED, GALVANIZED, MALLEABLE IRON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 56887 | | | | |
| 7514 | 52-17-1680 | ELBOW, PIPE, REDUCING, 1-1/4" X 1", 90 DEGREE, 150 LBS., STEAM, SCREWED, BANDED, GALVANIZED, MALLEABLE IRON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 59085 (REF. ONLY) | | | | |
| 7515 | 52-27-3465 | NIPPLE, 1" CLOSE, PIPE, STEEL, BLACK, THREADED | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 536419 (REF ONLY) | | | | |
| 7516 | 52-34-5996 | PLUG, PIPE, 1/2"-14 NPT, STEEL, CADMIUM PLATED, FLUSH TYPE, HEX SOCKET DRIVE | EA | 08 | 56 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 523438 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7522 | 52-43-5455 | TEE, 1/2" X 1/4" X 1/2", REDUCING, PIPE GALVANIZED MALLEABLE IRON, SCREWED, BANDED, 150 LB. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 57928 | | | | |
| 7523 | 52-43-5475 | TEE, 1/2" X 1/2" X 1/4", GALVANIZED MALLEABLE IRON | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 56883 | | | | |
| 7524 | 52-43-5585 | TEE, 1" X 3/4" X 3/4", REDUCING, PIPE, GALVANIZED MALLEABLE IRON, SCREWED, BANDED, 150 LBS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 59839 | | | | |
| 7525 | 52-43-5590 | TEE, 1" X 3/4" X 1", REDUCING, GALVANIZED MALLEABLE IRON, STANDARD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 57315 | | | | |
| 7526 | 52-43-5600 | TEE, 1" X 1" X 3/8", REDUCING, GALVANIZED MALLEABLE IRON, SCREWED, BANDED, 150 LBS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 59440 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|-----|---------|---------|---------|
| 7527 | 52-43-5615 | TEE, 1" X 1" X 1-1/4", REDUCING, PIPE, GALVANIZED MALLEABLE IRON, SCREWED, BANDED, 150 LBS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 64225 | | | | |
| 7528 | 52-43-5680 | TEE, 1-1/4" X 1-1/4" X 3/4", REDUCING, PIPE, GALVANIZED MALLEABLE IRON, SCREWED, BANDED, 150 LBS. | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 55404 | | | | |
| 7529 | 52-43-5755 | TEE, 1-1/2" X 1-1/2" X 3/4", GALVANIZED MALLEABLE IRON, BANDED, STANDARD | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 63753 | | | | |
| 7530 | 52-49-5610 | UNION, 3/8", FEMALE, PIPE, GALVANIZED MALLEABLE IRON, BRONZE TO IRON, GROUND JOINT, 150 LBS., WSP, STRAIGHT | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 56878 (FOR REF. ONLY) | | | | |
| 7531 | 53-74-5280 | KIT, RUBBER REPAIR FOR EMERGENCY VALVE, FOR "ABDW" CONTROL VALVE. MATERIAL SUPPLIED MUST HAVE BEEN INSPECTED IN ACCORDANCE WITH A QUALITY ASSURANCE PROGRAM THAT HAS BEEN CERTIFIED BY THE AAR AGAINST AAR M-1003. CERTIFICATION IS TO BE SUPPLIED BY VENDOR WITH EACH SHIPMENT THAT MATERIAL HAS BEEN INSPECTED AND IS IN COMPLIANCE."NOTE- IF ABDW/-S EMERGENCY TYPE VALVE BEING REPAIRED USE 18-44-9985" "NOTE- IF ABDWP/-S EMERGENCY TYPE VALVE BEING | KT | 00 | 00 | 00 |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|-----|---------|---------|---------|
| | | REPAIRED, USE 18-44-9986" | | | | |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 580924 | | | | |
| 7532 | 55-91-0110 | TUBING, NYLON, "NYLOTUBE" 3/8", O.D. .376-.379 X .048-.051 WALL, 240 PSIG PRESSURE RATING. | FOT | 830 | 400 | 200 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO C020491 | | | | |
| 7533 | 55-94-6062 | ELBOW, GRIP SEAL, 1" X 1, F/RIDER/HOSE & REACH CAR OVERHAUL | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 0578322 | | | | |
| 7534 | 56-05-7660 | HOSE, AIR TEST, USED ON R62 AND R142 CARS | EA | 39 | 74 | 10 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 589410 | | | | |
| 7535 | 56-07-4190 | HOSE, 1-1/8" X 22", FOR A.B. BRAKE VALVE, R-20 SERVICE CARS | EA | 00 | 00 | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | |
| | | N P WABCO 546896 | | | | |
| | | N D NYCTA 5X5908 | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE | PY2 | USE | PY1 | USE | YTD |
|------|------------|---|-----|-----|-----|-----|-----|-----|-----|
| 7536 | 56-55-6300 | COUPLING, HOSE, TWO PIECE, ML GALV. WABCO. TYPE HP-4, | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 86760 | | | | | | | |
| 7537 | 56-70-2400 | NIPPLE, HOSE, 3/8" ID HOSE END, 3/8" MPT, MI | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 53975 | | | | | | | |
| 7538 | 56-70-3600 | NIPPLE, UNION 3/4" 7/8" ID HOSE END M.I. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533508 | | | | | | | |
| 7539 | 56-70-4650 | NIPPLE, HOSE 3/8" ID HOSE END 3/8" UNION M.I. GALV. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 544974 | | | | | | | |
| 7540 | 56-70-5250 | NIPPLE, HOSE, 1/2 IN. TAPPED FOR 5/8 IN. HOSE, M.I. GALV. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 532836 | | | | | | | |
| 7541 | 56-70-5700 | NIPPLE, HOSE, 5/8" ID HOSE END, 3/4" FPT. | EA | | 00 | | 00 | | 00 |
| | | QPL CODE MFG - NAME MFG - PART-NO | | | | | | | |
| | | N P WABCO 533040 | | | | | | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|--|------------------|---------------|---------|---------|
| 7542 | 83-42-1003 | BUSHING, USED IN CONDENSER FAN GROUP OF VAPOR A/C UNITS ON PASSENGER CARS. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1011005416 | | |
| 7543 | 83-42-1040 | SWITCH, HIGH PRESSURE, (HPS) U/O REFRIGERATION CONTROL BOX GROUP. | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 1321008108 | | |
| 7544 | 83-42-3231 | GASKET | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | C031183 | | |
| 7545 | 83-56-0122 | INVERTER, HVAC | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | I113184-TST | | |
| 7546 | 83-56-0123 | THERMOSTATIC KIT | KT | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | G412367TH-KD | | |
| 7547 | 83-78-0073 | ASSEMBLY, AIR FILTER ACUILTER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC PASSENGER | 1-53147 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|------------|---------------|---------|---------|
| 7554 | 98-60-0010 | ELECTRIC RELAY VALVE | EA | 02 | 05 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699629 | | |
| 7555 | 98-60-0011 | TRIP COCK, D-1 | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0695743 | | |
| 7556 | 98-60-0012 | VX VENT VALVE, COMPLETE ASSEMBLY, PIPING, MOUNTING HARDWARE, ETC | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699434 | | |
| 7557 | 98-60-0014 | MASTER CONTROLLER | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0699302 | | |
| 7558 | 98-60-0015 | PEHU, PASSENGER EMERGENCY HANDLE UNIT | EA | 00 | 02 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0693441 | | |

MATERIAL STANDARDS USAGE REPORT

| REC# | STOCK NO | LONG DESCRIPTION | U/M | USE PY2 | USE PY1 | USE YTD |
|------|------------|---|--|---------------|---------|---------|
| 7559 | 98-60-0018 | TREAD BRAKE UNIT, TBU, BFC | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC CORPORATION | 699116 | | |
| 7560 | 98-60-0019 | TREAD BRAKE UNIT, BFCF, WITH SPRING PARKING BRAKE | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABTEC CORPORATION | 699117 | | |
| 7561 | 98-60-0020 | DUPLEX AIR GAUGE, SILVER DIAL BLACK CYLINDER=RED NEEDLE, NORMAL BULB, 28VN | NOS. BRAKE PIPE=BLACK NEEDLE, BRAKE FOR BRAKE PIPE AND BRAKE CYLINDER | EA | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 0696118 | | |
| 7562 | 98-60-0021 | DRYER ASSEMBLY, E-1A TWIN TOWER AIR | EA | 00 | 00 | 00 |
| | QPL | CODE | MFG - NAME | MFG - PART-NO | | |
| | N | P | WABCO | 06924140210 | | |

TOTAL PROCESSING TIME = 00 HRS, 02 MINS.

TOTAL RECORDS READ : 7,572

TOTAL RECORDS PRINTED : 17,250

**** FILES USED ****

MMS --> USE YTD

MMS --> USE PY1, USE PY2

CTF --> LONG DESCRIPTION

VXF --> MFG PART NO

MFG --> MFG NAME

ITEM --> U/M

WABP2024 --> STOCK NO

PROGRAM LOCATED : IN ON