

July 2024

MTA - NEW YORK CITY TRANSIT
3 Stone Street
New YORK, N.Y. 10004
BID RECEPTION DESK
WWW.MTA.INFO/NYCT/PROCURE/NYCTPROC.HTM

THIS PACKAGE CONTAINS THE QUALIFIED PRODUCTS LIST (QPL) ITEMS FOR THE BELOW STATED PROCUREMENT UNIT WHICH INCLUDES THE NYCT STOCK NUMBER, ITEM DESCRIPTIONS, AND ESTIMATED USAGE.

QUALIFIED PRODUCTS LIST (QPL)

Track, Maintenance of Way, Building Supplies and Other Items

PROCUREMENT UNIT: 300

Track, Maintenance of Way, Building Supplies and Other Items: Items including, but are not limited to, the following:

Power generators & distribution, wire & cable, electrical circuit components, coil, contacts, electrical lighting, electrical fittings, signal communications, air conditioning, boilers, pipes and fittings, valves, hoses, plumbing supplies, building materials, metals insulation, paint, hardware (screws, bolts, fasteners), tools, shops equipment, forms & paper, abrasives, welding materials, track material, lumber, electrical measuring equip, pump compressor parts, fuses, electrical fittings & accessories, bearings, lubrication fittings/ machines parts.

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
01-58-3540	INSULATOR, PORCELAIN, FOR 150 LB. CONTACT RAIL; GREY COLOR GLAZE; NANO-COATED MANUFACTURED IN ACCORDANCE WITH THE LATEST NYCTA	1253	3236	NYCTA VICTOR INSULATORS INC	T-2091-5 SEC 24, DATED 12/8/17 APPENDIX A, DATED 12/8/17 26858-9
01-63-1700	PAD, ANTI-ABRASION, FOR ROLLED STEEL TIE PLATE, FOR USE WITH 100-8 RAIL.	16900	12200	PANDROL USA PROGRESS RAIL SERVICES	PAD-11973 RPS-01-0253
01-63-1705	PAD, ANTI-ABRASION, FOR ROLLED STEEL TIE PLATE, FOR USE WITH 115 RE RAIL	470	2000	PANDROL USA PROGRESS RAIL SERVICES	PAD-11974 RPS-01-1003
01-63-1710	PAD, RAILBASE, ANTI-ABRASION, FOR USE WITH 100-8 19-A & RF-A PLATES. SHALL CONFORM TO NYCT DRAWING MT- 2734 BNR AND MTA-NYCT STANDARD	18800	22800	NYCTA PANDROL USA PROGRESS RAIL SERVICES	SEC 87, 9/23/04 MT-2734 BNR USK-1626 RPS-01-5854
01-63-1715	PAD, RAILBASE, ANTI-ABRASION, FOR USE WITH 115 RE 19-A & RF-A PLATES. SHALL CONFORM TO NYCT DRAWING MT- 2734 BNR AND MTA-NYCT STANDARD	8200	2600	NYCTA PANDROL USA PROGRESS RAIL SERVICES	SEC 87, 9/23/04 MT-2734 BNR USK-1627 RPS-01-0117
01-64-3331	FASTENER, RESILIENT RAIL "A" TYPE, FOR 100-8 RAIL, AS SHOWN ON NYCT DRAWING T2018A ISSUE DT-1. TO BE SUPPLIED STACKED ON SOLID WOOD	0	872	L.B. FOSTER NYCTA PROGRESS RAIL SERVICES	00-041-043/MODEL F21 T-2018A ISSUE DT-1 SEC 20, 07/21/09 SW-24-4100B-1008
01-64-3332	FASTENER, RESILIENT RAIL "A" TYPE FOR 115 RE RAIL, AS SHOWN ON NYCT DRAWING T-5018A ISSUE DT-1. TO BE SUPPLIED STACKED FLAT ON SOLID	87	0	L.B. FOSTER NYCTA PROGRESS RAIL SERVICES	00-041-269/MODEL F21R4-115RE T-5018A ISSUE DT-1 SEC 20, 07/29/09 SW-24-4100E
01-64-3333	FASTENER, RESILIENT RAIL "A" TYPE, 4 HOLE, FOR 100-8. TO BE SUPPLIED STACKED FLAT ON WOODEN PALLETS CONTAINING 60 PER PALLET, AND BANDED SECURELY WITH NON-METALLIC STRAPS. DELIVERIES TO BE MADE ON OPEN FLATBED EQUIPMENT ON	33264	20522	LB FOSTER RAIL TECHNOLOGIES INC NYCTA PROGRESS RAIL SERVICES	00-041-391/MODEL F21A-100-8 SEC 7, 2/20/01 SEC 57, 3/8/05 SEC 20, 7/21/09 SEC 1, 1/2/06 MT-2018A DT-2 RPS-01-6269 REV. C, ASSEMBLY

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
01-64-3334	FASTENER, RESILIENT RAIL "A" TYPE, 4 HOLE, FOR 115 RE. TO BE SUPPLIED STACKED FLAT ON WOODEN PALLETS CONTAINING 60 PER PALLET, AND BANDED SECURELY WITH NON-METALLIC STRAPS. DELIVERIES TO BE MADE ON OPEN FLATBED	900	3784	LB FOSTER RAIL TECHNOLOGIES INC NYCTA	00-041-392/MODEL F21R4A-115RE T-5018A DT-2 SEC 7, 2/20/01 SEC 57, 3/8/05 SEC 20, 2/28/19 SEC 1, 1/12/06
01-64-3340	PLATE, 100 RB, RESILIENT RAIL FASTENER, "A" TYPE, FOR 100 LB ARA TYPE "B" RAIL, AS SHOWN ON NYCT	0	0	L.B. FOSTER NYCTA	MODEL F21 SEC 9, 1/07/08 MT-683 BNR (SKETCH)
01-64-3342	PLATE, 100-8 RESILIENT FASTENER, RF-A TYPE FOR 100-8 RAIL, AS SHOWN ON STANDARD DRAWINGS: T-2018B SHEET 1 DT-5, AND SHEET 2 DT-8. THE FASTENER SHALL BE ASSEMBLED WITH THE SPECIFIED PARTS LOCKED AND TORQUED AS SHOWN ON	5329	11057	CONSTRUCTION POLYMER LB FOSTER RAIL TECHNOLOGIES INC NYCTA	CPC-RFA-100 03-041-367 T-2018B SHEET 2, DT-8 T-2018B SHEET 1, DT-5 SEC 86, 2/24/16
01-64-3343	PLATE, 100-8 RESILIENT FASTENER, RF-B TYPE FOR 2" & 2-1/4" FLANGWAYS FOR USE WITH 100-8 RAIL, AS SHOWN ON STANDARD DRAWINGS T-2018C SHEET 1 DT-4 AND SHEET 2 DT-5. THE TOP "B" PLATE SHALL CONFORM TO THE LATEST EDITION OF STANDARD	444	231	AMSTED RAIL PRODUCTS SOLUTIONS CONSTRUCTION POLYMER LB FOSTER RAIL TECHNOLOGIES INC NYCTA	RPS-01-0388 CPC-RFB-100 03-041-379 T-2018C SHEET 2 ISSUE DT-5 T-2018C SHEET 1 ISSUE DT-4 T-2016 DT-6 SEC 86, 2/24/16
01-64-3344	PLATE, 115# RESILIENT FASTENER, RF-A TYPE FOR 115RE RAIL, AS SHOWN ON STANDARD DRAWING: T-5018B SHEET 1 DT-2, SHEET 2 DT-2 EXCEPT THAT THE ELASTOMERIC PAD DIMENSIONS SHALL	6014	3288	AMSTED RAIL PRODUCTS SOLUTIONS CONSTRUCTION POLYMER NYCTA	RPS-01-1017 CPC-RFA-115 T-5018B SHEET 2 ISSUE DT-2 T-5018B SHEET 1 ISSUE DT-2

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	HAVE THE FOOTPRINT OF THE TOP STEEL "A"			PROGRESS RAIL SERVICES	SEC 86, 2/24/16 RPS-01-10117FF
01-64-3345	PLATE, 115# RESILIENT FASTENER, RF-B TYPE FOR 2" & 2-1/4" FLANGWAY FOR USE WITH 115RE RAIL, AS SHOWN ON STANDARD DRAWING T-5018C SHEET 1 ISSUE DT-1 & SHEET 2 ISSUE DT-1 EXCEPT THAT THE ELASTOMERIC PAD DIMENSIONS SHALL HAVE	130	250	AMSTED RAIL PRODUCTS SOLUTIONS CONSTRUCTION POLYMER NYCTA	RPS-01-0382 CPC-RFB-115 T5018C SHT. 2 DT-1 T5018C SHT. 1 DT-1 T-2018C SHEET 1 ISSUE DT-1 T 5016 DT 4 SEC 86, 10/28/08 RPS-01-0382
01-64-3346	PLATE, 100-8 RESILIENT FASTENER, RF-D TYPE FOR USE WITH 100-8 RAIL, AS SHOWN ON STANDARD DRAWING T-2018D SHEET 1 DT-6 & SHEET 2 DT-6. THE TOP "D" PLATE SHALL CONFORM TO THE LATEST EDITION OF THE STANDARD DRAWING: T-2017 EXCEPT FOR	2080	1624	AMSTED RAIL PRODUCTS SOLUTIONS CONSTRUCTION POLYMER LB FOSTER RAIL TECHNOLOGIES INC NYCTA	RPS-01-0384 CPC-RFD-100 03-041-381 T-2018D SHEET 2 ISSUE DT-6 T-2018D SHEET 1 ISSUE DT-6 T-2017 DT-14 SEC 86, 2/24/16 RPS-01-0384
01-64-3347	PLATE, 115# RESILIENT FASTENER, RF-D TYPE FOR USE WITH 115RE RAIL, AS SHOWN ON STANDARD DRAWING T-5018D SHEET1, DT-7 & SHEET 2 DT-7. THE TOP "D" PLATE SHALL CONFORM TO THE LATEST EDITION OF STANDARD DRAWING T-5017 EXCEPT FOR THE	965	1444	CONSTRUCTION POLYMER LB FOSTER RAIL TECHNOLOGIES INC NYCTA	CPC-RFD-115 03-041-380 T-5018D SHT. 2 DT-7 T-5018D SHT. 1 DT-7 T-5017 SHT. 1, ISSUE DT 13 SEC 86, 2/24/16 RPS-01-1016
01-84-0525	SCREW SPIKE, 1" DIA. X 5"-1/8" LONG, RECTANGULAR HEAD, HIGH STRENGTH, SHALL CONFORM TO NYCT DRAWING T-	303666	205296	LEWIS NUT & BOLT NYCTA	SSYR5100-0513P T-2011 SHEET 2 DT-5 SEC 15, 08/21/14

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	2011 SHEET 2, DT-5 AND STANDARD SPECIFICATION SECTION 15. TO BE SHIPPED IN PLASTIC PAILS WITH HANDLES CONTAINING 35 PER PAIL AND			TAICANG ZHONGBO RAILWAY FASTEN YANGTZE RAILROAD MATERIALS	AX078164-A&K SWSP-10000-05125-NYCTA
01-84-0527	SCREW SPIKE, 1" DIA. X 6" LONG, RECTANGULAR HEAD, HIGH STRENGTH, SHALL CONFORM TO NYCT DRAWING T-2011 SHEET 2, DT-5 AND STANDARD, SPECIFICATION SECTION 15. TO BE SHIPPED IN PLASTIC PAILS WITH HANDLES CONTAINING 30 PER	95506	50580	LEWIS NUT & BOLT NYCTA TAICANG ZHONGBO RAILWAY FASTEN YANGTZE RAILROAD MATERIALS	SSYR5100-0600P T-2011 SHEET 2 DT-5 SEC 15, 08/21/14 AX078166-A&K SWSP-10000-06000-NYCTA
01-84-0529	SCREW SPIKE, 1" DIA. X 7" LONG, RECTANGULAR HEAD, HIGH STRENGTH, SHALL CONFORM TO NYCT DRAWING T-2011 SHEET 2, DT-5 AND STANDARD SPECIFICATION SECTION 15. TO BE SHIPPED IN PLASTIC PAILS WITH HANDLES CONTAINING 30 PER	2912	704	LEWIS NUT & BOLT NYCTA TAICANG ZHONGBO RAILWAY FASTEN YANGTZE RAILROAD FASTENERS INC	SSYR5100-0700P T-2011 SHEET 2 DT-5 SEC 15, 08/21/14 AX080820-A&K SWSP-10000-07000-NYCTA
01-99-2400	VACUUM, MOBILE TRACK CLEANER TO BE USED IN SUBWAY AND OUTDOOR STATIONS; MANUFACTURED IN			NEU RAILWAYS NYCTA VAC-U-MAX	NEUVKM50 MOBILE TRK VAC SPEC - 4/4/17 MDLTV200
02-08-2549	RELAY, TRACK, PV 250, 110 VOLT, 60 HERTZ, 2F-2B, FOR USE WITH WABCO. TYPE CAPACITOR TYPE TRACK CIRCUITS.	87	0	HITACHI RAIL STS USA INC	N342555809
02-08-6300	RELAY, LP 100, 3 WAY	0	0	HITACHI RAIL STS USA INC	N451085-0217
02-08-7560	RELAY, PN-150 BM, 2F-2B MAGNETIC HEAVY DUTY	0	0	HITACHI RAIL STS USA INC	N322524001
02-10-1130	ARMATURE	0	0	HITACHI RAIL STS USA INC	N234255
02-10-1375	VANE, FOR PV250 RELAYS	0	0	HITACHI RAIL STS USA INC	N434594
02-10-3515	BLOCK, TRACK COIL CONTROL, FOR PV-250 RELAY	0	0	HITACHI RAIL STS USA INC	M433457
02-10-3915	BLOCK, CONTACT, RELAY ITSELF	0	0	HITACHI RAIL STS USA INC	N2763110001

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
02-10-3945	BLOCK, CONTACT #3 FOR PTV 42 RELAY W/SPRINGS	0	0	HITACHI RAIL STS USA INC	N2778350001
02-10-3970	BLOCK, CONTACT, FOR RELAY #150 BM	0	0	HITACHI RAIL STS USA INC	N2997040001
02-10-4681	POST, TERMINAL, MODEL 15 IND RELAY	0	0	HITACHI RAIL STS USA INC	N072667
02-10-4720	BRACKET, FOR UPPER-ROLLER, USED WITH S.L.V. 13 RELAY			HITACHI RAIL STS USA INC	M090714
02-10-9522	BLOCK, CONTGACT, FOR PV250 RELAY	0	0	HITACHI RAIL STS USA INC	N4334820001
02-11-0680	COVER, MOULDED, CLEAR LEXAN, FOR PTV-42 RELAY	0	0	HITACHI RAIL STS USA INC	J780017
02-11-0850	COVER, FRONT, PLASTIC, FOR RD RELAY	0	0	HITACHI RAIL STS USA INC	M344744
02-11-0855	COVER, TOP, FOR PV250 RELAY	50	50	HITACHI RAIL STS USA INC	J776598
02-11-0856	COVER, BOTTOM, FOR PV250 RELAYS	50	50	HITACHI RAIL STS USA INC	J776597
02-11-3670	GASKET, FOR PV250 RELAYS	0	0	HITACHI RAIL STS USA INC	J047081
02-11-3672	GASKET, FOR COVER PTV-42	0	0	HITACHI RAIL STS USA INC	UJ-047445
02-11-3760	GASKET, RUBBER, FOR SLV13 RELAYS	100	100	HITACHI RAIL STS USA INC	J047298
				PENNSYLVANIA RAIL CAR CO.	D-912330
				PENNSYLVANIA RAIL CAR CO.	02113760
				SH RUBBER PRODUCTS CO LTD	000757
02-11-3880	GASKET, FOR PN50, PT55, RELAY COVERS	50	50	HITACHI RAIL STS USA INC	J047396
				PENNSYLVANIA RAIL CAR CO.	D-912331
02-11-4950	TERMINAL, POST, COMPLETE WITH GRAPHITE CONTACT	0	0	HITACHI RAIL STS USA INC	N112419
02-12-3260	PINION, FOR 10 TO 120 SECONDS AND 0.	0	0	HITACHI RAIL STS USA INC	M160844
02-12-3280	PINION, FOR 2.5 TO 25 SECONDS TIME RANGE	0	0	HITACHI RAIL STS USA INC	M162000
02-12-8350	ROLLER, STOP, USED WITH MODEL-15- RELAY	600	339	HITACHI RAIL STS USA INC	M069693

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
02-14-0670	SPRING, CONTACT, HEEL, SINGLE, USED WITH RD RELAY PARTS	0	0	HITACHI RAIL STS USA INC	N307873
02-14-0671	SPRING, HEEL CONTACT, DOUBLE	0	0	HITACHI RAIL STS USA INC	N307995
02-14-4500	RECEPTACLE, CONTACT	0	0	HITACHI RAIL STS USA INC	J680165
02-14-5050	TRUNNION, SCREW, USED WITH SV-12-4- 15 MODEL RELAY	200	180	HITACHI RAIL STS USA INC	MO51924
02-14-5090	TRUNNION, SCREW	100	96	HITACHI RAIL STS USA INC	N094597
02-14-5130	TRUNNION, WITH NUT STEEL BEARING FOR PV250 RELAYS.	200	182	HITACHI RAIL STS USA INC	N124889
02-14-5900	VANE, ARMATURE-COMPLETE WITH- 1/4"RADIUS-CRANK AND SHAFT-(2- POSITION-RELAY) UW MODEL 15 RELAY	0	0	HITACHI RAIL STS USA INC	N071775
02-14-7045	WASHER, .562 (9/16") OUTSIDE DIA., .250 (1/4") INSIDE DIA., MADE OF COPPER, CHROME PLATED AND CHAMFERED ON BOTH OUTSIDE EDGES.	0	0	HITACHI RAIL STS USA INC	J047818
02-17-0390	ARM, ROCKER	12	22	HITACHI RAIL STS USA INC	HI62408
02-17-0735	ARMATURE	48	41	HITACHI RAIL STS USA INC	N073519
02-17-1501	BAR, LOWER LOCK	0	35	HITACHI RAIL STS USA INC	N163680001
02-17-1550	BAR, TOP LOCKING LH	10	18	HITACHI RAIL STS USA INC	N215506
02-17-2900	BLOCK, CONTACT SPRING, WITH CONTACT SPRINGS	50	21	HITACHI RAIL STS USA INC	N191894
02-17-3367	BOARD, TERM NUMBERED, 13 TO 18, FOR CO-A10 MV MT	0	0	HITACHI RAIL STS USA INC	M186284
02-17-7300	BOLT, SWITCH MOVEMENT, FOR ROCKER ARM SWIVEL	25	23	HITACHI RAIL STS USA INC	M162414
02-17-9100	BOLT, 3/4"-10 X 2-3/8", HEX HEAD, WITH NO. UO-163304 NUT AND NO. UO-47773	0	0	G&B SPECIALTIES INC. HITACHI RAIL STS USA INC	990235-075X X4520370003
02-18-1680	CAM, FOR CRANK SHAFT A10 MOVEMENT	0	0	HITACHI RAIL STS USA INC	M155805

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
02-18-3940	CONNECTOR, TERMINAL, COMPLETE, FOR CC, CP, SWITCH VALVE,	70	20	HITACHI RAIL STS USA INC	N167538
02-18-4360	CONTROLLER, CIRCUIT, COMPLETE A10 SEL MOVEMENT, REF. A.	16	0	HITACHI RAIL STS USA INC	UN-158422
02-18-4905	COVER	0	5	HITACHI RAIL STS USA INC	UN-158078
02-18-5005	COVER, FOR CIRCUIT CONTROLLER	0	0	HITACHI RAIL STS USA INC	N165903
02-18-6025	COVER, AND GUIDE, FOR LOCK ROD USED WITH A10 MOVEMENT.	30	17	HITACHI RAIL STS USA INC	N437536
02-18-6045	COVER, FOR OPERATING BAR GUIDE, BRONZE	0	0	HITACHI RAIL STS USA INC	M263263
02-18-6065	COVER, FOR A10 OPERATION ROD	0	0	HITACHI RAIL STS USA INC	R289285
02-18-6510	CRANK, CIRCUIT CONTROLLER SWITCH MACHINE.	24	37	HITACHI RAIL STS USA INC	N163055
02-18-6530	CRANK, HAND FOR A10 MOVEMENT	0	2	HITACHI RAIL STS USA INC	N165246
02-19-1970	GUIDE, FOR OPERATING BAR A10 MOVEMENT	24	28	HITACHI RAIL STS USA INC	M289282
02-19-4520	NUT, LOCK, F-ADJUSTING PIECE BOLT, CC- A10 MVMT.	50	100	HITACHI RAIL STS USA INC	M095300
02-19-4900	LOCK, COMPLETE, AIR VALVE, WITH COVER, BOX SPRING AND LOCK	12	26	HITACHI RAIL STS USA INC	UN-300338
02-19-4920	LOCK, AIR VALVE	11	0	HITACHI RAIL STS USA INC	N300605
02-19-6400	LUG, SWITCH, L/H WITH 4-1/2" DROP FOR 100LB RAIL	22	44	G&B SPECIALTIES INC. HITACHI RAIL STS USA INC	807150X N395124
02-19-6401	LUG, SWITCH, R/H WITH 4-1/2" DROP FOR 100 LB. RAIL	2	27	G&B SPECIALTIES INC. HITACHI RAIL STS USA INC	807151X N395125
02-19-9599	NUT, SPECIAL, FOR SWIVEL PIN	25	30	HITACHI RAIL STS USA INC	M162415
02-20-0800	NUT, STRAP, FOR TIE PLATE A10 MOVEMENT	0	0	HITACHI RAIL STS USA INC	M163304
02-20-2600	PACKING, CYLINDER, SWITCH MACHINE	50	0	HITACHI RAIL STS USA INC	M158097
02-20-3160	PIECE, ADJUSTING, FOR CIRCULAR CONTROLLER A10 MOVEMENT	0	0	HITACHI RAIL STS USA INC	J26015

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
02-20-3720	PIECE, LOCKING, FOR SHAFT CP SWITCH VALVE	0	0	HITACHI RAIL STS USA INC	M153471
02-20-5600	PISTON, COMP. FOR CP SWITCH VALVE	18	0	HITACHI RAIL STS USA INC	N156432
02-20-6155	PLATE, SHIFTER, WITH JAW STAMPED L, USED WITH CC-A10 SWITCH MOVEMENT	0	0	HITACHI RAIL STS USA INC	N162697
02-20-6165	PLATE, BENT TIE, FOR S&L MOVEMENT HAVING 4-5/8" THROW REF. OA, FOR STYLE A10 SWITCH AND LOCK MOVEMENT.	36	5	HITACHI RAIL STS USA INC	N163277
02-20-8535	RACK, WITH PISTON, DOG AND PIN, COMPLETEFOR A-10 SWITCH MOVEMENT	48	17	HITACHI RAIL STS USA INC	N158128
02-21-0210	ROD, OPERATING IN A10 SWITCH MOVEMENT	9	0	HITACHI RAIL STS USA INC	M61052
02-21-0230	ROD, SWITCH OPERATING, UNIVERSAL, VERTICAL ABEX M-3 SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N438680002
02-21-1360	ROD, LOCK, 39-3/4", FOR A10 MOVEMENT, 22" FROM GAUGE ROD CONNECTION	0	0	HITACHI RAIL STS USA INC	M4514190201
02-21-1880	ROD, SWITCH OPERATING, 46-3/4" COMPLETE, FOR RIGHT HAND A10 MOVEMENT	0	0	HITACHI RAIL STS USA INC	N4514220101
02-21-1882	ROD, SWITCH OPERATING, FOR A-10 LEFT HAND, S&L MOVEMENT, 22" FROM GAUGE OF RAIL	0	0	HITACHI RAIL STS USA INC	N451422-0102
02-21-2219	ROD, SWITCH, CIR CONTROLLER OPERATING, WITH EYE NUT IN A10 SWITCH MOVEMENT	0	0	HITACHI RAIL STS USA INC	N179765
02-21-2650	ROLLER, FOR CRANK SHAFT A10 MOVEMENT	30	30	HITACHI RAIL STS USA INC	M061066

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
02-21-9300	SCREW, ADJUSTABLE, FOR SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M162411
02-22-0800	SHAFT, FOR A10 SWITCH MOVEMENT	0	0	ANSALDO STS USA, INC	M188098
02-22-1120	SHIFTER, A-10 SWITCH MOVEMENT	0	0	HITACHI RAIL STS USA INC	J078049
02-22-1800	SPRING, PIN VALVE, USED WITH C CP SWITCH VALVE.	300	300	HITACHI RAIL STS USA INC	J068203
02-22-1850	SPRING, CRANK, SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	UJ-68536
02-22-2961	SPRING, CONTACT, LEFT HAND OR RIGHT HAND, FOR BLOCK CP SWITCH VALVE	100	50	HITACHI RAIL STS USA INC	N156367
02-22-2975	SPRING, CONTACT, RIGHT HAND, COMPLETE, USED WITH CP SWITCH VALVE	105	50	HITACHI RAIL STS USA INC	N156377
02-22-2990	SPRING, CONTACT, SHORT, COMPLETE, LEFT HAND OR RIGHT HAND, FOR CIR CONTROLLER A-10 MOVEMENT	0	0	HITACHI RAIL STS USA INC TWINCO MANUFACTURING CO.	N179246 069-1223-1-0
02-22-3035	SPRING, CONTACT, LONG, COMPLETE, LEFT HAND OR RIGHT HAND FOR CIR CONTROLLER A10 MOVEMENT	0	0	HITACHI RAIL STS USA INC TWINCO MANUFACTURING CO.	N236209 069-1223-2-0
02-22-3655	STEM, EP SWITCH VALVE	84	0	HITACHI RAIL STS USA INC	N156363
02-22-5964	MACHINE, SWITCH, A-10, RIGHT HAND MECHANISM, WITHOUT LAYOUT	1	0	HITACHI RAIL STS USA INC	N159020
02-22-5969	MACHINE, SWITCH, A-10, LEFT HAND, WITHOUT LAYOUT	0	0	HITACHI RAIL STS USA INC	N163419
02-22-5994	LAYOUT, M-3 ELECTRIC SWITCH MACHINE, RIGHT HAND, LESS SWITCH	0	6	G&B SPECIALTIES INC. HITACHI RAIL STS USA INC	899280RX X4515674804
02-22-5995	LAYOUT, M-3 ELECTRIC SWITCH MACHINE, LEFT HAND, LESS SWITCH	0	0	G&B SPECIALTIES INC. HITACHI RAIL STS USA INC	899280LX X4515674803
02-22-8200	VALVE, SWITCH, ELECTRO-PNEUMATIC STYLE C-P, TO BE USED IN THE SIGNAL SYSTEM.	47	0	HITACHI RAIL STS USA INC	UN297368

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
02-24-1000	BAR, POINT DETECTOR, FOR M-3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N387566001
02-24-1010	BAR, LOCK, ROD BEARING, FOR M-3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M4511613607
02-24-1020	BAR, OPERATING, L/H FOR M-3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M4511613001
02-24-1030	BAR, OPERATING, R.H. FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M4511613002
02-24-1040	BAR, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M4511600802
02-24-1050	BEARING, TOP, GEAR BOX, ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N146606001
02-24-1060	BEARING, BALL, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	JO66032
02-24-1070	BEARING, BALL, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	JO66246
02-24-1080	BOARD, TERMINAL, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N184425
02-24-1090	BOLT, 7/8, 9 X 3 HEX HEAD FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J460113
02-24-1100	BRUSH, MOTOR, FOR M3 ELECTRIC SWITCH MACHINE	12	0	HITACHI RAIL STS USA INC	JO642050004
02-24-1110	BOX, LOCK, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N178100
02-24-1130	BUSHING, OILTITE, GEAR BOX ASSEMBLY, M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	JO79694
02-24-1140	BUSHING, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J790007

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
02-24-1150	BUSHING, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J790004
02-24-1160	BUSHING, FOR CRANK, GEAR BOX ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE	5	5	HITACHI RAIL STS USA INC	M4513930501
02-24-1170	BUSHING, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J790291
02-24-1180	BUSHING, GEAR BOX ASSEMBLY, M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J790290
02-24-1190	BUSHING, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J790328
02-24-1200	CAM, BAR, SLIDE, CAM FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	R146444
02-24-1210	CAP, BEARING, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M274596
02-24-1230	CONTROLLER, INDICATION, CIRCUIT, WITH SELECTIVE POINT DETECTOR FOR SINGLE SWITCH COMPLETE FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N4511612801
02-24-1240	COVER, CIRCUIT, CONTROLLER, COMPARTMENT FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N4511612701
02-24-1250	COVER, GEAR BOX, FOR M3 ELECTRIC SWITCH MACHINE	238	0	HITACHI RAIL STS USA INC	N4511612411
02-24-1260	COVER, MOTOR, COMPARTMENT FOR M3 ELECTRIC MACHINE	0	0	HITACHI RAIL STS USA INC	N4511613801
02-24-1270	CONTROLLER, INDICATION, CIRCUIT, R.H. CRANK (INCLUDES ROLLER & PIN) FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N284649

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
02-24-1280	CRANK, L.H., CONTROLLER, INDICATION CIRCUIT, (INCLUDES ROLLER & PIN)	0	0	HITACHI RAIL STS USA INC	N284650
02-24-1290	CRANK, OPERATING, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M071158
02-24-1300	OUTLET, CONDUIT, COMPLETE, FOR M3 ELECTRIC SWITCH MACHINE	3	0	HITACHI RAIL STS USA INC	N238223
02-24-1310	DISK, CLUTCH, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M146650
02-24-1320	GASKET, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	320	0	HITACHI RAIL STS USA INC	M245192
02-24-1330	GASKET, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	20	HITACHI RAIL STS USA INC	M147410
02-24-1340	GEAR BOX ASSEMBLY, COMPLETE WITH CLUTCH FOR M3 ELECTRIC SWITCH MACHINE	31	4	HITACHI RAIL STS USA INC	N4511617701
02-24-1350	GEAR, WORM, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M074805
02-24-1360	GEAR, MOTOR ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M4511611601
02-24-1370	GEAR, FIRST REDUCTION, GEAR BOX ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M286576
02-24-1380	GEAR, BEVEL, HAND CRANK, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M286995
02-24-1390	GEAR, CLUTCH, COMPLETE, GEAR BOX ASSEMBLY (INCLUDES BUSHING, REF 51 FIG A-3) FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N286583
02-24-1400	HOUSING, CLUTCH, GEAR BOX ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N172752

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
02-24-1410	KEY PIECE, MOTOR, ASSEMBLY, FOR M3 M3 ELECTRIC SWITCH MACHINE	26	27	HITACHI RAIL STS USA INC	M4511611305
02-24-1420	MOTOR, ASSEMBLY (W/O CONTACTOR ASSEMBLY N451161-5303) FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N4511611706
02-24-1430	MOTOR, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M4511615701
02-24-1440	NUT, CLUTCH ADJUSTING, GEAR BOX ASSEMBLYFOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N286615
02-24-1450	NUT, 3/8-16 UNC-2B, JAM, FOR M3 ELECTRICSWITCH MACHINE			HITACHI RAIL STS USA INC	J048010
02-24-1460	NUT, 7/8-9 UNC 2B HYV M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J048136
02-24-1480	PINION, HAND CRANK, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M146377001
02-24-1490	PLATE, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M147400
02-24-1500	PLATE, CLUTCH, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	12	11	HITACHI RAIL STS USA INC	M146573
02-24-1510	PLATE, CLUTCH, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	12	11	HITACHI RAIL STS USA INC	M146574
02-24-1520	PLATE, CLUTCH END, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M146575
02-24-1530	RING, RING SNAP EXT., MOTOR ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	100	53	HITACHI RAIL STS USA INC	J792852

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
02-24-1540	ROLLER FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M108315
02-24-1560	ROD, LOCK, LEFT HAND SET FOR M3 ELECTRICSWITCH MACHINE	0	13	HITACHI RAIL STS USA INC	N4514191403
02-24-1570	ROD, LOCK, RIGHT HAND SET FOR M3 ELECTRIC SWITCH MACHINE	0	13	HITACHI RAIL STS USA INC	N4514191303
02-24-1580	ROLLER, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M074737
02-24-1590	ROLLER, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M061066
02-24-1600	SCREW, 10-32 X 1/4", ALLEN HEAD, MOTOR ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J507363
02-24-1610	SCREW, 5/16-18 X 1/2", HEX HEAD, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J050014
02-24-1620	SCREW, 5/16-18 X 1, HEX HEAD, FOR ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J050038
02-24-1630	SCREW, 3/8-16 X 1, HEX HEAD, FOR ME ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J050053
02-24-1640	SCREW, 3/8-16 X 8, HEX HEAD, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J507369
02-24-1650	SCREW 1/2-13 X 1, HEX HEAD, FOR ME ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J050088
02-24-1660	SCREW, 1/2 X 1-1/2, SCH FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J050236
02-24-1670	SCREW, 1/2-13 X 1-1/2, HEX HEAD, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J050092
02-24-1680	SCREW, 1/2 13 X 2, HEX HEAD, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J050098
02-24-1690	SEAL, OIL, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	13	0	HITACHI RAIL STS USA INC	J790261
02-24-1700	SHAFT, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M292426

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
02-24-1710	SPRING, STOP, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M251940001
02-24-1720	SPRING, CLUTCH, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M239322
02-24-1730	SPRING, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M181001
02-24-1740	WIRE, #12, C, SPRING STEEL, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J680204
02-24-1750	SPRING, CONTACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M172380001
02-24-1760	SPRING, CONTACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M074783001
02-24-1770	SPRING, CONTACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M138718001
02-24-1790	SPRING, CONTRACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M251938001
02-24-1800	SPRING, CONTACT, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	N284721001
02-24-1810	SPRING, BRUSH HOLDING, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	J680206
02-24-1820	SPRING, REINFORCING, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M045269
02-24-1830	SPRING, REINFORCING, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M074777001
02-24-1840	SPRING, REINFORCING, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M138696001
02-24-1850	SPRING, STOP, CKT. CONT., FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M251939001
02-24-1860	STRAP, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M162242

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
02-24-1870	SUPPORT, FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M172662
02-24-1880	WORM & SHAFT, GEAR BOX ASSEMBLY FOR M3 ELECTRIC SWITCH MACHINE	0	0	HITACHI RAIL STS USA INC	M286612
02-24-1890	WASHER, FELT, GEAR BOX ASSEMBLY, FOR M3 ELECTRIC SWITCH MACHINE	40	20	HITACHI RAIL STS USA INC	JO47335
02-30-0260	ARM, ROCKER, WITH ROLLERS & PINS, USED WITH S STOP	0	0	HITACHI RAIL STS USA INC	N161617
02-30-0543	ARM, TRIPPER, FOR RIGHT HAND SPRING STOP	0	0	HITACHI RAIL STS USA INC	N343876001
02-30-2800	BOLT, 5/16-18 HEX. HD. PC. UJ-46368, WITH NUT UJ-48162	0	0	HITACHI RAIL STS USA INC TWINCO MANUFACTURING CO.	X250303 069-1231-0-0
02-30-5700	BRACKET ONLY, F-S STOP U/W STOP MECHINISM #269495	0	0	HITACHI RAIL STS USA INC	M268863
02-30-6385	CAM, FOR SHAFT-L.H. STYLE UW CAM. STOP	0	0	HITACHI RAIL STS USA INC	M269040
02-30-6985	CAP, CYLINDER OF TRAIN STOP	0	0	HITACHI RAIL STS USA INC	M159646
02-30-7660	CLAMP, W-BOLT-&-NUT-L.H.STYLE-"S" U/W E.P. STOP	0	0	HITACHI RAIL STS USA INC	N178502
02-31-0600	COVER, COMPL-W-HASP-SPRING-AND-GASKET L.H. STYLE-"S" U/W STOP	0	0	HITACHI RAIL STS USA INC	N186205
02-31-1220	CYLINDER	10	0	HITACHI RAIL STS USA INC	N329511
02-31-3460	FLANGE, SPRING STOP	0	0	HITACHI RAIL STS USA INC	M161986
02-31-3650	OUTLET, CABLE, U/W SPG. STOP.	0	0	HITACHI RAIL STS USA INC	M388563
02-31-8990	MAGNET, 400 OHMS DC, FOR STOP VALVE	50	0	HITACHI RAIL STS USA INC	N126905
02-31-9305	MECHANISM, TRAIN STOP L.H. 14" W, FLOATING POSITION	0	0	HITACHI RAIL STS USA INC	N330549

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
02-31-9325	MECHANISM, STOP, RIGHT HAND, SPRING, WITHOUT LAYOUT.	0	28	HITACHI RAIL STS USA INC	N3305490001
02-32-5310	STOP, FOR SPRING, FLOATING, TYPE	6	0	HITACHI RAIL STS USA INC	M387688
02-32-5620	RAMP, LONG, USED WITH 14" SPRING STOP LAYOUT REF. A & B	0	0	HITACHI RAIL STS USA INC	M186190-002
02-33-2906	SHAFT, 18-3/4" LONG FOR 14" TRAIN STOP	0	0	HITACHI RAIL STS USA INC	M330541
02-33-2909	SHAFT, U.S.& S. ROCKER, FOR AUTOMATIC STOP	0	0	HITACHI RAIL STS USA INC	M3306310
02-33-2934	ROCKER SHAFT, 17-1/2" LONG O/A FOR STOP ARM SPRING STOP	0	0	HITACHI RAIL STS USA INC	M375500
02-33-4210	SPRING, COIL	0	0	HITACHI RAIL STS USA INC	J068527
02-33-4255	SPRING, HOUSING FOR L.H. STYLE EP TRAIN STOP MECHANISM	6	0	HITACHI RAIL STS USA INC	R269066
02-33-4800	SPRING, PLUNGER, U/W CAPACITY TRAIN STOP DWG-80161 SH. 1	0	0	HITACHI RAIL STS USA INC	J680159
02-33-5365	STAPLE, U/W S-STOP ONLY-L.H. STYLE- "S"	0	0	HITACHI RAIL STS USA INC	M000903
02-33-5684	VALVE, STEM	30	0	HITACHI RAIL STS USA INC	M112793
02-33-7120	STRAP BEARING SUPPORT U/W AUTO- STOP OPEN HEARTH STEEL	0	0	HITACHI RAIL STS USA INC	M382005
02-36-2000	BASE, MOUNTING	0	0	HITACHI RAIL STS USA INC	N399689
02-36-2080	BASE, RELAY, F/MOUTING OF LP100 RELAY	0	0	HITACHI RAIL STS USA INC	N4514130102
02-40-5980	ASSEMBLY, 2 MF COND W RCS-2 RECT U/W DC GD DET	0	0	HITACHI RAIL STS USA INC	N287477
02-43-7130	RESISTOR, 80 WATT, 25 CYCLE, 1.6,1.6, 4.8 OHMS- SR 32A7	0	0	HITACHI RAIL STS USA INC	J073644
02-43-7170	RESISTOR, OHMS 2.5 TAP .84-1.24 .42 8 AMP, 160 WATT, COMPLETE, FOR TK CTR	0	0	HITACHI RAIL STS USA INC	J073730
02-43-7480	RESISTOR, OHMS 40,000 MTD-W-COV-F- Z-CASE	0	0	HITACHI RAIL STS USA INC	N283143

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
02-47-1080	TRANSFORMER, W-20 SPEC. 4039, 550 VOLTS, 25 CYCLES, 300 VA W/ ONE LIGHTING SECONDARY 55.3 -4.9-48 2.3- VOLTS, 4.2 AMPS AND TWO TRACK SECONDARIES 12.2 -4.61-2.1- VOLTS, 3 AMPS	0	0	HITACHI RAIL STS USA INC	N286462
02-47-3700	TRANSFORMER, MATCHING, 1-1 RATIO	0	0	HITACHI RAIL STS USA INC	N393992
03-04-0158	SWITCH COMPLETE, 2 POS. L.H. 45 DEG. & R.H. SIGNAL U/W CONTROL MACH.	0	0	ALSTOM SIGNALING, INC.	55330-012-22
03-04-0255	SWITCH, PUSH-PULL, ROTARY, SPRING RETURN TO CENTER POSITION, PLUG-IN TYPE, FOR GRS TYPE "C" CONTROL MACHINE AND MAINTAINERS PANEL	0	0	ALSTOM SIGNALING, INC.	30731-000-01
03-04-0280	SWITCH PUSH-PULL, ARROW RIGHT 90 DEG. RH ROTATION SIG ENT LEV. W/JOCKET 54603-10-GR8 & KNOB #54722-4-GR1, & INDICATOR #54605-3-GR1, & SCREW #55854 & WASHER #53029-27, & INSULATOR #37412-222 U/W NX CONTROL MACH.	0	0	ALSTOM SIGNALING, INC.	55330-030-03
03-04-0285	SWITCH, PUSH-PULL, ARROW LEFT 90 DEG. LEFT HAND ROTATION SIG, ENT.LEV, USE WITH NX CONTROL MACH	0	0	ALSTOM SIGNALING, INC.	55330-030-04
03-05-0100	RELAY, "J", 180/180 OHMS, 6FB NEUTRAL FOR NX & CODING NETWORKS	0	0	ALSTOM SIGNALING, INC.	31500-000-01
03-05-3000	RELAY, AC 60 CYCLE TYPE B2V TRACK RELAY 4F-4B WITH SHOCK SENSOR	28	25	ALSTOM SIGNALING, INC.	56005-100-22
03-05-3020	RELAY, B2V, 110V, 60 CYCLE, 2F-2B HIGH	60	70	ALSTOM SIGNALING, INC.	56005-100-23

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	IMPEDANCE TRACK COIL, FOR A.C. TRACK			SIEMENS INDUSTRY INC	450994-N
03-05-5100	RELAY, DC TYPE B1, 2 POS POLAR STICK 520 OHM 12V 2NR DC GRD DET	0	0	ALSTOM SIGNALING, INC.	56001-675-01
03-05-5150	RELAY, DC TYPE B1 2 POS NON-BIASED .068-230 OHM 10V 2FB-M-B-B SW CONT. OL OVER-LOAD	0	0	ALSTOM SIGNALING, INC.	56001-785-01
03-05-5160	RELAY, DC TYPE B1 2 POS. ORDINARY BIASED 1000 OHM 12V 2FB-4F-2B	0	0	ALSTOM SIGNALING, INC. SIEMENS INDUSTRY INC	56001-927-02 400503
03-05-5180	RELAY, DC TYPE B1, 2 POSITION ORDINARY BIASED 500 OHM 12V 2F-2B	0	0	ALSTOM SIGNALING, INC. SIEMENS INDUSTRY INC	56001-926-01 400520
03-05-5190	RELAY, DC TYPE B1 2 POS ORD. BIASED 330 OHM 12 V 6FB-S-S-M-D PANEL LTS DIM OFF	0	0	ALSTOM SIGNALING, INC.	56001-785-GR33
03-05-5200	RELAY, D.C., TYPE B1, 2 POS.	0	0	ALSTOM SIGNALING, INC.	56001-785-91
03-05-5250	RELAY, DC TYPE B1 2 POS COUNT WEIGHT BIASED NUT 1 OHM 12V 6FB RECT CHG.	0	0	ALSTOM SIGNALING, INC.	56001-922-10
03-05-5260	RELAY, B1 SPU			ALSTOM SIGNALING, INC.	56001-911-01
03-05-5400	RELAY, DC TYPE B2 POSITION, 75 CYCLE CODER, 150 OHM 12V 2F-2B SILVER DC GRADE DETECTOR	0	0	ALSTOM SIGNALING, INC.	31750-101-05
03-06-1910	BEARING, JEWELLED, COMPLETE, FOR TYPE "B2" AC RELAY	100	1160	ALSTOM SIGNALING, INC.	51527-001-03
03-06-6435	CONTACT, ELECTRICAL UNIV. FOR CONTACT GR, USED WITH L OR 2A RELAY	500	400	ALSTOM SIGNALING, INC.	42799-007-08
03-06-6450	CONTACT, CARBON, UNIV, FOR CONTACT GR 2A-B RELAY	500	400	ALSTOM SIGNALING, INC.	42799-007-10
03-06-7025	CONTACT, GROUP, COMPLETE, 2F 1B USED WITH B1-B2 RELAYS	0	0	ALSTOM SIGNALING, INC.	56012-108-02
03-06-7260	CONTACT, GROUP, COMPLETE, FOR SPARE SPACE 2-3-4-5 RELAYS	0	0	ALSTOM SIGNALING, INC.	56012-108-11
03-06-7290	CONTACT, GROUP, COMPLETE, 1FB	0	0	ALSTOM SIGNALING, INC.	56012-108-12

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	EXTRA HEAVY DUTY, USE WITH B RELAY			SIEMENS INDUSTRY INC	420052-7X
03-06-8440	COVER, F B2 POLAR NEUT. RLY.	0	0	ALSTOM SIGNALING, INC.	56029-102-00
03-06-8450	COVER, COMPLETE, FOR B2 TIME RELAYS	0	0	ALSTOM SIGNALING, INC.	57287-002-09
03-06-8460	COVER, COMPL F B2 TK RLY	0	0	ALSTOM SIGNALING, INC.	57287-002-12
03-07-3350	MOTOR COMP. F B2 TIME RLY 2 TO 45 SEC.	0	0	ALSTOM SIGNALING, INC.	56108-191-01
03-08-5540	SHAFT, FOR B2 TRACK RELAY	0	1437	ALSTOM SIGNALING, INC.	43317-012-00
03-09-0600	VANE, COMPLETE, FOR B2 TRACK RELAY	0	0	ALSTOM SIGNALING, INC.	17550-129-01
03-09-0695	VANE, COMPLETE, USED WITH B2 TRACK RELAY	0	0	ALSTOM SIGNALING, INC.	17550-129-02
03-12-0340	ARM, CONTACT, COMPLETE, FOR M-5 SWITCH 7B CIRCUIT CONTROLLER (LONG)	139	95	ALSTOM SIGNALING, INC.	35466-011-02
03-12-0350	ARM, CONTACT COMPLETE FOR M5 SWITCH 7B CIRCUIT CONTROLLER (SHORT)	246	0	ALSTOM SIGNALING, INC.	35467-010-02
03-12-0500	ARM, USED WITH 5 SWITCH MACHINE OPERATING YOKE OF POLE CHANGER	75	42	ALSTOM SIGNALING, INC.	45579-000-00
03-12-0560	ARM, COMPLETE, USED WITH 5 SWITCH MACHINE FOR OPERATING POLE CHANGER	0	50	ALSTOM SIGNALING, INC.	45680-003-01
03-12-0580	ARM, USED WITH 5 SWITCH MACHINE, COMPLETE, OPERATES CONT BLOCK POLE CHANGER.	0	75	ALSTOM SIGNALING, INC.	51106-000-01
03-12-0960	PIN, BALL, FOR CRANK ON CIRCUIT COMPTRROLLER.	0	0	ALSTOM SIGNALING, INC.	43206-003-00
03-12-1125	BAR, CAM, COMPLETE, WELDED, USED WITH 5 SWITCH MACHINE	10	0	ALSTOM SIGNALING, INC.	45523-001-01
03-12-1195	BAR, THROW, LEFT HAND, USED WITH 5 SWITCH MACHINE	0	0	ALSTOM SIGNALING, INC.	45670-000-00

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
03-12-1215	BAR, THROW, RIGHT HAND, USED WITH 5 SWITCH MACHINE	0	0	ALSTOM SIGNALING, INC.	45671-000-00
03-12-1430	BASE, FOR CONTACT BLOCK, M-5 SWITCH POLECHANGER	40	30	ALSTOM SIGNALING, INC.	56524-001-02
03-12-1612	BASE, GRS FOR #5 SWITCH MACHINE R OR LH WITH TAPPED HOLES IN MOUNTING LUGS ON BOTH SIDES OF BASE, T.A. ELECTRIC SWITCH MACHINE STANDARD BASE, GRS SKETCH #7502-1	0	0	ALSTOM SIGNALING, INC.	49413-013-00
03-12-2970	BOLT, EYE, 3/8"-16 X 2-1/2" LONG, WITH A 1/4" X 1-3/8" LONG PIN FOR COVER ON COMMUTATOR OF M5 SWITCH MACHINE	8	5	ALSTOM SIGNALING, INC.	45654-001-00
03-12-5350	BRUSH, 1-7/32" WIDE X 3/8" THICK X 2" LONG, FOR SWITCH MOTOR MODEL 5 SWITCH	50	84	ALSTOM SIGNALING, INC.	00566-006-00
03-12-5465	HOLDER, BRUSH, COMPLETE, FOR MOTOR M-5 SWITCH MACHINE	9	12	ALSTOM SIGNALING, INC.	01550-002-01
03-12-5960	BUTTON, COMPLETE, FOR ALL MODEL 5 SWITCH MACHINES	0	20	ALSTOM SIGNALING, INC.	51142-006-01
03-12-6895	CASE, F. FRICTION CLUTCH UW.5, SW MACH	0	0	ALSTOM SIGNALING, INC.	45556-000-00
03-12-7145	CLAMP, & BAR, COMPLETE, FOR CLAMPING MODEL 5 SWITCH MACHINES TO 6" X 8" TIES, CONSISTING OF: STRAP #51432-166, CLAMP #52929-10, NUT #53432-30, BOLT #894-38, NUT #0272-9, WASHER #493-269, BUSHING ,7350-283, WASHER #35703-3,	0	0	ALSTOM SIGNALING, INC.	42849-002-05

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
03-12-7510	CLUTCH, FRICTION COMPLETE U/W M-5 SW MACHINE WITH GEARS AND WOODRUFF KEY	5	10	ALSTOM SIGNALING, INC.	59649-091-01
03-12-8000	CONDUIT, BETWEEN FRAME-MOTOR UW 5 SW MACHINE	0	0	ALSTOM SIGNALING, INC.	42087-005-00
03-12-8020	CONDUIT, F LEAD UW 5 SW MACH.,	5	10	ALSTOM SIGNALING, INC.	45540-000-00
03-12-8410	BLOCK, CONTACT, COMPLETE, FOR CAM ACTUATED CIRCUIT BREAKER AUTOMATIC TRAIN STOP	0	0	ALSTOM SIGNALING, INC. HITACHI RAIL STS USA INC TWINCO MANUFACTURING CO.	54027-005-01 N436606 06909420B
03-12-8415	CONTACT, COMPLETE FOR M-15 SW POLE CHANGER.	0	0	ALSTOM SIGNALING, INC. TWINCO MANUFACTURING CO.	54027-006-01 069-1055-0-0
03-12-8798	CONTROLLER, SWITCH 4 WAY	0	0	ALSTOM SIGNALING, INC.	53530-033-01
03-12-9000	CORE, COMPLETE, FOR PC COILS UW 5 SW MACH	0	0	ALSTOM SIGNALING, INC.	50598-000-02
03-12-9010	CORE, FOR PC COILS UW 5 SW MACH	0	0	ALSTOM SIGNALING, INC.	50598-002-01
03-12-9250	COUPLING, FOR CONDUIT	5	9	ALSTOM SIGNALING, INC.	45685-001-00
03-12-9285	COUPLING, COMPLETE FOR CONDUIT UW 5 SW MACHINE	0	0	ALSTOM SIGNALING, INC.	45687-003-00
03-12-9695	COVER, COMPLETE WO GUARDS UW 5 SW MACHINE	0	17	ALSTOM SIGNALING, INC.	45520-018-01
03-12-9850	COVER, COMPLETE WITH GASKET FIG. 17 AND HINGE STUDS FIG. 77 FOR MOTOR, FOR SWITCH MACH. PL. J-2114, FIG. 8	1	0	ALSTOM SIGNALING, INC.	52318-009-03
03-12-9875	COVER, COMP. F BRAKE U/W 5. SW MACH.	1	0	ALSTOM SIGNALING, INC.	52318-044-01
03-13-0293	CRANK, ARM, COMPLETE ASSEMBLY WITH INSULATED FIBRE BUSHING BALL	0	0	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	130-293 857020-001-01
03-13-0295	CRANK ONLY UW 7B SWITCH CIRCUIT CONTROLLER	0	0	ALSTOM SIGNALING, INC.	38661-015-00

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
03-13-0355	CRANK, FOR HAND OPERATION UW 5 SW MACHINE	0	12	ALSTOM SIGNALING, INC.	54477-000-01
03-13-0575	DETENT, COMPLETE, WITH ELKONITE CONTACTS, USED WITH 5 SWITCH MACHINE SWITCH MOTOR,	5	5	ALSTOM SIGNALING, INC.	09040-002-01
03-13-0700	DISC, STEEL REVOLVING F CLUTCH, UW 5 SW MACH.,	0	0	ALSTOM SIGNALING, INC.	45557-000-00
03-13-0750	DISC, STEEL F CLUTCH UW 5 SW MACHINE	0	0	ALSTOM SIGNALING, INC.	45558-000-00
03-13-0765	DISC, FOR FRICTION CLUTCH, M-5 SWITCH MACHINE, HARD BLACK VULCANIZED FIBRE.	0	0	ALSTOM SIGNALING, INC.	45562-001-00
03-13-0775	DISC, STEEL BACKING F CLUTCH UW 5 SW MACHINE	0	0	ALSTOM SIGNALING, INC.	45563-000-00
03-13-1360	FINGER, "E" FASTELL, COMPLETE, FOR MODEL 5 SWITCH MACHINE POLE CHANGERS	0	0	ALSTOM SIGNALING, INC. TWINCO MANUFACTURING CO.	51195-009-06 069-1056-0-0
03-13-1380	FINGER, J FASTELL, COMPLETE, (SHORT) FOR M-5 SWITCH MACHINE POLE CHANGER	0	0	ALSTOM SIGNALING, INC. TWINCO MANUFACTURING CO.	51195-010-04 069-1057-0-0
03-13-1805	FRAME, LOCKING, STRIPPED, USED WITH 5 SWITCH MACHINE	15	10	ALSTOM SIGNALING, INC.	49415-000-00
03-13-2420	MAIN GEAR, ONLY, FIG. F, PLATE J-2106, FIG. 18	0	0	ALSTOM SIGNALING, INC.	45532-000-00
03-13-2450	GEAR, BEVEL, USED WITH 5 SWITCH MACHINE	0	0	ALSTOM SIGNALING, INC.	45535-000-00
03-13-2480	GEAR, MAIN, COMPLETE, USED WITH 5 SWITCH MACHINE	0	0	ALSTOM SIGNALING, INC.	51140-010-01
03-13-2500	GEAR, AND FRAME, COMPLETE ASSEMBLY, USED WITH 5 SWITCH MACHINE	0	0	ALSTOM SIGNALING, INC.	57932-000-01
03-13-2670	GIB, R.H. FOR MODEL 5 SWITCH MACHINE	5	25	ALSTOM SIGNALING, INC.	11072-005-00

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
03-13-2675	GIB, LEFT HAND, FOR GUIDE ON THROW BAR, USED WITH 5 SWITCH MACHINE BRONZE	5	25	ALSTOM SIGNALING, INC.	11072-006-00
03-13-3200	GUIDE, COMPLETE, FOR THROW BAR CUT ON SIDE FOR GIBS, USED WITH 5 SWITCH MACHINE, WITH BRONZE GIB	105	40	ALSTOM SIGNALING, INC.	58918-000-01
03-13-3395	HASP, FOR BRAKE COVER 5 SW MACHINE	0	0	ALSTOM SIGNALING, INC.	16110-12
03-13-3955	JAW, FOR SWITCH BOX ROD - COMPLETE WITH BOLT	0	0	ALSTOM SIGNALING, INC.	43054-001-00
03-13-4245	KIT, MODIFICATION, WITH FASTELL CONTACTS AND INSULATED NUT COVERTS PC45514-2GR2 TO 4 5514-5	20	20	ALSTOM SIGNALING, INC. TWINCO MANUFACTURING CO.	45514-006-04 069-1251-0-0
03-13-4302	LAYOUT, SWITCH, RIGHT HAND M5 FOR VERTICAL ROD APPLICATION 100LB RE	10	0	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	134-302 999078RX
03-13-4303	LAYOUT, SWITCH LEFT HAND M5 FOR VERTICAL ROD APPLICATION 100LB RE	16	0	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	134-303 999078LX
03-13-4304	SWITCH, MACHINE, M-5, LEFT HAND, WITHOUT LAYOUT	3	0	ALSTOM SIGNALING, INC.	45506-011-01
03-13-4305	SWITCH, MACHINE, M-5, RIGHT HAND WITHOUT LAYOUT	3	0	ALSTOM SIGNALING, INC.	45506-011-02
03-13-4425	LEAD, M5 WIRE HARNESS COMPLETE FOR MOTOR TO POLE CHANGER	13	15	ALSTOM SIGNALING, INC.	45621-007-01
03-13-5785	LUG, HINGE FOR MOTOR COVER, USED WITH 5 SWITCH MACHINE	0	0	ALSTOM SIGNALING, INC.	45650-003-00
03-13-5987	LUG, SWITCH, R.H. W 5-3/16" DROP, HINGED, COMPLETE FOR INSULATED	14	0	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	17294-037-02 911294-372X
03-13-5989	LUG, SWITCH, L.H. WITH 5-3/16" DROP, HINGED, COMPLETE FOR INSULATED	20	0	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	17294-036-02 911294-362X
03-13-5997	LUG, SWITCH, R.H. WITH 4-1/2" DROP HINGED, COMPLETE, FOR INSULATED	0	0	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	17294-037-01 911294-371X
03-13-5999	LUG, SWITCH, L.H. WITH 4-1/2" DROP,	0	31	ALSTOM SIGNALING, INC.	17294-036-01

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
03-13-7050	HINGED, COMPLETE, FOR INSULATED NUT, ADJUSTING F CLUTCH UW5 SW MACH.	0	0	G&B SPECIALTIES INC. ALSTOM SIGNALING, INC.	911294-361X 45559-002-00
03-13-9370	PIN, 7/8" X 2-1/4", COMPLETE, W/FITTINGSNO. 34232-30, COTTER NO. 044, FOR /ILOCK ROD ON MODEL 5 SWITCH MACHINE, GRS	200	1275	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC. HITACHI RAIL STS USA INC TWINCO MANUFACTURING CO.	139-370 890590-005X X438755 069-1133-0-0
03-13-9390	PIN, COMPLETE, W/OILER FITTING NO. 34232-17 AND COTTER NO. 44, FOR LOCK ROD ON MODEL 5 SWITCH MACHINE,	0	0	ALSTOM SIGNALING, INC.	730-111-00
03-13-9430	BALL STUD, KIT COMPLETE WITH GREASE FITTING, WASHER, NUT AND COTTER PIN	0	0	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	139-430 857867-005-01
03-14-0790	PLATE, FOR MOUNTING 7B 4 WAY SW CIR CONTLLR	0	0	ALSTOM SIGNALING, INC.	00559-017-00
03-14-1030	PLATE, WEARING CAMBAR, USED WITH 5 SWITCH MACHINE	10	0	ALSTOM SIGNALING, INC.	54920-010-01
03-14-3279	ROD, CONNECTING ASSEMBLED COMPLETE CONSISTING OF ONE ROD 1"-8 X 21" LONG, WITH TWO HEX NUTS, TWO 1" LOCK WASHERS AND TWO #333-7 SOCKETS, USED HINGED TYPE FRONT RODS AND MODEL 7B SWITCH C/C.	0	0	SIEMENS INDUSTRY INC	110633-122X
03-14-3310	ROD, CONNECTING, U/W MODEL 5 SW MACH.	0	0	ALSTOM SIGNALING, INC.	31064-001-07
03-14-3367	ROD, LOCK ROD CONNECTING, COMPLETE, W/NUT NO. 545 AND NUT	0	0	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	00120-249-00 940120-249
03-14-3815	ROD, LOCK, USED WITH 5 SWITCH MACHINE LAYOUT, COMPLETE LEFT	0	23	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	45512-028-01 916005-13X
03-14-3820	LOCK, ROD, COMPLETE, RIGHT HAND	12	12	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	45512-029-01 916005-15X

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
03-14-4395	ROD, GRS DWG. NO. 120-16, WITH NUT NO. 5 ROD THROW U/W 5 SW MACH LAYOUT SOLID JANCOMP 4FT	0	0	ALSTOM SIGNALING, INC.	00120-016-00
03-14-4430	ROD, THROW, SOLID JAW, COMPLETE, 3 FT. 11 INCHES, WITH 2 NUTS NO. 44921	0	0	ALSTOM SIGNALING, INC. G&B SPECIALTIES INC.	00153-055-00 940153-055-01
03-14-7335	SCREW, CAP, 3/4-10 X 1-1/2 INCH HEX. HD. WITH LOCK WASHER,	10	20	ALSTOM SIGNALING, INC. TWINCO MANUFACTURING CO.	6013-017-00 069-1213-0-0
03-14-7910	SHAFT, F FRICTION CLUTCH U/W 5 SW MACH	0	0	ALSTOM SIGNALING, INC.	45560-000-00
03-14-8770	SOCKET, SELF ADJUSTING, COMPLETE, RACO SWITCH BOX CONNECTING ROD	0	0	SIEMENS INDUSTRY INC	110633-192X
03-14-9050	SPRING, BRUSHHOLDER, U/W 5 SW MACH	0	0	ALSTOM SIGNALING, INC.	01581-000-00
03-14-9840	STAPLE, ONLY F/7B SW CIR CONTLLR.	0	0	ALSTOM SIGNALING, INC.	16914-016-00
03-15-0750	STUD, 5/8-11 HOLDS MOTOR TO 5 SW MACH	0	0	ALSTOM SIGNALING, INC.	00980-019-00
03-15-0755	STUD, 1/2 IN. - 13, FOR FASTENING ADAPTER TO BASE,	0	0	ALSTOM SIGNALING, INC.	00980-020-00
03-15-0835	STUD, F/ MAIN GEAR U/W 5 SW MACH	0	0	ALSTOM SIGNALING, INC.	45542-004-00
03-15-1445	TUBE, FIBRE, ONLY FOR COIL FIG. 12, FOR POLE CHANGER, J-2116, FIG. 59	0	0	ALSTOM SIGNALING, INC.	43131-004-00
03-15-1465	TUBE, FOR PLUNGER, MACH	20	20	ALSTOM SIGNALING, INC.	45574-001-00
03-17-0700	BASE, COMP. F/AT BUMPER POST, SIG.,	0	0	ALSTOM SIGNALING, INC.	43951-003-02
03-17-3650	CONTACTOR, COMP F/ STOP REL U/W SIG LAYOUT	0	0	ALSTOM SIGNALING, INC.	04987-004-01
03-17-7660	LENS, 5" DIA 3 IF2 FOCUS OPTICAL GREEN UW A-AT SIGS, INTERIOR RIBBING	0	0	ALSTOM SIGNALING, INC.	31624-008-00

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
03-17-7850	LENS, 5 1/2 DIA 1/2 FOCUS INNER DOUBLET LUNAR WHITE F/ TYPE AW SIGNAL	0	0	ALSTOM SIGNALING, INC.	43988-029-00
03-17-8040	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE, 5" DIA., 3-1/2" FOCUS,	0	0	ALSTOM SIGNALING, INC.	64-3-C-GD 31624-041-00
03-17-8045	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE, 5-1/2" DIA, 1/2"	0	0	ALSTOM SIGNALING, INC.	P73-948 43988-025-00
03-17-8050	LENS, PLASTIC, HIGH IMPACT, RESISTANCE TYPE, 5-1/2" DIA. 1/2" FOCUS, YELLOW, INNER DOUBLE T TYPE	0	0	ALSTOM SIGNALING, INC.	6690
03-18-3303	SIGNAL, "AT" SUBWAY WALL MOUNTED AUTOMATIC GYR-AT200-002-02 WITH LUNAR ASPECT-AT200-001-03 COMPLETED WITH DIALIGHT LED MODULES PER ALSTOM SIGNALING LATEST DWG #AT100-00-00 REV A.	0	0	ALSTOM SIGNALING, INC.	AT100-009-01
03-21-0395	ARM, ADJUSTING, COMPLETE WITH ROLLER FOR OPERATION OF CAM TYPE, STOP CIRCUIT BREAKERS ON IMPEDANCE TYPE TRAIN STOPS	0	0	ALSTOM SIGNALING, INC.	53980-007-02
03-21-0455	ARM, TRIPPER, COMPLETE FOR ROCKER SHAFT, USED WITH STOP	0	0	ALSTOM SIGNALING, INC.	48626-003-01
03-21-0460	TRIPPER ARM, COMP., F ROCKER SHAFT UW STOP.	0	0	ALSTOM SIGNALING, INC.	48626-004-01
03-21-0490	ARM, TRIPPER, COMPLETE, LEFT HAND, CAP STOP	0	0	ALSTOM SIGNALING, INC.	48626-010-01
03-21-0495	TRIPPER ARM, COMPLETE, R.H. CAP STOP.	0	0	ALSTOM SIGNALING, INC. TWINCO MANUFACTURING CO.	48626-014-01 069-1034-2-0
03-21-0500	ARM, TRIPPER, COMPLETE, LEFT HAND,	0	0	ALSTOM SIGNALING, INC.	48626-17-GR1

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	CAP STOP			TWINCO MANUFACTURING CO.	069-1034-1-0
03-21-1095	BEARING, ONLY FOR ROCKER SHAFT, USED WITH STOP LAYOUT, FOR BEARING A WITH FITTING "34232-17"	0	0	ALSTOM SIGNALING, INC.	54181-001-01
03-21-1200	BEARING, COMP. WITH PLATE DRAWING NO. 40627-78, BEARING, COMP. DWG. #29790-4 NUT-1"-12 HEX X 1/2" THICK DWG.#50164-1 & WASHER-1" DWG.#01273-15 FOR ROCKER SHAFT BEARING U/W TRAIN STOP LAYOUT DWG.#48637KN	0	0	ALSTOM SIGNALING, INC.	48628-051-01
03-21-1378	BEARING, COMPLETE, WITH STRAP CAP STOP	0	0	ALSTOM SIGNALING, INC.	48628-051-05
03-21-1390	BEARING, COMPLETE, WITH NUT 1"-12 HEX, 1/2" THK. DWG. #50164-1 & WASHER-1" DWG.#0127 3-15, PART OF	11	174	ALSTOM SIGNALING, INC. TWINCO MANUFACTURING CO.	29790-004-01 069-1043-0-0
03-21-4095	CIRCUIT BREAKER, STOP, COMPLETE, FOR CAPACITOR TYPE TRAIN STOPS TO CONTROL STOP OPERATING & AUXILIARY CIRCUITS	0	60	ALSTOM SIGNALING, INC. HITACHI RAIL STS USA INC TWINCO MANUFACTURING CO.	50101-011-09 N387657 069-0941-2-0
03-21-4640	CAM, FOR STOP WITH CAM ACTUATED CIR. BREAKER	0	0	TWINCO MANUFACTURING CO.	069-1307-0-0
03-21-7080	KIT, CONTACT WITH NUT, FOR #42839-8 POST STOP HOLD CLEAR COMPLETE WITH CONTACT P/N #42799-016-01 AND NUT #14-24 X .125" P/N #42839-008-00	0	0	ALSTOM SIGNALING, INC.	217-080
03-21-7170	CONTACT, ONLY F STOP HOLD CLEAR ARM.	0	0	ALSTOM SIGNALING, INC.	54683-006-00
03-21-8200	CRANK, COMP F/ ROCKER SHAFT U/W STOP	0	0	ALSTOM SIGNALING, INC.	48624-000-01

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
03-21-9060	DRIVER, COMPLETE, FOR ROCKER SHAFT, USED WITH STOP	0	0	ALSTOM SIGNALING, INC.	48625-001-01
03-21-9675	FINGER, COMP F/ STOP CIRCUIT BREAKER W/ FASTELL CONTACTS GRS STAMPED D	0	0	ALSTOM SIGNALING, INC. TWINCO MANUFACTURING CO.	51195-009-04 06909420L
03-21-9685	FINGER, COMP F/ STOP CIRCUIT BREAKER W/ FASTELL CONTACTS GRS STAMPED G	0	0	ALSTOM SIGNALING, INC. HITACHI RAIL STS USA INC TWINCO MANUFACTURING CO.	51195-009-07 R387648 0690942IN
03-21-9690	FINGER, COMPLETE, FOR STOP CIRCUIT BREAKER, WITH FASTELL CONTACTS GRS STAMPED B	0	0	TWINCO MANUFACTURING CO.	069-1073-0-0
03-21-9695	FINGER, COMP F/ STOP CIRCUIT BREAKER W/ FASTELL CONTACTS GRS STAMPED F	0	0	ALSTOM SIGNALING, INC. HITACHI RAIL STS USA INC TWINCO MANUFACTURING CO.	51195-010-02 R432462 06909420N
03-21-9700	FINGER, COMP F/ STOP CIRCUIT BREAKER W/ FASTELL CONTACTS GRS STAMPED H	0	0	HITACHI RAIL STS USA INC TWINCO MANUFACTURING CO.	R387652 06909420M
03-22-1105	HASP, COMPLETE, FOR STOP CASE COVER TO INCLUDE NUT, PIN, BRACKET RIVET AND SCREW	0	50	TWINCO MANUFACTURING CO.	06909370M
03-22-1400	HOOK, COMPLETE, RIGHT HAND (R/H) FOR CAPACITOR TRAIN STOP	0	0	ALSTOM SIGNALING, INC.	54185-013-01
03-22-1401	HOOK, COMPLETE R.H. F/CAPACITOR TRAIN STOP	0	0	ALSTOM SIGNALING, INC.	54185-013-02
03-22-1402	HOOK, LEFT HAND, FOR CAPACITOR TRAIN STOP	0	0	ALSTOM SIGNALING, INC.	54185-010-02
03-22-1403	HOOK, L.H. CAP STOP	0	0	ALSTOM SIGNALING, INC.	54185-010-01
03-22-1410	HOOK, LEFT HAND, CAP STOP	0	0	ALSTOM SIGNALING, INC.	54185-015-01
03-22-2413	SHAFT ASSEMBLY, FOR CAPACITOR STOP ON SUPER ELEVATED LAYOUT	0	0	ALSTOM SIGNALING, INC.	20664-2

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
03-22-2710	KIT, FOR REBUILDING INDUCTION STOP CIRCUIT BREAKERS	0	0	TWINCO MANUFACTURING CO.	069-1310-0-0
03-22-2811	LAYOUT, STOP, LESS STOP, W/ SCREW 68, WASHER #72-2, SHIMS #304-136, WASHER #1273-7, SHIMS #41673-54, SHIMS #41673-55, PLATE #41885-119, COUPLING #45689-185, BOLT & NUT #48058-1, ARM #48262-10GR1 BRG #48628-43GR1, SHAFT	0	0	ALSTOM SIGNALING, INC.	222-811
03-22-6676	PINION GEAR, FOR CAPACITOR STOPS	0	0	ALSTOM SIGNALING, INC. HITACHI RAIL STS USA INC TWINCO MANUFACTURING CO.	45533-006-00 **** PART NO. NOT AVAILABLE **** 06909380G
03-22-7435	POST COMP F/ HOLD CLEAR CONTACT ASSY W/ CONTACT U/W STOP MOTOR	0	0	ALSTOM SIGNALING, INC.	48817 GR1
03-23-2295	SHAFT, ROCKER, F/TRIPPER ARM, U/W STOP LAYOUT 15 7F8 LG. REF. 4 OF DWG. 48637-38	0	0	ALSTOM SIGNALING, INC.	48630-040-00
03-23-2296	SHAFT, ROCKER USED WITH GRS CAPACITOR TYPE TRAIN STOP	0	0	ALSTOM SIGNALING, INC.	48630-052-00
03-23-3430	SPRING, FOR MOUNTING MECHANISM ON STRUCTURE	0	0	ALSTOM SIGNALING, INC.	00786-059-00
03-23-4400	STRAP, FOR STOP CASE CAP STOP	140	0	ALSTOM SIGNALING, INC. TWINCO MANUFACTURING CO.	52077-011-01 069-2245-1-0
03-23-4675	STUD, COMPLETE, CAP STOP.	0	0	ALSTOM SIGNALING, INC.	43106-012-01
03-23-5446	WASHER, FOR SPRING CAP STOP	0	0	ALSTOM SIGNALING, INC.	00626-219-00
03-23-5460	WASHER, SPECIAL, F VIBRATION SPRING U/W STOP CASE	0	0	ALSTOM SIGNALING, INC.	4333-16
03-23-5465	WASHER, FOR SPRING MOUNTED STOP	0	0	ALSTOM SIGNALING, INC.	04333-022-00

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
03-27-2690	KIT, PLUG BOARD, COMPLETE WITH TERMINAL CLIPS AND INSULATORS	0	0	ALSTOM SIGNALING, INC.	A62-0506
03-27-8300	PLUG, BOARD, ONLY, FOR "J" RELAY	0	0	ALSTOM SIGNALING, INC.	01099-000-ON
03-27-8730	PLUG BOARD, F B2 RLYS ON RACKS, WITH KIT	0	0	ALSTOM SIGNALING, INC. SIEMENS INDUSTRY INC	59686-007-01 452000-42X
03-31-4820	IMPEDANCE, BALANCING, USED WITH 2A TK RELAY.	0	0	ALSTOM SIGNALING, INC.	42960-001-01
03-31-7095	RECTIFIER, 25 CYCLES, SQ. 1/2, 110 VOLT SAC, 12 VOLTS DC., .2A SELINIUM	0	0	ALSTOM SIGNALING, INC.	59847-002-10
03-31-8719	RESISTOR, BLACK, WITH GLOBAR A, 30000 OHM RES, FOR POWER OFF INDICATOR	0	0	ALSTOM SIGNALING, INC.	26665-019-01
03-31-8782	RESISTOR, 5 OHMS, 77 WATTS	0	0	ALSTOM SIGNALING, INC.	56105-012-00
03-31-9130	RESISTOR, ONLY 30000 OHM FOR 3 RAIL IND	36	18	ALSTOM SIGNALING, INC.	55593-000-00
03-31-9205	RESISTOR, 1.5 OHM, 133 WATT FOR TRACK CIRCUIT	0	0	ALSTOM SIGNALING, INC.	56951-008-00
03-33-0715	TRANSFORMER, 25 CYCLE, 145 KVA, 110V PR1 2 SEC 110V 55-55 14V-TAP-4-3- 5, 1-7-F, LGTST K-CIR	0	0	ALSTOM SIGNALING, INC.	38270-100-05
03-33-5090	TRANSFORMER, TYPE U, SIZE 1, CLASS B, 60 CYCLE, 330 KVA, PRIMARY 110V, SECONDARIES 115-15, 15 VOLTS, SPEC. AMUS-TR13 AU-207	0	0	ALSTOM SIGNALING, INC.	54940-007-01
03-33-5115	TRANSFORMER, U1, PRI. 110V., SEC. 15 V. 20 AMP., FOR TRACK CIRCUITS	0	0	ALSTOM SIGNALING, INC.	54940-005-04
03-33-6600	UNIT, TEST B1-FOR DC-GRD-DET-12-26V	0	0	ALSTOM SIGNALING, INC. NYCTA	58521-003-01 733-44-1-B
05-30-1000	METROCARD, MAGNETIC FAREMEDIA, DIMENSIONS: 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER MATERIAL.	10680	14630	ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** MC ART GRAPH #1A REV 11/14 #9600, REVISION K

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
05-30-1002	APPROVED METROCARD GRAPHICS AND METROCARD, "TEMPORARY REDUCED FARE PASSES" MAGNETIC FARE MEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION 2.125" X 3.375", 10 MIL THICKNESS. APPROVED METROCARD	0	0	PARAGON MAGNADATA INC ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** SINGLE C M.C. ARTWORK GRAPHIC #1 #9600, REVISION K
05-30-1004	METROCARD, "POLICE PASS,"MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS: 2.125 INCHES X 3.375 INCHES, 10 MIL THICKNESS, APPROVED METROCARD GRAPHICS AND	25000	0	PARAGON MAGNADATA INC ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** SINGLE C M.C. ARTWORK GRAPHIC #2 #9600, REVISION K
05-30-1005	METROCARD, PHOTORECEPTIVE, STOCK FOR USE IN NISCA PIC SYSTEM, NYCT DIVISION OF SECURITY SYSTEM ACCESS	0	10000	PARAGON MAGNADATA INC DAI NIPPON PRINTING CO NYCTA	**** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** PHOTO M.C. ARTWORK GRAPHIC #1 #9600, REVISION K
05-30-1007	METROCARD, PHOTORECEPTIVE STOCK FOR USE IN NISCA PIC SYSTEM, NYCT DIVISION OF SECURITY BUILDING ACCESS	0	0	DAI NIPPON PRINTING CO NYCTA	**** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** PHOTO M.C. ARTWORK GRAPHIC #2 #9600, REVISION K
05-30-1009	METROCARD, POLICE, PATH, AIR TRAIN, MAGNETIC POLYESTER MATERIAL, PHYSICAL DIMENSIONS: 2.125 IN X 3.375 IN, 10 MIL THICKNESS, APPROVED METROCARD GRAPHICS, 2750 OERSTED,	0	0	ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** SINGLE C M.C. ARTWORK GRAPHIC #3 #9600, REVISION K
05-30-1010	METROCARD, EMPLOYEE, PHOTO RECEPTIVE STOCK, MAGNETIC FAREMEDIA, POLYESTER MATERIAL,	0	360000	PARAGON MAGNADATA INC DAI NIPPON PRINTING CO NYCTA	**** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** PHOTO M.C. ARTWORK GRAPHIC #3 #9600, REVISION K
05-30-1011	METROCARD, "FDNY", MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS: 2.125 INCHES X 3.375 INCHES,10 MIL THICKNESS, APPROVED METROCARD GRAPHICS AND	5000	0	ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** SINGLE C M.C. ARTWORK GRAPHIC #4 #9600, REVISION K
05-30-1012	METROCARD, PASS TYPE: A, ELEMENTARY STUDENT PASS," # OF RIDES: 3; MAGNETIC FARE MEDIA;	460000	320000	PARAGON MAGNADATA INC ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** **** PART NO. NOT AVAILABLE **** SINGLE C M.C. ARTWORK GRAPHIC #5

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	POLYESTER MATERIAL; COLOR: A; PHYSICAL DIMENSION: 2.125" X 3.375" X			PARAGON MAGNADATA INC	#9600, REVISION K **** PART NO. NOT AVAILABLE ****
05-30-1014	METROCARD, PASS TYPE: 1; "HIGH SCHOOL STUDENT PASS," # OF RIDES: 3; MAGNETIC FARE MEDIA; POLYESTER MATERIAL; COLOR: B; PHYSICAL DIMENSION: 2.125" X 3.375" X 10 MIL.	1260000	900000	ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** SINGLE C M.C. ARTWORK GRAPHIC #6 #9600, REVISION K **** PART NO. NOT AVAILABLE ****
05-30-1018	METROCARD, MAGNETIC FARE MEDIA, POLYESTER MATERIAL, STUDENT PASSES, VOS PASS TYPE: PA, DESCRIPTION: ELEMENTARY, # OF RIDES: 4, COLOR: ORANGE, PHYSICAL DIMENSIONS: 2.125"	0	0	ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** SINGLE C M.C. ARTWORK GRAPHIC #8 #9600, REVISION K **** PART NO. NOT AVAILABLE ****
05-30-1022	METROCARD, MAGNETIC FARE MEDIA, POLYESTER MATERIAL STUDENT PASSES, VOS PASS TYPE: PA, DESCRIPTION: ELEMENTARY, # OF RIDES: 3, COLOR:	0	0	ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** SINGLE M.C. ARTWORK GRAPHIC #10 #9600, REVISION K **** PART NO. NOT AVAILABLE ****
05-30-1024	METROCARD, MAGNETIC FARE MEDIA, POLYESTER MATERIAL STUDENT PASSES; PASS TYPE: P1, DESCRIPTION: HS VOS, # OF RIDES: 3, COLOR: GREEN, PHYSICAL	37000	30000	ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** SINGLE C MC ARTWORK GRAPHIC #11 #9600, REVISION K **** PART NO. NOT AVAILABLE ****
05-30-1026	METROCARD, MAGNETIC FARE MEDIA, POLYESTER MATERIAL STUDENT PASSES, PASS TYPE: P1, DESCRIPTION: HS VOS, # OF RIDE: 4, COLOR: GREEN, PHYSICAL	0	0	ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** SINGLE C MC ARTWORK GRAPHIC #12 #9600, REVISION K **** PART NO. NOT AVAILABLE ****
05-30-1100	METROCARD, PASS TYPE: A "ELEMENTARY STUDENT PASS," # OF RIDES: 4; MAGNETIC FARE MEDIA; POLYESTER MATERIAL; COLOR: A;	0	0	ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** SINGLE C MC ARTWORK GRAPHIC #13 #9600, REVISION K **** PART NO. NOT AVAILABLE ****
05-30-1118	METROCARD, PASS TYPE: 1; "HIGH SCHOOL STUDENT PASS;" # OF RIDES: 4; MAGNETIC FARE MEDIA; POLYESTER MATERIAL; COLOR: B, PHYSICAL	0	0	ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** SINGLE C MC ARTWORK GRAPHIC #14 #9600, REVISION K **** PART NO. NOT AVAILABLE ****
05-30-1128	METROCARD, PASS TYPE: N; "NIGHT	0	0	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	HIGH SCHOOL STUDENT PASS;" # OF RIDES: 3; MAGNETIC FARE MEDIA; POLYESTER MATERIAL; COLOR: B;			NYCTA	SINGLE C MC ARTWORK GRAPHIC #16 #9600, REVISION K
05-30-1134	METROCARD, STUDENT PASS, PASS TYPE N, MAGNETIC FARE MEDIA, POLYESTER MATERIAL STUDENT PASSES, NIGHT HIGH SCHOOL (FALL & SPRING), # OF RIDES = 3,	0	0	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	SINGLE C MC ARTWORK GRAPHIC #19 #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-1136	METROCARD, STUDENT, NICE, TWO(2) RIDE FREE, MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS 2.125 INCHES X 3.375	0	0	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	SINGLE C MC ARTWORK GRAPHIC #27 #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-1138	METROCARD, STUDENT, NICE, REDUCED, TWO(2) RIDE, MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS 2.125 INCHES X 3.375	0	1000	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	SINGLE C MC ARTWORK GRAPHIC #28 #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-1160	METROCARD, SPECIAL PROGRAM PASS, MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS 2.125 INCHES X 3.375 INCHES, 10 MIL	500000	950000	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	SINGLE C MC ARTWORK GRAPHIC #20 #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-1162	METROCARD, STUDENT CONTINGENCY, K-12 MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS 2.125 INCHES X 3.375 INCHES, 10 MIL	0	0	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	SINGLE C MC ARTWORK GRAPHIC #30 #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-1165	METROCARD, NEW YORK STATE POLICE, MAGNETIC FAREMEDIA, DIMENSION 2.125" X 3.375", 10 MIL THICKNESS POLYESTER MATERIAL	0	0	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	SINGLE COLOR MC GRAPHIC #36 9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-1300	METROCARD, EASYPAY XPRESS, MAGNETIC FAREMEDIA, POLYESTER MATERIAL PHYSICAL DIMENSIONS: 2.125 IN X 3.375 IN., 10 MIL THICKNESS.	0	40	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	SINGLE C MC ARTWORK GRAPHIC #21A #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-1302	METROCARD, DISTRICT ATTORNEY	0	0	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	OFFICE, MAGNETIC FAREMEDIA POLYESTER MATERIAL PHYSICAL DIMENSIONS: 2.125 X 3.375 IN; 10 MIL			NYCTA PARAGON MAGNADATA INC	SINGLE C MC ARTWORK GRAPHIC #22 #9600, REVISION K **** PART NO. NOT AVAILABLE ****
05-30-1303	METROCARD, TEMPORARY AUTOGATE REDUCED FARE, MAGNETIC FAREMEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION: 2.125" X 3.375", 10 MIL	0	0	ELECTRONIC DATA MAGNETICS NYCTA PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE **** SINGLE C MC ARTWORK GRAPHIC #23 #9600, REVISION K **** PART NO. NOT AVAILABLE ****
05-30-1305	METROCARD, "REDUCED FARE, ROUND TRIP PASSES" MAGNETIC FARE MEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION: 2.125" X 3.375" X 10 MIL	0	0	ELECTRONIC DATA MAGNETICS NYCTA PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE **** SINGLE C M.C. ARTWORK GRAPHIC 29 #9600, REVISION K **** PART NO. NOT AVAILABLE ****
05-30-1312	METROCARD, MNR, EMPLOYEE NYCT PASS, MAGNETIC FARE MEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION: 2.125" X 3.375" X 10 MIL	0	0	ELECTRONIC DATA MAGNETICS NYCTA PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE **** SINGLE COLOR MC GRAPHIC #39 #9600 REVISION K **** PART NO. NOT AVAILABLE ****
05-30-1313	METROCARD, LIRR, EMPLOYEE NYCT PASS, MAGNETIC FARE MEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION: 2.125" X 3.375" X 10 MIL	15000	25000	ELECTRONIC DATA MAGNETICS NYCTA PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE **** SINGLE COLOR MC GRAPHIC # 40 #9600 REVISION K **** PART NO. NOT AVAILABLE ****
05-30-4000	METROCARD, TRIPLEX, MAGNETIC FARE MEDIA, DIMENSIONS: 2.125" AX 3.375" X 10 MIL. THICKNESS	300000	500000	NYCTA PARAGON MAGNADATA INC	TRIPLEX MC ARTWORK GRAPHIC #1 TRIPLEX M.C. TECH. SPEC. REV. N **** PART NO. NOT AVAILABLE ****
05-30-4011	METROCARD, TRIPLEX, ATLANTIC WEEK MAGNETIC FARE MEDIA, DIMENSIONS 2.125 INCHES X 3.375 INCHES X 10 MIL	0	0	NYCTA PARAGON MAGNADATA INC	TRIPLEX MC ARTWORK GRAPHIC #5 TRIPLEX M.C. TECH. SPEC. REV. N **** PART NO. NOT AVAILABLE ****
05-30-4012	METROCARD, TRIPLEX, MONTHLY, MAGNETIC FARE MEDIA, DIMENSIONS 2.125 INCHES X 3.375 INCHES X 10 MIL.	4550000	3420000	NYCTA PARAGON MAGNADATA INC	TRIPLEX M.C. TECH. SPEC. REV. N TPLX MC ART GRAPHIC#3 4/8/15 **** PART NO. NOT AVAILABLE ****
05-30-4015	METROCARD, TRIPLEX, ROUND TRIP, MAGNETIC FARE MEDIA, DIMENSIONS 2.125 INCHES X 3.375 INCHES X 10 MIL	900000	800000	NYCTA PARAGON MAGNADATA INC	TRIPLEX M.C. TECH. SPEC. REV. N TPLX MC ART GRAPHIC#4 4/8/15 **** PART NO. NOT AVAILABLE ****
05-30-4017	METROCARD, WHITE TEST CARD, 10 MIL	0	20000	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	THICKNESS, POLYESTER, "FOR TEST ONLY - NO FREE ACCESS" ARTWORK ON FRONT SIDE APPROVED ARTWORK ON BACK			NYCTA	SINGLE C MC ARTWORK GRAPHIC #24 #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-4020	METROCARD, ONE COLOR TEST CARD, 10 MIL THICKNESS, POLYESTER, "FOR TEST ONLY - NO FREE ACCES" ARTWORK ON	0	0	NYCTA	ONE COLOR TEST CARD GRAPHIC #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-4021	METROCARD, BLUE TEST CARD, 10 MIL THICKNESS, POLYESTER, "FOR TEST ONLY - NO FREE ACCESS" ARTWORK ON FRONT SIDE. APPROVED ARTWORK ON BACK	20000	0	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	SINGLE COLOR MC GRAPHIC #41 #9600 REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-5002	METROCARD, MAGNETIC TRANSFERS USED ON NYC BUSES (AFC SYSTEM). THE TRANSFER MATERIAL SHALL BE PAPER OR CARD STOCK WITH A BASE COLOR OF WHITE. THE FRONT SIDE SHALL CARRY A	76007	46392	MAGNETIC TICKET & LABEL CORP.	**** PART NO. NOT AVAILABLE ****
				NYCTA	PALLET SPEC NYCT TRANSFER TECH SPEC REV. E
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-5015	METROCARD, MAGNETIC, SINGLE RIDE TICKET, THE MATERIAL SHALL BE PAPER OR CARD STOCK WITH A BASE COLOR OF WHITE, THE FRONT SHALL CARRY A	677	468	MAGNETIC TICKET & LABEL CORP.	**** PART NO. NOT AVAILABLE ****
				NYCTA	SRT TECHNICAL SPEC. REV. F
				PARAGON MAGNADATA INC	PALLET SPEC
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-5016	METROCARD, AIRTRAIN, MAGNETIC FAREMEDIA, DIMENSIONS: 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER MATERIAL	2000	2500	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	MC ART GRAPH #2, REV 11/14 #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-5017	METROCARD, PATH, MAGNETIC FAREMEDIA, DIMENSIONS: 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER MATERIAL	400	100	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	MC ART GRAPH #4, REV 11/14 #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-5018	METROCARD, TWO TRIP, MAGNETIC FAREMEDIA, DIMENSIONS: 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER MATERIAL	4000	4000	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	METROCARD ARTWORK GRAPHIC #6 #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-5019	METROCARD, ONE TRIP, CITY AGENCY	1750	1500	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	PROGRAM, MAGNETIC FAREMEDIA, DIMENSIONS: 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER			NYCTA	METROCARD ARTWORK GRAPHIC #7 #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-5020	METROCARD, NICE 2 TRIPS, MAGNETIC FAREMEDIA, DIMENSIONS 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER MATERIAL	0	0	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	METROCARD ARTWORK #9 9600 REV K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-5021	METROCARD, CUNY ASAP, MAGNETIC FAREMEDIA, DIMENSIONS: 2.125" X 3.375", 10 MIL THICKNESS, POLYESTER MATERIAL	0	20	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	METROCARD ARTWORK GRAPHIC #10 #9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-5022	METROCARD, 7 DAY, AGENCY PROGRAM, MAGNETIC FAREMEDIA, DIMENSION 2.125" X 3.375", 10 MIL THICKNESS POLYESTER MATERIAL	0	0	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	METROCARD ARTWORK GRAPHIC #11 9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-5023	METROCARD, 30 DAY, AGENCY PROGRAM, MAGNETIC FAREMEDIA, DIMENSION 2.125" X 3.375", 10 MIL THICKNESS POLYESTER MATERIAL	0	0	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	METROCARD ARTWORK GRAPHIC #12 9600, REVISION K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-5024	METROCARD, FAIR FARES, MAGNETIC FAREMEDIA, DIMENSION 2.125" X 3.375", 10 MIL THICKNESS POLYESTER MATERIAL	1150	0	ELECTRONIC DATA MAGNETICS	**** PART NO. NOT AVAILABLE ****
				NYCTA	METROCARD ARTWORK GRAPHIC #14 9602 9601 REV B 9600 REV K
				PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE ****
05-30-5026	METROCARD, PERMANENT REDUCED FARE, MAGNETIC MEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSIONS 2.125" X 3.375", 10 MIL THICKNESS, 2750	0	950000	ELECTRONIC DATA MAGNETICS	05-30-5026
				NYCTA	SINGLE COLOR MC GRAPHIC#43 #9600, REVISION K
				PARAGON MAGNADATA INC	05-30-5026

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
05-30-7000	METROCARD, COLLECTOR/PROMOTIONAL, LITHOGRAPHIC QUALITY, MAGNETIC FARE MEDIA, POLYESTER MATERIAL, PHYSICAL DIMENSION: 2.125" X 3.375",,	530	210	ELECTRONIC DATA MAGNETICS NYCTA	**** PART NO. NOT AVAILABLE **** #9602 #9601, REVISION B #9600, REVISION K
05-30-8101	METROCARD, ONE COLOR SPACER, MAGNETIC FAREMEDIA, DIMENSION 2.125" X 3.375", 10 MIL THICKNESS POLYESTER MATERIAL, NO GRAPHICS,	0	0	ELECTRONIC DATA MAGNETICS NYCTA PARAGON MAGNADATA INC	**** PART NO. NOT AVAILABLE **** MC ARTWORK 9600, REVISION K **** PART NO. NOT AVAILABLE ****
05-42-1510	CAPACITOR, ELECTROLYTIC ALUMINUM, SCREW TERMINALS, 10000UF, 450 VOLTS, 90 MILLIMETER DIAMETER, 170	0	0	EPCOS NICHICON	B43456-S5109-M009 LN2W103MSMAML LN2W103MSMAML
17-42-4093	CONTACTOR ASSY. USED FOR R142 "B" CAR: SCHALTBAU 193, MOUNTING PLATE, HARDWARE	0	1	SCHALTBAU N.A.	005047
17-42-4094	CONTACTOR ASSY, USED FOR R 142 "A" CAR. 2 SCHALTBAU 193, MOUNTING PLATE, HARDWARE. NOTE: INITIALLY WHEN USING NEW ASSY, BOTH CONTACTORS MUST BE REPLACED	2	0	SCHALTBAU N.A.	005048
17-42-4095	CONTACTOR SCHALTBAU C 193 TYPE MODIFIED, INSULATION ON COIL, US THREADS, RED MARK FOR POSITIVE, CAUTION TAG, U/W R142 FLOOR AND OVERHEAT HEATING SYSTEM. NOTE: WHEN USED WITH 17-42-4094, REPLACE BOTH CONTACTORS	0	0	SCHALTBAU N.A.	6193136A

QUALIFIED PRODUCTS LISTING
 INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
20-92-4457	CABLE, SINGLE CONDUCTOR, 1/0 AWG 275 STRANDS 601-2000 VOLTS, IRRADIATED CROSSLINKED POLYOLEFIN INSULATION GRAY, TO THE LATEST REVISION OF NYCT SPEC TGN-TX TABLE B, 1000 FEET REEL. THE SPECIFICATION CRITERIA FOR 20-90-4007	1885	0	ROCKBESTOS-SURPRENANT CABLE CO	**** PART NO. NOT AVAILABLE ****
20-92-4657	CABLE, SINGLE CONDUCTOR, 2/0 AWG 275 STRANDS 601-2000 VOLTS, IRRADIATED CROSSLINKED POLYOLEFIN INSULATION, GRAY, TO THE LATEST REVISION OF NYCT SPEC TGN-TX TABLE B, 1000 FEET REEL. THE SPECIFICATION CRITERIA FOR 20-90-4207	267	0	ROCKBESTOS-SURPRENANT CABLE CO	**** PART NO. NOT AVAILABLE ****
23-45-1017	ELEMENT, OIL FILTER FOR GA- 15/22/30/45 "ATLAS COPCO" MODEL AIR COMPRESSOR. FILTER ELEMENT MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED. (GA-15 SERIAL API- 290851, GA-22 SERIAL #API-290853, GA- 30 SERIAL #API-502925	12	2	ATLAS COPCO	1613-6105-90
23-45-1018	ELEMENT, AIR FILTER FOR GA-15/22 "ATLAS COPCO" MODEL AIR COMPRESSOR, FILTER ELEMENT MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED. (GA-15 SERIAL #API- 290851 AND GA-22 SERIAL # API-290853)	92	80	ATLAS COPCO	1613-8720-00

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
23-45-1019	ELEMENT, AIR FILTER FOR GA-30 "ATLAS COOPCO" MODEL AIR COMPRESSOR SERIAL #API-1502925. FILTER ELEMENT MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED.	24	12	ATLAS COPCO	2903-7407-00
23-45-1021	ELEMENT, AIR FILTER FOR GA-45 "ATLAS COPCO" MODEL AIR COMPRESSOR SERIAL #API-1502930. FILTER ELEMENT MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED.	64	12	ATLAS COPCO	1613-7408-00
23-45-1022	KIT, OIL SEPERATOR FOR GA-15/22 "ATLAS COPCO" MODEL AIR COMPRESSOR. KIT INCLUDES SEPERATOR ELEMENT #1622-0516-00 AND O-RING. SEPERATOR ELEMENT MUST BE "OEM" PRODUCT. NO SUBSTITUTION WILL BE ACCEPTED.	0	0	ATLAS COPCO	2901-0779-01
23-45-1023	KIT, OIL SEPERATOR FOR GA-30/45 "ATLAS COPCO" MODEL AIR COMPRESSOR. KIT INCLUDES SEPERATOR ELEMENT #1613-8397-02 AND O-RING. SEPERATOR ELEMENT MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	0	2	ATLAS COPCO	2901-0566-02
23-45-1024	ELEMENT, FILTER KIT DD130 FOR ICD-65 DRYER SERIAL #ALL-801629 USED WITH "ATLAS COPCO" GA-15 MODEL AIR COMPRESSOR. ELEMENT MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	36	20	ATLAS COPCO	2901-3000-06

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
23-45-1025	ELEMENT, PD120 FILTER KIT FOR ICD-65 DRYER SERIAL #ALL-801629 USED WITH "ATLAS COPCO" GA-15 MODEL AIR COMPRESSOR ELEMENT MUST BE OF "OEM"PRODUCT	18	15	ATLAS COPCO	2901-3001-06
23-45-1027	ELEMENT, DD175 FILTER KIT FOR ICD-140 DRYER SERIAL #ALL-801534 USED WITH "ATLAS COPCO" GA-30/45 MODEL AIR COMPRESSOR. ELEMENT IS MUST BE "OEM" PRODUCT. NO SUBSTITUTION WILL BE ACCEPTED.	0	2	ATLAS COPCO	2901-3000-08
23-45-1028	ELEMENT, PD175 FILTER KIT FOR ICD-140 DRYER SERIAL # ALL-801534 USED WITH "ATLAS COPCO" GA-30/45 MODEL AIR COMPRESSOR. ELEMENT IS MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED.	12	2	ATLAS COPCO	2901-3001-08
23-45-1031	ELEMENT, OSD-22 FILTER FOR GA-5FF/12/22 "ATLAS COPCO" MODEL AIR COMPRESSOR ELEMENT MUST BE OF "OEM" PRODUCT. NO SUBSTITUTION WILL BE ACCEPTED	48	24	ATLAS COPCO	1613-7602-00
23-45-1033	ELEMENT, OSD-90 FILTER FOR GA-30/45 "ATLAS COPCO" MODEL AIR COMPRESSOR SERIAL # API-1502925. ELEMENT MUST BE OF "OEM" PRODUCT, NO SUBSTITIION WILL BE ACCEPTED.	0	6	ATLAS COPCO	2903-1011-00

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
23-45-1038	ELEMENT, CONTROL FILTER ONLY FOR ICD-65 DRYER SERIAL #ALL-801629 USED WITH "ATLAS COPCO" GA-15 MODEL AIR COMPRESSOR. ELEMENT IS MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	0	0	ATLAS COPCO	9093-0032-11
23-45-1039	ELEMENT, CONTROL FILTER AND O-RINGS FOR ICD-140 DRYER SERIAL # ALL 801534. ONE FILTER AND 2 O-RINGS TO BE USED WITH "ATLAS COPCO" GA-30/45 MODEL AIR COMPRESSOR. ELEMENTS MUST BE "OEM" PRODUCT. NO SUBSTITUTION WILL BE	0	0	ATLAS COPCO	9090-2038-80
23-45-1041	VALVE, CHECK FOR "ATLAS COPCO" OSD-90 USE ON AIR COMPRESSOR MODEL GA-30 AND GA-45. VALVE IS MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	0	5	ATLAS COPCO	1613-7297-00
23-45-1042	ELEMENT, AIR FILTER FOR GA-5FF "ATLAS COPCO" FOR MODEL AIR COMPRESSOR. FILTER ELEMENT IS MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	0	8	ATLAS COPCO	1613-9001-00
23-45-1043	ELEMENT, OIL FILTER FOR GA-5FF "ATLAS COPCO" MODEL AIR COMPRESSOR, FILTER ELEMENT IS MUST BE OF "OEM" PRODUCT, NOT SUBSTITUTION WILL BE ACCEPTED.	0	0	ATLAS COPCO	2903-0337-01

QUALIFIED PRODUCTS LISTING
 INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
23-45-1044	KIT, OIL SEPERATOR ELEMENT FOR GA-5FF "ATLAS COPCO" MODEL AIR COMPRESSOR KIT INCLUDES SEPERATOR ELEMENT AND O-RING. SEPERATOR ELEMENT IS MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED.	0	0	ATLAS COPCO	2903-0871-00
23-45-1045	VALVE, CHECK FOR "ATLAS COPCO" OSD-22 USE ON AIR COMPRESSOR MODEL GA-5FF, GA-15, AND GA-22. VALVE IS MUST BE OF "OEM PRODUCT. NO SUBSTITUTION WILL BE ACCEPTED.	29	24	ATLAS COPCO	1613-7601-00
23-45-1046	ELEMENT, FILTER KIT DD32 (G) DRYER USED WITH "ATLAS COPCO" GA-5FF MODEL AIR COMPRESSOR. ELEMENT IS MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED.	0	0	ATLAS COPCO	2901-3000-03
23-45-1047	ELEMENT, FILTER KIT PD32 (G) DRYER USED WITH "ATLAS COPCO" GA-5FF MODEL AIR COMPRESSOR. ELEMENT IS MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	0	0	ATLAS COPCO	2901-3001-03
23-45-1048	ELEMENT, OIL FILTER FOR GA-15+ "ATLAS COPCO" MODEL AIR COMPRESSOR SERIAL NUMBER API-310878. FILTER ELEMENT MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	24	10	ATLAS COPCO	2903-7836-00

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
23-45-1049	KIT, OIL SEPARATOR FOR GA-15+ "ATLAS COPCO" MODEL AIR COMPRESSOR. KIT INCLUDES SEPARATOR ELEMENT AND O-RING. SEPARATOR ELEMENT IS MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	22	19	ATLAS COPCO	2901-1963-00
23-45-1050	ELEMENT, FILTER KIT DD60 FOR ICD-50 DRYER USED WITH "ATLAS COPCO" GA-15+ MODEL AIR COMPRESSOR SERIAL #API-310874 THRU API-310882. ELEMENT IS MUST BE "OEM" PRODUCT. NOT SUBSTITUTION WILL BE ACCEPTED	102	154	ATLAS COPCO	2901-3000-05
23-45-1051	ELEMENT, PD60 FILTER KIT FOR ICD-50 DRYER USED WITH "ATLAS COPCO GA-15+ MODEL AIR COMPRESSOR SERIAL #API-310882.ELEMENT IS MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	45	70	ATLAS COPCO	2901-3001-05
23-45-1052	SILENCER, FOR ICD-50 MODEL DRYER USE WITH "ATLAS COPCO" GA-15+ MODEL AIR COMPRESSOR SERIAL #API-310874 THRU API-310882	221	159	ATLAS COPCO	1617-6173-00
23-45-1053	KIT, GA-15+ DRYER SERVICE PLAN "A" TO INCLUDE: (4) SILENCERS, (1) EACH FILTER KIT DD60, FILTER KIT PD60. FILTER ELEMENT WITH O-RING FOR DD60 AND PD60. ALL COMPONENTS IN THE KITS ARE MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL	0	0	ATLAS COPCO	3001-5006-52

QUALIFIED PRODUCTS LISTING
 INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
23-45-1054	KIT, GA-15+ DRYER SERVICE PLAN "C" TO INCLUDE: DESICCANT CORE, SHUTTLE VALVE, O-RINGS, SEALS AND NYLON WASHER: ALL COMPONENTS IN THE KITS ARE MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	6	4	ATLAS COPCO	2904-0198-00
23-45-1055	KIT, GA-15+ MAINTENANCE KIT TO INCLUDE: AIR FILTER, OIL FILTER, SEPARATOR ELEMENT, MPV AND UNLOADER VALVE SERVICE KIT, SCAVENGER LINE KIT AND CABINET FILTERS. ALL COMPONENTS IN THE KITS AE MUST BE OF "OEM" PRODUCT, NO	4	0	ATLAS COPCO	2901-1972-00
23-45-1056	SCREEN FILTER FOR OSD-22 & 90 IN ALL "ATLAS COPCO" AIR COMPRESSOR MODEL GA-5, GA-15, GA-15+, GA-22, GA- 30 AND GA-45	0	0	ATLAS COPCO	1613-7299-00
23-45-1057	STRAINER, FOR OSD-22 & 90 IN ALL "ATLAS COPCO" AIR COMPRESSOR MODEL GA-5, GA-15, GA-15+, GA-22, GA- 30 AND GA-45	0	0	ATLAS COPCO	1613-7378-00
23-45-1058	PRE-FILTER, FOR OSD-22 AND OSD-90 USE IN GA 15+, 30/45 "ATLAS COPCO" MODEL AIR COMPRESSOR. FILTER ELEMENT IS MUST BE "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPTED	0	0	ATLAS COPCO	2901-0413-00

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
23-45-1059	BELT, KIT FOR GA-5FF "ATLAS COPCO" MODEL AIR COMPRESSOR. BELT KIT IS MUST BE OF "OEM" PRODUCT, NO SUBSTITUTION WILL BE ACCEPT	0	0	ATLAS COPCO	2903-1024-03
24-61-3920	LIFT, PORTABLE HYDRAULIC, WHEEL ENGAGING MOBILE BUS LIFT SYSTEM, 18,000 LBS MINIMUM. ALL PORTABLE BUS LIFTS INCLUDING WIRED AND WIRELESS (BATTERY OPERATED) SHALL BE QUALIFIED IN RELATIONSHIP TO THE TERMS AND			VEHICLE SERVICE GROUP ROTARY LIFT	MCHW418U100RD
24-61-3922	LIFT, PORTABLE, HYDRAULIC, WHEEL ENGAGING MOBILE BUS LIFT SYSTEM, 18,000 LBS MINIMUM. ALL PORTABLE BUS LIFTS INCLUDING WIRED AND WIRELESS (BATTERY OPERATED)SHALL BE QUALIFIED IN RELATIONSHIP TO THE TERMS AND			STERTIL KONI	SK-1085-2FWA
27-07-0795	CAPACITOR, ELECTRONIC, COMPUTER GRADE, SPECIFICATIONS: CAPACITANCE: 8200 MFD, TOLERANCE:-10% + 75%, WORKING VOLTAGE: 450VDC, SURGE VOLTS; 500VDC, LEAKAGE CURRENT @ 25C: 400MFD, ESR @ 120HZ @ 25C:0.021 OHM MAX, RIPPLE CURRENT @	237	293	CORNELL DUBILIER ELECTRONICS	500X822U450DG1B
32-26-0720	LAMP, PORTABLE BANK, 600 VOLTS DC, NOMINAL, WITH HANDLE GRIP COVERED WIRE CHANNEL, AND CUSHIONED WIRE HOLDERS. LAMPHOLDER SHALL BE THERMOSET ELASTOMER WITH 1000	8	0	MOLEX INC NYCTA TWINCO MANUFACTURING CO.	1047-5HCA142 MW 650-15 REV 10 SHEET (2 OF 2) MW 650-15 REV 10 (SHEET 1 OF 2) 069-2678-1-0

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
41-33-2915	KEY, CAR DOOR, DET. NO. 3, MATERIAL: STEEL, AS PER SAE SPEC. 1020.	5	38	HORNE NYCTA	2915 303-6001 REV. A DET. 3
41-33-2945	KEY, LOCK, STEEL, CUT SAE SPEC 1020, DROP FORGED, CASE HARDENED, WITH ZINC PLATED FINISH, (R1 TO 4 CARS) FOR SUBWAY CAR EQUIPMENT, STD,	3184	1118	HORNE JAMES L. HOWARD & CO.,INC. NYCTA VAPOR CORP.	2945 2382 303-6001 REV. A DET. 4 56010794
41-33-2946	KEY, CAB DOOR LOCK, HARDENED STEEL, WITH ENDURION FINISH, FOR IRT	20	5	HORNE JAMES L. HOWARD & CO.,INC.	2946 2667
41-33-3005	KEY, LOCK, STEEL, SOFT, COPPER PLATED CUT, FOR SUBWAY CAR OVERHEAD, SWITCH TYPE MUDC #C-3432	9	3	HORNE JAMES L. HOWARD & CO.,INC. NYCTA	33-3005 2396 303-6001 REV. A DET. 2
48-36-1000	PAD, ABRASIVE, BLENDING, MINERAL IMPREGNATED NYLON; TO BE 6" X 9" X 3/8"; TO HAVE AN ABRASIVENESS INDEX OF 17.65 +/- 1.77 AS MEASURED BY ASTM F1015-86 (REAPPROVED 1991) AS MODIFIED BY NOTE 1 BELOW: PACKAGED 20 PADS PER	227	244	MINNESOTA, MINING & MANUFACTUR	SCOTCH-BRITE 7446
48-36-1100	PAD, ABRASIVE, CLEANING, HEAVY DUTY; MINERAL-IMPREGNATED NYLON; TO BE 6" X 9" X 1/8"; TO HAVE AN ABRASIVENESS INDEX OF 15.43 +/- 1.54	5192	3479	ASTM MINNESOTA, MINING & MANUFACTUR NYCTA	F1015-86 (REAPPROVED 1991) SCOTCHBRITE 7440 PALLET SPEC.
48-38-1660	PAD, ABRASIVE, GENERAL PURPOSE (FOR CLEANING, FINISHING, BLENDING, DEBURRING); TO BE 6" X 9" X 3/8"; TO	17672	9986	ASTM MINNESOTA, MINING & MANUFACTUR	F1015-86 (REAPPROVED 1991) SCOTCH-BRITE #7447B
50-62-1080	REGULATOR, OXYGEN, TWO STAGE, CHROME PLATED WITH STAINLESS STEEL DIAPHRAGM, METRIC AND AVOIRDUPOIS READINGS.	42	39	EUTECTIC CORP	6250000

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
56-05-6955	HOSE, ASSEMBLY, 3/8" I.D. HIGH PRESSURE,150' HOT WATER, REINFORCED WITH TWO BRAIDS OF HIGH TENSILE STEEL WIRE, BLACK HIGH OIL RESISTANCE SYNTHETIC RUBBER COVER, - 20 TO 250 DEGREES FAHRENHEIT, 4500 PSI WORKING PRESSURE,	230	184	CONTINENTAL CONTITECH	20473771
56-08-3605	HOSE, ASSEMBLY, DIAMETER SIZE 7/8", LENGTH 25-3/4" LONG, (NO GASKET), FOR TRIPCOCK. NOTE: ALL HOSES MUST HAVE ID BAND WITH TA STOCK NUMBER,	1162	541	NYCTA	PALLET SPEC. 2086-PROD-96 REV.B 104-1001 REV. M, ITEM 9
60-05-0150	PANEL, FIRE ALARM, INCLUDES HYDROGEN DETECTION, POWER SUPPLY 31057, UDACT-602 DIGITAL ALARM, COMMUNICATOR DIALER WITH CONFIGURATION TOOL. EACH PANEL MUST BE PACKAGED INDIVIDUALLY.	0	0	GAMEWELL	IF-602-NYCT
60-05-0154	PANEL, FIRE ALARM, USED IN SIGNAL RELAY ROOM	3	0	SIMPLEX GRINNELL	4100-NEMA
60-05-0500	DETECTOR, BEAM SMOKE, 24V PROJECTED, USED FOR SIGNAL RELAY ROOM, FOR FIRE ALARM SYSTEM	0	0	SIMPLEX GRINNELL	4100-D-297
60-05-4500	PANEL CONTROL, USED FOR SIGNAL RELAY ROOM FOR FIRE ALARM	0	2	SOFTWARE HOUSE	C/CURE NEMA-ISTAR-NYCT

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-05-4510	PANEL, CONTROL, ADVANCED PROCESSING CONTROLLER TO BE USED FOR EMERGENCY EXITS. INCLUDES NEMA 4X SS ENCLOSURE, ADVANCED PROCESSING CONTROLLER, BATTERY, COMMUNICATIONS DEVICES AND POWER SUPPLIES AS DESCRIBED IN SPEC	1	0	SOFTWARE HOUSE	C/CURE NEMA-APC/8X-NYCT
60-05-6000	READER, MULTI-TECHNOLOGY FLEX, USED FOR SIGNAL RELAY ROOM FOR FIRE ALARM	0	0	SOFTWARE HOUSE	SWH-4200
60-05-7005	STATION, DOUBLE ACTION, ADDRESSABLE, PUSH OPERATION	0	0	SIMPLEX GRINNELL	4099-9003
60-05-7010	STATION, ADDRESSABLE MANUAL PULL STATION, DUAL ACTION, WITH KEY	0	0	GAMEWELL	MS95-SD
60-05-7102	CENTRAL COMPUTER SYSTEM, SYSTEM ACCESS AND INTRUSION, USED FOR SIGNAL RELAY ROOM FOR FIRE ALARM	0	0	SOFTWARE HOUSE	C/CURE 8000 PLUS ENTERPRISE
60-40-0570	HORN, AUDIBLE NOTIFICATION DEVICE, WITH A LOUD AND PENETRATING HARMONICALLY RICH SOUND, 24 VDC POWERED, FLEXIBLE MOUNTING	0	0	SIMPLEX GRINNELL	4901-9820
60-40-7002	HORN, WHEELOCK, USED ON FIRE CONTROL SYSTEMS	0	0	GAMEWELL	NH-12/24-R
60-50-3410	DISPLAY, LED, 176 X 16, SIGN-1, SIDE/1 LINE-INDOOR-AC, LOWER MOUNT	0	0	DAKTRONICS HOLBROOK SOLARI	FGB176.16.06.MC.ID.SS.AC.K CIS 1716 SUK1 AC
60-50-3411	DISPLAY, LED, 176 X 16, SIGN-1 SIDE/1 LINE-OUTDOOR-AC, LOWER MOUNT	0	0	DAKTRONICS HOLBROOK SOLARI	FGB176.16.06.MC.OD.SS.AC.K CIS 1716 SEK2 AC
60-50-3412	DISPLAY, LED, 176 X 16, SIGN-1 SIDE/1			DAKTRONICS HOLBROOK	FGB176.16.06.MC.ID.SS.DC.K

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	LINE-INDOOR-DC, LOWER MOUNT			SOLARI	CIS1716 SUK1 DC
60-50-3413	DISPLAY, LED, 176 X 16, SIGN-1 SIDE/1			DAKTRONICS HOLBROOK	FG176.16.06.MC.OD.SS.DC.K
	LINE-OUTDOOR-DC, LOWER MOUNT			SOLARI	CIS 1716 SEK2 DC
60-50-3414	DISPLAY, LED, 176 X 32, SIGN-1 SIDE/2			DAKTRONICS HOLBROOK	FG176.32.06.MC.OD.SS.DC.K
	LINE-OUTDOOR-DC, LOWER MOUNT			SOLARI	CIS 1732 SEK4 DC
60-50-3415	DISPLAY, LED, 176 X 32, SIGN-1 SIDE/2	0	0	DAKTRONICS HOLBROOK	FG176.32.06.MC.ID.SS.AC.K
	LINE-INDOOR-AC, LOWER MOUNT			SOLARI	CIS 1732 SUK3 AC
60-50-3416	DISPLAY, LED, 176 X 32, SIGN-1 SIDE/2			DAKTRONICS HOLBROOK	FG176.32.06.MC.ID.SS.DC.K
	LINE-INDOOR-DC, LOWER MOUNT			SOLARI	CIS 1732 SUK3 DC
60-50-3417	DISPLAY, LED, 176 X 32, SIGN-1 SIDE/2	0	0	DAKTRONICS HOLBROOK	FG176.32.06.MC.OD.SS.AC.K
	LINE-OUTDOOR-AC, LOWER MOUNT			SOLARI	CIS 1732 SEK4 AC
60-50-3418	DISPLAY, LED, 176 X 32, SIGN-2 SIDE/2	0	0	DAKTRONICS HOLBROOK	FG176.32.06.MC.ID.DS.AC.K
	LINE-INDOOR-AC, LOWER MOUNT			SOLARI	CIS 1732 DUK5 AC
60-50-3419	DISPLAY, LED, 176 X 32, SIGN-2 SIDE/2			DAKTRONICS HOLBROOK	FG176.32.06.MC.ID.DS.DC.K
	LINE-OUTDOOR-DC, LOWER MOUNT			SOLARI	CIS 1732 DUK5 DC
60-50-3420	DISPLAY, LED, 176 X 32, SIGN-2 SIDE/2	0	0	DAKTRONICS HOLBROOK	FG176.32.06.MC.OD.DS.AC.K
	LINE-OUTDOOR-AC, LOWER MOUNT			SOLARI	CIS 1732 DEK6 AC
60-50-3421	DISPLAY, LED, 176 X 32, SIGN-2 SIDE/2			DAKTRONICS HOLBROOK	FG176.32.06.MC.OD.DS.DC.K
	LINE-OUTDOOR-DC, LOWER MOUNT			SOLARI	CIS 1732 DEK6 DC
60-50-3430	DISPLAY, LED, 256 X 32, SIGN-1 SIDE/2	0	0	DAKTRONICS HOLBROOK	FG256.32.06.MC.OD.SS.AC.K
	LINE EXTRA WIDE-OUTDOOR-AC, LOWER			SOLARI	CIS 2532 SEK8 AC
60-50-3431	DISPLAY, LED, 256 X 32, SIGN-1 SIDE/2,	0	0	DAKTRONICS HOLBROOK	FG256.32.06.MC.ID.SS.AC.K
	LINE EXTRA WIDE-INDOOR-AC, LOWER			SOLARI	CIS 2532 SUK7 AC
60-50-3432	DISPLAY, LED, 256 X 32, SIGN-1 SIDE/2			DAKTRONICS HOLBROOK	FG256.32.06.MC.ID.SS.DC.K
	LINE EXTRA-WIDE-INDOOR-DC, LOWER			SOLARI	CIS 2532 SUK7 DC
60-50-3433	DISPLAY, LED, 256 X 32, SIGN-1 SIDE/2			DAKTRONICS HOLBROOK	FG256.32.06.MC.OD.SS.DC.K
	LINE EXTRA WIDE-OUTDOOR-DC, LOWER			SOLARI	CIS 2532 SEK8 DC
60-50-3434	DISPLAY, LED, 256 X 32, SIGN-2 SIDE/2,			DAKTRONICS HOLBROOK	FG256.32.06.MC.OD.DS.AC.K
	LINE EXTRA WIDE-OUTDOOR-AC, LOWER			SOLARI	CIS 2532 DEK10 AC
60-50-3435	DISPLAY, LED, 256 X 32, SIGN-2 SIDE/2			DAKTRONICS HOLBROOK	FG256.32.06.MC.OD.DS.DC.K
	LINE EXTRA WIDE-OUTDOOR-DC, LOWER			SOLARI	CIS 2532 DEK10 DC
60-50-3436	DISPLAY, LED, 256 X 32, SIGN-2 SIDE/2	0	0	DAKTRONICS HOLBROOK	FG256.32.06.MC.ID.DS.AC.K
	LINE EXTRA WIDE-INDOOR-AC, LOWER			SOLARI	CIS 2532 DUK9 AC

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
60-50-3437	DISPLAY, LED, 256 X 32, SIGN-2 SIDE/2 LINE EXTRA WIDE-INDOOR-DC, LOWER			DAKTRONICS HOLBROOK SOLARI	FGB256.32.06.MC.ID.DS.DC.K CIS 2532 DUK9 DC
60-50-3463	PLATE MOUNTING, ANTENNA ENLOSURE, USED FOR EMERGENCY EXITS	0	0	HOFFMAN	A18P16C
60-50-7500	RADIO, STARLINK, USED ON EMERGENCY EXIT SUBWAY TUNNEL	0	0	NAPCO SECURITY INC.	SL/1
60-50-7805	CUSTOMER INFORMATION SYSTEM, LCD STRETCHED, STANDARD WIDTH, SINGLE	0	0	NYCTA SOLARI	MTA CIS DELIVERY SPECIFICATION LCIS-4715-SE-AC-K
60-50-7806	CUSTOMER INFORMATION SYSTEM, LCD STRETCHED, STANDARD WIDTH, SINGLE	0	0	NYCTA SOLARI	MTA CIS DELIVERY SPECIFICATION LCIS 4715 SE DC K
60-50-7808	CUSTOMER INFORMATION SYSTEM, LCD STRETCHED, STANDARD WIDTH, DOUBLE	0	0	NYCTA SOLARI	MTA CIS DELIVERY SPECIFICATION LCIS 4725 DE AC K
60-50-7812	CUSTOMER INFORMATION SIGN, LCD STRETCHED, STANDARD WIDTH, DOUBLE SIDED HALF HEIGHT(DSHH) 120 VAC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR UNDERGROUND INSTALLATIONS			SOLARI	LCIS 4725 DU AC K
60-50-7814	CUSTOMER INFORMATION SYSTEM, LCD STRETCHED, STANDARD WIDTH, DOUBLE	0	0	NYCTA SOLARI	MTA CIS DELIVERY SPECIFICATION LCIS 4725 DE DC K
60-50-7816	CUSTOMER INFORMATION SYSTEM, LCD STRETCHED STANDARD WIDTH, SINGLE	0	0	NYCTA SOLARI	MTA CIS DELIVERY SPECIFICATION LCIS 4725 SE AC K
60-50-7820	CUSTOMER INFORMATION SIGN, LCD STRETCHED, STANDARD WIDTH, SINGLE SIDED HALF HEIGHT(SSHH) 120 VAC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR UNDERGROUND INSTALLATIONS			SOLARI	LCIS 4725 SU AC K
60-50-7822	CUSTOMER INFORMATION SYSTEM, LCD STRETCHED, STANDARD WIDTH, SINGLE	0	4	NYCTA SOLARI	MTA CIS DELIVERY SPECIFICATION LCIS 4725 SE DC K

QUALIFIED PRODUCTS LISTING
 INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-50-7824	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE, DOUBLE SIDED HALF HEIGHT(DSHH) 120 VAC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR ELEVATED INSTALLATIONS	0	0	SOLARI	LCIS 6013 DE AC K
60-50-7826	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE, DOUBLE SIDED HALF HEIGHT(DSHH) 48 VDC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR ELEVATED INSTALLATIONS			SOLARI	LCIS 6013 DE DC K
60-50-7828	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE, DOUBLE SIDED HALF HEIGHT(DSHH)120 VAC WITH STANDARD HARTING INTERFACE WHIOP AND MOUNTING KIT FOR UNDERGROUND INSTALLATIONS			SOLARI	LCIS 6013 DU AC K
60-50-7830	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE, DOUBLE SIDED HALF HEIGHT(DSHH) 48 VDC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR UNDERGROUND INSTALLATIONS			SOLARI	LCIS 6013 DU DC K
60-50-7832	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE, SINGLE SIDED HALF HEIGHT(SSHH)120 VAC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR ELEVATED INSTALLATIONS.	0	0	SOLARI	LCIS 6013 SE AC K

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-50-7834	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE, SINGLE SIDED HALF HEIGHT(SSHH)48 VDC WITH STANDARD HARTING INTERFACE WHIP AND MOUNTING KIT FOR ELEVATED INSTALLATIONS			SOLARI	LCIS 6013 SE DC K
60-50-7836	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE SINGLE SIDED, 120 VAC, WITH STANDARD HARTING WHIP AND MOUNTING KIT			SOLARI	LCIS 6013 SU AC K
60-50-7838	CUSTOMER INFORMATION SIGN, LCD STRETCHED, EXTRA WIDE SINGLE SIDED, 48 VOLTS, WITH STANDARD HARTING WHIP AND MOUNTING KIT			SOLARI	LCIS 6013 SU DC K
60-56-1200	PANEL, FIRE ALARM, NEMA 4X SS BOX W/WINDOW, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCT			HEFTI	HEF-FACP-363610
60-56-1205	BACKBOX, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA, USED IN THE COMMUNICATION & SIGNAL ROOMS AND SUBWAY EMERGENCY EXITS.			GE SECURITY	3-CAB7B
60-56-1210	BASE, STANDARD DETECTOR, FOR FIRE ALARM CONTROL PANEL (FACP), EST3- NYCTA	59	115	GE SECURITY	SIGA-SB
60-56-1230	BOARD, SURFACE MOUNT DACT CONNECTOR BLOCK, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA, USED IN COMMUNICATION & SIGNAL ROOMS AND SUBWAY EMERGENCY EXITS	285	0	SUTTLE APPARATUS	625A28NK-2-52

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-56-1315	CHASSIS ASSEMBLY, FOR 7 LRMS, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA, USED IN COMMUNICATION & SIGNAL ROOMS AND SUBWAY EMERGENCY EXITS.			GE SECURITY	3-CHAS7
60-56-1410	DETECTOR, PHOTOELECTRIC SMOKE DETECTOR, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA	0	0	GE SECURITY	SIGA-PD
60-56-1412	DETECTOR, REFLECTIVE BEAM SMOKE , SINGLE ASSEMBLY, 15 TO 160 FEET, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA			FIRERAY	EC-50R
60-56-1415	DOOR, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA, USED IN SIGNAL & COMMUNICATION ROOM & SUBWAY EMERGENCY EXITS			GE SECURITY	3-CAB7D
60-56-1610	HORN, 1575 TEMPORAL HORN, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA			GE SECURITY	G1RF-HDV
60-56-1815	MODEM COMMUNICATOR AND DIALER, FOR FIRE ALARM CONTROL PANEL, EST3-NYCT			GE SECURITY	3-MODCOM
60-56-1817	MODULE, LIQUID CRYSTAL DISPLAY, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA			GE SECURITY	3-LCD
60-56-1830	MODULE, CENTRAL PROCESSOR MODULE, FOR FACP, EST3-NYCTA			GE SECURITY	3-CPU3
60-56-1832	MODULE, DIALER CAPTURE, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA			BOSCH	C900V2

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-56-1843	MODULE, RISER MONITOR MODULE-U/O MOUNT, MONITORS ONE RISER, FOR FIRE ALARM CONTROL PANEL (FACP)			GE SECURITY	SIGA-MRM1
60-56-1844	MODULE, SIGNAL MODULE U/W 1 RISER IN, 1 OUTPUT CKT, CI 'B', FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA	24	12	GE SECURITY	SIGA-CC1
60-56-1845	MODULE, SIGNAL MODULE/W 1 RISER IN, 1 OUTPUT CKT, CI'B'-U/O MOUNT, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA			GE SECURITY	SIGA-MCC1
60-56-1847	MODULE, SIGNATURE SINGLE DRIVER CONTROLLER, FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA			GE SECURITY	3-SDDC1
60-56-1849	MDOULE, SINGLE INPUT, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA	48	16	GE SECURITY	SIGA-CT1
60-56-1854	MODULE, SYNCHRONIZED SIGNAL MODULE/WQ1 RISER, 1 OUTPUT CKT, CI 'B', FOR FIRE ALARM CONTROL PANEL, EST3-NYCTA			GE SECURITY	SIGA-MCC1S
60-56-1860	MODULE, 6 POSITION, RISER SELECTION U/O MODULE MOTHERBOARD, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA			GE SECURITY	SIGA-UIO6R
60-56-1862	MODULE, 12 SWITCH, 12 RED, 12 YELLOW CONTROL DISPLAY MODULE, FOR FIRE ALARM CONTROL PANEL (FACP) EST3-NYCTA			GE SECURITY	3-12/S1RY

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-56-2015	POWER SUPPLY, BOOSTER POWER SUPPLY, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA			GE SECURITY	3-BPS/M
60-56-2017	POWER SUPPLY, PRIMARY POWER SUPPLY, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA			GE SECURITY	3-PPS/M
60-56-2040	RELAY, DPDT RELAY, 24 VDC /W ENCLOSURE, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA			AIR PRODUCTS	MR11/C
60-56-2052	SIGN, LABEL FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA			ASE MFG., INC.	FACP LABEL
60-56-2054	STATION, DOUBLE ACTION FIRE ALARM STATION, FOR FIRE ALARM CONTROL PANEL (FACP) EST3-NYCTA	4	5	GE SECURITY	SIGA-278
60-56-2056	SWITCH, TAMPER, FOR FIRE ALARM CONTROL PANEL (FACP), ISTAR ENCLOSURE TAMPER SWITCH ASSEMBLY			SOFTWARE HOUSE	0650-1340-01
60-56-2060	TESTER, GROUND LEVEL TEST STATION, FOR FIRE ALARM CONTROL PANEL (FACP), EST3-NYCTA			FIRERAY	EC-LLT
60-60-0060	BOARD ASSEMBLY, FOUR CHARACTER LED DISPLAY PCB, USED ON R142 SIDE DESTINATION SIGN LED UPGRADE.	115	3260	PNC INC	02-0189-E01-02
60-60-0061	BOARD ASSEMBLY POWER SUPPLY PCB, USED ON R142 SIDE DESTINATION SIGN LED UPGRADE.	375	300	PNC INC	02-0189-E03-02
60-60-0062	BOARD ASSEMBLY, CONTROLLER LON INTERFACE PCB, USED ON R142 SIDE DESTINATION SIGN LED UPGRADE.	275	400	PNC INC	02-0189-E07-01

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-0063	BOARD ASSEMBLY, CIRCLE-DIAMOND AND ROUTE NUMBER DISPLAY. USED ON R142 SIDE DESTINATION SIGN LED UPGRADE.	24	651	PNC INC	02-0189-E05-02
60-60-0064	CABLE PS TO CIRCLE-DIAMOND POWER	245	130	PNC INC	02-0189-W05-02
60-60-0065	CABLE PS TO CONTROLLER LON INTERFACE BOARD POWER	375	0	PNC INC	02-0189-W04-02
60-60-0066	CABLE PS TO ALL LED CHARACTER BOARDS POWER	36	338	PNC INC	02-0189-W-03-02
60-60-0067	CABLE, CONTROLLER LON INTERFACEBOARD TO LED BOARD SIGNAL,USED ON R142 SIDE DESTINATION SIGN LED UPGRADE.	375	0	PNC INC	02-0189-W06-02
60-60-3875	HPU PEDESTAL MOUNT 62" DC - NO BPLT- KT (NO BASE PLATE KIT INCLUDED) (1)MSA HPU PEDESTAL MOUNT 62": BTI- PM62-RISER-SA1 (QNTY=1); (2)MSA HPU JUNCTION BOX 48V DC: BTI-PM-JB-DC- SA(QNTY=1); (3)MSA JUNCTION BOX COVER PLATE:			BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM62-1
60-60-3876	HPU PEDESTAL MOUNT, 62" AC, NO BPLT- KT (1)MSA HPU PEDESTAL MOUNT 62": BTI-PM62-RISER-SA1 (QTY =1); (2)MSA HPU JUNCTION BOX 110V AC: BTI-PM-JB- AC-SA (QTY=1); (3)MSA JUNCTION BOX COVER PLATE: BTI-JB-CVR-01-SA (QTY=1);			BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM62-AC-1

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-3880	PSLAN PEDESTAL MOUNT 65" AG/AN 8P NO BASE PLATE-KT.(1)MPA ACCESS NODE PEDESTAL 65":BTI-MTOS-65-SA (QNTY=1); (2)MSA PSLAN FIBER MGMT SLIDE TRA: BTI-MTOS-ST(QNTY=1)(3)MPR CONDUIT HUB 8-HOLETHREAD: BTI- HDWR-CH8-01(QNTY=1);	2	0	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-MT18-65
60-60-3882	PSLAN PEDESTAL MOUNTING BASE PLATE KIT. (1)MPA PEDESTAL MNT BOT BASE PLT: BTI-AN-PM-BBP(QNTY=1) (2)MPA PEDESTAL MNT TOP BASE PLT: BTI-AN-PM-TBP (QNTY=1); (3)SCREW FHSCHS 3/8-24 1-1/2L B.O: 91253A359 (QNTY=2); (4)SCREW SHS	2	0	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-PMBP-KT
60-60-3886	MSA HPU BASE PLATE PED MNT KIT. (1)MPA PEDESTAL UPPER FLANGE: BTI- PM-UP-FLNG: (QNTY=1); (2)MPA PEDESTAL LOWER FLANGE: BTI-PM-LOW- FLNG(QNTY=1); (3)SCREW SHCS 1/2-20 2- 1/4"L SS: 92196A772;(QNTY=3); (4)WASHER SP-LK 1/2 0.869" OD ZNC:			BOYCE TECHNOLOGIES, INC.	BTI-HPU-PMBPLT-KT
60-60-3902	EXTENDER, BTI 4808 ACCESS NODE BACK BOX IS AN EXTENSION UNIT THAT MOUNTS BETWEEN THE 48 INCH ACCESS NODE BACK BOX AND FRONT CHASSIS INCREASING THE NUMBER OF ENTRY PORTS FROM 3 TO 6 AND DOUBLES THE INTERIOR VOLUME FOR CABLE	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-BB-48EXT

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9000	HELPPPOINT, TALL, FRONT CHASSIS, 68" METAL FRONT CHASSIS W/BLEUE BEACON (LEDS), 2 PUSHBUTTONS - RED & GREEN, SPEAKER, MICROPHONE & SIP VOIP INTERCOM INDUCTION LOOP DRIVER & COIL AND CYBER LOCK ASSEMBLY	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-6800-INTC
60-60-9001	BACKBOX, TALL, FOR HELPPPOINT UNIT, 68" MOUNTING, 68" HEIGHT(TALL)	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB68
60-60-9002	HELPPPOINT, TALL, WIRELESS, FRONT CHASSIS 68" HEIGHT(TALL) METAL FRONT CHASSIS W/ BLEUE BEACON (LEDS), 2 PUSHBUTTONS - RED & GREEN, SPEAKER, MICROPHONE, SIP VOIP INTERCOM, INDUCTION LOOP DRIVER & COIL, CYBER	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-6860
60-60-9003	BACKBOX, TALL, W/UPS, 68" MOUNTING, W/INTEGRATED POWER SYSTEM INCLUDING 48VDC UPS AND BATTERIES, 68" HEIGHT (TALL)	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB68-PS
60-60-9004	HPU BRACKETS, ROUND COLUMN, R=COLUMN RADIUS, (2 PER HPU NEEDED)			BOYCE TECHNOLOGIES, INC.	BTI-HPU-MT01-R
60-60-9005	HPU BRACKETS, SQUARE COLUMN, CLAMP AROUND STYLE, D=COLUMN DEPTH, W=COLUMN WIDTH (2 PER HPU NEEDED)	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-MT02
60-60-9006	HPU BRACKETS, COLUMN WEDGE MOUNT FOR WEB > 8.25" WIDE, D=WEB DEPTH, W=WEB WIDTH, (2 PER HPU NEEDED)	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-MT03

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9007	HPU BRACKETS, FLAT MOUNT, WALL ANCHORS (4 PER HPU NEEDED)	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-MT04
60-60-9008	HELPOINT, MEDIUM, FRONT CHASSIS, 62" METAL FRONT CHASSIS, WITH BLUE BEACON, 2 PUSH BUTTONS, RED & GREEN, SPEAKER, MICROPHONE & SIP VOIP INTERCOM INDUCTION LOOP DRIVER & COIL AND CYBER LOCK ASSEMBLY WALL AND COLUMN MOUNT	0	0	POWER RESOURCES INC	PRI-1172-HP-62-00-000
60-60-9009	BACKBOX, MEDIUM, MOUNTING FOR HELPOINT UNIT MOUNTING, 62" HEIGHT	0	4	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB62
60-60-9010	HELPOINT, MEDIUM, WIRELESS, FRONT CHASSIS 62" ENHANCED WIRELESS, METAL FRONT CHASSIS, WITH BLUE BEACON (LEDS), 2 PUSHBUTTONS, RED & GREEN, SPEAKER, MICROPHONE, SIP VOIP INTERCOM, INDUCTION LOOP DRIVER & COIL, CYBER	5	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-6260
60-60-9011	BACKBOX, MEDIUM, W/UPS, 62" MOUNTING, WITH INTEGRATED POWER SYSTEM INCLUDING 48VDC UPS AND BATTERIES	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB62-PS

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9012	HELPPPOINT, SHORT, FRONT CHASSIS, 56" METAL FRONT CHASSIS W/BLUE BEACON (LEDS), 2 PUSHBUTTONS - RED & GREEN, SPEAKER, MICROPHONE & SIP VOIP INTERCOM, INDUCTION LOOP DRIVER & COIL AND CYBER LOCK ASSEMBLY	6	1	BOYCE TECHNOLOGIES, INC.	BTI-HPU-5600-INTC
60-60-9013	BACKBOX, SHORT, MOUNTING, FOR HELP POINT UNIT 56"	0	1	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB56
60-60-9014	HELPPPOINT, SHORT, WIRELESS, FRONT CHASSIS 56" ENHANCED WIRELESS, METAL FRONT CHASSIS W/BLUE BEACON (LEDS), 2 PUSHBUTTONS - RED & GREEN, SPEAKER, MICROPHONE, SIP VOIP INTERCOM, INDUCTION LOOP DRIVER & COIL, CYBERLOCK	0	1	BOYCE TECHNOLOGIES, INC.	BTI-HPU-5660
60-60-9015	BACKBOX, SHORT W/UPS, 56" MOUNTING, W/INTEGRATED POWER SYSTEM INCLUDING 48VDC UPS AND BATTERIES	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB56-PS
60-60-9016	BACKBOX, MEDIUM, FIBER-FED, 62" MOUNTING, W/MEDIA COVERTER & POE INJECTOR MODULE	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB62-FF
60-60-9017	BACKBOX, SHORT, FIBER-FED, 56" MOUNTING, W/MEDIA CONVERTER & POE INJECTOR MODULE	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB56-FF
60-60-9018	BACKBOX, MEDIUM, PEDESTAL,(FLOOR STANDING) MOUNTING FOR 62" HELPPPOINT UNIT	2	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM62

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9019	BACKBOX, SHORT, PEDESTAL (FLOOR STANDING) MOUNTING 56" FOR HELPPPOINT UNIT	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM56
60-60-9020	BACKBOX, MEDIUM, FIBER, PEDESTAL(FLOOR STANDING MOUNT FOR 62" HELPPPOINT UNIT), FIBER-FED MOUNTING, W/MEDIA CONVERTER & POE INJECTOR MODULE	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM62-FF
60-60-9021	BACKBOX, SHORT, FIBER, PEDESTAL (FLOOR STANDING MOUNTING FOR 56" HELP POINT UNIT), FIBER-FED MOUNTING, W/MEDIA CONVERTER AND POE INJECTOR MODULE			BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM56-FF
60-60-9022	BACKBOX, MEDIUM, UPS, PEDESTAL (FLOOR STANDING MOUNTING FOR 62" HELP POINT UNIT), W/POWER SYSTEM INCLUDING 48VDC UPS AND BATTERIES	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM62-PS
60-60-9023	BACKBOX, SHORT, UPS, PEDESTAL (FLOOR STANDING MOUNTING FOR 56" HELP POINT UNIT), W/POWER SYSTEM, INCLUDING 48VDC UPS AND BATTERIES			BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM56-PS
60-60-9024	ACCESS NODE, 8-PORT (COPPER), W/48" ENCLOSURE, 8-PORT L2 ETHERNET SWITCH, 16-FIBER BULKHEADS, POWER SUPPLY, 4X DC OUTPUT DISTRIBUTION(POLYFUESES), DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR, UTILITY RECEPTACLE AND ELECTRONIC	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-4808-1

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9025	ACCESS NODE, 16 PORT (COPPER), W/65" ENCLOSURE, COPPER PATCH PANEL, (2) 8-PORT L2 ETHERNET SWITCHES, 16-FIBER BULKHEADS, POWER WUPPLY, 4X DC OUTPUT DISTRIBUTION (POLYFUSES), DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR, UTILITY	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516-1
60-60-9026	ACCESS NODE, 16 PORT HYBRID, W/65" ENCLOSURE, COPPER/FIBER PATCH PANEL, 8-PORT (COPPER) L2 ETHERNET SWITCH & 4-PORT (COPPER) 4-PORT (FIBER) L2 ETHERNET SWITCH, 16-FIBER BULKHEADS, POWER SUPPLY, 4X DC OUTPUT DISTRIBUTION	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516H-1
60-60-9027	ACCESS POINT, AC-FED, (CEILING MOUNT), W/METAL ENCLOSURE, TRI- BAND RADIO, POWER SUPPLY, EXTERNAL MIMO DOME ANTENNA, DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR, UTILITY RECEPTACLE AND ELECTRONIC LOCKING	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-2-1
60-60-9028	ACCESS POINT, DC-FED(CEILING- MOUNT), W/METAL ENCLOSURE, TRI- BAND RADIO, DC-TO-DC CONVERTER, EXTERNAL MIMO DOME ANTENNA, DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR AND ELECTRONIC LOCKING MECHANISM			BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-1-1

QUALIFIED PRODUCTS LISTING
 INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9029	ACCESS POINT, POE-FED (CEILING-MOUNT), W/METAL ENCLOSURE, TRI-BAND RADIO, EXTERNAL MIMO DOME ANTENNA, DUAL FAN ASSEMBLY, ENVIRONMENTAL SENSOR AND ELECTRONIC LOCKING MECHANISM			BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-3-1
60-60-9030	AGGREGATOR, VERTICAL MOUNT, 65" W/METAL ENCLOSURE, TRI-BAND RADIO, EXTERNAL MIMO ANTENNA, COPPER PATHC PANEL, 8-PORT L2 ETHERNET SWITCH, FIBER BULKHEAD, 48VDC UPS/BATTERIES, DUAL FAN ASSEMBLY, ENVIORNMENTAL SENSOR AND	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AG-7161-L-0000-1-4
60-60-9031	BACKBOX, MEDIUM, AC TO 48VDC, 62" W/PROTECTED DC POWER INCLUDING MANAGED POWER SUPPLY	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-2002-PA62
60-60-9032	BACKBOX, SHORT, AC TO 48 VDC, 56" W/PROTECTED DC POWER INCLUDING MANAGED POWER SUPPLY			BOYCE TECHNOLOGIES, INC.	BTI-HPU-2002-PA56
60-60-9033	ACCESS NODE, 8-PORT (COPPER), COLUMN, 4/48" ENCLOSURE & COLUMN WEB MOUNT, PORT L2 ETHERNET SWITCH, 16-FIBER BULKHEADS, POWER SUPPLY, 4X DC OUTPUT DISTRIBUTION (POLYFUSES), DUAL FAN ASSEMBLY, ENDIRONMENTAL SENSOR, UTILITY	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-4808-L-0000-2N-1-M4

QUALIFIED PRODUCTS LISTING
 INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9034	ACCESS NODE, 16-PORT (COPPER), COLUMN W/65" ENCLOSURE & COLUMN WEB MOUNT, COPPER PATCH PANEL, (2) 8-PORT L2 ETHERNET SWITCHES, 16- FIBER BUCKHEADS, POWER SUPPLY, 4X DC OUTPUT DISTRIBUTION (POLYFUSES), DUAL FAN ASSEMBLY,	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516-L-0000-2N-4-M4
60-60-9035	ACCESS NODE, 16-PORT HYBRID, COLUMN W/65" ENCLOSURE & COLUMN WEB MOUNT, COPPER/FIBER PATCH PANEL, 8-PORT (COPPER) L2 ETHERNET SWITCH & 4-PORT (COPPER)/4-PORT (FIBER) L2 ETHERNET SWITCH, 16-FIBER BULKHEADS, POWER	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516H-L-0000-2N-4-M4
60-60-9036	AGGREGATOR, COLUMN, (VERTICAL MOUNT), W/65" METAL ENCLOSURE, & COLUMN WEB MOUNT, TRI-BAND RADIO, EXTERNAL MIMO ANTENNA, COPPER PATCH PANEL, 8-PORT L2 ETHERNET SWITCH, FIBER BULKHEADS, 48VDC UPS/BATTERIES, DUAL FAN ASSEMBLY,	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AG-7161-L-0000-2N-4
60-60-9040	ACCESS NOTE, 16 PORT HYBRID, 60" WALL/ CEILING MOUNT (HAS 12 COPPER & 4 OPTICAL PORTS); INCLUDES ENCLOSURE (2) ETHERWAN HARDENED EX78000 ETHERNET SWITCH, QUINT DC POWER SUPPLY (5A), (16)-POSITION FIBER PATCH MODULE W/8			FUJITSU	WALL-HYBRID-60IN

QUALIFIED PRODUCTS LISTING
 INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9041	PSLAN ACCESS NODE - 65" IBEAM CEILING MOUNT. KIT INCLUDES 2 ETHERWAN HARDENED EX78000 ETHERNET SWITCHES, 2 SFP EX-1250SP- MB4L-AS, QUINT DC POWER SUPPLY (10A), 24 POSITION FIBER PATCH MODULE W/12 DUAL LC ADAPTERS, GFCI			FUJITSU	CAB-IBEAM-65IN
60-60-9042	ACCESS NODE, 45" I-BEAM MOUNT 9" TO 13" (COPPER 8-PORT SMALL); INCLUDES ENCLOSURE ETHERWAN HARDENED EX78000 ETHERNET SWITCH, QUINT DC POWER SUPPLY (5A), (16)-POSITION FIBER PATCH MODULE W/8 DUAL LC ADAPTERS, GFCI CONVENIENCE			FUJITSU	CAB-IBEAM-45IN
60-60-9043	ACCESS NODE, 16 PORT HYBRID, 60" I- BEAM MOUNT 9" TO 13" (HAS 12 COPPER & 4 OPTICAL PORTS); INCLUDES ENCLOSURE (2) ETHERWAN HARDENED EX78000 ETHERNET SWITCH, QUINT DC POWER SUPPLY (5A), (16)-POSITION FIBER PATCH MODULE W/8			FUJITSU	IBEAM-HYBRID-60IN
60-60-9044	ACCESS NODE, 45" WALL CEILING MOUNT (COPPER 8-PORT SMALL); INCLUDES ENCLOSURE ETHERWAN HARDENED EX78000 ETHERNET SWITCH, QUINT DC POWER SUPPLY (5A), (16)- POSITION FIBER PATCH MODULE W/8 DUAL LC ADAPTERS, GFCI CONVENIENCE			FUJITSU	CAB-WALL-45IN

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9045	PSLAN ACCESS NODE - 65" WALL CEILING MOUNT. KIT INCLUDES 2 ETHERWAN HARDENED EX78000 ETHERNET SWITCHES, 2 SFP EX-1250SP-MB4L-AS, QUINT DC DC POWER SUPPLY (10A), 24 POSITION FIBER PATCH MODULE W/12 DUAL LC ADAPTERS, GFCI	0	0	FUJITSU	CAB-WALL-65IN
60-60-9046	ACCESS NODE, 16-PORT(COPPER), W/65" ENCLOSURE, L2 ETHERNET(2)- 8-P COPPER, 56VDC 500 WATT DUAL PS, UPS W/BATTERY BACKUP, WALL MOUNT BOX W/4P TOP CONDUIT ENTRY, 4X DC OUTPUT DIST (POLYFUSES), 16-FIBER LC BULKHEADS, DUAL FAN			BOYCE TECHNOLOGIES, INC.	BTI-AN-6516-U-L-0000-1-4-M4-L
60-60-9047	ACCESS NODE, W/65" ENCLOSURE, PROVISION FOR 2X L2 ETHERNET SWITCHES, 54 VDC 500 WATT POWER SUPPLY, UPS WITH PROVISION FOR PERSONALITY MODULE & BATTERY PACK, 4X DC OUTPUT DISTRIBUTION (POLYFUSES), 24-FIBER LC BULKHEADS, DUAL FAN	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516U-CH2
60-60-9048	ACCESS NODE, 16-PORT(COPPER), W/65" ENCLOSURE, SW#1-8-PORT(COPPER)L2 ETHERNET SW#2- 4-P CU & 4-P FIBER, 56VDC 500 WATT DUAL PS, UPS W/BATTERY BACKUP, WALL MOUNT BBOX W/4P TOP CONDUIT ENTRY, 4X DC OUTPUT			BOYCE TECHNOLOGIES, INC.	BTI-AN-6516H-U-L-0000-1-4-M4-L

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9049	ACCESS NODE, 16-PORT(COPPER), W/65" ENCLOSURE, L2 ETHERNET SW#1-8-PORT (CU)SWITCH, L2 ETHERNET SW#2- 4-P CU & 4-P FIBER, 56VDC 500 WATT DUAL PS, UPS W/BATTERY BACKUP, COL MOUNT BBOX W/4P TOP CONDUIT ENTRY, 4X DC OUTPUT			BOYCE TECHNOLOGIES, INC.	BTI-AN-6516H-U-L-0000-2N-4-M4-L
60-60-9052	ACCESS NODE, ETHERWAN EX7893-4R MANAGED HARDENED ETHERNET SWITCH, 12-PORT 10/100/1000BASE-TX POE (IEEE802.3AT/BT 240W BUDGET), +4-PORT 100/1000BASE OPEN SFP SLOTS (WITH 2-PORT SFP GIGABIT SM DUPLEX LC	60	0	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-SWS-12L
60-60-9054	ACCESS NODE, BACKBOX, COLUMN WEB MOUNT, 65 INCHES X 3.75 INCHES DEEP, 8-PORT TOP CONDUIT ENTRY, FIBER CLAMPS, AC INPUT, USED IN PSLAN	1	9	BOYCE TECHNOLOGIES, INC.	BTI-AN-BB65-03-38
60-60-9055	BATTERY PACK, LITHIUM ION, 48VDC, 6.8 AH, USED FOR PSLAN BACKUP WITH ATTACHED CABLE WHIP	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AG-BATT-ION
60-60-9057	ACCESS NODE, BACK BOX, WALL MOUNT, 65" X 3.75" DEEP, 8-PORT TOP CONDUIT ENTRY, FIBER CLAMPS, AC INPUT, USED IN PSLAN	10	20	BOYCE TECHNOLOGIES, INC.	BTI-AN-BB65-02-38
60-60-9060	PSLAN 65" ACCESS NODE/AGGREGATOR PEDESTAL W/INTEGRATED BACKBOX, 8-PORT TOP CONDUIT ENTRY	0	0	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-MT08-65

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9061	POWER SUPPLY, 10A DC, WITH FAN MODULE AND WATCHDOG. ITEM CONTAINS 10A PHOENIX CONTACT QUINT POWER SUPPLY, FUJITSU CUSTOM 48V FAN ASSEMBLY AND A GEIST WATCHDOG P-15			FUJITSU	PC15B-0001-B152
60-60-9062	SWITCH, ETHERWAN, 12 PORT, MOUNTED ON A CHASSIS BRACKET. ITEM CONTAINS 1 ETHERWAN EX78934R-OVB AND 1 MOUNTING CHASSIS BRACKET			FUJITSU	PC15B-0001-B174
60-60-9063	FAN MODULE, DC, CONTAINS 2 48V DC FANS AND 1 MOUNTING BRACKET			FUJITSU	PC15B-0001-B069
60-60-9064	PATCH PANEL, 24 PORT LC UPC, CONTAINS 24 LC UPC ADAPTORS, MOUNTING BRACKET AND FIBER TIE WRAP			FUJITSU	PC15B-0001-B095
60-60-9065	PEDESTAL MOUNT KIT, FOR FUJITSU 65" ACCESS NODE. STAINLESS STEEL 304 WITH DIMENSIONS 105" H X 8" W X 9.5" D. MEETS G.S.A. STANDARDS FF-2-325, GROUP III, TYPE 1. MEETS LOADS FACTORS IN COMPLIANCE WITH A.N.S.I A58.1. PRODUCTS	0	0	FUJITSU	PC15B-0001-C373
60-60-9066	MODULE, REMOTE POWER, 8 PORT DC. CONTAINS 2 4 PORT CARDS WITH PTC SURGE ARRESTERS			FUJITSU	PC15B-0001-B086
60-60-9067	AC POWER MODULE WITH LINE FILTER. 120V AC INPUT WITH AC LINE FILTER			FUJITSU	PC15B-0001-B065

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9068	CABINET,65"PSLAN/ACCESS NODE WITH UPS. CONTAINS 2 ETHERWAN EX78934R HARDENED 12PORT ETHERNET SWITCHS,DC POWER SUPPLY 14A W/BATTERY CHARGING CAPABILITY,LI-IONBATTERY BACK UP-16AHR (2HOURS), FIBER PATCH MODULE W/12 DUPLEX LC ADAPTERS TO	0	0	FUJITSU	PC01B-0053-A105
60-60-9069	KIT, WALL MOUNT, T058. FOR USE WITH FUJITSU 65" PSLAN/ACCESS NODE CABINET PC01B-0053-A105			FUJITSU	PC15B-0001-B077
60-60-9070	KIT, I-BEAM MOUNT, 9IN TO 13IN. FOR USE WITH FUJITSU 65" PSLAN/ACCESS NODE CABINET PC01B-0053-A105			FUJITSU	PC15B-0001-B075
60-60-9071	KIT, POLE MOUNT. FOR USE WITH FUJITSU 65" PSLAN/ ACCESS NODE CABINET PC01B-0053-A105			FUJITSU	PC15B-0001-B076
60-60-9072	KIT, I-BEAM FLANGE MOUNT. FOR USE WITH FUJITSU 65" PSLAN/ ACCESS NODE CABINET PC01B-0053-A105			FUJITSU	PC15B-0001-B078
60-60-9073	KIT, I BEAM MOUNT, 5 IN. TO 9 IN. FOR USE WITH FUJITSU 65" PSLAN/ACCESS NODE CABINET PC01B-0053-A105			FUJITSU	PC15B-0001-B074
60-60-9101	HELPPPOINT UNIT W SIP AND VOIP INTERCOM MODULE	0	24	BOYCE TECHNOLOGIES, INC.	BTI-HPU-INTCOM-SA

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9102	HELPPPOINT MEDIUM METAL FRONT CHASSIS, 62" HEIGHT, WITH BLUE BEACON (LEDS), 2 PUSH BUTTONS, RED & GREEN, SPEAKER AND MICROPHONE	0	18	BOYCE TECHNOLOGIES, INC.	BTI-HPU-6201
60-60-9103	HELPPPOINT, SHORT METAL FRONT CHASSIS, 56" HEIGHT, WITH BLUE BEACON (LEDS), 2 PUSH BUTTONS: RED & GREEN, SPEAKER AND MICROPHONE	2	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-5600
60-60-9104	HELPPPOINT, TALL METAL FRONT CHASSIS, 68" HEIGHT, WITH BLUE BEACON (LEDS) 2 PUSH BUTTONS: RED & GREEN, SPEAKER AND MICROPHONE			BOYCE TECHNOLOGIES, INC.	BTI-HPU-6801
60-60-9105	BACKBOX FOR HELPPPOINT SHORT, 56" HEIGHT, FOR AC POWER INPUT 90-264VAC	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-2002-BB56-AC
60-60-9106	BACKBOX FOR HELPPPOINT MEDIUM, 62" HEIGHT, FOR AC POWER INPUT 90-264VAC	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-2002-BB62-AC
60-60-9107	BACKBOX, FOR HELPPPOINT TALL 68" HEIGHT, FOR AC POWER INPUT 90-264VAC			BOYCE TECHNOLOGIES, INC.	BTI-HPU-BB68-AC
60-60-9108	HELPPPOINT UPS POWER MODULE FOR AC POWER UNITS, 90- 264VAC INPUT FOR 48VDC AND DATA OUTPUT WITH CABLES	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPPS-48150
60-60-9109	HELPPPOINT UPS BATTERY PACK -48VDC, 2.9AH WITH ATTACHED CABLE WHIP	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPPS-BATT-SA

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9110	BACKBOX FOR HELPPPOINT PEDESTAL SHORT, 56" HEIGHT, FOR AC POWER INPUT 90- 264VAC			BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM56-AC
60-60-9111	BACKBOX FOR HELPPPOINT PEDESTAL MEDIUM, 62" HEIGHT, FOR AC POWER INPUT 90 -264VAC	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PM62-AC
60-60-9112	HELPPPOINT WIRELESS MESH RADIO MODULE MOTOROLA AP-7161 WITH CABLES	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-HPU-01
60-60-9113	MODULE, FIBER MEDIA CONVERTER, FOR HELP POINT BACKBOXES JUNCTION BOXES	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-FMC-01
60-60-9114	MODULE, POE INJECTOR, W/DC INPUT LEAD & 18" RJ CAT6 SHORT BARREL PATCH CORD. USED ON WIRELESS HP AND FIBER HP	25	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-M1-LT
60-60-9115	MODULE, AC-DC, PROTECTED POWER, 90 -264VAC INPUT, 48VDC + DATA OUTPUT WITH CABLES	0	0	BOYCE TECHNOLOGIES, INC.	BTI-HPU-PAC-48150
60-60-9116	BACKBOX, ACCESS NODE, 48" HEIGHT, WALL MOUNT WITH 3-PORT TOP CONDUIT ENTRY, FIBER CLAMPS AND AC INPUT			BOYCE TECHNOLOGIES, INC.	BTI-AN-BB48-02
60-60-9117	BACKBOX, ACCESS NODE, 65" HEIGHT, WALL MOUNT WITH 4-PORT TOP CONDUIT ENTRY, FIBER CLAMPS AND AC INPUT	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-BB65-02
60-60-9118	BACKBOX, ACCESS POINT, CEILING MOUNT, 3-PORT TOP CONDUIT ENTRY, AC INPUT			BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-CHL-2
60-60-9119	BACKBOX, ACCESS POINT, CEILING MOUNT, 3-PORT TOP CONDUIT ENTRY, 48VDC INPUT			BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-CHL-1

QUALIFIED PRODUCTS LISTING
 INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9120	BACKBOX, ACCESS POINT, CEILING MOUNT, 3-PORT TOP CONDUIT ENTRY, POE DC INPUT			BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-CHL-3
60-60-9121	BACKBOX, AGGREGATOR, 65" HEIGHT, WALL MOUNT, 4-PORT TOP CONDUIT ENTRY, FIBER CLAMPS, AC INPUT	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AG-BB7161-02
60-60-9122	BACKBOX, ACCESS NODE, 48" HEIGHT, COLUMN WEB MOUNT, 3-PORT TOP CONDUIT ENTRY, FIBER CLAMP, AC INPUT			BOYCE TECHNOLOGIES, INC.	BTI-AN-BB48-03
60-60-9123	BACKBOX, ACCESS NODE, 65" HEIGHT, COLUMN WEB MOUNT, 4-PORT TOP CONDUIT ENTRY, FIBER CLAMP, AC INPUT	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-BB65-03
60-60-9124	BACKBOX, AGGREGATOR, 65" COLUMN WEB MOUNT, 4-PORT TOP CONDUIT ENTRY, FIBER CLAMP, AC INPUT	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AG-BB7161-03
60-60-9125	CHASSIS, FRONT, ACCESS NODE, 48" 16-PORT LC FDP, POWER SUPPLY W/RECEPTACLE, DUAL FANS, AND ELECTRONIC LOCK			BOYCE TECHNOLOGIES, INC.	BTI-AN-4808
60-60-9126	MODULE, INJECTOR, POE PSLAN, 4-PORT DC OUTPUTS DISTRIBUTION(POLYFUSES)	0	0	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-M4
60-60-9127	MODULE, SENSOR, PSLAN-ENVIRONMENTAL	0	0	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-ENV-01
60-60-9128	SWITCH, ETHERNET, MANAGED HARDENED, 8 X 10/100 BASE 802.3AFPOE.2X1000 BASE-LX GIG SINGLE MODE SC	0	0	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-SWS-01

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9129	CHASSIS, ACCESS NODE, FRONT, 65" HEIGHT, 8-PORT PATCH PANEL(FOR ACCESS TO BOTTOM SWITCH), 16-PORT LC FDP, POWER SUPPLY W/RECEPTACLE, DUAL FANS, AND ELECTRONIC LOCK	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516
60-60-9130	SWITCH, ETHERNET, MANAGED HARDENED, 8XX10/100BASE 802.3AF POE, 2X1000 BASE-LX GIG SINGLE MODE SC	0	0	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-SWS-02
60-60-9131	CHASSIS, ACCESS NODE, 65" 8-PORT PATCH PANEL, 16-PORT LC FDP, POWER SUPPLY W/RECEPTACLE, FANS, ELECTRONIC LOCK(HYBRID)	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516H
60-60-9132	SWITCH, HYBRID, ETHERNET, MANAGED HARDENED, 4-P COPPER, 4-P FIBER, AND 2X 1000BASE-LX GIG, AND SINGLE MODE SC	0	0	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-SWS-02H
60-60-9133	CHASSIS, FRONT, ACCESS POINT, CEILING MOUNT, DC POWER SUPPLY, DUAL FANS, ELECTRONIC LOCK MIMO DOME ANTENNA			BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-CHU-1
60-60-9134	CHASSIS, FRONT, ACCESS POINT, CEILING MOUNT, AC POWER SUPPLY W/RECEPTACLE, DUAL FANS, ELECTRONIC LOCK, MIMO DOME ANTENNA			BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-CHU-2
60-60-9135	CHASSIS, FRONT, ACCESS POINT, CEILING MOUNT, POE DC POWER INPUT, ELECTRONIC LOCK, MIMO DOME ANTENNA			BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-CHU-3

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9136	MODULE, RADIO, ACCESS POINT, WIRELESS MESH, MOTOROLA AP-7161 WITH CABLES			BOYCE TECHNOLOGIES, INC.	BTI-AP-7161-WAP-1
60-60-9137	CHASSIS, AGGREGATOR, FRONT, METAL ENCLOSURE, 65", 16-PORT LC BULKHEAD FDP, 48VDC POWER SUPPLY W/RECEPTACLE, DUAL FANS, ELECTRONIC LOCK AND MIMO TAPE ANTENNA	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AG-7161
60-60-9138	RADIO, AGGREGATOR WIRELESS MESH MODULE, MOTOROLA AP-7161 WITH RADIO	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AG-7161-WAP-01
60-60-9139	MODULE, AGGREGATOR, POWER, DC INPUT, DC + DATA OUTPUT WITH CABLES	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AG-UPS-56060
60-60-9140	BATTERY PACK, AGGREGATOR, (48VDC, 2.9AH)WITH ATTACHED CABLE WHIPS	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AG-BATT-UPS
60-60-9141	ACCESS NODE CHASSIS, 65" ENCLOSURE, 24-PORT LC FDP 54VDC 500 WATT POWER SUPPLY, DUAL FAN ASSEMBLY 4- POER ENVIRONMENTAL MODULE, UTILITY RECEPTACLE AND ELECTRONIC LOCKING MECHANISM, PROVISIONS FOR: 2X L2	22	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-6516U
60-60-9143	ACCESS NODE 600, 54VDC, 500 WATTS, OUTPUT W/UPS CONN WITH TRIM UP; UNIVERSAL 90-120 VAC INPUT, BTI- AN600-PSU-002 PSLAN	0	32	BOYCE TECHNOLOGIES, INC.	BTI-AN600-PSU-002
60-60-9145	UPS PERSONALITY MODULE, USED WITH LITHIUM-ION BATTERY PACK FOR PSLAN	0	0	BOYCE TECHNOLOGIES, INC.	BTI-UPS-56060-ION

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9146	MODULE, UPS PERSONALITY, PSLAN, USED WITH LITHIUM-ION BATTERY PACK FOR PSLAN. CHARGER CONTAINED WITHIN CHASSIS	0	0	BOYCE TECHNOLOGIES, INC.	BTI-AN-UPS-LI
60-60-9147	MODULE, UPS PERSONALITY, PSLAN, USED WITH AGM BATTERY PACK FOR PSLAN. CHARGER CONTAINED WITHIN CHASSIS			BOYCE TECHNOLOGIES, INC.	BTI-AN-UPS-AGM
60-60-9150	CIS JUNCTION BOX, 3XPCB, NEMA 4X 10X8X6 WITH CYBERLOCK, 110 VAC INPUT, THE J-BOX PROVIDES POWER AND ROUTES DATA TO THE CUSTOMER INFORMATION SIGNS. ALL HOUSED IN A STEEL ECLOSURE	0	0	BOYCE TECHNOLOGIES, INC.	BTI-100806-CIS-1
60-60-9152	CIS JUNCTION BOX, 3XPCB, NEMA 4X 10X8X6 WITH CYBERLOCK, -48VDC INPUT. THE J-BOX PROVIDES POWER AND ROUTES DATA TO CUSTOMER INFORMATION SIGNS. ALL HOUSED IN A STEEL ENCLOSURE	0	0	BOYCE TECHNOLOGIES, INC.	BTI-100806-CIS-2
60-60-9155	HELP POINT, MEDIUM FRONT CHASSIS, 62" METAL FRONT CHASSIS, WITH BLUE BEACON, 2 PUSH BUTTONS, RED & GREEN, SPEAKER, MICROPHONE, & SIP VOIP INTERCOM INDUCTION LOOP DRIVER & COIL AND CYBER LOCK ASSEMBLY PEDESTAL MOUNT	2	13	BOYCE TECHNOLOGIES, INC.	BTI-HPU-6200-P
60-60-9162	SWITCH ETHERNET, 16 PORT 10/100 BASE POE, 2 PORT GIGABIT, EX78612R, USED WITH HELP POINT AND ACCESS NODES	0	0	BOYCE TECHNOLOGIES, INC.	BTI-PSLAN-SWS-16

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
60-60-9170	SWITCH, 12 PORT, FOR ACCESS MODE, HARDENED MANAGED POE ETHERNET SWITCH WITH 60W POWER AND IEEE 802.3 BT 12-PORT 10/100/1000BASE- T(X) POE + 4-PORT 100/1000BASE SFP	0	0	ETHERWAN	EX78934R-OVB
60-66-5010	STROBE, HORN, WHEELLOCK, USED ON FIRE CONTROL SYSTEMS	0	0	GAMEWELL	NS-24MCW
60-66-5015	STROBE, XENON FLASHTUBE, VISIBLE NOTIFICATION DEVICE FOR WALL MOUNTING, TRUEALERT NON- ADDRESSABLE, RED, WITH WHITE LETTERING, 24 VDC POWERED.	0	0	SIMPLEX GRINNELL	4904-9332
60-66-5020	STROBE, WHEELLOCK, USED IN SIGNAL RELAY ROOM	0	0	GAMEWELL	RSS-24MCW-FR
60-70-7110	SIREN, WALL MOUNT, AUDIBLE/VISIBLE NOTIFICATION DEVICE, WITH EFFICIENT ELECTRONIC HORN AND HIGH OUTPUT XENON STROBE	0	0	SIMPLEX GRINNELL	4903-9418
60-80-6211	DETECTOR, HEAT, ADDRESSABLE, WITH BASE, USED ON ALARM CONTROL SYSTEMS	0	0	GAMEWELL	XP95-T
60-80-6264	SENSOR, PHOTOELECTRIC TRUEALARM, SIMPEX SMOKE DETECTOR HEAD, FOR USED WITH SIMPLEX BASE P/N4098-9792	276	60	SIMPLEX GRINNELL	4098-9714
60-80-6266	BASE, STANDARD SENSOR, USED FOR SIMPLEX SENSORS, P/N 4098-9714; 4098- 9733	0	0	SIMPLEX GRINNELL	4098-9792

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
60-80-6338	SENSOR, HEAT TRUEALARM, SIMPLEX SMOKE DETECTOR HEAD, FOR USE WITH SIMPLEX BASE P/N 4098-9792	66	0	SIMPLEX GRINNELL	4098-9733
60-80-6404	DETECTOR, BEAM SMOKE, REFLECTIVE, INCLUDES POINT IDENTIFICATION DEVICE, ADDRESSABLE, PID-95	0	0	GAMEWELL	72223-160
60-80-6406	SENSOR, WATER DETECTOR, OPERATED ON 12 OR 24 VOLTS AC/DC, WATERBUG MODEL WB-200, USED IN SIGNAL RELAY ROOM	0	0	WINLAND ELECTRONICS	1043
60-80-6500	MODULE, INDIVIDUAL ADDRESSABLE RECEIVE BOOTH, POWER AND COMMUNICATIONS, FROM A TWO-WIRE MAPNET II OR IDNET CIRCUIT.	0	0	SIMPLEX GRINNELL	4090-9001
60-95-0360	2 MP NETWORK MODULAR CAMERA BASE UNIT	0	0	HANWHA TECHWIN CO NYCTA	XNB6001 SUB CAM CONFIG SOW V1
60-95-0793	CCTV IP CAMERAS, 1 KIT PER CAR (1 KIT INCLUDES 2 SETS OF CAMERAS COMPONENTS REQUIRED TO COMPLETE	2125	1982	HANWHA VISION NYCTA	XNB-H64680B TECH SPEC V3 SUB CAM CONFIG SOW V2
60-95-1430	MEMORY CARD, 256 GB (FORMATTED FOR USE WITH SUBWAY CAR CAMERAS KIT "60-95-0793")	0	0	NYCTA SANDISK WESTERN DIGITAL	SUB CAM CONFIG SOW V1 ULTRA UHS-1 QD101
60-95-3340	MODULE, HARDENED MEMORY, (HMM) ASSY, 8 MB CAPACITY, U/O EVENT RECORDER	0	0	BACH-SIMPSON INC.	54009-8M
61-12-3160	BOTTLE, PLASTIC (HDPE), 32 OZ. CAPACITY NECK, FINISHING SIZE TO BE 28MM/410 OR 28MM/400, NECK	14472	9015	CONTICO INT. INC. IMPACT PRODUCTS INC. NYCTA	932CG 5032WG PALLET SPEC.
61-12-3310	BROOM, 100% CORN, 1-1/8" DIAMETER WOOD HANDLE, TOTAL LEGTH OF BROOM TO BE 57" +/- 1", BROOM BODY	1595	1036	GREENWOOD MOP & BROOM, INC. NIB NYSPSP	563 330T

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
61-12-3405	BROOM, LOBBY, 38"-39" OVERALL LENGTH, 100% CORN AND YUCCA FIBERS WITH 8" - 9" WIDTH AND 8-1/2" TO 11"	4493	2797	CRYSTAL LAKE MANUFACTURING INC OCEDAR	CRYSTAL LAKE #12102 6201-6
61-12-6205	BROOM, PUSH, WITH OUT HANDLE, 18" LONG METAL BLOCK, HAS 3-1/4" TRIM LENGTH, FIBERS ARE HORSEHAIR,	142	117	MILWAUKEE DUSTLESS BRUSH CO. NYCTA	214180 PALLET SPEC
61-12-6210	BROOM, PUSH (WITHOUT HANDLE), 18" WIDE WOODEN BLOCK, FIBER SECTIION NOMINAL 2-1/2" WIDE X NOMINAL 18-1/2" LONG, X 3" TRIM LENGTH; FIBERS ARE HORSEHAIR AND ACRYLONITRILE/POLYSTYRENE; BLOCK HAS TWO BORED AND THREADED 3/4" HOLES	281	249	NIB NYSPSP	412
61-13-2845	BRUSH, PAINT, FLAT, 100% CHINA BRISTLE (HOG'S HAIR), BRISTLE SECTION	12747	8613	KIRSCHNER LINZER BRUSH	310 9081
61-13-3445	BRUSH, OVAL SASH; FOR RAILCAR APPEARANCE PURPOSES ONLY (PAINTING/ TOUCHUP OF RAILCAR INTERIORS/EXTERIORS); TRIM LENGTH IS 2-1/8" +/- 1/8"; WIDTH OF BRISTLE SECTION (MEASURED AT BRISTLE TIPS) IS	150	61	KIRSCHNER	320CA
61-13-3710	BRUSH, VARNISH, 2" WIDE BRISTLE SECTION; BRISTLES ARE A 70 +/- 5% CHINESE BRISTLE AND 30 +/- 5% OXHAIR BLEND; BRISTLE THICKNESS IS NOMINAL 9/16"; BRISTLE LENGTH (TRIM) IS 2" +/- 3/8" LONG; HANDLE (WOOD OR PLASTIC	360	247	LINZER BRUSH	TYPE-1435
61-13-6005	BRUSH, WIRE, 3 X 19 ROWS OF WIRE STRAND SETS; TO HAVE CURVED PLASTIC OR WOOD BLOCK THAT IS 13-3/4" +/-	2546	1411	ASTM NYCTA SOLO-HORTON	A510-91 PALLET SPEC. W210

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
61-13-6060	BRUSH, WIRE, 1 X 17 ROWS, STEEL WIRE STRANDS WITH MINIMUM 98.2% IRON, TO BE LEAD FREE; WIRE STRANDS TO BE .0125" TO .0135" THICK; 36 (2 X 18) WIRE STRANDS PER HOLE (WIRE STRAND SET): WIRE STRAND LENGTH OUT OF BRUSH TO BE 1-3/16" +/-	150	168	PFERD INC.	A67757
61-13-6065	BRUSH, WIRE, 2X MINIMUM 15 ROWS OF WIRE STRAND SETS; TO HAVE A TAPERED WOODEN BLOCK THAT IS NOMINALLY 10" LONG X 5/8" WIDE X	237	200	ASTM E. GORNELL & SONS GORDON BRUSH MFG. CO., INC.	510 162 567120
61-13-6075	BRUSH, WIRE, HAS 4 ROWS OF WIRE STRAND SETS, THE OUTSIDE 2 ROWS	1312	654	ASTM OSBORN	A-510 54018
61-13-6105	BRUSH, BRASS WIRE; 3 X 13 ROWS; BRASS (63-78% COPPER, 22-36% ZINC) WIRE STRANDS TO BE 0.006" TO 0.0065"	7882	4936	GORDON BRUSH MFG. CO., INC. KIRSCHNER	321112 K383
61-16-4290	MAT, OIL ABSORBENT, POLYPROPYLENE BASED; 30" +/- 1/6" WIDE X 150' LONG ROLLS; AS MEASURED BY ASTM 828, TO HAVE MINIMUM TENSILE STRENGTHS OF 2.3 LB/IN (DRY MACHINE DIRECTION),	317	216	ASTM FED. SPEC. NYCTA SORBENT PRODUCTS CO	D1117-80 828 UUT591D PALLET SPEC ENV150
61-16-4291	BAG, FILTER, FOR USE IN WATER FILTRATIONSYSTEM FOR TREATMENT OF RAILCAR AIR CONDITIONER CONDENSER WASHING EFFLUENT IN ORDER TO MEET SEWER DISCHARGE CODES. USED IN 4 X 16 BAG FILTER TANK. 7" DIAMETER X 24" LONG.	1150	1000	SABO INDUSTRIAL CORP.	247RCRS50
61-24-3810	HANDLE, MOP, 60" LONG, FIBERGLASS, COMES WITHOUT MOPHEAD; HAS A	2756	1544	IMPACT PRODUCTS INC. NYCTA	WH60 PALLET SPEC
61-24-4000	KIT, ABRASIVE PAD CLEANING, TO	3722	2008	MINNESOTA, MINING &	F1015-86 (REAPPROVED 1991)

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	CONSIST OF: 1)A 9" LONG X 3-3/4" WIDE PLASTIC APPLICATOR HEAD WITH			MANUFACTUR	6472=DOODLEBUGPADHOLDR+8440+854 1
61-28-4001	APPLICATOR HEAD, FOR CLEANING/ABRASIVE PADS, PLASTIC; 10- 7/8" LONG X 5" WIDE WITH VELCRO PADS; HAS A MOVABLE THREADED RECEPTACLE TO ACCEPT 3/4" DIAMETER STUD ON HANDLES OBTAINED UNDER STOCK #'S 61-24-3205 & 61-24-3215	0	0	MINNESOTA, MINING & MANUFACTUR	261
61-28-4002	PAD, CLEANING AND POLISHING, MINERAL IMPREGNATED SYNTHETIC FIBER; PAD IS 6" X 12" X 1/4" THICK; PAD HAS AN ABRASIVENESS INDEX OF 6.43 +/- .64 AS MEASURED BY ASTM F1015-86 (REAPPROVED 1991) AS MODIFIED AS FOLLOWS: (1) USES	0	0	MINNESOTA, MINING & MANUFACTUR	048011-16064-1 (TYPE T)
61-28-4003	PAD, POLISHING, MINERAL- IMPREGNATED SYNTHETIC FIBER; PAD IS 6" X 12" X 3/4" THICK; PAD HAS AN ABRASIVENESS INDEX OF 6.39 +/- .64 AS MEASURED BY ASTM F 1015-86 (REAPPROVED 1991) AS MODIFIED AS FOLLOWS: (1) USES A 5-LB WEIGHT AND	0	0	MINNESOTA, MINING & MANUFACTUR	048011-90573-0 (SUPER POLISH)
61-31-0210	BASE, MAGNETIC, RUBBER MATERIAL. TO BE USED WITH CORRESPONDING D-CELL	1294	788	EFLARE NYCTA	939-EFRAILMAGBASE SECTION 82A 7/9/21
61-31-0940	LANTERN, FLAGGING, WITH AMBER LED BULB OR CLUSTER, D-CELL BATTERY	3235	2517	EFLARE NYCTA	939-RB610A-NYCT SECTION 82A 7/9/21
61-31-0942	LANTERN, FLAGGING, WITH GREEN LED BULB OR CLUSTER, D-CELL BATTERY	1657	987	EFLARE NYCTA	939-RB610G-NYCT SECTION 82A 7/9/21
61-31-0944	LANTERN, FLAGGING, WITH RED LED BULB OR CLUSTER, D-CELL BATTERY	2214	1226	EFLARE NYCTA	939-RB610R-NYCT SECTION 82A 7/9/21

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
61-36-2670	MAT, OIL ABSORBENT, POLYPROPYLENE & ' POLYESTER; TO HAVE NON-POROUS BACKING; TO COME IN 36" X 100' LONG ROLLS; MINIMUM ROLL THICKNESS TO BE .07"; TO HAVE MINIMUM DRY TENSILE STRENGTHS AS measured BY ASTM D828/829 OF 55 LB/IN	213	223	CHEMTEX	PBRNP
61-41-1010	PAD, SCRUBBING, ABRASIVE, MINERAL-IMPREGNATED NYLON + POLYESTER; TO BE 4-1/2" X 10" X 7/8"; TO HAVE AN	723	349	ASTM MINNESOTA, MINING & MANUFACTUR	F1015-86 (REAPPROVED 1991) 8541
61-41-1080	PAD, SCRUBBING, ABRASIVE; MINERAL-IMPREGNATED SYNTHETIC FIBER; TO BE 3.5" X 5" X 1" (THICKNESS); TO HAVE AN	2	3	ASTM MINNESOTA, MINING & MANUFACTUR	F1015-86 (REAPPROVED 1991) 9030
61-41-2270	BUCKET, MOPPING, 35 QUART, YELLOW, PLASTIC; BUCKET COMES WITH A MOSTLY PLASTIC DOWNWARD PRESSURE	598	501	CONTINENTAL MFG. NYCTA RUBBERMAID	335-37YW(=335-3YW/SW7) PALLET SPEC 7577-88 (=7570-88/7575-88)
61-41-2271	BUCKET, MOPPING, 26 QUART PLASTIC BUCKET COMES WITH SIDEWARD	177	131	NYCTA RUBBERMAID	PALLET SPEC 7480(=7470/612788)
61-41-3705	PAN, DUST, HOODED PAN IS CAPABLE OF SWINGING TO AN UPRIGHT POSITION, PAN IS 11" TO 12" WIDE AT MOUTH, 11-	117	70	CORCRAFT/DEPT. OF CORRECT.SERV NYCTA	M04-531000 PALLET SPEC
61-41-3740	PAN, DUST, PLASTIC, PLASTIC PAN IS CAPABLE OF SWINGING TO AN UPRIGHT	2628	1426	IMPACT PRODUCTS INC. NYCTA	2602 PALLET SPEC
61-44-2154	WIPER, WHITE CREPED CELLULOSE AND POLYESTER, 12" X 16.5" SHEETS;	41844	25975	NYCTA SONTARA AMERICA	PALLET SPEC SONTARA EC CREPED PR922
61-44-4617	COVER, PAINT ROLLER, 7" LONG, HAS NOMINAL 3/16" HIGH 100% ACRYLIC NAP; CORE INTERNAL DIAMETER IS NOMINALLY 1-7/16"; POLYPROPYLENE CORE; FOR USE WITH ALL PAINTS, INCLUDING TWO-COMPONENT POLYURETHANE PAINT	1459	413	LINZER BRUSH	RC 100

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
61-44-4627	FRAME, PAINT ROLLER, 7", 5-WIRE CAGE TYPE, CAGE IS 7" LONG X NOMINALLY 1-1/2" IN DIAMETER, TOTAL LENGTH OF FRAME IS 13 TO 13-1/2", HANDLE IS BENT AT A NOMINAL 115-120 DEGREE ANGLE, FRAME IS FOR USE WITH 6' EXTENSION POLE	20892	11214	CHARLES E. GREEN & SON'S	167250AR-#1
61-50-1960	TAPE, REFLECTIVE, YELLOW COLOR, 4" WIDE X 50 YARD ROLL, FOR USE ON LOCOMOTIVES, FLATCARS, WORKCARS FOR ENHANCED VISIBILITY AND DETECTION. REFLECTIVE MARKING CONSISTS OF PRISMATIC LENSES THAT ARE FORMED IN A TRANSPARENT,	3	0	MINNESOTA, MINING & MANUFACTUR	SCOTCHLITE DIAMOND GR 983-71FRA
61-50-2441	TAPE, MASKING; CREPED; PAPER; 1-1/2" WIDE IN 60 YARD LONG ROLLS; FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL APPLICATIONS; MUST BE IMPERVIOUS TO ENAMELS AND TWO- COMPONENTS POLYURETHANE PAINTS; TAPE	1	5	INTERTAPE POLYMER GROUP	PG-21
61-50-3080	TAPE, INSULATING, ELECTRICAL, WHITE GLASS CLOTH TAPE WITH SILICONE ADHESIVE; 4 INCH WIDE X 66 FEET LONG			MIL SPEC MINNESOTA, MINING & MANUFACTUR	MIL-I-19166C SCOTCH 69 GLASS CLOTH ELECT TAPE

QUALIFIED PRODUCTS LISTING
INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
61-50-3282	TAPE, LUMINOUS, 1 "WIDE X 10 YARD LONG ROLL, GLOW IN THE DARK BACKING, WITH PRESSURE SENSITIVE ADHESIVE, FOR MARKING JUMPER CABLES. MUST MEET FEDERAL RAILROAD ADMINISTRATION REQUIREMENTS REGARDING FLAMMABILITY PER	1	0	MINNESOTA, MINING & MANUFACTUR	SCOTCHCAL 6900(1" WIDE)
61-50-3285	TAPE, LUMINOUS, 3" WIDE X 10 YARD LONG ROLL, 2 PER CASE, GLOW-IN-THE- DARK BACKING WITH PRESSURE SENSITIVE ADHESIVE, FOR MARKING JUMPER CABLES. MUST MEET FEDERAL RAILROAD ADMINISTRATION REQUIREMENTS REGARDING	1	0	MINNESOTA, MINING & MANUFACTUR	SCOTCHCAL 6900 (3" WIDE)
61-50-3608	TAPE, MASKING, CREPED PAPER, 18 MM (.71") WIDE IN 55 M LONG ROLLS, FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL	1	0	INTERTAPE POLYMER GROUP MINNESOTA, MINING & MANUFACTUR NYCTA	PG-21..178 501+(7100086193) PALLET SPEC
61-50-3625	TAPE, MASKING, CREPED PAPER, 24MM WIDE IN 60 YD(55M) LONG ROLLS; FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL	1524	510	INTERTAPE POLYMER GROUP MINNESOTA, MINING & MANUFACTUR NYCTA	PG21..179 501+(7100086194) PALLET SPEC
61-50-3635	TAPE, MASKING, PAPER, 36MM (1.42") WIDE, 55M LONG ROLL, FOR USE IN SUBWAY CAR MASKING OPERATIONS AND ARCHITECTURAL APPLICATION	5838	2974	INTERTAPE POLYMER GROUP MINNESOTA, MINING & MANUFACTUR NYCTA	PG-21..180 501+(7100086190) PALLET SPEC
61-50-3639	TAPE, MASKING, CREPED, 48 MM (1.89") WIDE X 55M LONG ROLLS, FOR USE IN SUBWAY CAR MASKING OPERATIONS	11383	6737	INTERTAPE POLYMER GROUP MINNESOTA, MINING & MANUFACTUR	PG 21..181 501+(7100086764)

QUALIFIED PRODUCTS LISTING
 INFRASTRUCTURE AND ELECTRICAL BUYING UNIT (300) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
61-50-5002	THREAD, BROOM, FOR HANDLE REPLACEMENT, PLASTIC CONSTRUCTION, FOR USE WITH 15/16" DIAMETER BROOM HANDLE AVAILABLE UNDER STOCK NUMBER 61-24-3215, CAN ALSO USED WITH 1-1/8" DIAMETER BROOM HANDLE AVAILABLE UNDER STOCK NUMBER 61-24-3205,	0	0	EASY REACH INC	SF-2B
61-50-5812	WIPER, RAYON AND POLYESTER; WHITE; MUST MEET ALL REQUIREMENTS SET FORTH IN NYCT SPECIFICATION 7094-	3	0	CHICOPEE NYCTA	WORXWELL 8483 PALLET SPEC 7094-FACIL-99