

July 2024

MTA - NEW YORK CITY TRANSIT

3 Stone Street

New YORK, N.Y. 10004

BID RECEPTION DESK

WWW.MTA.INFO/NYCT/PROCURE/NYCTPROC.HTM

THIS PACKAGE CONTAINS THE QUALIFIED PRODUCTS LIST (QPL) ITEMS FOR THE BELOW STATED PROCUREMENT UNIT WHICH INCLUDES THE NYCT STOCK NUMBER, ITEM DESCRIPTIONS, AND ESTIMATED USAGE.

QUALIFIED PRODUCTS LIST (QPL)

Bus Parts

PROCUREMENT UNIT: 400

Bus Parts: Items including, but are not limited to, the following:

Brake lining, undercarriage, wheels, muffler & exhaust system, front & rear parts, steering & related parts, cooling & heating, system, fuel injection, transmission, windows & bus body parts.

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
15-44-0325	BRAKE SHOE, COMPOSITION WITH FLANGE, (VB 03-06) INCORPORATING A			NYCTA RAILROAD FRICTION	2093-PROD-97 REV. E COBRA V-224
15-79-0013	BRAKE SHOE, FLANGELESS, SHOE - 14 INCH COBRA			NYCTA RAILROAD FRICTION	2093-PROD-97 REV. E V-847
18-42-5618	BRAKE SHOE, FLANGELESS, COMPOSITE, (VB 05-01)			NYCTA WABCO	2093-PROD-97 REV. E V435 REV. E
33-05-1800	BATTERIES, LEAD ACID, SINGLE UNIT CELLS, 200 AMPERE HOUR, FLAME			ENERSYS INC. NYCTA	EA-5M 18J200, 11/25/15
36-06-3777	SHOE, BRAKE, COMPOSITION, LOW FRICTION, W/W675 MATERIAL FLANGED BACKING PLATE AND INSERTS, U/W LOCOMOTIVES			RAILROAD FRICTION	V577
43-20-6155	BEARING, .8750" X 1.8750" X 5.000", SINGLE ROW RADIAL, PLAIN, WITH TWO	280	160	FAFNIR WABCO	S9-KDD 560667
59-10-0918	ADAPTER, FILL, FOR 2 1/2 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	1720
59-10-0920	ADAPTER, FILL, FOR 20 LB AND 10 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	2141
59-10-3205	CHAIN, NYLON FOR RING PIN, USED ON ALL SIZED FIRE EXTINGUISHERS	517	1044	AMEREX CORP.	0532
59-10-6405	GAUGE, FOR 195 PSI, FOR USE WITH 2-1/2 LB AND 6 LB FIRE EXTINGUISHERS	0	0	AMEREX CORP.	3103
59-10-6407	GAUGE, FOR 195 PSI, FOR USE WITH 10 LB AND 20 LB FIRE EXTINGUISHERS	0	0	AMEREX CORP.	03965
59-10-6982	HOSE AND ALUMINUM HORN ASSEMBLY, FOR USE WITH 10 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	5564
59-10-6984	HOSE AND HORN ASSEMBLY, FOR USE WITH 6 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	5248
59-10-6986	HOSE AND HORN ASSEMBLY, FOR USE WITH 20 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	3339
59-10-6987	HOSE AND HORN ASSEMBLY, FOR USE WITH 10 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	1178

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
59-10-7730	HANGER LOOP, WITH SCREW, USED ONLY FOR 20 LB FIRE EXTINGUISHER	2	0	AMEREX CORP.	15363
59-10-7805	NOZZLE, FOR 2-1/2 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	1926
59-10-8550	O-RING, COLLAR, FOR 20 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	5240
59-10-8660	O-RING, HOSE GASKET, USED ONLY WITH 20 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	6978
59-10-8820	VALVE STEM O-RING, FOR USE WITH 2-1/2 LB FIR EXTINGUISHER	0	0	AMEREX CORP.	5235
59-10-8824	HOSE GASKET O RING, USED ONLY WITH 6 LB FIRE EXTINGUISHERS	0	0	AMEREX CORP.	1532
59-10-8920	DOWNTUBE AND RETAINER ASSEMBLY, FOR USE WITH 2-1/2 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	1075
59-10-8936	O-RING, COLLAR, FOR 2-1/2 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	5241
59-10-8987	DOWNTUBE AND RETAINER ASSEMBLY, USED ONLY WITH THE 20 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	1667
59-10-8988	DOWNTUBE AND ALUMINUM RETAINER ASSEMBLY FOR USE WITH 10KB FIRE EXTINGUISHER	0	0	AMEREX CORP.	1519
59-10-8989	DOWNTUBE AND RETAINER ASSEMBLY, USED ONLY WITH THE 6 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	3397
59-10-9065	LOCK WIRE SEAL, TO BE USED ON ALL SIZE FIRE EXTINGUISHERS	8540	2779	AMEREX CORP.	1387
59-10-9310	SPRING, FOR 2-1/2 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	1074
59-10-9312	SPRING, FOR 20 LB AND 10 LB FIRE EXTINGUISHERS	0	0	AMEREX CORP.	0383

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
59-10-9540	STRAP AND HOSE CLIP ASSEMBLY, FOR 6 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	15747
59-10-9550	CLIP, STRAP AND HOSE, USED ONLY FOR THE 20 LB FIRE EXTINGUISHERS	559	6	AMEREX CORP.	14778
59-10-9705	VALVE STEM ASSEMBLY, FOR USE WITH 2-1/2 LB FIRE EXTINGUISHER	0	0	AMEREX CORP.	6092
59-10-9707	VALVE ASSEMBLY, FOR USE WITH 2-1/2 LB AND 6 B FIRE EXTINGUISHERS ONLY	0	0	AMEREX CORP.	11823
59-10-9709	VALVE STEM ASSEMBLY, FOR USE WITH 10 LB AND 20 LB FIRE EXTINGUISHERS ONLY	0	0	AMEREX CORP.	6093
59-10-9711	VALVE ASSEMBLY, FOR USE WITH 10 LB AND 20 LB FIRE EXTINGUISHERS	0	0	AMEREX CORP.	11952
59-50-2705	MAT, RUBBER, INSULATING, 36" WIDE X 22' LONG, WITH A TOLERANCE IN LENGTH OF (-0 INCHES TO + 24 INCHES), TO BE MANUFACTURED IN ACCORDANCE WITH	0	1800	BILTRITE CORPORATION NYCTA RAVASCO TRANSMISSION PACKING PVT LTD	6123-75-22 SECTION 31, 2/11/15 T1C2 US-NYCT
69-02-2500	OIL, KEROSENE, REFINED PETROLEUM DISTILLATE, UNDYED. TO BE A HOMOGENEOUS MIXTURE OF HYDROCARBONS, TO BE FREE FROM			DAVID WEBER OIL CO. NYCTA SPRAGUE	ULTRA LOW SULFUR KEROSENE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL KEROSENE (UNDYED)
69-05-0660	GRAPHITE, FLAKED; BULK DRY; 85% TO 95% OF FLAKES CAN PASS THROUGH A 200 MESH SCREEN; PACKAGED IN 25-LB	0	0	ASBURY GRAPHITE NYCTA	NAT FLAKE GRAPHITE:99+CARBN CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-05-0700	LUBRICANT, GRAPHITE IN AEROSOL 16-OZ. CANS(9 OZ NET WEIGHT), 12 CANS PER CASE; FOR OUTSIDE MIRROR JOINTS &	12	40	MIRACLE POWER PROD NYCTA	DGF 123 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-05-0702	LUBRICANT, FOR ROLLER DRIVE AND CONVEYOR CHAINS, AEROSOL, 12 OZ. NET WEIGHT IN A 16 OUNCE CAN. MINERAL	14	1	CRC INDUSTRIES, INC. NYCTA	FOOD GRADE CHAIN LUBE 03055 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-05-0705	COMPOUND, LAPPING, 320 GRIT, SILICON CARBIDE, GREASE MIX, ONE POUND CAN.	17	13	HENKEL CORPORATION NYCTA	CLOVER SILICON CARBIDE 39510 NYCTA MARKING

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
					CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-1725	GREASE, ELECTRIC MOTOR BEARING, NLGI # 2 GRADE, HIGH TEMPERATURE, LITHIUM COMPLEX BASED, MINIMUM FLASHPOINT	23	8	EXXON MOBIL CORP. NYCTA	UNIREX N2 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-1735	GREASE, ELECTRIC MOTOR BEARING, NLGI #2 GRADE, HIGH TEMPERATURE, LITHIUM COMPLEX BASED, MINIMUM FLASHPOINT	788	312	EXXON MOBIL CORP. NYCTA	UNIREX N2 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-1857	GREASE, ASSEMBLY, BARIUM COMPLEX THICKENED; WORKED PENETRATION TO BE 245-275 MM/10; MINIMUM	0	6	KLUBER LUBRICATION NA LP NYCTA	STABURAGS NBU 30 PTM CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-1915	GREASE, FOR BEARINGS; 14.5 OZ. CARTRIDGES. USED FOR LUBRICATING TURNTABLE BEARINGS AND PBM SWIVEL	0	72	LUBRIPLATE LUBRICANTS CO. NYCTA	LUBRIPLATE NO 1444 #L0227-098 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-2403	GREASE, EXTREME PRESSURE, MULTI-PURPOSE, LITHIUM BASED; FOR BEARINGS; MUST HAVE #2 NLGI	137	106	NYCTA PHILLIPS 66 LUBRICANTS	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL DYNALIFE 220 #2
69-10-3130	GREASE, SILICONE, FOR MASKING ELECTRIC MOTORS PRIOR TO APPLYING VARNISH; MUST MEET THE REQUIREMENTS OF COMMERCIAL ITEM	690	210	COMMERCIAL ITEM NYCTA SYNCO CHEMICAL	A-A-59173-II CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL SYNCO SILICONE GREASE
69-10-3137	GREASE, BEARING, SYNTHETIC; LITHIUM THICKENED, POLYESTER BASED; CONTAINS OXIDATION INHIBITOR; TO HAVE			DDP DUPONT NYCTA	MOLYKOTE BG-20 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-3140	GREASE, DI-ELECTRIC, NON-CURING SILICONE, FOR USE IN SEALING, LUBRICATING, PROTECTING AND	24	0	CRC INDUSTRIES, INC. NYCTA	DI-ELECTRIC GREASE (03082) CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-3161	GREASE, HIGH GRADE, SOAP BASE, THICKENED, RUST AND OXIDATION INHIBITOR TYPE GREASE. FOR LUBRICATING JOURNAL BEARINGS ON R10-	4320	2160	ASSOC. OF AMERICAN RAILROAD EXXON MOBIL CORP. NYCTA	M-942-88 ARAPEN RB 320 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-3163	GREASE, EXTREME PRESSURE, (RAIL CURVE) NLGI GRADE O. TO BE			DAVID WEBER OIL CO. NYCTA	CURVEGARD O CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	MANUFACTURED IN ACCORDANCE WITH NYCTA SPECIFICATIONS SECTION 48 TRACK			SUMMIT LUBRICANTS	CCSS-001, REV I, 3-9-11, LABEL ABBALUBE NYC#5 RAIL CURVE
69-10-3165	GREASE, WHEEL FLANGE & R142A BRAKE HANGER; LITHIUM SOAP THICKENED; CONTAINS EP ADDITIVES AND	0	0	NYCTA SOPUS PRODUCTS	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL SHELGADUSRAILS2
69-10-3200	GREASE, RAILCAR BRAKE CYLINDER, NLGI GRADE #1.5; BASE OIL IS A BLEND OF MINERAL OIL AND SYNTHETIC HYDROCARBON FLUID WITH LITHIUM	9	0	ESSO IMPERIAL OIL EXXON MOBIL CORP. NYCTA	EPIC EP 102 EPIC EP 102 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-3202	GREASE, RAILCAR BRAKE CYLINDER, NLGI GRADE # 1.5; BASE OIL IS A BLEND OF MINERAL OIL AND SYNTHETIC			EXXON MOBIL CORP. NYCTA	EPIC EP 102 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-3400	GREASE, LITHIUM BASED, EP-2, WITH MOLYBDENUM DISULFIDE; TO HAVE A WORKED(X60 STROKES) PENETRATION OF 265 TO 295 MM/10; TO HAVE A			CITGO EXXON MOBIL CORP. NYCTA	MYSTIK LITHOPLEX "MOBILGREASE XHP 222 SPECIAL CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-3402	GREASE, LITHIUM BASED, EP-2, WITH MOLYBDENUM DISULFIDE; TO HAVE A WORKED (X60) STROKES)PENETRATION OF 265 TO 295 MM/10; TO HAVE A			CITGO EXXON MOBIL CORP. NYCTA	MYSTIK LITHOPLEX GREASE XHP222 SPECIAL CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-3405	GREASE, MULTIPURPOSE, LITHIUM BASED, EXTREME PRESSURE, NLGI #2; FOR BEARINGS, GEARS, COUPLINGS, AND HEAVY DUTY APPLICATIONS; HAS GOOD RESISTANCE TO WEAR, RUSTING, AND	22920	14400	CHEVRON EXXON MOBIL CORP. NYCTA PHILLIPS 66 LUBRICANTS	CHEVRON MULTIFAK EP2 MOBILUX EP 2 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL DYNALIFE 150 #2
69-10-3406	GREASE, LITHIUM BASED, EP-1; TO HAVE AN UNWORKED PENETRATION OF 310 TO 340 AS MEASURED VIA ASTM D217, TO	172	218	EXXON MOBIL CORP. NYCTA	MOBILUX EP-1 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-3986	GREASE, WHITE LITHIUM BASED, AEROSOL, MULTIPURPOSE; MUST HAVE #2 NLGI CONSISTENCY GRADE; DROPPING	1	0	ITW PERMATEX NYCTA	WHITE LITHIUM GREASE 81981 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-4785	GREASE, E/M KRONAPLATE, ALL-SEASON, IN TWO (2) GALLON CANS	130	0	CADILLAC OIL COMPANY LONE STAR LUBRICANTS	RLI-100AW LS-333R

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
				NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-4855	GREASE, LUBRIPLATE NO. 5555, PETROLEUM LUBRICATING GREASE. SEMI- FLUID, MILD EXTREME PRESSURE, WATER	383	203	LUBRIPLATE LUBRICANTS CO. NYCTA	L0109-007 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-4955	LUBRICANT, GREASE, EXTREME PRESSURE FORMULATED #2, LITHIUM-BASED, PACKAGED IN 14 OZ/397 GRAM	763	457	EXXON MOBIL CORP. NYCTA	MOBILUX EP2 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-5060	GREASE, LUBRICANT, POLGLYCOL BASE OIL, LITHIUM-COMPLEX, NLGI #2, FOR NEW FLYER XCELSIOR MAN KING PIN	354	0	FUCHS LUBRICANTS NYCTA	RENOLITH LX-OTP 2 CCSS-003 REV E 9/11/17 RESTR CCSS-001 REV I, 3-9-11, LABEL
69-10-5061	GREASE, LUBRICANT, POLYGLYCOL BASE OIL LITHIUM-COMPLEX, NLGI #2, FOR NEW FLYER XCELSIOR MAN KING PIN			FUCHS LUBRICANTS NYCTA	RENOLIT LX-OTP2 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-5063	GREASE, LUBRICANT, POLYGLYCOL BASE OIL, LITHIUM-COMPLEX, NLGI #2, FOR NEW FLYER XCELSIOR MAN KINGPIN	-501	205	FUCHS LUBRICANTS NYCTA	RENOLIT LX-OTP2 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-5167	GREASE, HIGH TEMPERATURE BALL & ROLLER BEARING; NLGI #2; POLYUREA BASED (6-10%) TO HAVE A WORKED (X60)	136	142	CHEVRON NYCTA	BLACK PEARL SRI 2 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-10-5195	GREASE, SYNTHETIC BASE OIL; FOR LUBRICATING R32 THROUGH R68A DOOR SYSTEMS; PACKAGED IN 35 LB. CONTAINERS; MUST MEET ALL	700	491	EXXON MOBIL CORP. NYCTA	MOBILTEMP SHC 32 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7127-FACIL-00
69-10-5196	GREASE, SYNTHETIC BASE; FOR LUBRICATING R142, R142A, & R143 DOOR OPERATOR SCREW DRIVES ONLY; HAS	95	35	NYCTA SYNTECH LTD.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL NS-3844-TG
69-12-0105	FLUID, CUTTING, METALWORKING FLUID CONCENTRATE (FOR BRIDGEPORT MILLING MACHINES), CONTAINS A	0	0	MILACRON CO NYCTA	CIMSTAR 60XL CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-0675	OIL, STEAM CYLINDER AND WORM GEAR; AGMA STANDARD 9005-D94, LUBRICANT NO 7,7 COMP.(COMPOUNDED WITH	0	0	ANSI CHEVRON PRODUCT COMPANY NYCTA	9005-D94 CYLINDER OIL W ISO 460 CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
69-12-0677	ACIDLESS TALLOW OIL); VISCOSITY OIL, WORM GEAR + CYLINDER; TO HAVE A VISCOSITY RANGE OF 125 TO 150 SUS @ 210 DEGREES F; TO HAVE A VISCOSITY OF	0	1	EXXON MOBIL CORP. NYCTA	CCSS-001, REV I, 3-9-11, LABEL MOBIL 600 W CYLINDER OIL CCSS-003 REV E 9/11/17 RESTR
69-12-1025	FLUID, CUTTING, COOLANT, METAL WORKING FLUID, SYNTHETIC, WATER SOLUBLE. USED IN CUTTING, FORMING	0	0	NYCTA SENTINEL LUBRICANTS CORP.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL CF51 MWF 13260
69-12-1050	OIL, CUTTING, SULFURIZED, LIGHT GRADE, MUST MEET REQUIREMENTS UNDER NYC 30-C-1:67 SPECIFICATION FOR CUTTING OIL TYPE III; PACKAGED IN ONE GALLON CONTAINER; CERTIFICATE OF ANALYSES	56	16	CASTOLEUM CORP. NYC SPEC NYCTA	TRIZOL #2080 30-C-1:67 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL "NU-CLEAR"
69-12-1185	OIL, SAE GRADE 10W-30; USED TO LUBRICATE FORKLIFTS, CRANE CAR DIESEL ENGINES (DEUTZ "913" ENGINES) AND	25	10	EXXON MOBIL CORP. NYCTA	MOBIL DELVAC 1300 SUPER 10W- CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1410	OIL, GEAR CASE, SAE GRADE 80W-90; FOR RAILCAR TRACTION MOTOR GEAR CASES; MAXIMUM POUR POINT TO BE -10 DEGREES F; VISCOSITY @ 100 DEGREES C TO BE 13.5 TO 24.0 CST; MINIMUM FLASH POINT TO BE 329 DEGREES F; MAXIMUM	238320	129720	CHEVRON CITGO EXXON MOBIL CORP. NYCTA PHILLIPS 66 LUBRICANTS	DELO EP-5 80W-90 PREMIUM GEAR OIL MP 80W-90 MOBILUBE HD PLUS 80 W 90 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL MP GEAR LUBE SAE 80W-90
69-12-1414	OIL, HYDRAULIC, ISO 46, ZINC FREE FORMULATION. FOR USE IN R162 ONE- TON CRANE CARS. SUPPLIED IN 55-			CHEVRON NYCTA	CLARITY HYDAULIC OIL AW ISO 46 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1416	OIL, GEAR CASE, SYNTHETIC, SAE GRADE 75W-90; FOR USE IN R255 LOCOMOTIVE GEAR CASES; MAXIMUM POUR POINT TO			EXXON MOBIL CORP. NYCTA	MOBIL DELVAC 1 GEAR OIL 75W- CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1481	OIL, AIR TOOL AND SPINDLE; PROVIDES OXIDATION RESISTANCE AND RUST/CORROSION PREVENTION;	13	65	EXXON MOBIL CORP. NYCTA	MOBIL VELOCITE OIL NO. 6 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11 LABEL
69-12-1491	OIL, HEAVY HYDRAULIC, ISO GRADE 150; USED IN AXLE LATHE AND RAILCAR WHEEL BORER HYDRAULIC SYSTEMS; API GRAVITY	0	0	CHEVRON CITGO EXXON MOBIL CORP.	REGAL R&O 150 PACEMAKER 150 TERESSTIC 150

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	TO BE 26.8 TO 30; VISCOSITY @ 40 DEGREES C TO BE 135 TO 165 CST;			NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1492	OIL, WAY, ISO GRADE 68, USED FOR LUBRICATION OF THE HORIZONTAL & VERTICAL RAM, TABLE MAIN SHAFT OF	0	0	EXXON MOBIL CORP. NYCTA	MOBIL VACTRA OIL #2 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1493	OIL, HYDRAULIC, ISO GRADE 46, ANTI-WEAR, PROVIDES PROTECTION AGAINST RUST AND OXIDATION; CONTAINS ZINC; API GRAVITY @ 60 DEGREES F TO BE 28 TO 34; VISCOSITY @ 40 DEGREES C TO BE 41.4 TO 50.6 CST; MINIMUM VISCOSITY INDEX TO BE	550	550	CHEVRON EXXON MOBIL CORP. NYCTA PHILLIPS 66 LUBRICANTS TOTAL SPECIALTIES USA INC	CHEVRON RANDO HD 46 NUTO H-46 MOBIL DTE 25 ULTRA CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL MEGAFLOW AW HYDRAULIC OIL EQUIVIS ZS 46
69-12-1494	OIL, HEAVY-MEDIUM HYDRAULIC, ISO GRADE 68, ANTI-WEAR, ZINC CONTENT 225-750 PPM; USED IN HYDRAULIC SYSTEMS OF VARIOUS PIECES OF EQUIPMENT; API GRAVITY TO BE 27.5 TO 33; VISCOSITY @ 40 DEGREES C TO BE 61.2 TO 74.8 CST;	165	110	CHEVRON/TEXACO D A LUBRICANTS EXXON MOBIL CORP. GULF/NU-TIER NYCTA	CHEVRON RANDO HD 68 CHEVRON HYDRAULIC OIL AW ISO PRESURFLO 68 NUTO H 68 MOBIL DTE 26 ULTRA GULF HARMONY AW HYD 68 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11 LABEL
69-12-1495	OIL, HYDRAULIC, ISO GRADE 32; FOR VOITH L2R4 TRANSMISSION ON VAKTRAK VACUUM TRAIN AND VARIOUS PIECES OF	110	0	EXXON MOBIL CORP. NYCTA	MOBIL DTE 24 ULTRA CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1496	OIL, HYDRAULIC, ISO GRADE 32, PACKAGED IN 55 GALLON DRUMS. MUST CONTAIN A VISCOSITY INDEX IMPROVER COPOLYMER ADDITIVE TO GIVE A HIGH			CHEVRON PRODUCT COMPANY EXXON MOBIL CORP. NYCTA	RANDO HDZ 32 UNIVIS N32 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11 LABEL
69-12-1497	OIL, HYDRAULIC, ISO GRADE 22 PARAFFINIC BASED; USED TO LUBRICATE SEFAC "M225BF" HYDRAULIC JACK	0	0	EXXON MOBIL CORP. NYCTA	DTE 10 EXCEL 22 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1501	OIL, HYDRAULIC, BIODEGRADABLE, FOR USE ON TAMPERS. FOR HYDRAULIC SYSTEMS OPERATING WITH OIL	0	0	EXXON MOBIL CORP. NYCTA	MOBIL EAL224H CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
69-12-1514	OIL, HYDRAULIC ELEVATOR, ISO 32, PETROLEUM BASED, TO BE SHIPPED IN RESEALABLE 5 GALLON PAILS; USED ON	3480	2000	EXXON MOBIL CORP. NYCTA	583195-00/NUTO H 32 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1519	OIL, HYDRAULIC, ISO 100 GRADE, ANTI-WEAR, ASHLESS (ZINC-FREE); FOR NILFISK/ALTO/KEW 5003 V STEAM	15	0	CHEVRON NYCTA	CLARITY HYDRAULIC OIL AW 100 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1521	OIL, FOR VACUUM PUMPS IN ROBINAIR 178002K/178012K REFRIGERANT RECOVERY MACHINES; VISCOSITY @ 40 DEGREES C TO BE 27.9 TO 34.3 CST;	8	0	LUBRICATION TECHNOLOGIES NYCTA OLYMPIC	ROBINAIR PREMIUMHI CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL VACUUM PUMP OIL
69-12-1524	AEROSOL LUBRICANT, POLYDIMETHYLSILOXANE SILICONE-BASED, IN 9-16 OZ CANS. 3% SILICONE BY WEIGHT MIN; VOC BY WEIGHT 60% MAX; KINEMATIC VISCOSITY(D-445)200-400 CST@40 DEG. C; POUR POINT(D97)-40 DEG. F MAX.	4361	3286	ASTM CASTOLEUM CORP. NY STATE DEPT OF ENVIRON CONS. NYCTA STATE CHEMICAL	D3539 D1640 TRIZOL SILICONE SPRAY PART 235-3 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL SPW (SPECIAL PURPOSE WAX
69-12-1526	LUBRICANT, PENETRANT, RUST PREVENTIVE, MOISTURE DISPLACER AND CLEANER, AEROSOL, USED FOR FREEING AND LUBRICATING RUSTED PARTS AND	31715	20280	CRC INDUSTRIES, INC. NYCTA WD-40 COMPANY	#3005 AEROSOL 336 MULTI-PURP CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL WD-40 11 OZ CAN
69-12-1527	LUBRICANT, SILICONE, AEROSOL; 16 OZ. CAN (NET WEIGHT 10 OZ.). COMES WITH MOVABLE PLASTIC STRAW APPLICATOR	2735	1741	CRC INDUSTRIES, INC. NYCTA	FOOD GRADE SILICONE 03040 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1532	OIL, FOR VACUUM PUMPS IN ROBINAIR 178002K/178012K REFRIGERANT RECOVERY MACHINES; VISCOSITY @ 40 DEGREES C TO BE 27.9 TO 34.3 CST;	217	165	LUBRICATION TECHNOLOGIES NYCTA OLYMPIC	ROBINAIR PREMIUMHI CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL VACUUM PUMP OIL
69-12-1534	OIL, COMPRESSOR, HIGHLY REFINED, WAX AND WATER FREE, NAPHTHENIC MINERAL OIL BLEND, USED FOR LUBRICATION, IN	312	31	CHEVRON PRODUCT COMPANY NYCTA	CAPELLA WF 68 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1537	OIL, FOR LUBRICATING RAIL CAR AIR CONDITIONER COMPRESSORS; ISO	6	3	CHEVRON PRODUCT COMPANY NYCTA	CAPELLA WF 32 CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	VISCOSITY. GRADE 32; MUST BE COMPATIBLE WITH R-22 REGRIGERANT. PACKAGED IN ONE (1) GALLON CANS, SIX			NYCTA/MABSTOA SONNEBORN, LLC	CCSS-001, REV I, 3-9-11, LABEL 7090-FACIL-99 SUNISO 3GS
69-12-1546	OIL, SEMI-SYNTHETIC, MECHANICAL PUMP FLUID. FOR USE IN VACUUM PUMP THAT IS USED TO EVACUATE MOISTURE FROM	0	0	CAMBRIDGE MILL PRODUCTS NYCTA	CMP19 ULTRA HT CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1548	LUBRICANT, PENETRANT, RUST PREVENTATIVE, MOISTURE DISPLACER AND CLEANER, AEROSOL 2.75 OZ.(NET	38443	26678	NYCTA WD-40 COMPANY	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL WD-40 (2.75-OZ CAN) #49035
69-12-1576	OIL, COMPRESSOR, DIESTER BASED, ISO 68 GRADE, FOR ROTARY SCREW TYPE COMPRESSORS; MINIMUM FLASH POINT			NYCTA SUMMIT INDUSTRIAL PRODUCTS INC	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL DSL68
69-12-1577	OIL, SYNTHETIC DIESTER COMPRESSOR OIL, SAE 20W40, FOR INGERSOLL-RAND RECIPROCATING AIR COMPRESSORS	0	0	INGERSOLL-RAND NYCTA	ALL SEASON T30 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1578	OIL, COMPRESSOR, MINERAL BASED, ISO VISCOSITY GRADE 100 (VISCOSITY TO BE 90 TO 110 CST @40 DEGREES C); MUST	0	0	CHEVRON NYCTA	REGAL R&O ISO 100 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1585	OIL, DIESTER BASED, FOR RECIPROCATING TYPE AIR COMPRESSORS(INGERSOLL-RAND "XLE"); ISO GRADE 100; VISCOSITY @ 40 DEGREES C TO BE 90-110 CST;	0	0	NYCTA SUMMIT INDUSTRIAL PRODUCTS INC ULTRACHEM INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL DSL100 CHEMLUBE 501
69-12-1615	OIL, SYNTHETIC COMPRESSOR, FOR USE IN ATLAS COPCO GA55 ROTARY SCREW TYPE AIR COMPRESSORS, IN 5 GALLON	106	30	ATLAS COPCO AIRPOWER NYCTA	ROTO EXTENDED DUTY FLUID CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1630	OIL, COMPRESSOR, SYNTHETIC, ALKYL BENZENE, USED FOR LUBRICATION, IN REFRIGERATION AND RAILCAR AIR			NYCTA SHRIEVE CHEMICAL PRODUCTS	CCSS-003 REV E 9/11/17 RESTR CCSS-001 REV I, 3-9-11, LABEL ZEROL 300
69-12-1705	OIL, PARAFFINIC BASED FOR RECIPROCATING COMPRESSORS, ISO GRADE 68; CONTAINS RUST AND OXIDATION INHIBITORS; VISCOSITY @ 40 DEGREES C TO BE 61-75; MINIMUM	8360	5445	CHEVRON PRODUCT COMPANY CITGO EXXON MOBIL CORP. NYCTA	REGAL R&O 68 PACEMAKER T68 TERRESTIC 68 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
69-12-1708	VISCOSITY INDEX TO BE 90; MINIMUM OIL, FOR USE IN SOME SIMMONS WHEEL TRUING MACHINE BEARINGS AND GEARS; TO HAVE A VISCOSITY RANGE OF 400 TO	0	0	PHILLIPS 66 LUBRICANTS EXXON MOBIL CORP. NYCTA	MULTIPURPOSE R&O OIL 68 MOBIL DTE OIL HEAVY CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1709	OIL, FOR CAR WASHER PUMPS, PARAFINIC BASED; ISO VISCOSITY GRADE 46 (VISCOSITY 41.4 TO 50.6 @ 40 DEGREES	0	0	EXXON MOBIL CORP. NYCTA	DTE OIL MEDIUM CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1753	OIL, GEAR, AGMA #6EP, ISO VISCOSITY GRADE 320 (VISCOSITY OF 288 TO 352 CST @ 40 DEGREES C); PARAFINIC BASED; API	0	0	EXXON MOBIL CORP. NYCTA	MOBIL GEAR 600 XP 320 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1755	OIL, GEAR, ISO GRADE 220. FOR GEAR BOXES ON WHEEL TRUING MACHINES AND OTHER EQUIPMENT OPERATING	608	418	EXXON MOBIL CORP. NYCTA	MOBILGEAR 600XP 220 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1770	OIL, GEAR, ISO GRADE 100. FOR GEAR BOXES ON SIMMONS WHEEL TRUING MACHINES, (NOT INCLUDING #54 SERIES).	0	0	EXXON MOBIL CORP. NYCTA	MOBILGEAR 600 XP 100 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1772	OIL, GEAR, #4 EP; ISO VISCOSITY GRADE 150 (VISCOSITY OF 135 TO 165 CST @ 40 DEGREES C); API GRAVITY TO BE	0	0	EXXON MOBIL CORP. NYCTA	MOBIL GEAR 600 XP 150 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1811	OIL, SYNTHETIC, LUBRICATING, ISO320, USED ON ESCALATOR EXTERNAL GEARBOXES. TO BE SUPPLIED IN 5 GALLON	850	495	MOBIL OIL CO NYCTA	SHC632 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1815	OIL, SYNTHETIC, DIESTER BASED COMPRESSOR; ISO GRADE 68; OXIDATION RESISTANT, FOR USE IN RECIPROCATING	15	10	CHEVRON NYCTA	CETUS DE ISO 68 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1822	OIL, LIGHT MACHINE, PARAFFINIC BASED, ISO VISCOSITY GRADE 32, TO CONTAIN RUST AND OXIDATION INHIBITORS, MUST	5	0	CHEVRON PRODUCT COMPANY NYCTA	REGAL R&O 32 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-1828	OIL, SYNTHETIC POLYOLESTER, FOR ROBINAIRCOMPRESSORS IN REFRIGERANT/RECOVERY UNITS, MODELS	0	0	NYCTA ULTRACHEM INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL RPOE22
69-12-1855	OIL, COMPRESSOR, PAO(POLYALPHAOLEFIN) BASED; ISO	220	55	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	GRADE 46; FOR USE ON R156			SENTINEL LUBRICANTS CORP.	SCO-10/20
	LOCOMOTIVE AIR COMPRESSORS;			SUMMIT INDUSTRIAL PRODUCTS INC	SH-46
69-12-1877	OIL, LUBRICANT, SYNTHETIC, METALLIC	0	3	NYCTA	CCSS-003 REV E 9/11/17 RESTR
	ENGINE/CRANKCASE OIL. ENGINEERED TO				CCSS-001, REV I, 3-9-11, LABEL
	PERFORM SATISFACTORILY FOR 40,000			SENTINEL LUBRICANTS CORP.	SENTINEL'S SUPER 5W40 LE
69-12-1920	LUBRICANT, SYNTHETIC POLYOL ESTER,	9	0	LUBRIZOL CPI ENGINEERING SERVICES	EMKARATE RL 68H
	FOR USE IN REFRIGERATION AND AIR			NYCTA	CCSS-003 REV E 9/11/17 RESTR
	CONDITIONING COMPRESSORS USING HFC				CCSS-001 REV I 3-9-11 LABEL
69-12-2172	OIL, DIESEL ENGINE, SAE 10W-30 GRADE;	220	0	EXXON MOBIL CORP.	MOBIL DELVAC EXTREME 10W-30
	SYNTHETIC BASED; MUST MEET API CJ-4			NYCTA	CCSS-003 REV E 9/11/17 RESTR
	SERVICE CATEGORY; KINEMATIC				CCSS-001, REV I, 3-9-11, LABEL
69-12-2176	OIL, ENGINE, SAE GRADE 30; USED FOR			EXXON MOBIL CORP.	MOBIL DELVAC 1630
	100-HOUR BREAK IN FOR KNORR AIR			NYCTA	CCSS-003 REV E 9/11/17 RESTR
	COMPRESSORS; VISCOSITY @ 100				CCSS-001, REV I, 3-9-11, LABEL
69-12-2188	OIL, RE-REFINED, LUBRICATING, API CK-4,			ADVANCED LUBRICATION SPECIALTIES	TECHSELECT SYNTHETIC BLEND
	SAE 15W-40 FORMULATED WITH A			INC	HD
	LUBRIZOL ADDITIVE, IN BULK, FOR DIESEL			NYCTA	CCSS-003 REV E 9/11/17 RESTR
	ENGINES DDC SERIES 50, 60, CATERPILLAR				CCSS-001, REV I, 3-9-11, LABEL
	C-13. CUMMINS ISB, ISL AND VOLVO D13.			PHILLIPS 66 LUBRICANTS	FIREBIRD HD EC DIESEL MOTOR
	MUST MEET DETROIT DIESEL 93K222,			SAFETY-KLEEN STSTEMS	ECOPOWER 15W 40 CK-4
69-12-2189	OIL, RE-REFINED, LUBRICATING, API CK-4,			ADVANCED LUBRICATION SPECIALTIES	TECHSELECT SYNTHETIC BLEND
	SAE 15W-40, FORMULATED WITH			INC	HD
	LUBRIZOL ADDITIVE, IN 55 GALLON			NYCTA	CCSS-003 REV E 9/11/17 RESTR
	DRUMS, FOR DIESEL ENGINES, DDC SERIES				CCSS-001, REV I, 3-9-11, LABEL
	50, 60, CATERPILLAR C-13. CUMMINS ISB,			PHILLIPS 66 LUBRICANTS	FIREBIRD HD EC DIESEL MOTOR
	ISL AND VOLVO D13. MUST MEET			SAFETY-KLEEN STSTEMS	ECOPOWER 15W 40 CK-4
69-12-2191	OIL, LUBRICATING, API CJ-4, SAE 15W-40,			CONOCOPHILLIPS CORPORATION	FLEET SUPREME EC (LUBRIZOL
	FORMULATED WITH A LUBRIZOL ADDITIVE			NYCTA	CCSS-003 REV E 9/11/17 RESTR
	PACKAGE, IN BULK, FOR DIESEL ENGINES,				CCSS-003 REV D 12/2/15 RESTR
	DDC SERIES 50, 60, CATERPILLAR C-13,				CCSS-001, REV I, 3-9-11, LABEL
69-12-2192	OIL, LUBRICATING, API CJ-4, SAE 15W-40,			CONOCOPHILLIPS CORPORATION	FLEET SUPREME EC (LUBRIZOL
	FORMULATED WITH A LUBRIZOL ADDITIVE			NYCTA	CCSS-003 REV E 9/11/17 RESTR
	PACKAGE, IN 55 GALLON DRUMS, FOR				CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
69-12-2212	OIL, HEAVY DUTY HYPOID GEAR; SAE GRADE 85W-140; API GL-5 LEVEL PERFORMANCE; FOR USE IN SHOP FORKLIFTS AND SHOP CRANES; VISCOSITY	0	0	EXXON MOBIL CORP. NU-TIER GULF NYCTA	MOBILUBE HD PLUS 85W-140 GULF MLTIPURPSE GEAR LUB CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-2220	OIL, WORM GEAR, MINERAL OIL BASED; ISO VISCOSITY GRADE 680, AGMA GRADE 8 COMPOUNDED. (3% TO 10% NATURAL	0	0	CHEVRON NYCTA	CYLINDER OIL W ISO 680 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-2480	OIL, HYDRAULIC, ELEVATOR, ISO 68, PETROLEUM BASED, TO BE SHIPPED IN RESEALABLE 5 GALLON PAILS AND TO BE	1280	0	EXXON MOBIL CORP. NYCTA	NUTO H 68 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-2515	LUBRICANT, SILICONE, WATER-BASED, EMULSION, MINIMUM OF 5% USDA GRADE H1 SILICONE, FLASH POINT OF AT LEAST 140 DEGREES F, MUST MEET	16	16	ITW PRO BRANDS NYCTA	LPS HEAVY-DUTY SILICONE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7119-FACIL-00
69-12-2549	LUBRICANT, ANTI-SEIZE, COPPER; TO HAVE A BROOKFIELD VISCOSITY(TD@5RPM@25 DEGREES C), OF 135,000 TO 235,000			NYCTA PERMATEX, INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL COPPER ANTI-SEIZE
69-12-2550	LUBRICANT, DRY FILM; MULTI-PURPOSE; CONTAINS MOLYBDENUM DISULFIDE; MUST HAVE EFFECTIVE TEMPERATURE	0	0	NYCTA VALSPAR CORPORATION	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL DRI-SLIDE MULTI-PURPOSE
69-12-2590	LUBRICANT, RUBBER LUBRICANT LIQUID EMULSION, IN 475-ML CONTAINERS; 6 CONTAINERS/BOX. USED TO AID THE	24	18	INTERNATIONAL PRODUCTS CORP. NYCTA	P-80 #P-5391-06 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-2605	OIL, 3 IN 1, NAPHTHENIC BASED, FOR CLEANING, LUBRICATING AND PROVIDING RUST PREVENTION FOR VARIOUS SHOP MACHINERY AND RAILCAR PARTS;	26904	14434	CASTOLEUM CORP. MCGEE INDUSTRIES NYCTA	TRIZOL GP #1011 MCLUBE 31MP CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-2640	OIL, RAW, CASTOR, USED TO LUBRICATE RAILCAR WHEELS AND AXLES; APPLIED BY BRUSH; MUST MEET REQUIREMENTS OF ASTM D960-79 STANDARD EXCEPT FOR	135	75	ASTM NYCTA WELCH, HOLME & CLARK	D960-79 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL #1 INDUSTRIAL CASTOR OIL
69-12-2648	OIL, WHITE, MINERAL, PARAFFINIC BASED; CLEAR, FOR USE IN CAR WASHER PUMPS	0	0	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
69-12-2981	AND OTHER EQUIPMENT; VISCOSITY @ 40 OIL, HYDRAULIC, ISO GRADE 32. FOR HYDRAULIC SYSTEMS, OPERATING AT HIGH SPEEDS, TEMPERATURES AND PRESSURES. FORMULATED FROM HIGH-	95	60	NYE LUBRICANTS, INC. CITGO NYCTA	NYOIL A/W HYDRAULIC OIL 32 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-3100	OIL, PENETRATING, USED TO LOOSEN METALLIC PARTS DUE TO CORROSION. MUST HAVE 16.5-25 CST VISCOSITY @ 40 DEGREES C. 0.85-1.0 SPECIFIC GRAVITY @ 20 DEGREES C. MINIMUM 160 DEGREES C	178	95	PHILLIPS 66 LUBRICANTS CASTOLEUM CORP. CHESTERTON NYCTA	MEGAFLOW AW HYDRAULIC OIL TRIZOL PENETRATING LUBR. 690 FG LUBRICANT CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7097-FACIL-99
69-12-3110	OIL, PENETRATING, SYNTHETIC BASED; NON-SOLVENT AND NON-PROPELLENT, COMPLETELY BIODEGRADABLE; USED			NYCTA SUPERIOR	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL SLIP 2000 SYNTHETIC LUBRICANT
69-12-3175	SOLVENT, PENETRATING, USED TO PENETRATE RUSTED METAL PARTS; BOLTS AND MACHINERY; SPECIFIC GRAVITY TO	36629	23214	CASTOLEUM CORP. NYCTA	TRIZOL PENETRATING SOLVNT CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-3185	SOLVENT, PENETRATING, LOW VISCOSITY, INDUSTRIAL STRENGTH, FOR USE TO LOOSEN AND FREE SEIZED, BOUND OR	1129	516	CRC INDUSTRIES, INC. NYCTA	KNOCK'ER LOOSE SOLVENT 03020 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-3400	LUBRICANT, SYNTHETIC HYDROCARBON, ALKYL BENZENE, ISO GRADE 68 VISCOSITY, FOR USE IN REFRIGERANT RECOVERY UNITS, MUST MEET THE REQUIREMENTS	0	0	NYCTA SYN OILS & LUBRICANTS OF TEXAS	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7134-FACIL-01 RF 300/ISO 68
69-12-3500	OIL, LINSEED, BOILED; MUST MEET THE REQUIREMENTS OF ASTM D 260 TYPE I REGULAR BOILED; PACKAGED IN FIVE GALLON CONTAINERS. CERTIFICATE OF	0	0	ADM ASTM NYCTA	SCIBOIL/DGMDLINSEDOILW/DRIO D 260 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
69-12-3525	LUBRICANT, PASTE METALWORKING, NON-CORROSIVE, FREE OF HALOGENS, HEAVY METALS AND SILICONE; MUST HAVE 20-25	3	0	NYCTA ORELUBE CORP.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL BOELUBE 70305
69-12-3535	LUBRICANT, PENETRATING OIL, CONTAINS PTFE ADDITIVE, DESIGNED FOR USE IN WIRE PULLING TO ENSURE SMOOTH AND	0	0	IDEAL INDUSTRIES NYCTA	YELLOW77PLUS WIRE PULL CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
69-12-5196	OIL, SYNTHETIC HYBRID BASE OIL, FOR LUBRICATING R142, R142A, AND R143 DOOR OPERATOR DRIVE SCREWS ONLY;	595	700	NYCTA SYNTECH LTD.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL NS-2716-F
69-14-2262	OIL, HYDRAULIC, SAE 10W-20, ISO 46, BIODEGRADABLE BASE OIL, VISCOSITY @ 40 DEGREES C IS 42.75 - 52.25 CST;	220	495	NYCTA SENTINEL LUBRICANTS CORP.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL BIOSYNHO46
70-02-1020	ABSORBENT COMPOUND, FOR ABSORBING OIL, WATER AND CHEMICALS; COMPOSED OF NATURAL AND/OR			NYCTA XORB CORPORATION/DMS&D ASSOC.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL SORBITAL GM
70-02-1022	ABSORBENT & ENCAPSULATING COMPOUND, FOR OIL AND DIESEL FUEL, PEAT BASED WITH OIL DIGESTING	519	359	AMERICAN PRODUCTS NYCTA	HTP CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-02-1023	FLOCCULATING/SEPARATING AGENT, FOR USE IN WATER FILTRATION SYSTEM FOR TREATMENT OF RAILCAR AIR	102	72	NYCTA WYO-BEN, INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL CLEARTREAT 2300GRP-5
70-02-1040	ABSORBENT, OIL, GREASE, WATER ABSORBING COMPOUND, INCINERABLE BASE OF NATURAL AND/OR RECYCLED	0	0	ABSORPTION CORPORATION NYCTA	SPILL-SORB CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-04-0121	ADHESIVE, POLYURETHANE, TWO-COMPONENT ADHESIVE FOR USE WITH NORAMENT RUBBER FLOORING SYSTEMS.	51	24	NORA SYSTEMS INC NYCTA	NORA 310 (PARTS A & B) CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-04-0127	ADHESIVE, TWO-COMPONENT POLYURETHANE, FOR USE WITH NORAMENT RUBBER FLOORING SYSTEMS.	0	0	NORA SYSTEMS INC NYCTA	NORA 310 (PARTS A & B) CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-04-1031	SEALANT, SILICONE RUBBER, RTV, BLACK, ONE-COMPONENT GENERAL PURPOSE PASTE, IN 10.1 OUNCE CARTRIDGES, FOR USE ON SUBWAY CARS AND HOUSE MAINTENANCE. MUST MEET	797	471	DOW-CORNING MIL SPEC MOMENTIVE PERFORMANCE MATERIAL NYCTA	732 MULTIPURPOSE BLACK MIL-A-46106 RTV 103-BLACK-CRTRG CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-04-1038	ADHESIVE, SEALANT, THREAD LOCKER, GENERAL PURPOSE HIGH STRENGTH ADHESIVE FOR USE WITH			HENKEL CORPORATION NYCTA	LOCTITE 2700 NA THREADLOCKER CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-04-1042	ADHESIVE/SEALANT, HIGH PERFORMANCE			MANUS PRODUCTS, INC.	MANUS-BOND 75-AM

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	ELASTOMERIC MUST EXHIBIT EXCELLENT ADHESION TO SUBSTRATES INCLUDES			NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-04-1044	ADHESIVE, SEALANT, 1-COMPONENT, ELASTOMERIC, WHITE, 290 ML CARTRIDGE, 12 PER CASE. USED FOR	8	22	MINNESOTA, MINING & MANUFACTUR NYCTA	HYBRID ADHESIVE SEALANT 760 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-04-1342	COMPOUND, RETAINING, FAST CURING ANAEROBIC RESIN FOR BONDING GAPS UP TO 0.004" IN CYLINDRICAL MATING PARTS (SHAFTS, BEARINGS, PINS, CAPS & PLUGS). COLOR GREEN IN 10CC. CERTIFICATE OF ANALYSIS TO INCLUDE: VISCOSITY AND	42	42	HENKEL CORPORATION HERNON MFG MIL SPEC NYCTA PERMABOND LLC SAF-T-LOK	LOCTITE 609 RETAIN COMP CYLINLOCK 822 MIL-R-46082B TYPE I CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL PERMABOND HL 138 R01
70-04-1344	COMPOUND, RETAINING FAST CURING ANAEROBIC RESIN FOR BONDING GAPS UP TO 0.004" IN CYLINDRICAL MATING PARTS (SHAFTS, BEARINGS, PINS, CAPS & PLUGS). COLOR GREEN IN 250 ML BOTTLES. CERTIFICATE OF ANALYSIS TO INCLUDE:	51	15	HENKEL CORPORATION HERNON MFG MILITARY NYCTA SAF-T-LOK	LOCTITE 609 RETAIN COMP CYLINLOCK 822 MIL-R-46082B TYPE 1 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL R01 #20141
70-04-1426	ADHESIVE, STRUCTURAL, 2 PART EPOXY, NON-FLAMMABLE, GRAY, FOR USE ON RUBBER, WOOD, PLASTICS AND MASONRY	0	0	MINNESOTA, MINING & MANUFACTUR NYCTA	SCOTCHWELD 2216 B/A CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-04-1710	ADHESIVE, INSTANT, SUPERBONDER, MEDIUM VISCOSITY (65-125 CPS), FOR BONDING METAL, PLASTIC AND VINYL PARTS, GAP FILLING ABILITY UP TO 0.005", CLEAR, IN 1 OZ. BOTTLES, FOR R62 CARS. MINIMUM SHELF LIFE REQUIRED AT TIME	2982	2210	GSA SPEC. ND INDUSTRIES NYCTA PERMABOND SAF-T-LOK	A-A-3097 31428 INSTANT SUPERGLUE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL PERMABOND 102 IB 100 INSTANT BONDER
70-04-1810	ADHESIVE, EPOXY, TWO-COMPONENT, FAST CURING, HIGH STRENGTH, FOR PERMANENT BONDING METALS,	1560	996	HENKEL CORPORATION NYCTA	LOCTITE EA 9017 (A&B) #1324007 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-07-2011	ANTIFREEZE, COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG) IN NEW 55 GALLON DRUMS.			NYCTA	S-79-18-07 REV. C CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	MUST CONFORM TO NYCT S-79-18-07 REV. C			OLD WORLD INDUSTRIES PRESTONE	FLEET CHARGE COOLANT 50% PRESTONE COMMAND HD PRED
70-07-2012	ANTIFREEZE, COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG) IN BULK. MUST CONFORM TO NYCT S-79-18-07 REVISION C			NYCTA OLD WORLD INDUSTRIES PRESTONE	S-79-18-07 REV. C CCSS-003 REV E 9/11/17 RESTR FLEET CHARGE COOLANT 50% PRESTONE COMMAND HD PRED
70-07-2013	ANTIFREEZE, COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG), PACKAGED IN A SINGLE WALL PLASTIC CUBE WITH METAL CAGE GUARD 275 GALLON RETURNABLE TOTE			NYCTA OLD WORLD INDUSTRIES PRESTONE	S-79-18-07 REV. C CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL FLEET CHARGE COOLANT 50% PRESTONE COMMAND HD PRED
70-07-2015	ANTIFREEZE, EXTENDED LIFE COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG). NITRITE, SILICATE, BORATE, AND AMINE FREE ORGANIC ACID TECHNOLOGY (OAT). CONTAINS NO 2-			KOST USA INC. NYCTA OLD WORLD INDUSTRIES	ES COMPLEAT EG PREMIX 50-50 S-79-22-20 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV 1, 3-9-11 LABEL FCGLOBAL 50/50
70-07-2016	ANTIFREEZE SOLUTION, RV TYPE, PROPYLENE GLYCOL/WATER MIXTURE (ABOUT 30% PROPYLENE GLYCOL, 70%			NYCTA PRESTONE PRODUCTS CORPORATION	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL RV ANTIFREEZE
70-07-2020	DEICER, PROPYLENE GLYCOL, INDUSTRIAL GRADE, SUPPLIED IN 55 GALLON PALLETIZED NON RETURNABLE PLASTIC DRUMS. DELIVERIES TO STOREROOMS			MIDWEST INDUSTRIAL SUPPLY, INC NYCTA SILOGRAM LUBRICANT CORP.	ICE FREE SWITCH-PG CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL SILOGRAM PROPYLENE GLYCOL
70-07-2022	ANTIFREEZE, EXTENDED LIFE COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG). NITRATE, SILCATE, BORATE, AND AMINE: FREE ORGANIC ACID			NYCTA OLD WORLD INDUSTRIES	S-79-22-20 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL FCGLOBAL 50/50
70-07-2023	ANTIFREEZE, EXTENDED LIFE COOLANT, 50/50 PREDILUTED (PREMIXED), ETHYLENE GLYCOL (EG). NITRITE, SILICATE, BORATE AND AMINE FREE ORGANIC ACID			NYCTA OLD WORLD INDUSTRIES	S-79-22-20 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL FCGLOBAL 50/50
70-11-1950	COMPOUND, CAULKING, ACRYLIC LATEX WITH SILICONE USED FOR CAULKING AND	126	117	ASTM NYCTA	C-920 CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	SEALING WINDOWS AND DOORS FRAMES. MUST MEET ASTM C-920, SUPPLIED IN			RED DEVIL	CCSS-001, REV I, 3-9-11, LABEL LIFETIME ADHESIVE
70-11-1977	ADHESIVE, SEALANT, SILICONE RUBBER, RTV, ONE COMPONENT THIXOTROPIC PASTE, GENERAL PURPOSE SEALING AND BONDING, CLEAR/TRANSLUCENT, 10.1 TO 10.3 FLUID OZ. CARTRIDGE. CERTIFICATE	4966	2780	DOW CORNING MIL SPEC MOMENTIVE AMER IND NYCTA	732 MIL-A-46106B RTV 108 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-11-1980	ADHESIVE, SEALANT, SILICONE RUBBER, RTV, ONE COMPONENT THIXOTROPIC PASTE, GENERAL PURPOSE SEALING AND BONDING, ALUMINUM, IN 10.1 TO 10.3 FLUID OUNCE CARTRIDGES. CERTIFICATE	166	113	DOW CORNING MIL SPEC MOMENTIVE AMER IND NYCTA	732 ALUMINUM MIL-A-46106 RTV 109 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-11-1982	ADHESIVE, RTV SEALANT, USED ON R142 CARS TO ADHERE/SEAL A STEEL PLATE ON THE END CAP ON TRACTION MOTOR.	36	52	HENKEL CORPORATION NYCTA	LOCTITESI594 SPRFLX CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-11-1984	SEALANT, ADHESIVE, ONE-COMPONENT SILICONE RUBBER, ROOM TEMPERATURE VULCANIZING (RTV); FOR USE IN	0	39	MOMENTIVE PERFORMANCE MATERIAL NYCTA	RTV 157 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9/11 LABEL
70-13-1320	ADHESIVE, MULTI-PURPOSE, FAST DRYING, FOR BONDING POROUS AND NON-POROUS MATERIALS SUCH AS CERAMICS, MARBLE, GLASS, METAL,	6	6	COMMERCIAL ITEM ITW DEVCON NYCTA	A-A-529A DUCO CEMENT 6245 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-13-1930	ADHESIVE, FAST DRYING NITRILE RUBBER BASE, STRONG FLEXIBLE BONDS, USE BETWEEN RUBBER AND GASKETING	108	136	MINNESOTA, MINING & MANUFACTUR NYCTA	NITRILE HIGH PERFORMANCE 847 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-13-2415	ADHESIVE, RUBBER AND GASKET, CONTACT CEMENT, USED ON GE MAIN CONTTROL GROUP, LINE BREAKERS AND KNIFE SWITCHES, 5 OZ. TUBE, CERTIFICATE	1596	1179	MINNESOTA, MINING & MANUFACTUR NYCTA	SCOTCH-WELD NEOPRENE 1300 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7130-FACIL-00
70-13-2500	ADHESIVE, ALL-PURPOSE RUBBER BASED (POLYCHLOROPRENE-TYPE) STRONG HEAT RESISTANCE BOND. USE TO BOND RUBBER, METAL, WOOD AND LAMINATES.	600	381	MINNESOTA, MINING & MANUFACTUR NYCTA	NEOPRENE HIGH PERFORMANCE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7084-FACIL-99 REV. A

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-13-3593	KIT, FLOOR PATCHING, EPOXY WITH COARSE AGGREGATE; KIT CONSISTS OF A 5-GALLON PAIL CONTAINING 35-40 LBS. OF	1310	104	NPI FOR GARON NYCTA	GARON TREFLITE 40015 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-13-3595	KIT, FLOOR PATCHING FAST-SET EPOXY MORTAR; KIT CONSISTS OF A 5-GALLON PAIL CONTAINING 35-40 LBS OF COARSE	3240	16	GARON PROD. NYCTA	TREFLITE FS EPXY RPRMRTR CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-13-3596	COMPOUND, PATCHING, THREE-COMPONENT, 100% SOLIDS EPOXY MORTAR. FOR APPLICATION IN	2	0	NPI FOR GARON NYCTA	GARON ARTIC FREEZITE 47082 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-15-0810	WIPES, DISPOSABLE HAND SANITIZER, OF AT LEAST 60% ALCOHOL BY VOLUME CONTAINED IN EACH PRE-MOISTENED WIPE. WIPES MUST BE EASY TO USE, NO WATER, SOAP, OR TOWEL REQUIRED. FRAGRANCE AND DYE FREE. WIPES MUST	8263	5111	GOJO INDUSTRIES, INC. NICE-PAK PRODUCTS, INC. NYCTA SAFETEC OF AMERICA, INC VERIDIEN CORPORATION	9022-10 PURELL HAND WIPE D43600 SANI-HANDS WIPES CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 34400 PAWS 25500 VIRAGUARD
70-15-0812	WIPES, HAND SANITIZING, MINIMUM 70% ETHANOL CONTENT BY WEIGHT IN EACH PREMOISTENED WIPE; EACH WIPE IS 9	42	0	GRIFFIN WOW NYCTA	DERMAFRESH HANDSNTZR CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-15-0830	WIPES, DISINFECTANT, DISPOSABLE, TEXTURED SURFACE, MADE OF CLOTH MATERIAL, PRE-SATURATED WITH DISINFECTANT SOLUTION, SUPPLIED IN RESEALABLE CANISTERS. WIPES MUST BE	27	142	JOHNSON DIVERSEY, INC NYCTA VERIDIEN CORPORATION WEXFORD LABS, INC	4599516 OXIVIR TB WIPES CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 10160 VIRAGUARD HOSP. 3130M-6, 3130M-12 CLEAN-CIDE
70-15-0834	WIPE, DISINFECTANT, DISPOSABLE, TEXTURED SURFACE, MADE OF CLOTH MATERIAL, PRE-SATURATED WITH	300	487	NYCTA PDI NICE-PAK	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL SUPER SANI-CLOTH WIPES
70-15-1251	ALCOHOL, PROPRIETARY SOLVENT; MUST NOT CONTAIN MORE THAN 0.2% WATER; MUST MEET THE REQUIREMENTS OF TITLE 27 CODE OF FEDERAL REGULATIONS SECTION 20.113 AND BE SPECIALLY			FEDERAL GREENFIELD PHARMCO NYCTA	TITLE 27 CFR SEC 21.32 TITLE 27 CFR SEC 20.113 PROP SOLV NO 1-3, 200 PROOF CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-15-1274	ALCOHOL SOLUTION, ISOPROPYL; TO BE MINIMUM 64.7% ISOPROPYL ALCOHOL BY	1469	803	JNJ INDUSTRIES, INC. NYCTA	GLOBALTECH ISOPALC CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	WEIGHT(MINIMUM 70% ISOPROPYL ALCOHOL BY VOLUME) WITH THE			TECHSPRAY, L.P.	CCSS-001, REV I, 3-9-11, LABEL 1608-G
70-15-1276	ALCOHOL SOLUTION, ISOPROPYL; TO BE MINIMUM 64.7% ISOPROPYL ALCOHOL BY WEIGHT (MINIMUM 70% ISOPROPYL ALCOHOL BY VOLUME) WITH THE	37026	26858	JNJ INDUSTRIES, INC. NYCTA	GLOBALTECH ISOPALC CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 1608-P
70-15-3016	DEICER, LIQUID, 30% MAGNESIUM CHLORIDE SOLUTION, SPECIFIC GRAVITY TO BE ABOUT 1.3; PACKAGED IN 55 GAL DRUMS	55	0	MELTSNOW COM NYCTA	MAGNESIUM CHLORIDE AQ. SLTN CCSS-003 REV E 9/11/17 RESTR CCSS-001 REV I, 3-9-11, LABEL
70-17-0250	CLEANER, ORGANIC SOLVENT BLEND, ALL-PURPOSE, USED TO REMOVE GREASE FROM MOTOR PARTS; MUST BE CLEAR,	45	34	NYCTA	CHINOOK ANTI-ICING AGENT CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-0503	CLEANER, DEGREASER, ALL PURPOSE, WATER-BASED GREEN LIQUID, IN 5 GAL PAIL. USED FOR CLEANING METAL PARTS	0	0	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-0504	CLEANER, DEGREASER, ALL PURPOSE, NON-TOXIC, BIODEGRADABLE, NON-BUTYL. NON-PHOSPHATE, NON-FLAMMABLE, NON- ABRASIVE WATER-BASED, CONTAINS NO HAZARDOUS INGREDIENTS AS DEFINED BY 29 CFR 1900.1200 OR 40 CFR PART 216 UNDER			ZEP INC.	ZEP Z-GREEN #184839
				CORCRAFT/DEPT. OF CORRECT.SERV COSCO ENTERPRISES, INC.	CORCRAFT U01GRNCL 160 ENVIROSOLV 2192
				DIAMOND CHEMICAL GRIGNARD COMPANY	ENVIROSOLV 2192 PURE CLEAN 3000
				NATIONAL CHEMICAL LAB OF PA. NYCTA	NCL160 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
				ZEP MANUFACTURING COMPANY	Z-GREEN 1848
70-17-0505	CLEANER, DEGREASER, ALL PURPOSE, WATER-BASED GREEN LIQUID. IN 55 GALLON DRUMS. USED FOR CLEANING	13	17	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
				ZEP MANUFACTURING COMPANY	ZEP Z-GREEN #184886
70-17-0512	CLEANER, DEGREASER, DEODORIZER, CITRUS INDUSTRIAL STRENGTH CLEANER, USED TO DEGREASE MOTORS IN BOILER	0	0	FOSTER & CO. NYCTA	17-88 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-0515	CLEANER, DEGREASER USED FOR CLEANING SHOP FLOORS AND THE WALLS AND FLOORS OF INSPECTION PITS. CAN BE			COSCO ENTERPRISES, INC. NYCTA	FO 2276 ODORLESS RTU CCSS-003 REV E 9/11/17 RESTR CCSS-001 REV I, 3-9-11 LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-17-0525	CLEANER, DEGREASER, 1 GALLON CONTAINER, ALL PURPOSE NON-TOXIC, BIODEGRADABLE, NO COLOR OR SCENT			NYCTA SUNSHINE MAKERS, INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 043318000188
70-17-0610	CLEANER, DEGREASER, FOR REMOVAL OF GREASE, RUBBER RESIDUES, WAX, ADHESIVE. PACKAGED IN 5 GALLON CONTAINERS. CONTAINS D-LIMONENE,	0	0	CHEMTRONICS CRC INDUSTRIES, INC. NYCTA	MAX-KLEEN CITRUS HF # ES591 CITRUS DEGREASER HF#14175 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-0611	CLEANER, DEGREASER, FOR REMOVAL OF GREASE, RUBBER RESIDUES, WAX, ADHESIVE. 53-55 GALLONS PACKAGED IN 55 GALLON DRUMS. CONTAINS D-	0	0	CHEMTRONICS CRC INDUSTRIES, INC. NYCTA	MAX-KLEEN CITRUS HF # ES591 CITRUS DEGREASER HF #14176 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-0612	CLEANER, DEGREASER, FOR REMOVAL OF GREASE, RUBBER RESIDUES, WAX, ADHESIVE. CLEANING RAILCAR PARTS.			CHEMTRONICS NYCTA	MAX-KLEEN CIRTUS HF #ES191 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-0803	CLEANER, EXTERIOR RAILCAR, SPECIFIC FOR IRON OXIDE OR BROWN STAIN REMOVAL FROM RAILCARS. FOR USE IN CAR WASHERS. TO CLEAN AND BRIGHTEN THE EXTERIOR STEEL, STAINLESS STEEL AND ALUMINUM SURFACES OF RAILCARS.			COSCO ENTERPRISES, INC. DIAMOND CHEMICAL GRIGNARD COMPANY NATIONWIDE CHEMICAL CO., INC. NYCTA	FO 479C FO 479C GRIGNARD PCTW TRAIN WASH X561A RAILCAR CLEANER CCSS-003 REV E 9/11/17 RESTR 1207-C-84-REV. C, APRIL 1987
70-17-0820	CLEANER, INTERIOR RAILCAR CLEANER, POWDER, IN A 4-OZ. COLD WATER SOLUBLE PVA POLYMER PACKET. USED AT A NOMINAL DILUTION RATIO OF ONE 4- OZ. PACKET TO 320-OZ. (CA 2.5 GALLONS)			COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NYCTA	MEGAPOWER REDI-KLEEN #11 MEGAPOWER REDI-KLEEN #11 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 3062-MATL-93 REV. B
70-17-0823	CLEANER, TO REMOVE RUST FROM RAILCAR STAINLESS STEEL SURFACES (EXTERIORS AND DOORS). FOR MANUAL	479	380	COSCO ENTERPRISES, INC. NYCTA	FO 479HD RTU CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-0850	CLEANER, FLOOR, POWDERED; PACKAGED IN 2.2-OZ PACKETS; CONTAINS BLEACH; CONCENTRATED POWDER; PRODUCT TO	24	26630	NYCTA PROCTOR & GAMBLE	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL SPIC&SPAN FLR CLNR W/BLEACH
70-17-0855	CLEANER, FLOOR AND MULTIPURPOSE, IN 3- 4 OZ PLASTIC PACKETS WITH TEAR	210175	158859	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-17-0904	OPEN STRIP. CONCENTRATED LIQUID CLEANER/POLISH, STAINLESS STEEL, LIQUID EMULSION, CONTAINING ALIPHATIC HYDROCARBONS, MINERAL	435	237	PROCTOR & GAMBLE NYCTA	84895469 SPIC & SPAN CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL NUSHEEN MLTISRFC
70-17-0913	DISINFECTANT, QUATERNARY AMMONIUM CHLORIDE TYPE, MINIMUM ACTIVE INGREDIENT CONTENT TO BE 4%	21109	12566	NATIONAL CHEMICAL LAB OF PA. NYCTA	LEMON QUAT DISINFECTANT CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-0940	CLEANER, ANTI-STATIC, LIQUID, FOR CLEANING PLASTIC, GLASS AND STAINLESS STEEL SURFACES, USED ESPECIALLY FOR RAILCAR LIGHT LENSES AND OTHER INTERIOR RAILCAR SURFACES TO PREVENT	0	0	COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NATIONWIDE CHEMICAL CO., INC. NYCTA	FO 1143 F.O. 1143 TA501 LENS CLEANER CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-0972	CLEANER, LIQUID, TUNER AND CONTROL, WITH NEEDLE, PACKAGED IN 16-19 OZ. NET WEIGHT SPRAY CANS	1011	0	ITW CHEMTRONICS, INC NYCTA	ELECTRO-WASH VZ (ES6119) CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-0980	HEAT SHIELD COMPOUND, PASTE, IN A ONE QUART CAN. PREVENTS WELDING, BRAZING, SOLDERING HEAT DAMAGE.	0	0	TECH SPRAY, INC. LA-CO INDUSTRIES, INC. NYCTA	PRECISION V FLUX REMOVER ANTI-HEAT 24002 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-0982	HEAT SHIELD COMPOUND, PASTE, IN A 10 OR 11 OUNCE TUBE. PREVENTS WELDING, BRAZING, SOLDERING HEAT DAMAGE. ABSORBS AND DISSIPATES HEAT TO	19	1	LA-CO INDUSTRIES, INC. NU-CALGON NYCTA	BLOC-IT-HEAT ABSORB PASTE THERMO TRAP PASTE #4371-36 CCSS-003 REV E 9/11/17 RESTR CCSS-001 REV I 3-9-11 LABEL
70-17-1020	CLEANER, STEAM CLEANING SOLUTION, NON-EMULSIFYING FORMULA (RUN OFF WATER SOLUTION MUST SEPARATE INTO TWO PHASES WITHIN MINUTES), FOR CLEANING ENGINES AND OTHER ITEMS			COSCO ENTERPRISES, INC. DIAMOND CHEMICAL GRIGNARD COMPANY NYCTA	MEGAPOWER 2289 MEGAPOWER 2289 PURESAFE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-1025	CLEANER, STEAM CLEANING SOLUTION, NON-EMULSIFYING FORMULA (RUN OFF WATER SOLUTION MUST SEPARATE INTO TWO PHASES WITHIN MINUTES), FOR CLEANING ENGINES, BRAKE PARTS, OTHER	3	0	COSCO ENTERPRISES, INC. DIAMOND CHEMICAL GRIGNARD COMPANY NYCTA	MEGAPOWER 2289 MEGAPOWER 2289 PURESAFE STEAM CLEANER CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-17-1032	CLEANER, HAND, WATER BASED LIQUID, ANTI-BACTERIAL, FOR USE AS EMPLOYEE LAVATORY HAND SOAP, IN 16 OZ, PUMP	491	254	NYCTA ZEP INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL ACCLAIM W/BENZALKCHLORIDE
70-17-1034	CLEANER, HAND, WATER BASED LIQUID, WHITE LOTION. FOR USE AS EMPLOYEE LAVATORY HAND SOAP, IN A PLASTIC	64100	38093	NYCTA ZEP INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL VELVET LOTION SOAP #95801
70-17-1143	DEFOAMER, FOR USE WITH MOTOR CLEANER IN SPRAY WASH TANK AND STEAM CLEANING OPERATION TO	430	160	NATIONWIDE CHEMICAL CO., INC. NYCTA	TA1039 KNOCK-OUT DEFOAMER CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-1170	CLEANER, LIQUID, WATER BASED BIOSURFACANT, CONSISTING OF BIODEGRADABLE WETTING AGENTS AND SURFACTANTS. FOR CLEANING	20	40	MOON CHEMICAL PRODUCTS NYCTA SYNTHETIC LABS INC	ENVIROCLEAN CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL BIOSOLVE
70-17-1185	CLEANER, MOTOR AND MOTOR PARTS, LIQUID, MUST CONTAIN A MINIMUM ACTIVE INGREDIENT CONTENT OF 15%; PH OF CONCENTRATE MUST BE BETWEEN 7.0-10.0, MUST BE FREE FROM SILICATES AND PHOSPHATES & HAVE LOW FOAM ; MUST			COMSTAR INTERNATIONAL INC. NATIONAL CHEMICAL LAB OF PA. NATIONWIDE CHEMICAL CO., INC. NYCTA U.S. POLYCHEMICAL CORPORATION	MO-CLEAN TRACTION MOTOR CLEANER 216 TA512 BRITE GLO CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL TMC1185
70-17-1305	CLEANER, MULTI-PURPOSE, WATER BASED, NEUTRAL PH. SUPPLIED IN 1 GALLON PLASTIC BOTTLES. FOR CLEANING	43909	43206	COLGATE-PALMOLIVE NYCTA	FABULOSOALLPRPSCLNRIQLAV15 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-1310	CLEANER, AND POLISH, STAINLESS STEEL, AEROSOL, MINERAL OIL EMULSION; MUST MEET NYSDEC VOC REGULATIONS FOR METAL POLISHERS/CLEANERS WITH MAXIMUM ALLOWABLE VOC OF 30% BY WEIGHT; NON- FLAMMABLE ACCORDING	1495	798	AMREP, INC. APOLLO INDUSTRIES MINNESOTA, MINING & MANUFACTUR NYCTA SPRAYON PRODUCTS	"MISTY 142" 17.5 OZ IN 20 OZ APOLLO BRIGHT SHINE S/S #2390 STAINLESS STEEL CLNR 48011- CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL CD 885 STSTEELCLNR S00885
70-17-1311	CLEANER, STAINLESS STEEL; CLEANING & POLISHING TOWELS; WITH CITRUS SCENT; 9.75" X 10.50" TOWELS, 30 TOWELS PER	8	12	ITW PRO BRANDS NYCTA	SCRUBS STSTEEL CLNR TOWELS CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-1312	POLISH, FOR POLYCARBONATE ON FIND SYSTEM ON R160 CARS. CLEAR PLASTIC	0	0	MEGUIAR'S USA NYCTA	M10 PLASTIC POLISH M1008 CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-17-1315	POLISH TO REDUCE FINE OR HAIRLINE CLEANER, ALKALINE LIQUID EMULSIFYING CONCENTRATE, COLORLESS, MILD SOAPY ODOR, IN FIVE GALLON PLASTIC CONTAINERS, WITH METAL SWING HANDLE AND FULL PLASTIC LID WITH SPOUT, PRODUCT TO BE USED AT A DILUTION RATE OF TEN PARTS			ARROW CHEMICAL CORP.	CCSS-001, REV I, 3-9-11, LABEL
				COMSTAR INTERNATIONAL INC.	MUNICIPAL CONCRETE CLEANER
				COSCO ENTERPRISES, INC.	KYMKARE BIO-CLEANER
				DIAMOND CHEMICAL	MEGAPOWER 3IN1 SUPER
				NATIONAL CHEMS	MEGAPOWER 3IN1 SUPER
70-17-1327	CLEANER, ALL PURPOSE, COLLOIDAL. SUPPLIED IN 5-GALLON CONTAINERS. TO BE USED ON TILE AND CONCRETE SURFACES. ALSO SAFE FOR USE ON			NYCTA	463
				GEMTEK PRODUCTS	CCSS-003 REV E 9/11/17 RESTR
				NATIONAL CHEMICAL LAB OF PA.	CCSS-001, REV I, 3-9-11, LABEL
				NYCTA	SC-1000
				NYCTA	COLLOIDAL CLEANER #5222
70-17-1328	CLEANER, ALL PURPOSE, COLLOIDAL. SUPPLIED IN 55-GALLON DRUMS. SAFE FOR USE ON COPPER COMPONENTS. TO BE USED TO CLEAN RAILCAR A/C COILS,	14575	8965	GEMTEK PRODUCTS	CCSS-003 REV E 9/11/17 RESTR
				NATIONAL CHEMICAL LAB OF PA.	CCSS-001, REV I, 3-9-11, LABEL
				NYCTA	SC-1000
				NYCTA	COLLOIDAL CLEANER #5222
				NYCTA	CCSS-003 REV E 9/11/17 RESTR
70-17-1400	CLEANER, SOAP, LIQUID, ALKALINE. FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC			CORCRAFT/DEPT. OF CORRECT.SERV	CCSS-001, REV I, 3-9-11, LABEL
				COSCO ENTERPRISES, INC.	GRIGNARD BWC-BUS WASH
				DIAMOND CHEMICAL	FO3022 BUS WASH
				GRIGNARD COMPANY	GRIGNARD-BWC-BUS WASH
				NYCTA	S-70-01-04 REV. F
70-17-1405	CLEANER, SOAP, LIQUID, ALKALINE, FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC			WEST PENETONE	CCSS-003 REV E 9/11/17 RESTR
				CORCRAFT/DEPT. OF CORRECT.SERV	CCSS-001, REV I, 3-9-11, LABEL
				COSCO ENTERPRISES, INC.	PENTRANS 1503C
				DIAMOND CHEMICAL	GRIGNARD BWC-BUS WASH
				GRIGNARD COMPANY	FO3022 BUS WASH
70-17-1405	CLEANER, SOAP, LIQUID, ALKALINE, FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC			NYCTA	FO3022 BUS WASH
				NYCTA	GRIGNARD BWC-BUS WASH
				NYCTA	GRIGNARD BWC-BUS WASH
				NYCTA	TOTE SPEC
				WEST PENETONE	S-70-01-04 REV. F
70-17-1405	CLEANER, SOAP, LIQUID, ALKALINE, FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC			NYCTA	CCSS-003 REV E 9/11/17 RESTR
				NYCTA	CCSS-001, REV I, 3-9-11, LABEL
				NYCTA	PENTRANS1503C
				NYCTA	GRIGNARD BWC-BUS WASH
				NYCTA	GRIGNARD BWC-BUS WASH

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-17-1410	CLEANER, SOAP, LIQUID, ALKALINE. FOR BUS EXTERIOR WASH. TO BE USED ON THE FIRST ARCH OF BUS WASH SYSTEM WITH A DILUTION RATIO OF 1 PART CLEANER TO 100 PARTS FRESH WATER. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPEC			CORCRAFT/DEPT. OF CORRECT.SERV COSCO ENTERPRISES, INC. DIAMOND CHEMICAL GRIGNARD COMPANY NYCTA	GRIGNARD BWC-BUS WASH FO3022 BUS WASH FO3022 BUS WASH GRIGNARD BWC-BUS WASH S-70-01-04 REV. F CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL WEST PENETONE PENTRANS 1503C
70-17-1415	CLEANER, SOAP, ALKALINE, FOR BUS EXTERIOR WASH. APPLIED THROUGH FIRST ARCH OF BUS WASH WITH FRESH WATER AT A DILUTION RATIO OF 1:200. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPECIFICATIONS S-70-01-04 REVISION			COSCO ENTERPRISES, INC. GRIGNARD COMPANY NYCTA ZEP MANUFACTURING COMPANY	FO 3058 BUS WASH DIRRECT POWER BLUE 200 DIRRECT POWER BLUE S-70-01-04-REV. G CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL ENVIROEDGE TRUCK WASH
70-17-1416	CLEANER, SOAP, ALKALINE, FOR BUS EXTERIOR WASH. APPLIED THROUGH FIRST ARCH OF BUS WASH WITH FRESH WATER AT A DILUTION RATIO OF 1:200. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPECIFICATION S-70-01-04 REVISION			COSCO ENTERPRISES, INC. GRIGNARD COMPANY NYCTA ZEP MANUFACTURING COMPANY	FO 3058 BUS WASH DIRRECT POWER BLUE 200 DIRRECT POWER BLUE S-70-01-04, REV. G CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL ENVIROEDGE TRUCK WASH
70-17-1417	CLEANER, SOAP, ALKALINE, FOR BUS EXTERIOR WASH. APPLIED THROUGH FIRST ARCH OF BUS WASH WITH FRESH WATER AT A DILUTION RATIO OF 1:200. PRODUCT SUBJECT TO INSPECTION AND TESTING PER NYCT SPECIFICATION S-70-01-04 REVISION			COSCO ENTERPRISES, INC. GRIGNARD COMPANY NYCTA ZEP MANUFACTURING COMPANY	FO 3058 BUS WASH DIRRECT POWER BLUE 200 DIRRECT POWER BLUE S-70-01-04, REV. G CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL ENVIROEDGE TRUCK WASH
70-17-1423	TRACTION ENHANCER, RAIL, GEL; CONTAINS QUARTZ; PH IS 9-10; SPECIFIC GRAVITY IS 1.35 TO 1.45; VISCOSITY @ 77			LB FOSTER RAIL TECHNOLOGIES INC NYCTA	ALLEVIATE TRACTION GEL CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-1465	CLEANER/DEGREASER, USED FOR GRAFFITI			COSCO ENTERPRISES, INC.	ENVIROSOLV ORANGE

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-17-1469	REMOVAL ON HARD SURFACES. NON-PETROLEUMNON-CHLORINATED, NON-BUTYL, BIODEGRADABLE, TEST PATCH ALL SURFACES BEFORE GENERAL USE. MAY DAMAGE SOME PLASTIC AND/OR PAINTED CLEANER, INTERIOR RAILCAR, LIQUID, ALKALINE, PH=10-10.5 MAXIMUM (UNDILUTED), MINIMUM ACTIVE INGREDIENT CONTENT=13%, LOW FOAMING, COMPLETELY SOLUBLE IN			DIAMOND CHEMICAL	ENVIROSOLV ORANGE
				MICROBLEND LLC.	CITRI-CLENZ
				NYCTA	CCSS-003 REV E 9/11/17 RESTR
				ZEP MANUFACTURING COMPANY	CCSS-001, REV I, 3-9-11, LABEL
70-17-1472	CLEANER, GRAFFITI REMOVER, VISCOUS, IN FIVE GALLON PLASTIC CONTAINERS TO BE USED BY DIVISION OF STATIONS' HIGH PRESSURE CLEANING SYSTEM. PRODUCT			COSCO ENTERPRISES, INC.	BIG ORANGE - E 485
				DIAMOND CHEMICAL	FO 1101 MOD
				NATIONWIDE CHEMICAL CO., INC.	FO 1101 MOD
				NYCTA	TA222 TUFF GUY 222
70-17-1483	CLEANER, FOR COILS, CONDENSERS, DOOR OPERATORS, LIQUID, MILD ALKALINE. MUST CONTAIN MINIMUM ACTIVE INGREDIENT CONTENT OF 11% INCLUDING, BUT NOT LIMITED TO	14	5	COSCO ENTERPRISES, INC.	MEGAPOWER COIL/CONDENSER
				DIAMOND CHEMICAL	MEGAPOWER COIL/CONDENSER
				NYCTA	CCSS-003 REV E 9/11/17 RESTR
				PENETONE	CCSS-001, REV I, 3-9-11, LABEL
70-17-1496	CLEANER, COMPOUND, LIQUID, INTERIOR GRAFFITI REMOVER, IN ONE GALLON PLASTIC CONTAINERS, 4 OR 6 GALLONS TO A CARTON WITH STOCK NUMBER ON CARTON	0	0	DIAMOND CHEMICAL	PENBLITZ 208LM
				NATIONAL CHEMICAL LAB OF PA.	F.O. 1120
				NYCTA	NCL 333 GRAFFITI REMOVER
					CCSS-003 REV E 9/11/17 RESTR
70-17-1515	CLEANER, GRAFFITI REMOVER, LIQUID WITH CITRUS ODOR. HEAVY DUTY FOR CLEANING OF STATIONS. PH 4 MIN. 110 DEGREE F TCC (TAG CLOSED CUP), D-REMOVER, GRAFFITI, PREMOISTENED TOWELS, D'LIMONENE BASED, TWO 12" X 16.75" TOWELS PER PACKET, FLASH POINT	130	55	NYCTA	CCSS-001, REV I, 3-9-11, LABEL
					0001-2000 DATED OCT 2000
				PENETONE	PALLET SPEC
					CCSS-003 REV E 9/11/17 RESTR
70-17-1517	REMOVER, GRAFFITI, PREMOISTENED TOWELS, D'LIMONENE BASED, TWO 12" X 16.75" TOWELS PER PACKET, FLASH POINT	2933	2066	GETEX CORPORATION	CCSS-001, REV I, 3-9-11, LABEL
				NYCTA	CITRIKLEEN GR
					GRAFFITI FREE GENIE WIPES
					CCSS-003 REV E 9/11/17 RESTR
70-17-1520	REMOVER, GUM, GRAFFITI, STICKER ADHESIVES; LIQUID; 100% ACTIVE	781	106	COSCO-FO	CCSS-001, REV I, 3-9-11, LABEL
				NATIONAL CHEMICAL LAB OF PA.	ENVIROSOLV LR-V
					GUM REMOVER #4159

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	INGREDIENT CONTENT CONSISTING OF D'LIMONENE/TERPENES, METHYL PYRROLIDONE AND SUCH OTHER			NATIONWIDE CHEMICAL CO., INC. NYCTA	TA503 GUM REMOVER CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-1521	REMOVER, GUM, GRAFFITI, STICKER ADHESIVES; LIQUID; 100% ACTIVE	4332	2001	COSCO-FO NATIONAL CHEMICAL LAB OF PA.	ENVIROSOLV LR-V GUM REMOVER #4159
	INGREDIENT CONTENT CONSISTING OF D'LIMONENE/TERPENES, METHYL PYRROLIDONE AND SUCH OTHER			NATIONWIDE CHEMICAL CO., INC. NYCTA	TA503 GUM REMOVER CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-1565	CLEANER, HIGHLY CONCENTRATED SOLUTION WITH CHELATED AGENT, FOR USE IN MEMBRANE CLEANING, PACKAGED	0	0	DYNATEC SYSTEMS, INC. NYCTA	MEMCLEEN CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-1584	GRAFFITI REMOVER, LIQUID, NON FLAMMABLE, ZERO VOC, NON-VISCOUS, NO/LOW ODOR, NON CAUSTIC, IN 5	3031	1595	NYCTA THIS STUFF WORKS	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL TSW9 PLASTI-MASTER
70-17-1632	REMOVER, GRAFFITI, IN ONE GALLON PLASTIC CONTAINERS, 4 GALLONS TO A CARTON, WITH STOCK NUMBER ON CARTON.	27	16	COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NYCTA	F0974 F0974 SMD 30-2-83 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-1640	CLEANER, FOR METAL PARTS, (STEEL PARTS ONLY-NOT FOR USE WITH ALUMINUM, BRASS OR COPPER), LIQUID, ALKALINE SOLUTION, IN 55 GALLON DRUMS. USED IN DIP/ AGITATING			CHEMETALL USA, INC. COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NYCTA	LOW HEAT CLEANER #3 ZZ STRIP LF ZZ STRIP LF CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-1670	CLEANER, DRAIN, POWDERED HYDROXIDE BASED; MUST CONTAIN 60-70% HYDROXIDE (AS MEASURED BY ASTM D514) AND 2-4% ALUMINUM (AS MEASURED BY ICP-INDUCTABLY COUPLED PLASMA EMISSION SPECTROSCOPY); ALL	1599	1026	ASTM COMSTAR INTERNATIONAL INC. FED. SPEC. NYCTA UTILITY/WONDER	D514 PIRANHA II PIPE CLEANER CID AA1911 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL DRY DRAIN-A-MATIC
70-17-1685	CLEANER, DEGREASER FOR RAILCAR DOOR HANGERS, WATER RINSABLE, LEAVES NO RESIDUE, BIODEGRADABLE, PH 8-9, NON-	242	116	CORTEC CORPORATION NYCTA	ECOLINE CLNR DEGREASER CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-17-2120	CLEANER, TOUCH SCREEN, SPRAYER BOTTLE, 500 ML/16.9 FLUID OUNCE, WATER BASED, 12 PER BOX	1692	879	NYCTA WHOOSH INC	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL MC500EN
70-17-3030	CLEANER, HAND, LIQUID, SOLVENT FREE, NOT PETROLEUM DERIVATIVE BASED, PH BETWEEN 4.9 AND 5.3; ACTIVE	4951	3111	NYCTA SC JOHNSON DEB	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL SOLOPOL CLASSIC PN98318706
70-17-3038	DETERGENT, DISHWASHING LIQUID (NON- CONCENTRATED) IN A 25 OZ. PLASTIC BOTTLE. FOR USE IN APPLYING 3M 4-PLY	25524	13322	JOY SUDS NYCTA	JOY NON-ULTRA LEMON CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-3042	CLEANER, HAND, WATERLESS, PETROLEUM DERIVATIVE BASED, PH BETWEEN 7.0 AND 9.0; 55% MINIMUM	2519	1626	CRITZAS NYCTA	GOOP HAND CLEANER CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-3050	CLEANER, HAND, LIQUID, WITH PUMICE FOR REMOVING STUBBORN INKS, RESINS, PAINTS, ADHESIVES, TAR, CARBON AND	140	18	NYCTA ZEP MANUFACTURING COMPANY	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL ZEP REACH
70-17-3080	CLEANER, FOR SAFETY GLASS LENSES, SAFETY GOGGLES AND EYE GLASSES, TO COME IN CORRUGATED CARDBOARD LENS CLEANING STATION CONSISTING OF AN 8 OZ. SPRAY BOTTLE OF CLEANER AND 600	1676	2067	BAUSCH & LOMB CERTIFIED SAFETY MAGIC SAFETY NYCTA	SIGHT SAVERS 143060GM CLEANSE-A-LENS STATION K335- MAGICPR LNSCL CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-3084	EYEWASH, STERILE SOLUTION, IN 8 OZ. PLASTIC BOTTLE. FOR FIRST AID USE ONLY. SINGLE USE ONLY. BOTTLE SEALED TO	3606	1269	HONEYWELL NYCTA	32-000445 CCSS-063 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-3086	ADDITIVE, EYE WASH, ANTI-BACTERIAL AND WATER PRESERVATIVE, MUST MEET REQUIREMENTS OF OSS SPECIFICATION E7	1228	836	ENCON/MIDLAND SAFETY PRODUCTS NYCTA	HYDROSEP 01110764 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-3160	SANITIZER, HAND, INSTANT, ANTIBACTERIAL GEL, USED WITHOUT WATER. MUST HAVE A MINIMUM ETHYL ALCOHOL CONTENT OF 60%. SAFETY DATA SHEET MUST STATE 60% OR GREATER	3960	706	GOJO INDUSTRIES, INC. KIMBERLY CLARK NYCTA SAFETEC OF AMERICA, INC	PURELL ADVANCED SANITIZE KLEENEX HAND SANITIZER 93060 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL INSTANT HAND SANITIZE
70-17-3162	SANITIZER, HAND, INSTANT, ANTIBACTERIAL GEL, USED WITHOUT	11717	10024	GOJO INDUSTRIES, INC. NYCTA	PURELL ADVANACED SANITIZE CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	WATER. MUST HAVE A MINIMUM ETHYL ALCOHOL CONTENT OF 60%. SAFETY DATA SHEET MUST STATE 60% OR GREATER			SAFETEC OF AMERICA, INC TRIPLE S	CCSS-001, REV I, 3-9-11, LABEL INSTANT HAND SANITIZE TRIPLE S HAND SANITIZER 44154
70-17-3172	SANITIZER, HAND, MINIMUM 60% ETHANOL BY WEIGHT; MINIMUM 70% ETHANOL BY VOLUME; CERTIFICATE OF	320	9	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11 LABEL INSTANT HAND SANITIZER GEL
70-17-3180	HAND SANITIZING SPRAY, MINIMUM 70% ETHANOL CONTENT BY WEIGHT; CERTIFICATE OF ANALYSIS COVERING	174	64	GRIFFIN WOW NYCTA	DERMAFRESH HAND SNTZR SPRAY CCSS-003 REV E 9/11/17 RESTR CCSS-001 REV I, 3-9-11, LABEL
70-17-3500	CLEANER, METAL PARTS (STEEL, ALUMINUM), ODORLESS, CRYSTALLINE POWDER, IN 55 LB. PAIL. MUST CONTAIN			GREEN POWER CHEM SCIENCES NYCTA	GREEN POWER NO FOAM NC CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-17-3515	CLEANER, METAL PARTS(STEEL, ALUMINUM, BRASS); ODORLESS, LIQUID, IN 5-GALLON PAIL. MUST CONTAIN ACTIVE	115	190	GREEN POWER CHEM SCIENCES NYCTA	HEAVY DUTY LOW FOAM 0011- CCSS-003 REV E 9/11/17 RESTR CCSS-001 REV I, 3-9-11, LABEL
70-18-0830	CLEANER, DEGREASER, DEODORIZER, MULTI-PURPOSE, LIQUID, CONCENTRATED, HYDROGEN PEROXIDE BASED. GREEN SEAL CERTIFIED. SUPPLIED IN ONE GALLON CONTAINERS, FOUR	7255	4129	CHARLOTTE PRODUCTS LTD NY STATE NYCTA	SUPER H2O2 CLEANER CONC ES71 EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-18-0912	ZEP MANUFACTURING COMPANY REMOVER, FLOOR FINISH AND WAX REMOVER IN 5 GALLON PAILS. USE DILUTION RATIO 16 OUNCE OF SOLUTION TO 1 GALLON OF WATER OR 64 OUNCES	772	410	ZEP MANUFACTURING COMPANY AMERICAN CLEANING SOLUTIONS NY STATE NYCTA	ZEP VERDIZA 4556, FOCUS FS 22 FLOOR EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-18-1000	CLEANER, WASHROOM, TO CLEAN BOWLS, URINALS, CHROMES, SINKS, TUBS, TILES, AND OTHER RESTROOM FIXTURES. IN ONE GALLON CONTAINERS, 4 GALLONS TO A CASE. 6 OZ OF CLEANER SOLUTION	16480	15238	HILLYARD INDUSTRIES NATIONAL CHEMICAL LAB OF PA. NY STATE NYCTA	GREEN SELECT CLEANER #962 EARTH SENSE #20 WASHROOM EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-18-1125	CLEANER, CREAM CLEANSER SCOURING COMPOUND, ONE QUART BOTTLE. GENERAL PURPOSE CLEANER FOR CLEANING TILES, SINKS, TOILETS, URINALS,	2729	1317	CHARLOTTE PRODUCTS LTD NY STATE NYCTA	CREAM CLEANSER ES53 EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-18-1310	PORCELAIN, CERAMIC, STAINLESS STEEL, CLEANER, LOW RESIDUE FOR AUTO FLOOR SCRUBBER MACHINES. ENVIRONMENTALLY PREFERRED, NEUTRAL PH DAILY FLOOR AND SURFACE CLEANER. PACKAGED IN ONE GALLON CONTAINERS. RATIO 1 OUNCE PER 1 GALLON OF COLD	5657	2496	SEALED AIR DIVERSEY CARE DIVERSEY, INC. JOHNSON DIVERSEY, INC MISCO PRODUCTS NY STATE NYCTA	EMEREL PLUS #94496138 STRIDE CITRIS 903904 2CXU6 E07 ALL SURFACE CLEANER EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-18-1332	CLEANER, MULTI-PURPOSE CLEANER AND DEGREASER, CONCENTRATED, WATER BASE, CLEANS WALLS, FLOORS, CONCRETE, CERAMIC TILES AND	381	105	NY STATE NYCTA ZEP MANUFACTURING COMPANY	EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL MULTI-CLEAN GREEN 124939
70-18-1333	CLEANER, MULTI-PURPOSE CLEANER AND DEGREASER, CONCENTRATED, WATER BASE, CLEANS WALLS, FLOORS, VINYL,	70	139	AMERICAN CLEANING SOLUTIONS NYCTA	FOCUS MP 11 CLEANER #2101 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-18-1334	CLEANER, MULTI-PURPOSE CLEANER AND DEGREASER, CONCENTRATED, WATER BASED; CLEANS WALLS, FLOORS,	550	220	NYCTA ZEP INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL MULTI-CLEAN GREEN
70-18-1345	FINISH, FLOOR, ACRYLIC CO-POLYMER, NON-SKID FLOOR FINISH IN 5 GALLON CONTAINER (MUST BE GREEN SEAL OR ECOLOGO CERTIFIED OR ON THE NYS OGS LIST OF APPROVED FLOOR FINISH	1349	820	AMERICAN CLEANING SOLUTIONS DIVERSEY, INC. NY STATE NYCTA	FOCUS ZF33, SEAL & FINISH #2622 COMPLETE EXECORDER 134 NY STATE CCSS-003 REV D 12/2/15 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-18-1461	CLEANER, GENERAL PURPOSE, LIQUID, CONCENTRATED; USED FOR GENERAL CLEANING AND LIGHT DEGREASING ON ALL SURFACE AND FLOORS. GREEN SEAL	1202	746	NY STATE NYCTA SEALED AIR DIVERSEY CARE	EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL GENERAL PURPOSE CLNR15
70-18-1462	CLEANER, GLASS, NON-AMMONIATED, LIQUID, CONCENTRATE; USED FOR CLEANING RAILCAR WINDOWS AND OTHER GLASS AND MIRROR SURFACES.	3	0	NY STATE NYCTA SEALED AIR DIVERSEY CARE	EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL GLANCE NA # 93172641
70-18-1472	GRAFFITI, REMOVER, ENVIRONMENTALLY FRIENDLY, PHOSPHATE FREE, CLEAR, CAN BE USED UNDILUTED OR DILUTED. GREEN			CLAIRE MANUFACTURING NYCTA	CG310 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-18-1475	GRAFFITI REMOVER, LIQUID, IN ONE-GALLON CONTAINERS. REMOVES PAINT, INK, PERMANENT MARKER FROM BRICK, STONE, CONCRETE, METAL, PLASTIC,	0	0	ECO CONCEPTS, INC. NY STATE NYCTA	GREEN CONCEPTS GRAF EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-18-1540	HANDSOAP, GREEN CERTIFIED FOAM HAND CLEANER, 1200ML REFILL CARTRIDGE, 2 PER CASE. FIT IN DISPENSER ALREADY IN THE SYSTEM, USE (STOCK #61-	154	93	GOJO INDUSTRIES, INC. NY STATE NYCTA	5665-02 EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-18-1635	CLEANER, CONCENTRATED FOR GLASS, WINDOWS, POLYCARBONATE, PLASTIC, STAINLESS STEEL SURFACES. GREEN SEAL CERTIFIED. TWENTY OR THIRTY GALLON DRUMS. MUST BE DILUTED WITH WATER			AMERICAN CLEANING SOLUTIONS NY STATE NYCTA ZEP MANUFACTURING COMPANY	FOCUS GC 55 GLASS CLNR #2102 EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 103649 GREEN LINK CONC GLASS
70-18-1638	CLEANER, CONCENTRATED FOR GLASS, WINDOWS, POLYCARBONATE, PLASTIC, STAINLESS STEEL SURFACES. GREEN SEAL CERTIFIED. ONE GALLON CONTAINERS. FOUR GALLONS PER CASE. MUST BE	1071	633	AMERICAN CLEANING SOLUTIONS NY STATE NYCTA ZEP MANUFACTURING COMPANY	FOCUS GC 55 GLASS CLNR #2102 EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 103623 GREEN LINK CONC GLASS
70-18-1700	GRAFFITI REMOVER, TOWELETTES PRE-MOISTENED, TO BE USED TO REMOVE GRAFFITI FROM METALS: STEEL, ALUMINUM, GALVANIZED BRASS COPPER,			GRAFFITTI REMOVAL INC. NY STATE NYCTA	MAX-SWIPEs GRAFFITI REMOVER EXECORDER 134 NY STATE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-21-1018	DEODORIZER, AEROSOL, HYDROCARBON PROPELLANT, DRY SPRAY, USE TO FRESHEN AIR WITH NO WETNESS, NO	3485	1822	NYCTA ZEP MANUFACTURING COMPANY	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL MICROMIST FRESH SCENT 243
70-21-1022	ODOR ELIMINATOR, LIQUID, CONCENTRATED, ONE TO TWO DROPS OF PRODUCT IS REQUIRED TO ELIMINATE ODORS. ONE-OUNCE BOTTLE. THIS IS NOT	8192	3687	CUSTOM ESSENCE, INC. NYCTA	SPICE FRESH CE-13020 CE-162017/SPICE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-21-1027	ODOR ELIMINATOR, BACTERIA FREE, USED TO ELIMINATE ODORS FROM NYCT SUBWAY STATIONS. MUST UTILIZE ENZYME ACTION WHILE CONTAINING NO	0	0	NATIONAL CHEMICAL LAB OF PA. NATURE PLUS NYCTA	912 ODOR ELIMINATOR BACTERIA-FREE ODOR CCSS-003 REV E 9/11/17RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-21-1028	ODOR ELIMINATOR, LIQUID WATER BASED, MILD PINE OR MINT ODOR, CONTAINS 25% ACTIVE INGREDIENTS	8657	4431	NATIONWIDE CHEMICAL CO., INC. NYCTA	TA514 SPRING AIR CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-21-1030	DEODORANT, WATER BASED, LEMON FRAGRANCE THAT COVERS AND ELIMINATES UNPLEASANT ODORS FROM A VARIETY OF SOURCES, GUARANTEED SHELF LIFE 2 YRS, IN 55 GAL NON-			ALPHA CHEMICAL SERVICES NYCTA POSITIVE ATTITUDE ZEP MANUFACTURING COMPANY	LEMON DEORDORANT 5528 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL LEMON-ODOR COUNTERACTANT 1621
70-21-1032	ELIMINATOR, ODOR, LIQUID, STRAWBERRY/ CITRUS FRAGRANCE, WATER BASED, MUST NOT CONTAIN ANY CHLORINATED SOLVENTS, PETROLEUM	17858	11553	NATIONAL CHEMICAL LAB OF PA. NYCTA U.S. POLYCHEMICAL CORPORATION	NCL 430 STRAWBERRY/CITRUS CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL POLYCHEM 1020
70-21-1036	DEODORANT, ODOR, COUNTERACTANT, BIO DEGRADABLE CONCENTRATED WATER SOLUBLE USED TO CLEAN ELEVATOR	0	0	FOSTER & CO. NYCTA	DAWN TO DUSK-8380117 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-21-1054	ODOR BLOCKER, LIQUID, READY TO USE. ELIMINATES ODORS FROM GARBAGE CANS, DUMPSTERS, TRASH BINS, URINALS,	2108	1544	ALPHA CHEMICAL SERVICES NYCTA	ODOR OUT PLUS 5520 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-21-1056	ODOR BLOCKER, LIQUID, READY TO USE. ELIMINATES ODORS FROM GARBAGE CANS, DUMPSTERS, TRASH BINS, URINALS,	2	0	ALPHA CHEMICAL SERVICES NYCTA	ODOR OUT PLUS 5520 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-22-4010	FLUID, LEAK DETECTING, BUBBLE-GENERATING; FOR DETECTING LEAKS IN RAILCAR AIR SUPPLY PIPING AND JOINTS	50	45	NATIONWIDE CHEMICAL CO., INC. NYCTA	TA901 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-23-1130	DISINFECTANT AND DETERGENT, QUATERNARY AMMONIA TYPE; QUATERNARY AMMONIA CONTENT TO BE	209	32	AMERICAN CLEANING SOLUTIONS NYCTA	LEMON E DISINFECTANT CCSS-003 REV E 9/11/17 RESTR CCSS-001 REV I, 3-9-11, LABEL
70-23-1200	DISINFECTANT, SODIUM HYPOCHLORITE SOLUTION (HOUSEHOLD BLEACH), NAOCL CONTENT TO BE 5% TO 6% BY WEIGHT, % WEIGHT BY ALKALI AS NAOH TO BE 0.12% TO 0.50%; SPECIFIC GRAVITY TO BE 1.04 TO 1.10; PH TO BE 10.5 TO 12.5; CLEAR	133291	81531	JAMES AUSTIN CO. NYC SPEC NYCTA	ELITE PROFESSIONAL BLEACH AUSTIN A-1 BLEACH 5-S-26 94 TYPE B PALLET SPEC CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-23-1270	DISINFECTANT SPRAY, ANY SCENT, ACCEPTABLE, NEEDED FOR OFFICE USE AND LOCKER ROOM. TO ELIMINATE THE	8014	6874	ROCHESTER-MIDLAND NYCTA	CHLORGUARD 2 "5.25%" CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-23-1305	BIOCIDE COMPOUND, FOR TREATING DIESEL FUEL TANKS. ELIMINATES FUNGUS, BACTERIA, MICROORGANISMS. SUPPLIED IN ONE GALLON CONTAINERS. NON-			RECKITT BENCKISER DOW CHEMICAL CO. FUEL QUALITY SERVICES INC NYCTA	PRO LYSOL BRAND III DIS SPRAY KATHON FP 1.5 MICROBIOCID FQS 1.5 MICROBIOCID CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-28-1005	ELECTROLYTE SOLUTION, BATTERY; POTASSIUM HYDROXIDE BASED; FOR USE IN SAFT SRM-F3 (140 AH) NICKLE			NYCTA SAFT AMERICA INC.	CCSS-003 REV D 12/2/15 RESTR CCSS-001, REV I, 3-9-11, LABEL BATTERY ALK LIQ ELECTROLYTE
70-28-1007	ELECTROLYTE SOLUTION, BATTERY, POTASSIUM HYDROXIDE BASED; FOR USE IN SAFT "SMRX-F3" NI-CD BATTERY CELLS;	3	0	NYCTA SAFT AMERICA INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL BATTERY ALK LIQ ELECTROLYTE
70-29-1016	COMPOUND, EPOXY, AMINE, TWO-PART, THIXOTROPIC, FOR USE IN REPAIRING/ BONDING ARMATURES AND OTHER	24	23	HENKEL LOCTITE CORPORATION NYCTA	LOCTITE EAE-20NS CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-29-1020	EPOXY, TWO COMPONENT BALANCING COMPOUND, USED TO CORRECT IMBALANCES IN ELECTRIC MOTORS,	5	5	NYCTA STAR TECHNOLOGY, INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL BC-22(PARTS A & B)
70-29-1300	KIT, COATING FOR STEEL, TWO COMPONENT EPOXY MASTIC, SAFETY YELLOW, GLOSS, HIGH SOLIDS (83% +/-			GARRON PRODUCTS NYCTA	GARONTIGERSTEEL29255SAFETY CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-29-1302	COATING, FOR STEEL, TWO COMPONENT EPOXY MASTIC, SAFETY RED, GLOSS, HIGH SOLIDS (83%+/-4%). EACH KIT CONSISTS			GARON PROD. NYCTA	GARON TIGERSTEEL29255SAFETY CCSS-003 REV E 9/11/17 RESTR CCSS-001 REV I, 3-9-11, LABEL
70-29-1306	KIT, COATING FOR STEEL, TWO COMPONENT EPOXY MASTIC, SAFETY GREEN, GLOSS, HIGH SOLIDS(83% +/-4%).			GARRON PRODUCTS NYCTA	GARONTIGERSTEEL29255SAFETYG CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-29-1308	COATING FOR STEEL, TWO COMPONENT EPOXY MASTIC, SAFETY BLUE, GLOSS, HIGH SOLIDS (83% +/- 4%). EACH KIT			GARRON PRODUCTS NYCTA	GARON CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11 LABEL
70-30-1000	FILLER, LIGHTWEGHT POLYESTER WITH	41	4	NYCTA	CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	CREAM HARDENER, USED FOR AUTOMOTIVE BODY AND FENDER WORK;			PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL DF700 & DF708 CREAM
70-30-1004	FILLER, BODY, LIGHTWEIGHT PASTE WITH CREAM HARDENER, USED FOR REPAIRS ON RAILCAR SEATS. PACKAGED IN 1			MINNESOTA, MINING & MANUFACTUR NYCTA	3M BONDO FILLER 7010362873 CCSS-003 REV E 9/11/17 RESTR
70-30-1560	BODY FILLER, POLYESTER RESIN FOR USE ON METAL OR PLASTIC SURFACES, PACKAGED IN ONE GALLON CANS.	174	97	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL "CLASSIC PLASTIC"
70-30-1594	FILLER, BODY, HEAVYWEIGHT PASTE WITH CREAM HARDENER USED FOR ALL TYPICAL REPAIRS; PACKAGED IN 1 GALLON CAN, 4 GALLONS TO A CASE, TUBE OF CREAM	0	0	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7110-FACIL-00 REV. A
70-30-1595	FILLER, BODY, LIGHTWEIGHT PASTE WITH CREAM HARDENER FOR SMALL REPAIRS. PACKAGED 4 GALLONS PER BOX, 1 GALLON CAN MUST BE SUPPLIED WITH	0	0	NYCTA	QUEST AUTOMOTIVE PRODUCTS BULK, BODYFILLER WHITE #10005 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7111-FACIL-00 REV. A
70-30-1596	HARDENER, CREAM/CATALYST, FOR UNSATURATED POLYMER RESIN, REINFORCED POLYESTER, VINYL OR ACRYLIC RESIN FILLERS, RED IN 2.75	138	85	NYCTA	QUEST AUTOMOTIVE PRODUCTS BC/CC EXTRA GAL(PR)#16060P CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7077-FACIL-98
70-30-1750	PUTTY, TWO COMPONENT EPOXY, STEEL FILLED, USED IN FILLING ROUGH OR PITTED METAL SURFACES ON SUBWAY CARS. PACKAGED IN ONE POUND CANS,	41	32	ITW DEVCON NYCTA	RED CREAM HARDENER 2.75 OZ PLASTIC STEEL PUTTY 10110 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7099-FACIL-99
70-30-2151	COMPOUND, FILLING, WOOD FILLER, CELLULOSE FIBER WOOD, USED TO REPAIR WOOD SURFACES, COLOR: NATURAL, IN 4	20	36	DAP INC. NYCTA	PLASTICWOOD 70798 21502 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-31-1485	POWDER, COMPOUND, FIRE EXTINGUISHER. POWDER MUST BE MULTI- PURPOSE, FOR ALL CLASS OF FIRE; A, B, & C, MONO AMMONIUM PHOSPHATE BASE,	0	0	AMEREX CORP. NYCTA	550 PALLET SPEC CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-33-3557	REFRIGERANT, GAS, R438A, FOR RAILCAR AIR CONDITIONING UNITS, 25 POUND	0	0	CHEMOURS DUPONT	FREON MO99 REFRIGERANT ISCEON MO99 REFRIGERANT

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	CYLINDER, COMPATIBLE WITH ALKYBENZENE, MINERAL OIL &			NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-33-3562	GAS, REFRIGERANT, R453A (RS44B), FLUOROCARBON REFRIGERANTS, IN 30 LB. DISPOSABLE CYLINDER WITH 24 LB NET	65	53	COMSTAR INTERNATIONAL INC. NYCTA	RS44B(R453A)HFC BLEND CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-33-3568	GAS, INDUSTRIAL FREON #22, "HCFC22", MONOCHLORODIFLUOROMETHANE REFRIGERANT, IN 30 LB. DISPOSABLE CYLINDER. CERTIFICATION THAT MATERIAL MEETS THE REQUIREMENTS OF COMMERCIAL ITEM DESCRIPTION A-A- 58060 AND AHRI STANDARD	1214	870	AIRGAS INC/AIRGAS REFRIGERANTS ARKEMA COMMERCIAL ITEM DUPONT HONEYWELL INTERNATIONAL NATIONAL REFRIGERANTS INC NYCTA	ASPEN 22/HALOCARBON 22 FORANE 22 A-A-58060 FREON 22 GENETRON 22 R-22 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-33-3569	GAS, REFRIGERANT, RECLAIMED INDUSTRIAL R22, "HCFC22", MONOCHLORODIFLUOROMETHANE REFRIGERANT IN 30 LB. DISPOSABLE CYLINDER. PURITY MUST BE 99.5% MINIMUM. EPA CERTIFICATION & A REFRIGERANT ANALYSIS REPORT THAT	0	0	AHRI AIRGAS INC/CFC REFIMAX LLC COOLGAS INC HUDSON TECHNOLOGIES COMPANY NATIONAL REFRIGERANTS INC NOVENT REFRIGERANT SERVICES IN NYCTA REFRIGERANTS INC	AHRI STANDARD 700-2011 ASPEN R-22 R-22 R-22 R-22 R-22 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL R-22
70-34-1400	SEALANT, FAST DRYING, HARD SETTING, FOR GASKET SEAL ON PERMANENT, RIGID ASSEMBLIES WITHSTANDING 5000 PSI. COLOR: REDDISH-BROWN, IN 11 OZ. TUBE.	21	15	MIL SPEC NYCTA PERMATEX	MIL-S-45180D TYPE I CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 1C FORM-A-GASKET#1 11 OZ
70-34-1410	SEALANT, SLOW DRYING, FLEXIBLE SETTING FOR GASKET SEAL ON NON- RIGID, VIBRATING, SEMI-PERMANENT AND PERMANENT ASSEMBLIES. WITHSTANDS	49	28	HENKEL CORPORATION NYCTA PERMATEX	LOCTITE MR GS2 SEALANT #30515 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 2C FORM-A-GASKET#2 SEALANT
70-34-1420	SEALANT AND GASKET COMPOUND; EPDM (ETHYLENE PROPYLENE DIENE MONOMER) RUBBER, FOR USE ON	6	4	MIL SPEC NYCTA	MIL-S-45180D TYPE 3 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-34-1430	LOCOMOTIVE DOOR FRAME GASKETS. SEALANT AND GASKET COMPOUND; FOR USE ON GE GEAR BOXES AND EPDM (ETHYLENE PROPYLENE DIENE MONOMER)	11	1	NYCTA PERMATEX PERMATEX CO.	AVIATION FORM-A-GASKET #3H CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL AVIATION FORM-A-GASKET #3D
70-34-1445	SEALANT, GASKET, HIGH TACK, 16 OZ., BRUSH TOP CAN. DRIES QUICKLY TO A HIGH TACKY FILM. SEALS OR BONDS			NYCTA PERMATEX, INC.	CCSS-003 REV E 9/17/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 98D HIGH TACK GASKET SEAL
70-37-2201	ADHESIVE, WOOD GLUE, POLYVINYL ACETATE EMULSION, FOR BONDING WOOD JOINTS AND WOOD ASSEMBLIES. PACKAGED IN 16-OZ (PINT) BOTTLES	27	21	COMMERCIAL ITEM ELMERS NYCTA	A-A-3001 ELMER'S CARPENTER'S WOOD CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-38-2000	GROUT, CHEMICAL FOAM, SINGLE COMPONENT, LIQUID SEAL WATERPROOFING COMPOUND, HYDROPHILLIC, NON CORROSIVE. SUITABLE FOR PRESSURE INJECTION USE	3360	2040	AVANTI INTERNATIONAL DE NEEF CONSTRUCTION CHEMICALS FOX INDUSTRIES, INC. NYCTA	AV-330 SAFEGUARD HYDRO ACTIVE SEALFORM FX-1 JET SET CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-39-1265	COATING, PROTECTIVE CREAM, FOR HANDS; PROTECTS AGAINST OIL/GREASE, WATER BASED AND SOLVENT BASED	1120	433	NYCTA S.C. JOHNSON ELANTAS PDG., INC. NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL STOKODERM PROTECT PURE RANVAR B7-373VT/ELAN-PLUS CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-42-1025	VARNISH, INSULATING, TWO- COMPONENT POLYESTER; FOR VACUUM PRESSURE IMPREGNATION AND DIP APPLICATION ON SUBWAY CAR MOTORS, COMPOUND, SILICONE, HEAT SINK, WHITE			81 DOW CORNING MIL SPEC NYCTA TRANSLITE VAPOR WESTINGHOUSE	340 HEAT SINK COMPOUND MIL-DTL-47113E CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL AH2668-2 67110049 6247D49H02
70-42-1054	PASTE IN 5 OZ.TUBE. USE FOR HEAT SINK IN ELECTRONIC DEVICES SUCH AS DIODES AND TRANSISTORS. CERTIFICATE OF ANALYSIS TO INCLUDE WORKED PENETRATION OF COMPOUND.	146			
70-42-1110	COMPOUND, INSULATING, 2-PART KIT, EPOXY ADHESIVE, 4-OZ; MINIMUM SHORE "D" HARDNESS (CURE 2 HRS) TO BE 65;	1608	981	HENKEL CORPORATION NYCTA	LOCTITE EA 1C (A&B) #1373425 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-42-1124	ADHESIVE, SEALANT, SILICONE RUBBER, RTV, ONE COMPONENT THIXOTROPIC PASTE, GENERAL PURPOSE SEALING AND BONDING, CLEAR/TRANSLUCENT, 4.7 OZ.	6463	4304	DOW CORNING MILITARY NYCTA	732 CLEAR MIL-A-46106B CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-42-1130	SEALANT, SILICONE ELECTRONIC GRADE, APPLIED WITH A CAULKING GUN; PACKAGED IN 10.1 FL OZ. CARTRIDGES. MUST MEET REQUIREMENTS OF MILITARY	20	12	DOW CORNING MILITARY NYCTA	738 ELECTRICAL SEALANT MIL-A-46146B TYPE I CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-42-1305	COATING, SYNTHETIC RUBBER, FOR ELECTRICAL INSULATION, 4-OZ. BRUSH-IN-CAP CAN. COLOR: BLACK. 6 CANS PER	12	10	NYCTA PLASTI DIP INTERNATIONAL	CCSS-003 REV E 6/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL LIQUID TAPE F-825 #LET14Z03
70-42-1950	INHIBITOR, CORROSION, LIQUID, FOR USE IN HIGH PRESSURE SPRAY WASHERS TO PROTECT PUMP PARTS, PIPING AND TANK	605	385	CASTROL INDUSTRIAL NYCTA	TECHNICLEAN XHP CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-42-1996	THINNER, POT-LIFE EXTENDER, FOR VPI TANK VARNISH (AVAILABLE UNDER STOCK #70-42-1025). PACKAGED IN FIVE (5) GALLON CLOSED HEAD PAILS. MUST BE	185	60	DELTECH NYCTA VON ROLL ISOLA USA, INC.	VINYL TOLUENE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 774 VINYL TOLUENE
70-43-0207	KIT, SHALLOW REPAIR EPOXY MORTAR, FLOOR PATCHING AND RESURFACING; KIT CONSISTS OF A FIVE GALLON PAIL	36	0	GARON PROD. NYCTA	GARONCLAD MORTAR PARTS A & CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-43-1000	COMPOUND, ANTI-SEIZE AND LUBRICATING GREASE CONTAINING FINE METALLIC (COPPER) AND GRAPHITE PARTICLES. FOR USE ON THREADED	447	143	HENKEL LOCTITE CORPORATION MIL SPEC NYCTA	C5A COPPER BASE MIL-907E CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-44-1500	LIQUID, FRICTION MODIFIER, USED TO MODIFY FRICTION BETWEEN TRAIN WHEELS AND RAILS THEREBY MINIMIZING			LB FOSTER RAIL TECHNOLOGIES INC NYCTA	KELTRACK TRANSIT EX CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-48-1000	NEUTRALIZER, LIQUID, HOMOGENEOUS ALKALINE SOLUTION FOR NEUTRALIZATION OF ACIDIC CAR WASH EFFLUENTS. PRODUCT MUST CONTAIN A MINIMUM OF 7% ALKALINE SALTS.			COSCO ENTERPRISES, INC. DIAMOND CHEMICAL NATIONAL CHEMICAL LAB OF PA. NATIONWIDE CHEMICAL CO., INC. NYCTA	FO 1142 FO 1142 NEUTRALIZER #4138 TA X494 NEUTRALIZER DF CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	PRODUCT MUST NOT CONTAIN				1302-C-88
	PHOSPHATES, SILICATES, FREE CAUSTIC OR			PENETONE CORP	NEUTRALIZER C
70-48-1010	NEUTRALIZER, ALKALINE LIQUID, FOR			COSCO ENTERPRISES, INC.	F03027
	NEUTRALIZING ACIDIC BASED CAR			DIAMOND CHEMICAL	F03027
	WASHER SOLUTIONS. DELIVERED IN 2000-			NYCTA	CCSS-003 REV E 9/11/17 RESTR
70-48-1015	NEUTRALIZER, COMPOUND, TO BE USED	4	5	COSCO ENTERPRISES, INC.	FO 3027
	TO NEUTRALIZE ANY RESIDUE FROM THE			NYCTA	CCSS-003 REV E 9/11/17 RESTR
	CLEANER THAT HAS BEEN USED TO				CCSS-001, REV I, 3-9-11, LABEL
70-48-2000	NEUTRALIZER, ACID BASED, FOR	165	0	NYCTA	CCSS-003 REV E 9/11/17 RESTR
	NEUTRALIZING ALKALINE PARTS WASHING				CCSS-001, REV I, 3-9-11, LABEL
	SOLUTIONS, CONSISTS OF 70% GLYCOLIC			THE CHEMOURS COMPANY	GLYCOLIC ACID 70% TECH
70-57-1050	PRIMER, POLYSILANE BASED, CLEAR, 250	0	0	MINNESOTA, MINING & MANUFACTUR	METAL PRIMER P592
	ML BOTTLE, 12 PER CASE. APPLIED TO			NYCTA	CCSS-003 REV E 9/11/17 RESTR
	METAL, PLASTICS, GLASS PRIOR TO USING				CCSS-001, REV I, 3-9-11, LABEL
70-58-0705	PUTTY, FIRE-RESISTANT, HAND-MOLD, USE	7	70	NYCTA	CCSS-003 REV E 9/11/17 RESTR
	TO FILL SMALL OPENINGS IN WALLS AND				CCSS-001, REV I, 3-9-11, LABEL
	FLOORS, MEET SPECIFICATION UL1479,			RECTORSEAL CORPORATION	METACAULK FIRE RATED PUTTY
70-58-1010	COMPOUND, FILLING, PUTTY, ACRYLIC	0	0	MINNESOTA, MINING & MANUFACTUR	ACRYL-GREEN SPOT PUTTY 05096
	RESIN ELASTOMER BASED, USED FOR			NYCTA	CCSS-003 REV E 9/11/17 RESTR
	FILLING SMALL HOLES AND SCRATCHES IN				CCSS-001, REV I, 3-9-11, LABEL
70-60-0582	CHILLING AGENT, AEROSOL, CONTAINS	255	134	GC ELECTRONICS	GC FREEZE MIST #19-8410-10
	100% TETRAFLUOROETHANE, USED FOR			ITW CHEMTRONICS, INC	FREEZ-IT #ES1050
	CHECKING PROPER OPERATION OF			MICROCARE CORPORATION	MICROFREEZE CIRCUIT COOL MCC-
	HEATER THERMOSTAT IN RAILCARS., IN 10			NYCTA	CCSS-003 REV E 9/11/17 RESTR
	OZ. CANS 10-12 CANS PER CASE				CCSS-001, REV I, 3-9-11, LABEL
				TECHSPRAY, L.P.	FREEZER 1672-10S
70-60-1060	REPELLENT, INSECT, SPRAY, MUST	4262	3928	NYCTA	CCSS-003 REV E 9/11/17 RESTR
	CONTAIN 25-30% DEET, MUST BE				CCSS-001, REV I, 3-9-11, LABEL
	REGISTERED WITH EPA AND ASSIGNED A			S.C. JOHNSON	DEEP WOODS INSECT REPELLENT
70-60-5007	ADHESIVE, RETAINING COMPOUND, USED	0	0	HENKEL CORPORATION	LOCTITE 620 RETAIN COMP
	ON R142 CARS FOR SECURING DOOR			NYCTA	CCSS-003 REV E 9/11/17 RESTR
	OPERATOR BUSING SUPPORT				CCSS-001, REV I, 3-9-11, LABEL
70-60-5010	ADHESIVE, RETAINING COMPOUND,	35	5	ND INDUSTRIES	54150 HIGH STRENGTH-SLIP FIT

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	SINGLE COMPONENT, ANAEROBIC, HIGH STRENGTH AND VISCOSITY, ROOM TEMPERATURE CURING, USED TO JOIN			NYCTA PERMATEX SAF-T-LOK	CCSS-001, REV I, 3-9-11, LABEL BEARING MOUNT 50 ML 68050 R35
70-60-5012	ADHESIVE, RETAINING COMPOUND, USED ON R142 CARS TO ADHERE THE BEARING ON THE CONDENSER FAN MOTOR SHAFT.			HENKEL CORPORATION NYCTA	LOCTITE 603 RETAIN COMP CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-60-5015	ADHESIVE, RETAINING COMPOUND, USED ON R142A CARS FOR SECURING THE BALANCING HARDWARE TO THE ROTOR ON TRACTION MOTORS. FOR BONDING OF	4	0	HENKEL CORPORATION MILITARY NYCTA	640 RETAINING COMPOUND MIL-R-46082B CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-60-5020	ADHESIVE, BONDING RESIN, USED ON R142A CARS FOR HOLDING THE ENDS OF THE TOP LAYER OF INSULATION ON THE			ELANTAS PDG., INC. NYCTA	RANVAR B553 BONDING RESIN CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-63-3100	RESIN, FIBREGLASS, WITH LIQUID HARDENER USED FOR METAL AND FIBERGLASS REPAIRS; RESIN PACKAGED IN 1 GALLON CAN AND HARDENER IN 2 OZ. TUBE; MUST MEET ALL REQUIREMENTS	45	26	NYCTA QUEST AUTOMOTIVE PRODUCTS	PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7112-FACIL-00 RESIN & HARD*GAL #58020
70-67-0500	ADHESIVE, SEALANT, COLOR: CLEAR, IN 3 OUNCE TUBE, USED IN CONJUNCTION WITH AMP CONNECTOR, AMP SOLDER CUP CONTACT, RAYCHEM BOOT AND	15	8	DOW CORNING FEDERAL SPECIFICATION NYCTA	RTV-3145 MIL-A-46146 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-0760	ADHESIVE, INSTANT, ONE-PART BLACK GEL, 20 GRAM TUBE. FOR BONDING METALS, PLASTICS, RUBBER. GEL	3	8	HENKEL CORPORATION NYCTA	LOCTITE 426 BLACK INSTANT CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-0850	SEALANT, HEAT RESISTANT, NON-SLUMPING SILICONE ELASTOMER, RED, 10.1 FL. OZ. CARTRIDGES, DESIGNED FOR SEALING AND BONDING APPLICATIONS			DOW CORNING FEDERAL NYCTA	736 HEAT RESISTANT SEALANT MIL-A-46106A CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-0852	SEALANT, FAST CURE THREAD, FOR THREADED FITTINGS IN PNEUMATIC AND HYDRAULIC SYSTEMS. 50 ML TUBE.	0	0	HENKEL LOCTITE CORPORATION NYCTA	5452 THREAD SEALANT #1265769 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-0882	ADHESIVE, SEALANT, PERMANENT	65	68	FEDERAL	MIL-S-46163A TYPE II GRADE 0

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	THREAD LOCKER, HIGH STRENGTH, FOR LOCKING ALL FASTENERS THAT MUST WITHSTAND HEAVY SHOCK AND VIBRATION, EXTREME CHEMICAL OR ENVIRONMENTAL CONDITIONS, FOR			HENKEL CORPORATION NYCTA	LOCTITE 262 THREADLOCKER CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
				PERMABOND SAF-T-LOK	PERMABOND HM-118 T62
70-67-0884	ADHESIVE, SEALANT, LOW VISCOSITY THREAD LOCKER, WICKING GRADE, PENETRATES PRE-ASSEMBLED FASTENERS, TORQUE, FOR ADJUSTABLE POTENTIOMETERS, COLOR IS GREEN, IN 9	0	0	FEDERAL SPECIFICATION HENKEL CORPORATION NYCTA SAF-T-LOK	MIL-S-46163A TYPE III GRADE R LOCTITE THREADLOCKER #29021 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL S90
70-67-0885	ADHESIVE, INSTANT, SUPERBONDER, HIGH VISCOSITY (400-4000 CPS), FOR BONDING METAL, PLASTIC AND VINYL PARTS, GAP FILLING ABILITY UP TO 0.010". 1.0 FLUID OUNCE NET WEIGHT BOTTLE. MINIMUM	2721	1724	FEDERAL SPECIFICATION HENKEL CORPORATION NYCTA PERMABOND	MIL-A-46050C, TYPE II, CLASS 3 LOCTITE INSTANT ADHESIVE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL PERMABOND 200-1 FL. OZ
70-67-0950	COMPOUND, ANTI-SEIZE, SILVER GRADE, HIGH TEMPERATURE, FOR USE ON DRAWBAR COMPONENTS OF R142 AND	331	225	HENKEL CORPORATION NYCTA	LOCTITE LB8150SV ANTISEIZE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1110	SEALANT, FOR COIL CONNECTIONS, PERMANENTLY SOFT, THUMBGRADE, FOR USE ON SPLIT CAM MODIFICATON FOR GE CONTROLLERS ON RAILCARS, IN ONE LB.			NYCTA SEALERS, INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7123-FACIL-00 1003 SEALER
70-67-1202	SEALANT, SEAM SEALANT, SYNTHETIC ELASTOMER, WATER BASED NON-SAG WHITE PASTE; USED TO REPAIR CAR BODY	0	0	MINNESOTA, MINING & MANUFACTUR NYCTA	ALL-AROUND AUTOBODY CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1320	SEALER, EDGE, ACRYLIC/ALKYD, RESIN BASED, CLEAR, PACKAGED IN 8 OZ. CAN WITH FELT DAUBER APPLICATOR; SOLIDS	72	27	MINNESOTA, MINING & MANUFACTUR NYCTA	SCOTCHCAL BRAND EDGE SEALER CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1370	RESIN, ACRYLIC, LOCKING AND SEALING COATING FOR THREADED FASTENERS. A SPECIAL BLEND OF ACRYLIC RESINS TO	0	35	ND INDUSTRIES NYCTA	VIBRA-TITE #21330 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1425	SEALANT, GASKET AND THREAD; FOR USE IN AIR CONDITIONING EQUIPMENT;	82	93	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-67-1635	SYNTHETIC REFRIGERATION OIL BASED; JOINT COMPOUND, FLEXIBLE FILLER FOR EXPANSION JOINTS, TWO-COMPONENT POLYMER CONTAINING EPOXY &	7	0	REFRIGERATION TECHNOLOGIES NPI FOR GARON NYCTA	NYLOG BLUE RT201B GARON JOINT GUARD 163010 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1679	SEALANT, PIPE JOINT, FOR AIR CONDITIONING SYSTEMS; USED TO SEAL THREADED JOINTS, FLANGE JOINTS AND ALL METAL AND PLASTIC PIPING	456	280	HIGHSIDE CHEMICAL NYCTA	"LEAK LOCK" CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7109-FACIL-00 REV A
70-67-1680	SEALANT, PIPE JOINT, FOR AIR CONDITIONING SYSTEMS; USED TO SEAL THREADED JOINTS, FLANGE JOINTS AND ALL METAL AND PLASTIC PIPING	233	236	HIGHSIDE CHEMICAL NYCTA	LEAK LOCK 10004 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 7109-FACIL-00 REV A
70-67-1700	SEALANT, INSULATING, EXPANDING POLYURETHANE FOAM, TACK FREE TIME - 5 MINUTES, CUT THRU TIME- 60 MINUTES,	970	846	ICP AMERICA NYCTA	HANDI-FOAM WINDOW & DOOR CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1702	SEALANT, INSULATING MULTI-PURPOSE, LATE FOAM, EXPANDING. TACK FREE TIME- 10 MINUTES, FULL CURE TIME- 24 HOURS,	48	41	DAP INC. NYCTA	DAPTEX PLUS FOAM SEALANT CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1725	SEALANT, THREADLOCKER, MEDIUM STRENGTH ADHESIVE WITH INCREASED RELIABILITY TO WITHSTAND HIGH TEMPERATURE, VIBRATION, MINOR	24	28	HENKEL CORPORATION NEW FLYER CO. NYCTA	LOCTITE 243 THREADLOCKER 081034(REF ONLY) CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1802	SEALANT, SILICONE CONSTRUCTION GRADE, CLEAR; USED TO SEAL BUILDING JOINTS TO PREVENT THE PENETRATION OF	112	99	MOMENTIVE AMER IND NYCTA	SCS 1201 12R CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1812	SEALANT, ADHESIVE, HIGH TEMPERATURE SILICONE (POLYSILOXANE OR DIMETHTHYSILOXANE) BASED. USED FOR	237	160	LOCTITE CORP NORTH AMER. GROUP NYCTA	RTVSILICONE SEALANT #59630 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1814	COMPOUND, GASKET, SILICONE, RTV, ONE COMPONENT, TO FORM GASKET SEALS IN MECHANICAL ASSEMBLIES, ULTRA BLUE	83	43	HENKEL CORPORATION NYCTA	LOCTITE SI587 RTV SILICONE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1838	SEALANT, FIRE BARRIER, ONE- COMPONENT SILICONE ELASTOMER; USED	3	0	MINNESOTA, MINING & MANUFACTUR NYCTA	3M FIREBARRIER 2000+ CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-67-1839	TO SEAL CRACKS OR HOLES AROUND PIPES PUTTY, FIRESTOPPING, ONE-PART, TWO- STAGE INTUMESCENT, NON-HARDENING COMPOUND. 36 CUBIC INCH BAR PACKAGED IN 0.6 LITER TUBE. USED TO	29	8	ASTM NYCTA	CCSS-001, REV I, 3-9-11, LABEL E814 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1840	SEALANT, RTV SILICONE, GRAY, FOR USE IN SEALING FLANGES AND GE GEAR UNITS; TO HAVE EXCELLENT OIL AND CHEMICAL	468	307	SPECIFIED TECHNOLOGIES INC. HENKEL LOCTITE CORPORATION NYCTA	SPEC SEAL FIRESTOP PUTTY LOCTITE SI 5699 GREY 18581 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1842	SEALANT, SILICONE, USED FOR FORMED- IN- PLACE GASKETING, COLOR: BLACK, PACKAGED IN 10.1 FL OZ. CARTRIDGES; MUST MEET ALL REQUIREMENTS SET UP	121	30	MOMENTIVE AMER IND NYCTA	RTV 1473-CRTRG CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1880	SEALANT, SYNTHETIC RUBBER BASED, FOR RE-INSTALLATION OF RUBBER GASKETS ON R142 RAILCAR DOORS. REDUCES			MANUS PRODUCTS, INC. NYCTA	7115-FACIL-00 MANUS-BOND 52-A (BLACK) CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-1900	SEALANT, COMPOUND, PIPE JOINT SEALANT ON THREADED METAL PIPES (NOT FOR USE ON PLASTIC PIPES), MUST MEET ALL REQUIREMENTS UNDER NYCT	180	23	HERCULES CHEMICAL NYCTA	PRO DOPE #15-420 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-2110	ADHESIVE, SEALANT, HIGH STRENGTH THREAD LOCKER, FOR LOCKING ALL FASTENERS UP TO 1" DIAMETER WHERE HIGH LOAD OR HIGH VIBRATION IS PRESENT, COLOR: RED, 50 ML BOTTLE; 6 TO 10 BOTTLES PER CARTON. MINIMUM SHELF LIFE REQUIRED AT TIME OF	691	392	FEDERAL SPECIFICATION HENKEL CORPORATION ND INDUSTRIES NYCTA	7093-FACIL-99 MIL-S-46163A TYPE I GRADE K LOCTITE 271 THREADLOCKER 14050 HIGH STRENGTH CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-2135	SEALANT, GASKET ELIMINATOR, REPLACES PRE-CUT OR FORMED-IN-PLACE GASKETS, ROOM TEMPERATURE CURING, PROVIDES TOUGH RESILIENT SOLVENT AND	403	244	PERMABOND SAF-T-LOK HENKEL CORPORATION NYCTA	PERMABOND HM 128-50 ML T70 LOCTITE 518 GASKET ELIMINATOR CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-2139	ACTIVATOR, PRIMER TO SPEED THE CURE OF ANAEROBIC ADHESIVES AND SEALANTS, ONE COMPONENT NON-CFC	38	24	PERMATEX, INC. HENKEL CORPORATION NYCTA	ANAEROBICGASKETMAKER LOCTITE SF 7649 PRIMER 21348 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-67-2143	SOLVENT BASED SURFACE ACTIVATOR, ACTIVATOR/PRIMER, USED TO SPEED THE CURE OF ANAEROBIC ADHESIVES AND SEALANTS. ESPECIALLY FOR APPLICATIONS	0	0	SAF-T-LOK HENKEL CORPORATION NYCTA	PRIMER N AEROSOL LOCTITE SF 7471 PRIMER 19267 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-2147	SEALANT, GASKET SEALING, IN 3.5 OZ TUBE WITH NOZZLE. FOR SEALING THE END CAP TO THE HOUSING ON	0	0	HYLOMAR LTD/VALCO NYCTA	HYLOMAR ADVANCEDFORMULA CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-2151	ADHESIVE, SEALANT, THREADLOCKER; FOR SCREWS, NUTS, BOLTS LESS THAN 1/4", LOW STRENGTH, HAND TOOL REMOVABLE, COLOR: PURPLE, IN 50 ML BOTTLES. MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS NINE MONTHS. CERTIFICATE OF ANALYSIS TO	81	23	FEDERAL SPECIFICATION HENKEL CORPORATION ND INDUSTRIES NYCTA PERMABOND SAF-T-LOK	MIL-S-46163A TYPE II GRADE M LOCTITE 222MS THREADLOCKER 11150 LOW STRENGTH CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL PERMABOND LM 113-50ML T22
70-67-2152	ADHESIVE, SEALANT, THREADLOCKER; FOR SCREWS, NUTS, BOLTS LESS THAN 1/4", LOW STRENGTH, HAND TOOL REMOVABLE, COLOR: PURPLE, IN 10 ML BOTTLES. VENDOR TO SUPPLY CERTIFICATE OF ANALYSIS & CERTIFICATE OF CONFORMANCE FOR EACH	246	116	FEDERAL SPECIFICATION HENKEL CORPORATION ND INDUSTRIES NYCTA PERMABOND SAF-T-LOK	MIL-S-46163A TYPE II GRADE M LOCTITE 222MS THREADLOCKER 11110 LOW STRENGTH CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL PERMABOND LM113-10ML T22
70-67-2153	ADHESIVE, SEALANT, LOW VISCOSITY, SUPER BONDER, GENERAL PURPOSE INSTANT ADHESIVE BONDS METALS, PLASTICS. FILLS GAPS UP TO .004", CAN BE USED TO BOND PRE-ASSEMBLED PARTS	63	51	FEDERAL SPECIFICATION HENKEL CORPORATION NYCTA PERMABOND	MIL-A-46050C TYPE II CLASS 1 LOCTITE 495 INST ADHESIVE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL PERMABOND 105
70-67-2170	ADHESIVE, SEALANT, THREADLOCKER, GENERAL PURPOSE, MEDIUM STRENGTH ADHESIVE FOR USE WITH FASTENERS, NUTS, BOLTS, SCREWS 1/4" AND LARGER, HAND TOOL REMOVABLE, COLOR: BLUE, IN 10ML BOTTLES. MINIMUM SHELF LIFE REQUIRED AT	2352	1556	FEDERAL SPECIFICATION HENKEL CORPORATION HERNON MFG NYCTA PERMABOND SAF-T-LOK	MIL-S-46163A TYPE II GRADE N LOCTITE 242 THREADLOCKER NUTS N'BOLTS #42310 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL PERMABOND MM115-10ML T42

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
70-67-2171	ADHESIVE, SEALANT, THREAD LOCKER, GENERAL PURPOSE MEDIUM STRENGTH ADHESIVE FOR USE WITH FASTENERS, NUTS, BOLTS, SCREWS 1/4" AND LARGER, HAND TOOL REMOVABLE; COLOR: BLUE, IN 50 ML BOTTLES. VENDOR TO SUPPLY CERTIFICATE	515	270	FEDERAL SPECIFICATION HENKEL CORPORATION HERNON MFG NYCTA PERMABOND SAF-T-LOK	MIL-S-46163A, TYPE II, GRADE N LOCTITE 242 THREADLOCKER NUTS N'BOLTS #42330 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL PERMABOND MM115-50 ML T42
70-67-2172	SEALANT, PIPE SEALANT WITH TEFLON FOR USE ON METAL PIPE THREADS, FITTINGS AND FLANGES, ESPECIALLY STAINLESS STEEL. ALSO USED ON TRACTION GEAR UNIT ASSEMBLY; NOT	1093	727	HENKEL CORPORATION NYCTA PERMABOND PERMATEX, INC.	LOCTITE 567 TB 50ML EN CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL PERMABOND LH-150-50ML TUBE 59235 HITEMP THREAD SEALANT
70-67-2173	SEALANT, PIPE, WITH TEFLON, FOR USE ON METAL PIPE THREADS, FITTINGS AND FLANGES, ESPECIALLY STAINLESS STEEL,	89	24	HENKEL CORPORATION NYCTA	LOCTITE 567 TB 250ML EN CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-2179	SEALANT, PIPE SEALANT WITH TEFLON, FOR USE ON METAL PIPE THREADS, FITTINGS AND FLANGES; ALSO USED ON GE CONTROLLER #17KC76AE2; NOT FOR USE ON PLASTIC PIPES. WHITE PASTE IN A	2268	1568	HENKEL CORPORATION NYCTA PERMABOND	LOCTITE PST PIPE SEALANT 59231 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL PERMABOND LH-050-50ML TUBE LH050
70-67-2300	SEALANT, ADHESIVE, ELASTOMERIC PREMIUM GRADE HIGH PERFORMANCE, MOISTURE CURED, 1 COMPONENT,	314	12	NYCTA SIKAFLEX	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL 1A BLACK
70-67-5170	SEALANT, PIPE, NON-HARDENING TYPE WITH TEFLON; SMOOTH PASTE; FOR USE ON THREADED METAL PIPES, FITTINGS	566	297	HENKEL CORPORATION NYCTA	LOCTITE 5113 THREAD SEALANT CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-67-7005	DETECTOR, GAS LEAK SOLUTION, NON-TOXIC, NON-FLAMMABLE, BIODEGRADABLE. FOR USE IN DETECTING	381	440	NYCTA REFRIGERATION TECHNOLOGIES	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL BIG BLU RT100S
70-68-0100	COMPOUND, ELECTRICAL JOINT, CONDUCTIVE, HIGH TEMPERATURE, FOR USE IN ALUMINUM TO ALUMINUM	14	35	ALCOA FUJIKURA LTD NYCTA	ELECTRIC JOINT COMPOUND NO. CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-70-1000	LUBRICANT, SLIDING COMPOUND WITH	32	19	NYCTA	CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	SILICONE; MULTI-PURPOSE; USED FOR INSTALLING WINDOW GLASS; MINIMUM			SLIPIT INDUSTRIES INC	CCSS-001, REV I, 3-9-11, LABEL SLIPIT SLIDING COMPOUND
70-71-1200	SOAP, MILLED TOILET CAKE, 3-OZ., MUST MEET THE PROPERTIES OF A MILLED TOILET SOAP GIVEN IN NYC SPECIFICATION 5-S-25:85, TABLES I + II, TO BE PACKAGED	16132	12993	CORCRAFT/DEPT. OF CORRECT.SERV NYC SPEC NYCTA	MILLED TOILET BAR SOAP 5-S-25:85 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-71-1525	SOAP, LEAK DETECTOR, FOR DETECTING LEAKS IN PNEUMATIC PARTS. MUST PROVIDE VISIBLE BUBBLING ACTION	880	330	NATIONWIDE CHEMICAL CO., INC. NYCTA	TA900 LIQUID HAND SOAP CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-71-1530	CLEANER, HEAVY DUTY ALKALINE. PRODUCT MUST BE NON-STREAKING, SELF RINSING, SOLUBLE IN COLD WATER, LOW FOAM, NON-TOXIC & NON-FLAMMABLE,	0	0	NATIONWIDE CHEMICAL CO., INC. NYCTA	"BLOCK BUSTER" 110 (R-3) PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-72-1201	CLEANER, DEGREASER, FOR REMOVAL OF GREASE, RUBBER RESIDUES, WAX, ADHESIVE. PACKAGED IN 12-16 OZ NET. WEIGHT AEROSOL CAN. CONTAINS D-	37230	22391	CRC INDUSTRIES, INC. ITW CHEMTRONICS, INC NYCTA	CITRUS DEGREASER #14170 MAX-KLEEN CITRUS HF ES2291 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-72-1202	CLEANER AND DEGREASER, USED ON R142 CARS FOR CLEANING/DEGREASING THE CONDENSER FAN MOTOR SHAFT PRIOR TO	0	0	HENKEL CORPORATION NYCTA	LOCKTITE ODC-FREE CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-72-1711	DESICCANT, FOR KNORR AIR BRAKE DUAL CHAMBER AIR DRYER UNIT TYPE LTZ 012- H, MOLECULAR SIEVE, SODIUM	0	0	KNORR BRAKE CORPORATION NYCTA	810532 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-72-1713	DESICCANT KIT, FOR KNORR AIR BRAKE DUAL CHAMBER AIR DRYER UNIT TYPE LTZ	0	0	KNORR BRAKE CORPORATION NYCTA	810533 CCSS-001, REV I, 3-9-11, LABEL
70-72-1715	DESICCANT, FOR KNORR AIR BRAKE AIR DRYER UNIT VV-120. MOLECULAR SIEVE, SODIUM ALUMOSILICATE ADSORBENTS, 8 X 12 BEADS. APPARENT DENSITY 50	0	0	KNORR BRAKE CORPORATION NYCTA	810532/9.7 CCSS-003 REV E 9/11/17 RESTR CCSS-003 REV D 12/2/15 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-72-1716	DESICCANT KIT, FOR KNORR AIR BRAKE DRYER UNIT VV-120. KIT CONTAINS TWO 9.7 POUND BAGS OF MOLECULAR SIEVE 8	-1	0	KNORR BRAKE CORPORATION NYCTA	806544/151 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-72-1717	DESICCANT, ABSORBENT, ACTIVATED	717	189	GRAHAM WHITE	5995-038

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	ALUMINA(BASF-"F-200"). FOR GRAHAM WHITE AIR DRYER ASSEMBLY UNIT #995-			NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-72-1718	DESICCANT KIT, FOR GRAHAM WHITE AIR DRYER ASSEMBLY UNIT #995-200 USED IN RAILCAR AIR BRAKE COMPRESSORS. KIT			GRAHAM WHITE NYCTA	RM995-1 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-77-1195	TESTING COMPOUND, FLUORESCENT MAGNETIC PARTICLE PREPARED BATH; REFINED PETROLEUM DISTILLATE BASED	275	195	MAGNAFLUX NYCTA	14AM MAGNAGLO PREPARED CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
70-77-1252	KIT, TEST, ACID, IS USED ON ALL REFRIGERATION OILS, TO DETERMINE THE LEVEL OF ACID WITHIN REFRIGERATION	0	0	COMSTAR INTERNATIONAL INC. NYCTA	90-311 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
71-09-1030	PAINT, LATEX, FLAT, BLACK, EXTERIOR, ACRYLIC EMULSION, IN 5 GAL. CANS. VISCOSITY 75 KU MINIMUM; 60 DEGREE SPECULAR GLOSS IS LESS THAN 10	0	0	MERCURY PAINT CO. NYCTA	NYCTA TT-P-19B BLACK CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-09-1050	PAINT, ALKYD EXTERIOR ENAMEL, BLACK GLOSS IN ONE GALLON CAN. USED TO PAINT TRUCK FRAMES AND MOTORS ON SUBWAY CARS AND LOCOMOTIVE	95	96	MERCURY PAINT CORP/AMSTERDAM M NYCTA	INDUSTL MAINT M12 BLACK CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-09-1100	PAINT, LATEX, ENAMEL, BLACK GLOSS, EXTERIOR/INTERIOR, IN ONE GALLON CAN. USED TO PAINT MOTOR FRAMES AND SHELLS. APPLIED BY SPRAY, BRUSH	422	411	MERCURY PAINT CO. NYCTA	LATENBLCK CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-09-1456	PAINT, LATEX, TAN, GLOSS INTERIOR/ EXTERIOR, IN ONE GALLON CANS. USED ON INTERIOR AND EXTERIOR SOP AND CLEANING BOOTH WALLS. TRISTIMULUS VALUES: L*73.06M A*7.98, B*17.29;	5	0	FEDERAL STD. MERCURY PAINT CO. NYCTA	AA-2246 LATEX EN LIGHT FAWN TAN CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-09-1605	PAINT, ENAMEL, BLUE, GLOSS, AIR DRY, IN 5 GALLON CAN. USED TO PAINT SHOP WALLS AND LINES ON SHOP FLOORS TO INDICATE HARD HAT AREAS. COLOR: NYCT	5	55	MERCURY PAINT CO. NYCTA	IMC M12 PENNANT BLUE CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-09-1690	PAINT, ALKYD, ENAMEL, CHOCOLATE	0	0	MERCURY PAINT CO.	IND MAINT

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
71-09-2310	BROWN, GLOSS, IN ONE GALLON CAN. PAINT, ALKYD, ENAMEL, BATTLESHIP GRAY FLOOR AND DECK, GLOSS, IN FIVE GALLON CAN. USED TO PAINT SHOP FLOORS. COLOR: NYCT BATTLESHIP GRAY (TRISTIMULUS VALUES: L* 48.03, A* -3.41, B* -0.61; DELTA E= 2.50). MUST MEET	80	180	NYCTA FEDERAL SPECIFICATION MERCURY PAINT CO. NYCTA	CCSS-003 REV E 9/11/17 RESTR TT-E-487 INDUSTL MAINT TTE487#16187 PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-09-8020	PAINT, NYCT, SILVER WHITE, LATEX EXTERIOR GLOSS, IN FIVE GALLON CAN. THE PAINT COLOR PROVIDED MUST CONFORM TO THE FOLLOWING CIELAB	10	60	MERCURY PAINT CO. NYCTA	LATEX GLOSS SLIVER WHITE CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R.PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-09-8033	PAINT, ALKYD, ENAMEL, ANTIQUE SATIN, GLOSS, IN ONE GALLON CAN. USED TO	0	0	MERCURY PAINT CO. NYCTA	TT-E-489J ANTIQUE SATIN #2486 CCSS-003 REV E 9/11/17 RESTR
71-09-8035	PAINT, ALKYD, ENAMEL, SNOW MIST, GLOSS, IN ONE GALLON CAN. USED TO PAINT OFFICE AND SHOP WALLS. COLOR:	44	124	MERCURY PAINT CO. NYCTA	IMC M12 SNOW MIST/71-09- CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R.PAINTS REV. F
71-09-8200	PAINT, ALKYD, ENAMEL, MOUNTAIN MARIGOLD, SEMI-GLOSS. IN FIVE GALLON CAN. USED TO PAINT LINES ON SHOP FLOORS AND WALLS. COLOR: NYCT MOUNTAIN MARIGOLD(TRISTIMULUS	30	0	ASTM MERCURY PAINT CO. NYCTA	D 562 INDUSTLMAINT M12 CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1180	PAINT, SPRAY, COLOR DULL ALUMINUM, INTERIOR/EXTERIOR, USED TO TOUCH UP WOOD, METAL, NET WEIGHT 12 OZ (11 OZ) 6 TO A CASE	18	2	KRYLON PRODUCTS GROUP NYCTA	METALLICS DULL ALUMINUM CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1242	PAINT, ACRYLIC GLOSS, COLOR: FEDERAL BLUE. IN FIVE GALLON CAN, PER NYCT SPEC STA-1242-1023			MERCURY PAINT CO. NYCTA	DTM71101242 STA-1242-1023 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-10-1257	PAINT, ACRYLIC GLOSS, COLOR: EBONY BLACK, IN FIVE GALLON CAN. PER NYCT			SHERWIN WILLIAMS MERCURY PAINT CO. NYCTA	B66LB332 DTM71101257 STA-1257-1122

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	SPEC STA-1257-1122				CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
				SHERWIN WILLIAMS	B66BB330
71-10-1277	PAINT, ACRYLIC GLOSS, COLOR: LIDO BEIGE, IN FIVE GALLON CAN. PER NYCT SPEC STA-1277-0223			MERCURY PAINT CO. NYCTA	DTM71101277 STA 1277-0223 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
				SHERWIN WILLIAMS	B66HB331
71-10-1285	PAINT, ALKYD ENAMEL, GLOSS, INTERIOR/ EXTERIOR. IN 5-GALLON CAN. USED TO PAINT INTERIOR/EXTERIOR WALLS. COLOR: NYCT MAYFAIR TAN. TRISTIMULUS	0	620	ASTM MERCURY NYCTA	D 476 IMC M12 MAYFAIR TAN/71-10- CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL
71-10-1316	PAINT, ACRYLIC GLOSS, COLOR: SILVER FERN. IN FIVE GALLON CAN. PER NYCT SPEC STA-1316-1023			MERCURY PAINT CO. NYCTA	DTM71101316 STA-1316-1023 CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1322	PAINT, ACRYLIC GLOSS, COLOR: SILVER WHITE, IN FIVE GALLON CAN. PER NYCT SPEC STA-1322-0522			MERCURY PAINT CO. NYCTA	DTM71101322 STA-1322-0522 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
				SHERWIN WILLIAMS	B66WB331
71-10-1327	PAINT, ACRYLIC LATEX, ALUMINUM, HIGH GLOSS, (TRISTIMULUS VALUES; L*43.84, A* 1.14, B*4.19, DELTA E=3.0 MAX) FOR USE ON R68 RAILCAR BONNETS, IN ONE	14	76	MERCURY PAINT CO. NYCTA	SERIES 2150 DTM R68 BONNET CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1332	PAINT, ACRYLIC GLOSS, COLOR: TURKISH TILE, IN FIVE GALLON CAN. PER NYCT SPEC STA-1332-0523			MERCURY PAINT CO. NYCTA	DTM71101332 STA-1332-0522 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
71-10-1337	PAINT, ACRYLIC GLOSS, COLOR: WEIMER GRAY, IN FIVE GALLON CAN. PER NYCT SPEC STA-1337-0522			MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL
				NYCTA	DTM71101337
					STA-1337-0522
					CCSS-003 REV E 9/11/17 RESTR
71-10-1340	PAINT, OIL BASED, COLOR: WOODLAND NIGHT, IN FIVE GALLON CAN. PER NYCT SPEC STA-1340-0523			SHERWIN WILLIAMS	CCSS-002 1/05 G.R. PAINTS REV. E
				MERCURY PAINT CO.	CCSS-001, REV I, 3-9-11, LABEL
				NYCTA	B66AB330
					IMC M12 WOODLAND NIGHT
71-10-1345	PAINT, OIL BASED, COLOR, SAFETY RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1345-0623			ASTM	CCSS-003 REV E 9/11/17 RESTR
				FEDERAL	CCSS-001, REV I, 3-9-11, LABEL
				MERCURY PAINT CO.	D 476
				NYCTA	TT-E 506K
71-10-1355	PAINT, OIL BASED, COLOR: COSMOS BLUE. IN FIVE GALLON CAN, PER NYCT SPEC STA-1355-0623				TT-E 489J
					71-10-1345-MP
					STA-1345-0623
					NYCTA MARKING
71-10-1360	PAINT, OIL BASED, COLOR: EMBER RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1360-1110			SHERWIN WILLIAMS	CCSS-003 REV E 9/11/17 RESTR
				ASTM	CCSS-002 1/05 G.R.PAINTS REV. E
				FEDERAL	CCSS-001, REV I, 3-9-11, LABEL
				MERCURY PAINT CO.	B54RZ0431
71-10-1360	PAINT, OIL BASED, COLOR: EMBER RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1360-1110			NYCTA	D476
					TT-E 506K
					TT-E 489J
					IMCM12COSMOSBLUE71101355
71-10-1360	PAINT, OIL BASED, COLOR: EMBER RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1360-1110				STA-1355-0623
					CCSS-003 REV E 9/11/17 RESTR
					CCSS-001, REV I, 3-9-11, LABEL
71-10-1360	PAINT, OIL BASED, COLOR: EMBER RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1360-1110			ASTM	D476
				FEDERAL	TT-E 506K
				MERCURY PAINT CO.	NYCTA IMCM12 EMBERRED 71-10-
				NYCTA	STA-1360-1110
71-10-1360	PAINT, OIL BASED, COLOR: EMBER RED, IN FIVE GALLON CAN, PER NYCT SPEC STA-1360-1110				CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
					CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
				SHERWIN WILLIAMS	B54RZ0432
71-10-1367	PAINT, ACRYLIC GLOSS, COLOR: FOREST SHADE. IN FIVE GALLON CAN. PER NYCT SPEC STA-1367-1023			MERCURY PAINT CO. NYCTA	DTM71101367 STA-1367-1023
					CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1372	PAINT, ACRYLIC GLOSS, COLOR: GINGER TAN. IN FIVE GALLON CAN. PER NYCT SPEC STA-1372-1023			MERCURY PAINT CO. NYCTA	DTM71101372 STA-1372-1023
					CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1375	PAINT, OIL BASED, COLOR: BLACK, IN FIVE GALLON CAN, PER NYCT SPEC STA-1375-1023			ANSI FEDERAL MERCURY PAINT CO. NYCTA	Z34.2 TT.P-0061E IMC M12 BLACK/71-10-1375 STA 1375-1023
					CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
				SHERWIN WILLIAMS	B54BZ0431
71-10-1380	PAINT, OIL BASED, COLOR: SAFETY YELLOW, IN FIVE GALLON CAN, PER NYCT SPEC STA-1380-0523			ANSI ASTM MERCURY PAINT CO. NYCTA	Z34.2 D476 71-10-1380-MP STA-1380-0523
					CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-10-1470	PAINT, ENAMEL, ALKYD, FLAT BLACK, SPRAY CAN, 12 OZ. NET WEIGHT), 6 CANS PER CASE. [NOTE: FLASHPOINT REQUIREMENT OF NYCTA SPECIFICATION CCSS-002(GENERAL REQUIREMENTS FOR	3246	1291	KRYLON PRODUCTS GROUP NYCTA	COLORMAXX FLAT BLACK 5546 PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
71-10-1475	PAINT, ENAMEL, ALKYD, GLOSS, BLACK, SPRAY CAN 12 OZ. NET WEIGHT, 6 CANS PER CASE. [NOTE: FLASHPOINT REQUIREMENT OF NYCTA SPECIFICATION CCSS-002(GENERAL REQUIREMENTS FOR	4856	3700	KRYLON PRODUCTS GROUP NYCTA	KRYLON COLORMAXX PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1530	PAINT, ENAMEL, GLOSS YELLOW, 12 OUNCE NET WEIGHT SPRAY CAN. COLOR: OSHA SAFETY YELLOW. MEETS COMMERCIAL ITEM DESCRIPTION A-A-1585 WITH EXCEPTIONS TO SOLID	2423	1689	FEDERAL SPECIFICATION KRYLON NYCTA	A-A-1585 KRYLON OSHA SAFETY YELLOW CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1532	PAINT, AEROSOL, ACRYLIC LACQUER, SMOKE GRAY, 12 OUNCE NET WEIGHT IN 16-OUNCE CAN, 6 PER CASE. INTERIOR/EXTERIOR INDUSTRIAL	212	108	KRYLON NYCTA	KRYLONCOLORMAXGLOSSSMOKE CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1540	PAINT, ENAMEL, GLOSS, RED, 12 OUNCE NET WEIGHT SPRAY CAN. COLOR: OSHA SAFETY RED. MEETS COMMERCIAL ITEM DESCRIPTION A-A-1585 WITH EXCEPTIONS TO SOLID CONTENTS AND SPECULAR	460	163	FEDERAL SPECIFICATION KRYLON PRODUCTS GROUP NYCTA NYCTA/MABSTOA	A-A-1585 KRYLON OSHA SAFETY RED 2116 CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL CCSS-002 9/21 G.R. PAINTS REV. F
71-10-1619	PAINT, EASYTHANE, BLACK, #14, COATED METAL PANEL PRODUCT REQUIREMENTS L*=7.39, A*=-1.34, B*=-0.81; GLOSS 60 DEG. +/-7 DEG., 60 DEG. GLOSS METER,	0	0	NYCTA STERLING LACQUER	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL WA1003-1
71-10-1629	PAINT, SINGLE COMPONENT, WATERBORNE, ACRYLIC, ALUMINUM, COATING FORMULATED FOR DIRECT APPLICATION TO PRE-FINISHED METAL	60	79	NYCTA SHERWIN-WILLIAMS	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL B71S200 BOND PLEX ALUMINUM
71-10-1703	PAINT, ACRYLIC GLOSS, COLOR: EARTHEN GOLD. IN FIVE GALLON CAN, PER NYCTA SPEC STA-1703-1023			MERCURY PAINT CO. NYCTA	DTM71101703 STA-1703-1023 CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-1709	PAINT, ACRYLIC GLOSS, COLOR: NEWPORT			MERCURY PAINT CO.	DTM71101709

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	GREEN, IN FIVE GALLON CAN. PER NYCT SPEC STA-1709-0423			NYCTA	STA-1709-0423 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-10-1711	PAINT, ACRYLIC GLOSS, COLOR: PURPLE GRAPE. IN FIVE GALLON CAN. PER NYCT SPEC STA-1711-1023			MERCURY PAINT CO. NYCTA	DTM7110711 STA-1711-1023 CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
				SHERWIN WILLIAMS	B66LB333
71-10-1716	PAINT, ACRYLIC GLOSS COLOR: GARNET. IN FIVE GALLON CAN. PER NYCT SPEC STA- 1716-0323			MERCURY PAINT CO. NYCTA	DTM71101716 STA-1716-0323 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
				SHERWIN WILLIAMS	B66RB330
71-10-1800	PAINT, ACRYLIC GLOSS, COLOR: GUN METAL GREY, IN FIVE GALLON CAN. PER			MERCURY PAINT CO. NYCTA	DTM ACRYLIC GLOSS GUN METAL STA-1800-0722
71-10-1805	PAINT, ACRYLIC GLOSS, COLOR: DARK SHADOW, IN FIVE GALLON CAN. PER NYCT			MERCURY PAINT CO. NYCTA	DTM ACRYLIC GLOSS DARK STA-1805-0823
71-10-5039	PAINT, ALKYD, ENAMEL, RED, GLOSS, IN ONE GALLON CAN. USED TO PAINT FIRE BOX AREAS AND FIRE EXTINGUISHER LOCATIONS. COLOR: NYCT RED GLOSS (TRISTIMULUS VALUES: L* 31.06, A*	2	0	FED. SPEC. MERCURY PAINT CO. NYCTA	TT-E-489J IMC ALKYD HI-GLOSS RED #11136 CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-6022	PAINT, ENAMEL, GLOSSY WHITE, 16 OUNCE SPRAY CANS, NET WT. 12 OZ. MEETING COMMERCIAL ITEM DESCRIPTION A-A-1585 WITH THE EXCEPTION TO SOLID CONTENTS AND	1673	830	FEDERAL SPECIFICATION KRYLON NYCTA	A-A-1585 KRYLON COLORMAX GLOSS CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-6030	PAINT, 100% ACRYLIC WATER EMULSION, TRAFFIC AND AIRFIELD MARKING WHITE IN FIVE GALLON CAN. USED TO PAINT TRIP	30	41	BENJAMIN MOORE PAINTS FED. SPEC. MERCURY PAINT CO.	GT 56210 NYCTA WHT LX TRAF TT-P-1952E LEAD FREE FAST DRY TRAFFIC

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	COCKS, WHEEL AXLE AND INSPECTION LINES. COLOR: NYCT WHITE LATEX TRAFFIC MARKING PAINT WHITE (TRISTIMULUS			NYCTA	PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-6031	PAINT, ENAMEL, ALKYD, GLOSS SWEET CREAM, SPRAY CAN 12 OZ. NET WEIGHT, 6 CANS PER CASE. USED TO PAINT VALVES IN THE MOTORMAN'S CAB AND BRAKE	4	0	KRYLON PRODUCTS GROUP NYCTA	COLORMAXX GLOSS SWEET CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-6032	PAINT, WATER BASE, COLOR: LATEX GARDENIA WHITE, IN FIVE GALLON CAN. PER NYCT SPEC STA-6032-0623			MERCURY PAINT CO. NYCTA	LTX SG GARDENIA/71106032 STA-6032-0623 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-10-6035	PAINT, 100% ACRYLIC WATER EMULSION, TRAFFIC AND AIRFIELD MARKING WHITE IN ONE GALLON CAN. USED TO PAINT TRIP COCKS, WHEEL AXLE AND INSPECTION LINES. COLOR: NYCT WHITE LATEX	129	98	FEDERAL SPECIFICATION MERCURY PAINT CO. NYCTA	TT-P-1952E LEAD FREE FAST DRY TRAFFIC CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-6060	PAINT, WATER BASE, COLOR: CELESTE BLUE. IN FIVE GALLON CAN. PER NYCT SPEC STA-6060-0823			MERCURY PAINT CORP/AMSTERDAM M NYCTA	71-10-6060 STA-6060-0823 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-10-6062	PAINT, ACRYLIC LATEX, COLOR: GREY, IN FIVE GALLON CAN, PER NYCT SPEC. STA-6062-0823			MERCURY PAINT CORP/AMSTERDAM M NYCTA	71-10-6062 STA 6062-0823 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-10-6064	PAINT, ACRYLIC LATEX, COLOR: SEED PEARL, IN FIVE GALLON CAN. PER NYCT SPEC STA-6064-0324			MERCURY PAINT CO. NYCTA	71-10-6064 STA-6064-0324 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
71-10-7010	PAINT, ALKYD, ENAMEL, HIGH VISIBILITY YELLOW GLOSS, IN ONE GALLON CAN. USED TO PAINT SAFETY LINES ON FLOORS AND WALLS. COLOR: NYCT ENAMEL GLOSS TTE-489 HIGH VIS YELLOW (TRISTIMULUS	5	0	FED. SPEC. MERCURY PAINT CO. NYCTA	TT-E-489J INDUSTL MAINT HI-VISIBILITY YEL CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-7022	PAINT, ALKYD, ENAMEL, TARGET YELLOW, GLOSS, IN ONE GALLON CAN. USED TO PAINT SAFEY ZONE ON SHOP FLOORS AND WALLS, TRACK FLOORS AND EXTERIOR	25	34	MERCURY PAINT CO. NYCTA	IMC M12 TARGET YELLOW CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-7030	PAINT, LATEX COLOR: TRAFFIC YELLOW. IN FIVE GALLON CAN, PER NYCT SPEC STA-7030-0223	940	470	AMSTERDAM PAINT MERCURY PAINT CO. NYCTA	TT-P-1952 REV B TYPE II TZWBYEL STA-7030-0223 PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-10-7033	PAINT, LATEX, COLOR: EXTERIOR LATEX GLOSS SAFETY ORANGE, IN FIVE GALLON CAN PER NYCT SPEC STA-7033-0709			MERCURY PAINT CORP/AMSTERDAM M NYCTA	LATEX-GLOSS SAFETY ORANGE STA-7033-0709 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-11-9020	PAINT, ALKYD, ENAMEL, WHITE, GLOSS IN ONE GALLON CANS. USE TO PAINT OFFICE WALLS AND SHOP PITS. COLOR, NYCT	0	0	MERCURY PAINT CO. NYCTA	IMC TTP 102-E WHITE/71-11-9020 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E
71-14-2900	PAINT, BRIGHT SILVER ALUMINUM, ENAMEL, IN 16 OZ. SPRAY CANS, NET WT. 11 OZ., MEETING COMMERCIAL ITEM DESCRIPTION A-A-1585 WITH EXCEPTIONS TO THE SOLID CONTENTS AND SPECULAR	286	195	FEDERAL SPECIFICATION KRYLON NYCTA	A-A-1585 METALLICS BRIGHT SILVER 1401 CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-14-7320	PAINT, WATER BASED ACRYLIC ENAMEL, JOHN DEERE GREEN, ONE GALLON CAN, HIGH GLOSS. VOC LESS THAN 250 G/L	0	0	NYCTA RUST-OLEUM	CCSS-003 REV E 9/11/17 RESTR CCSS-001, REV I, 3-9-11, LABEL INDUSTRIAL CHOICE DTM
71-19-8300	PAINT, ALKYD, ENAMEL, SEMI-GLOSS	0	0	COMMERICAL	A-A-3067

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	WHITE. IN ONE GALLON CANS. USED TO PAINT EXTERIOR WALLS AT SHOPS. COLOR NYCT OIL BASED ALKYD WHITE (TRISTIMULUS VALUES: L*95.01, A*-1.47,			MERCURY PAINT CO. NYCTA	TTP-102 TYPE II ASG WHITE CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-19-9600	PAINT, PRESERVATIVE, RED, STEEL, AIR DRY IN ONE GALLON CAN, USED FOR METAL, USED TO PAINT STEEL BEAMS, COLUMNS AND PLATES. COLOR: NYCT RED STEEL PRESERVATIVE KEY	270	230	MERCURY PAINT CO. NYCTA	IMC #6073 RED STEEL PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-22-0001	PAINT KIT, SAFETY YELLOW, TWO COMPONENT URETHANE, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS. GRAFFITI REMOVER RESISTANT; FOR BRUSH,	0	0	NYCTA SHERWIN-WILLIAMS	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL HP POLYURETHANE B 65W525
71-22-0002	PAINT KIT, SAFETY YELLOW, TWO COMPONENT URETHANE, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS. GRAFFITI REMOVER RESISTANT; FOR BRUSH,	0	0	NYCTA NYCTA/MABSTOA SHERWIN-WILLIAMS	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL POLY-LON 1441-88 LOCOMOT
71-22-0004	PAINT KIT, BIEGE, TWO COMPONENT URETHANE, INTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER AND SPRAY APPLICATION. COLOR:	0	0	NYCTA SHERWIN-WILLIAMS	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL 1075-C-86 REV.J MARCH 1990 POLY-LON 514-87 BEIGE
71-22-0006	PAINT KIT, BEIGE, TWO COMPONENT URETHANE, INTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT; FOR BRUSH,	7	0	NYCTA SHERWIN-WILLIAMS	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL BW65W525 BEIGE & B65V525
71-22-0013	PAINT KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH, ROLLER & SPRAY APPLICATION. COLOR:			NYCTA SHERWIN-WILLIAMS	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL 1075-C-86 REV.J, MAR. 1990 POLY-LON 516-87 SIMULATE
71-22-0018	PAINT KIT, TWO COMPONENT URETHANE; WHITE, INTERIOR FULL GLOSS TOPCOAT			NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	FOR RAILCARS, GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER & SPRAY APPLICATION. COLOR: NYCT POLY WHITE			SHERWIN WILLIAMS	CCSS-001, REV I, 3-9-11, LABEL 1075-C-86 REV.J, MAR. 1990
71-22-0028	PAINT KIT, TWO-COMPONENT POLYURETHANE PRIMER SURFACER, LIGHT GRAY, FOR FILLING PINHOLES AND ROUGH SURFACES OF FIBERGLASS SURFACES OR	0	0	DEFT, INC. NYCTA	HP POLYURETHANE B 65W525 09GY024, 80X040 & IS300 CCSS-003 REV E 9/11/17 RESTR CCSS-003 06/16/00 RESTRICTED
71-22-0034	PAINT KIT, GRAY, TWO COMPONENT URETHANE, EXTERIOR/INTERIOR FULL GLOSS TOPCOAT FOR RAILCARS; GRAFFITI REMOVER RESISTANT; FOR BRUSH,	4	0	NYCTA SHERWIN-WILLIAMS	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL HP POLYURETHANE B 65W525
71-22-0037	ACCELERATOR, FOR POLYURETHANE PAINTS. THIS PRODUCT IS EXEMPT FROM THE FLASH POINT REQUIREMENTS OF CCSS-002, REV. D AND HAS BEEN	40	21	NYCTA PPG INDUSTRIES	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11 LABEL MX195
71-22-0066	PAINT, KIT, PRIMER, TWO COMPONENT URETHANE, FOR BUS EXTERIOR GLOSS TOPCOAT. EACH INDIVIDUAL KIT SHALL CONTAIN 3 QUARTS OF BASE IN A ONE GALLON CAN(PART A) AND A 1 QUART			NYCTA PPG INDUSTRIES	ULTLOVOCSE02SEALER/AKZSE02V CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL GRAY 09GY007E-K/36X194CAT
71-22-0071	PAINT, KIT, BLUE, TWO COMPONENT URETHANE, BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, FOR SPRAY APPLICATION. EACH			NYCTA PPG INDUSTRIES	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL BLUE 36BL015E-K/36X194CAT
71-22-0073	PAINT, KIT, BLACK, TWO COMPONENT URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION, EACH KIT SHALL			NYCTA PPG INDUSTRIES	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL BLACK 36BK001E-K/36X194CAT
71-22-0075	PAINT, KIT, WHITE, TWO COMPONENT URETHANE, BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, FOR SPRAY APPLICATION. EACH			NYCTA PPG INDUSTRIES	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL WHITE 36W021E-K/36X194CAT
71-22-0077	PAINT, KIT, BLUE THREE COMPONENT,			NYCTA	CCSS-003 REV E 9/11/17 RESTR

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT. SPRAY APPLICATION, EACH KIT SHALL			PPG INDUSTRIES	CCSS-002 9/21 G.R. PAINTS REV F. CCSS-001, REV I, 3-9-11, LABEL
71-22-0090	KIT, TOUCH-UP, BLUE ACRYLIC TOPCOAT, CONSISTING OF 2 COMPONENTS(BASE AND CATALYST) FOR USE BY DOB IN PAINT SPRAY BOOTH. ZERO VOC COATING.	81	2	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
				PPG INDUSTRIES	BLUE 36BLO15E-T/36X194CAT
71-22-0092	KIT, TOUCH-UP, BLACK ACRYLIC TOPCOAT, CONSISTING OF 2 COMPONENTS(BASE AND CATALYST) FOR USE BY DOB IN PAINT SPRAY BOOTH, ZERO VOC COATING	36	1	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
				PPG INDUSTRIES	BLACK 36BK001E-T/36X194CAT
71-22-0094	KIT, TOUCH-UP, GREY PRIMER/SURFACER CONSISTING OF 2 COMPONENTS (BASE AND CATALYST) FOR USE BY DOB IN PAINT SPRAY BOOTH. ZERO VOC COATING	0	0	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
				PPG INDUSTRIES	GRAY 09GY007E-T/36X194CAT
71-22-0096	KIT, TOUCH-UP, WHITE ACRYLIC TOPCOAT, CONSISTING OF 2 COMPONENTS(BASE AND CATALYST)FOR USE BY DOB IN PAINT SPRAY BOOTH. ZERO VOC COATING	99	5	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
				PPG INDUSTRIES	WHITE 36W021E-T/36X194CAT
71-22-0126	PAINT KIT, TWO COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R142, R142A & R143 RAILCAR SEATS, GRAFFITI REMOVER	0	0	DEFT, INC. NYCTA	BLUE(36BLO47)& CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-22-0129	PAINT KIT, THREE COMPONENT URETHANE, SEAT BLUE, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT	0	54	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11 LABEL
				PPG INDUSTRIES	BLUEESS989473,ESH200,ESX510
71-22-0130	PAINT, KIT, LIGHT BLUE, TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, SPRAY APPLICATON, EACH KIT			NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
				PPG INDUSTRIES	36BL031E-K/36X194CAT
71-22-0132	PAINT, KIT, MEDIUM BLUE TWO COMPONENT, URETHANE BUS EXTERIOR			NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	GLOSS TOP COAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT			PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL 36BLO19E-K/36X194CAT
71-22-0134	PAINT, KIT, DARK BLUE TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT			NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL 36BLO18E-K/36X194CAT
71-22-0136	PAINT, KIT, YELLOW TWO COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT. SPRAY APPLICATION. EACH KIT SHALL			NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL 36Y210E-K/36X194CAT
71-22-0150	PAINT KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH,	0	0	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL PPG INDUSTRIES OEM N0006 WHITE CCA976469
71-22-0152	PAINT KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH,	0	0	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL PPG INDUSTRIES OEM SAFETY YELLOW CCA976425
71-22-0154	PAINT KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR BRUSH,	0	0	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL PPG INDUSTRIES OEM NYCT LG BLACK CCA950368
71-22-0156	PAINT, KIT, TWO COMPONENT URETHANE, STAINLESS STEEL, EXTERIOR FULL GLOSS TOPCOAT FOR RAILCARS, GRAFFITI REMOVER RESISTANT, FOR	0	0	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL PPG INDUSTRIES OEM SAFETY GREEN CCA911742
71-22-0160	PAINT, KIT, DARK BLUE, THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT			NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL PPG INDUSTRIES DKBLUE/ESSS989431/ESX520/ESH
71-22-0162	PAINT, KIT, LIGHT BLUE THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER			NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV F. CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
71-22-0164	RESISTANT, SPRAY APPLICATION. EACH KIT PAINT, KIT, BLACK THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL			PPG INDUSTRIES NYCTA	LTGBLUE/ESSS989432/ESX520/ES CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV F. CCSS-001, REV I, 3-9-11, LABEL
71-22-0166	PAINT, KIT, WHITE, THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT. SPRAY APPLICATION. EACH KIT SHALL			PPG INDUSTRIES NYCTA	BLACK/ESSS989435/ESX520/ESH2 CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-22-0168	PAINT, KIT, YELLOW, THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT, GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL			PPG INDUSTRIES NYCTA	WHITE/ESSS989434/ESX520/ESH2 CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV F. CCSS-001, REV I, 3-9-11, LABEL
71-22-0170	PAINT KIT, THREE COMPONENT URETHANE, YELLOW, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT; FOR BRUSH, ROLLER AND SPRAY	0	54	NYCTA PPG INDUSTRIES	YELLOW/ESSS989433/ESX520/ES CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL YELLOW YELLOW ESSS943707 &
71-22-0172	PAINT KIT, THREE COMPONENT URETHANE, ORANGE, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT;	0	2	NYCTA PPG INDUSTRIES	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL ORANGE
71-22-0174	PAINT KIT, THREE COMPONENT URETHANE, RED, INTERIOR FULL GLOSS TOPCOAT FOR R160 RAILCAR SEATS, GRAFFITI REMOVER RESISTANT: FOR	0	2	NYCTA PPG INDUSTRIES	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL RED
71-22-0180	PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, DECK GREY-FEDERAL COLOR STANDARD (595A) #26008, GLOSS.	300	-104	NYCTA SHERWIN WILLIAMS	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL PART A B70A8101& PART B
71-22-0182	PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, HAZE GRAY - FEDERAL	0	0	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11 LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
71-22-0184	COLOR STANDARD (595A) #36270, GLOSS. PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, SAFETY YELLOW - FEDERAL COLOR STANDARD (595A)	0	68	NYCTA SHERWIN WILLIAMS	PART A B70A8100& PART B CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-22-0186	COLOR STANDARD (595A) #11120, GLOSS. PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, SAFETY RED - FEDERAL COLOR STANDARD (595A) #11120, GLOSS.	0	95	NYCTA SHERWIN WILLIAMS	PART A B70Y8100& PART B CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-22-0188	COLOR STANDARD (595A) #15102, GLOSS. EACH PAINT, KIT, FOR FLOORS, TWO COMPONENTS WATER BASED EPOXY POLYAMINE TYPE, BLUE-FEDERAL COLOR STANDARD (595A) #15102, GLOSS. EACH	0	4	NYCTA THE SHERWIN WILLIAMS CO.	PART A B70R8101& PART B CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL PART A TINT TO BLUE &B
71-22-6045	PAINT, KIT, PRIMER THREE COMPONENT, URETHANE BUS EXTERIOR GLOSS TOPCOAT GRAFFITI REMOVER RESISTANT, SPRAY APPLICATION. EACH KIT SHALL			NYCTA PPG INDUSTRIES	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL 09GY051/80X040/DS-300
71-24-2000	PAINT, PRESERVATIVE, TIRE, BLACK FLAT, READY MIX. 1 GALLON CANS	43	9	CONVENTRY COATINGS NYCTA	SA-70083 CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-26-8000	PAINT, ALKYD, WHITE, SATIN FINISH IN 5 GALLON CAN. USED TO PAINT SHOP AND OFFICE WALLS. TRIP COCK AND CONTROL RAIL MATERIALS. COLOR: NYCT WHITE	15	0	MERCURY PAINT CO. NYCTA	IMC M12 SATFIN SILV CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-28-3010	PAINT, EXTERIOR, SILVER BRITE ALUMINUM, HIGH TEMPERATURE MAINTENANCE COATING, GLOSS TOPCOAT FOR CAR BONNETS, READY	27	26	NYCTA NYCTA/MABSTOA SHERWIN WILLIAMS/DIVERSIFIED	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL SILVR-BRITE ALUMINUM PAINT
71-30-5110	ADDITIVE, ANTI-SLIP, FOR EPOXY BASED FLOOR COATINGS. PROVIDES TRACTION ENCHANCEMENT, ALUMINUM OXIDE BASED, PACKAGED AS FIVE POUNDS IN A	0	0	NPI FOR GARON NYCTA	GARON GRIT 240 #32601 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
71-30-5200	COATING, FOR FLOORS, TWO COMPONENT EPOXY, ADMIRAL BLUE, GLOSS, HIGH SOLIDS (91%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF	0	0	NPI FOR GARON NYCTA	GARON GUARD 80117 ADMIRAL CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-30-5202	COATING, FOR FLOORS, TWO COMPONENT EPOXY, TILE RED, GLOSS, HIGH SOLIDS(93%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PART A RESIN	0	0	NPI FOR GARON NYCTA	GARON GUARD 80117 TILE RED CCSS-003 REV E 9/11/17 RESTR CCSS 002 1/05 G.R. PAINTS REV. E CCSS 001, REV I, 3-9-11, LABEL
71-30-5204	COATING, FOR FLOORS, TWO COMPONENT EPOXY, SAFETY RED, GLOSS HIGH SOLIDS (89%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PART A	0	0	NPI FOR GARON NYCTA	GARON GUARD 80117 SAFETY CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-30-5206	COATING, FOR FLOORS, TWO COMPONENT EPOXY, CHARCOAL GRAY, GLOSS, HIGH SOLIDS(93%). EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF	0	0	NPI FOR GARON NYCTA	GARON GUARD 80117 CHARCOAL CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-30-5208	COATING, FOR FLOORS, TWO COMPONENT EPOXY, DARK GRAY, GLOSS, HIGH SOLIDS (93%+/-0.5). EACH KIT CONSISTS OF TWO PARTS: 1 GAL OF PART	0	0	NPI FOR GARON NYCTA	GARON GUARD 80117 DARK CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-30-5210	COATING, FOR FLOORS, TWO COMPONENT EPOXY, TRAFFIC YELLOW, GLOSS, HIGH SOLIDS (93% +/- SOLIDS TYPICAL). EACH KIT CONSISTS OF TWO	0	0	NPI FOR GARON NYCTA	GARON GUARD 80117 TRAFFIC CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-30-5212	COATING, FOR FLOORS, TWO COMPONENT EPOXY, WHITE, GLOSS, HIGH SOLIDS (93%), EACH KIT CONSISTS OF TWO PARTS: 1 GALLON OF PAR A RESIN IN	0	0	NPI FOR GARON NYCTA	GARON GUARD 80117 WHITE CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-31-0900	PAINT, TRAFFIC YELLOW, SIGNALOCK WATERBORNE IN ONE QUART CAN. THE PAINT MUST CONFORM TO THE FOLLOWING: WEIGHT PERCENT SOLID	400	240	MERCURY PAINT CO. NYCTA	SIG WATERBORNE HIGH DIELECT- CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-31-0915	PAINT, BLACK, ACRYLIC COPOLYMER,	0	150	MERCURY PAINT CO.	HIGH DIELECTRIC BARR COAT-BLK

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	WATERBOURNE IN ONE GALLON CAN. THE PAINT MUST CONFORM TO THE FOLLOWING: WEIGHT PERCENT SOLIDS			NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-31-1000	PAINT, EASYTHANE, #10 WHITE, CODE WA-3787 WHITE, COATED METAL PANEL PRODUCT REQUIREMENTS. GLOSS 54 DEG., +/-7 DEG., 60 DEG. GLOSS METER,	0	0	NYCTA STERLING LACQUER	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL WA-3787
71-31-1005	PAINT, EASYTHANE, BLUE #12, COATED METAL PANEL PRODUCT REQUIREMENTS. GLOSS 60 DEG. +/-7 DEG., 60 DEG. GLOSS METER, WEIGHT PER GALLON: 8.80 LBS.,	6	0	NYCTA STERLING LACQUER	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL WA-3816 EASYTHANE #12 BLUE
71-31-1010	PAINT, WHITE, FOR TOUCH-UP OF TRANSIT AUTHORITY BUS EXTERIOR COATINGS. 12 OUNCE NET WEIGHT IN A 16 OUNCE SPRAY CAN	1	0	NYCTA SEYMOUR OF SYCAMORE INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL NT-1010 WHITE
71-31-1015	PAINT, BLUE, FOR TOUCH-UP OF TRANSIT AUTHORITY BUS EXTERIOR COATINGS. 12 OUNCE NET WEIGHT IN A 16 OUNCE SPRAY CAN	16	1	NYCTA SEYMOUR OF SYCAMORE INC.	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL NT-1015 BLUE
71-31-1020	PAINT, EASYTHANE, #20 CHARCOAL GRAY, CODE WA-3977, COATED METAL PANEL PRODUCT REQUIREMENTS, GLOSS 33 DEG. +/-7 DEG., 60 DEG, GLOSS METER,	0	0	NYCTA STERLING LACQUER	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL WA-3977 EASYTHANE #20 CHAR
71-32-1010	PRIMER, ONE-COMPONENT, ACRYLIC LOW VOC, OFF-WHITE, USED TO PRIME THE SURFACES OF SUBWAY CARS; MUST PROVIDE EXCELLENT HIDING AND	16	1	NYCTA SHERWIN-WILLIAMS	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL PRO-CRYL PRIMER B66W310
71-32-1020	PRIMER,TWO COMPONENT WATER BASED EPOXY SEALER/PRIMER,54% +/- 0.5,CLEAR/TAN TRANSLUCENT TO OPAQUE,FOR COATING CONCRETE OR	0	0	NPI FOR GARON NYCTA	GARON TIGERPRIME A&B #18603 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-32-1030	PRIMER, TWO COMPONENT WHITE EPOXY PRIMER. EACH KIT IS TO BE PACKAGED	0	0	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	INDIVIDUALLY. KIT CONSISTS OF TWO PARTS; 1 GALLON OF PART A RESIN AND 2			PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL CRE-121 2.1 VOC
71-32-1032	PRIMER, TWO COMPONENT GRAY EPOXY PRIMER. EACH KIT IS TO BE PACKAGED INDIVIDUALLY. KIT CONSISTS OF TWO PARTS; 1 GALLON OF PART A RESIN AND 2	0	0	NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F
	PAINT, TWO-COMPONENT, WHITE PRIMER, USED TO PRIME THE SURFACES OF SUBWAY CARS; MUST PROVIDE EXCELLENT HIDING AND CORROSIION	0	50	PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL CRE321 2.1 VOC GRAY EPOXY
71-32-2000	PAINT, TWO-COMPONENT, WHITE PRIMER, USED TO PRIME THE SURFACES OF SUBWAY CARS; MUST PROVIDE EXCELLENT HIDING AND CORROSIION	0	50	NYCTA	CCSS-003 REV 3 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F
	PAINT, TWO-COMPONENT, GRAY PRIMER, USED TO PRIME THE SURFACES OF SUBWAY CARS. MUST PROVIDE EXCELLENT HIDING AND CORROSION	0	50	PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL ESU481(PRIMER);
71-32-2005	PRIMER, WHITE PIGMENTED, WATER BASED STAIN KILLER IN ONE GALLON CAN. FOR USE AS AN INTERIOR BONDING PRIMER. COLOR: NYCT WHITE PRIMER,	98	0	MERCURY PAINT CO. NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F
	PRIMER, PAINT, OIL BASED, RED/BROWN PIGMENT. USED AS RUST INHIBITING PRIMER ON METAL STRUCTURAL SURFACES; PACKED IN ONE GALLON CAN.	0	0	PPG INDUSTRIES	CCSS-001, REV I, 3-9-11, LABEL ESU480(PRIMER);
71-32-3251	PRIMER, PAINT, OIL BASED, RED/BROWN PIGMENT. USED AS RUST INHIBITING PRIMER ON METAL STRUCTURAL SURFACES; PACKED IN ONE GALLON CAN.	0	0	MERCURY PAINT CO. NYCTA	AQUAZOOM ACRYL STAINKILLER CCSS-003 REV E 9/11/17 RESTR
	PRIMER, WATER BASED, COLOR: WHITE PRIMER, IN FIVE GALLON CAN. PER NYCT SPEC STA-2060-0323			NYCTA/MABSTOA SHERWIN WILLIAMS	CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-33-7400	PRIMER, WATER BASED, COLOR: WHITE PRIMER, IN FIVE GALLON CAN. PER NYCT SPEC STA-2060-0323			MERCURY NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E
	PRIMER, SEALER, RUDDY BROWN, SPRAY CAN 12 OZ/CAN	783	468	SHERWIN WILLIAMS KRYLON NYCTA	CCSS-001, REV I, 3-9-11, LABEL E41 N1 KROMIK METAL PRIMER TTP-650 LATEX PRIMER WHITE STA-2060-0815 STA-2060-0323
71-34-2060	PRIMER, SEALER, RUDDY BROWN, SPRAY CAN 12 OZ/CAN	783	468	SHERWIN WILLIAMS KRYLON NYCTA	CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-34-7300	PRIMER, SEALER, RUDDY BROWN, SPRAY CAN 12 OZ/CAN	783	468	SHERWIN WILLIAMS KRYLON NYCTA	B51W00450 RUST TOUGH RUDDY BROWN CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
71-50-2999	PAINTE, LACQUER, CRYSTAL CLEAR, ACRYLIC, 16 OZ. SPRAY CANS, NET WT. 12 OZ. , MEETING COMMERCIAL ITEM DESCRIPTION A-A-1585 WITH EXCEPTIONS TO SOLID CONTENTS AND SPECULAR	123	82	FEDERAL SPECIFICATION KRYLON NYCTA	A-A-1585 CLRMSRW/CVMXTECACRCRYCLRG CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-63-0100	PRIMER AND RUST CONVERTER, WATER BASED ACRYLIC EMULSION; MUST CONTAIN MINIMUM OF 34 PERCENT OF RESIN SOLID BY WEIGHT; VISCOSITY=15-28 SECS. PACKAGED IN ONE GALLON	198	123	NYCTA PROTEK PAINT LTD	CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL 7137-FACIL-01 BLUE STEEL PRIMER
71-65-0010	COATING, UNDERCOAT AND PRIMER; WATER BASED RUBBERIZED ACRYLIC COATING; FOR SEALING ROOFS, WALLS AND DECKS; ESPECIALLY FOR USE ON	0	0	KST COATINGS MANUFACTURING INC NYCTA	ELASTO-SEAL KST 0000ES-20 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-65-0012	COATING, RUBBERIZED, MODIFIED ACRYLIC; PROTECTIVE; FOR WATERPROOFING, MAINTAINING AND REPAIRING RAILCAR ROOFS; CREAMY	0	0	KST COATINGS MANUFACTURING INC NYCTA	MOBILE COAT KST0000MC-20 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R.PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-65-0200	COATING, WATER BASED ACRYLIC; LIGHT GRAY, FOR USE AS COATING TO SEAL LEAKS ON CAR ROOFS. APPLY BY BRUSH AND ROLL, REMOVE DIRT, RUST AND	120	0	MINNESOTA, MINING & MANUFACTUR NYCTA	WATERBASED PROTECT SEALANT CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-65-0300	COATING, THREE COMPONENT EPOXY,99% SOLIDS,DARK GRAY,SELF-LEVELING CONCRETE FLOOR RESURFACER.FILLS AND COATS OVER	0	0	NPI FOR GARON NYCTA	GARON POURNWALK 15370 DARK CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-65-0925	CATALYST, PAINT ACTIVATOR, FOR USE WITH ZERO VOC DEFT PAINTS: GRAY PRIMER (09GY007E), BLACK TOP COAT(36BK001E), BLUE TOP COAT	0	0	DEFT NYCTA	80-X-022 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-65-0927	CATALYST, PAINT ACTIVATOR, ONE GALLON CAN, FOR USE WITH ZERO VOC DEFT PAINTS			DEFT NYCTA	80-X-022 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
71-65-2015	REDUCER, FOR PPG TWO-COMPONENT EPOXY PRIMER (COMMODITY #71-32-1030/1032), COMPOSITION IS METHYL, AMYL KETONE, PACKAGED IN 1 GALLON	0	0	NYCTA	CCSS-001, REV I, 3-9-11, LABEL CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001 1/05 LABEL
71-65-2100	THINNER, POLYURETHANE GRADE, 1 GALLON, CONTAINERS, HIGH FLASHPOINT (MIN 100 DEG.F BY TAG CLOSED CUP), TO BE USED WITH ALL TWO-COMPONENT	43	0	NYCTA	PPG INDUSTRIES Q70 METHYL AMYL KETONE CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-66-3505	THINNER, FOR CLEANING SPRAY PAINT EQUIPMENT; REMOVES TWO-COMPONENT POLYURETHANE PAINT	0	0	NYCTA	SHERWIN-WILLIAMS R7K132 REDUCER#132 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E
71-68-4010	THINNER, FOR PPG TWO-COMPONENT POLYACRYLIC PAINTS(COMMODITY # 71-22-0126/0128); COMPOSITION OF THIS THINNER IS ACETONE AND 4-CHLORO-	0	0	NYCTA	SHERWIN-WILLIAMS REDUCER 58/R7K58 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-68-4015	THINNER, FOR PPG TWO-COMPONENT EPOXY PRIMER (COMMODITY # 71-32-1030/1032); COMPOSITION IS METHYL ETHYL KETONE, PACKAGED IN 1 GALLON	0	0	NYCTA	PPG INDUSTRIES REDUCER DS-279 CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11 LABEL
71-72-8190	THINNER, FOR RED(STOCK # 71-86-3998) AND CLEAR(STOCK # 71-86-3550/3551) INSULATING VARNISHES; NOMINALLY 100% TOLUENE; PACKAGED IN 1-GALLON	0	0	NYCTA	PPG INDUSTRIES Q60 METHYL ETHYL KETONE CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-86-3551	VARNISH, ALKYD RESIN AND SOLVENT BASED, CLEAR, INSULATING, AIR DRYING; FOR USE AS A DIELECTRIC INSULATING COATING FOR RAILCAR ELECTRICAL	0	0	GLYPTAL NYCTA	TOLUENE SW R2K1 1202 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
71-86-3553	VARNISH, RESIN AND WATER BASED, CLEAR, HIGH GLOSS INSULATING, AIR DRYING; FOR USE AS A DIELECTRIC INSULATING COATING FOR RAILCAR SHOE	863	504	GLYPTAL NYCTA	1202E SPECIAL SAMPLE B HI CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001 REV I, 3-9-11, LABEL
71-86-3995	VARNISH, RED AEROSOL DIELECTRIC	253	153	ASTM	D115

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	INSULATING; POLYURETHANE BASED; MUST HAVE DIELECTRIC STRENGTHS AS MEASURED BY ASTM D115 MINIMUM 1770 VOLTS/MIL (DRY) AND MINIMUM 1,140 VOLTS/MIL(WET); MUST DRY TO VARNISH, ALKYD, RESIN AND SOLVENT BASED, RED, INSULATING, AIR DRYING; FOR USE AS A DIELECTRIC INSULATING COATING FOR RAIL CAR ELECTRICAL			JOHN C. DOLPH NYCTA	ER-44 PALLET SPEC. CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-86-3998		0	0	GLYPTAL NYCTA	1201 CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-86-4005	VARNISH, WATER BASED URETHANE, RED, USED AS AN INSULATING COATING ON ARMATURES AND COILS, PACKAGED IN ONE-GALLON CONTAINERS. MEETS REQUIREMENTS OF MILITARY	23	38	GLYPTAL MIL SPEC NYCTA	1201E SPECIAL MIL-E-22118B CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-86-4010	VARNISH, WATER BASED URETHANE, RED, USED AS AN INSULATING COATING ON ARMATURE, COILS AND SIGNAL INSULATED RAIL JOINT. PACKAGED IN	1085	1422	GLYPTAL NYCTA	1201E SPECIAL-QT CCSS-003 REV E 9/11/17 RESTR CCSS-002 9/21 G.R. PAINTS REV. F CCSS-001, REV I, 3-9-11, LABEL
71-98-1250	STRIPPER, FOR REMOVING PAINT, CONSISTS OF ALKALINE PASTE AND LAMINATED CLOTH, ONE GALLON CAN. FOR REMOVING LAYERS OF PAINT FROM	0	0	DUMOND CHEMICALS, INC NYCTA	PEEL AWAY 1 CCSS-003 REV E 9/11/17 RESTR CCSS-002 1/05 G.R. PAINTS REV. E CCSS-001, REV I, 3-9-11, LABEL
72-15-1128	TEST STRIP, EXTENDED LIFE COOLANT, USED TO CHECK INHIBITOR LEVEL OF EXTENDED LIFE COOLANT (70-07-2015, 70- 07-2022 OR 70-07-2023), MINIMUM SHELF LIFE REQUIRED AT TIME OF RECEIPT IS 24 MONTHS, 25 STRIPS PER BOTTLE	9	1	OLD WORLD INDUSTRIES	FXATK3
74-11-8000	BRAKE BLOCK, FRONT STANDARD, MATERIAL MUST CONFORM TO FMSI 4228	0	0	ABEX NEW FLYER CO.	MC4228FD 6305671

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
74-43-8002	BRAKE BLOCK, FRONT, STANDARD NON-SYMMETRICAL, FOR THIRD GENERATION DESIGN, MATERIAL MUST CONFORM TO FMSI 4690D	0	0	ABEX CORP.	MC4690D
74-43-8502	BRAKE BLOCK, REAR, STANDARD, NON-SYMMETRICAL, FOR THIRD GENERATION DESIGN, MATERIAL MUST CONFORM TO FMSI 4691D	0	2	ABEX CORP.	MC4691D
74-87-8000	BRAKE BLOCK, FRONT, STANDARD, WITH WEAR INDICATOR, EDGE CODED "EE" & "FF"	159	32	FEDERAL MOGUL	MC4715AD
74-87-8001	BRAKE BLOCK, FRONT, 1/16" OVERSIZED, WITH WEAR INDICATOR, EDGE CODED "EE" & "FF"	0	0	FEDERAL MOGUL	MC4715ADX
76-57-0126	AIR SPRING ASSEMBLY, REAR	0	0	FIRESTONE GOODYEAR NOVA BUS INC.	WO1-358-9017 1R10-089 G1019358
76-65-0003	AIR BAG, FRONT, TAG AND DRIVE AXLES, MCI 1998 THRU 2002 AND DRIVE AND TAG AXLES MCI 2005 THRU 2008	4	10	FIRESTONE GOODYEAR MCI	W01-653-95-71 1R12-396 12L-1-140
77-20-0011	NUT, FRONT WHEEL DRUM, 7/8"-14 (INNER) AND ENGINE WHEEL (MULT-PURPOSE)	1	1	MCI MERITOR HEAVY VEHICLE SYSTEMS NEW FLYER CO.	15C-3-8 NL-114-1 5960281
80-01-0052	DRUM, BRAKE, HEAVY DUTY, FRONT AXLE. MATERIAL MUST BE GREY CAST IRON WHICH CONFORMS TO SAE J431 - GRADE	0	0	NYCTA ORION WEBB	BRAKEDRUMS PALLET SPEC. H0102527AD 66374J
80-11-0006	CAMSHAFT, RIGHT HAND, 1-1/2" - 10 SPLINE, FRONT	0	0	MCI MERITOR HEAVY VEHICLE SYSTEMS	4J-1-8 2210-K-6303
80-11-0010	CAMSHAFT, LEFT HAND, 1-1/2" - 10 SPLINE, FRONT	0	0	MCI MERITOR HEAVY VEHICLE SYSTEMS	4J-1-7 2210-L-6304
80-11-0301	DRUM, BRAKE, FRONT, MATERIAL MUST BE GREY CAST IRON WHICH CONFORMS	35	0	NYCTA WEBB WHEEL PRODUCTS	BRAKEDRUMS PALLET SPEC. 64117J
80-19-8007	DRUM, FRONT BRAKE, MATERIAL MUST	168	70	MERITOR HEAVY VEHICLE SYSTEMS	85123561002

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	BE GREY CAST IRON WHICH CONFORMS TO SAE J431 - GRADE G11H20B. NOTE:			NYCTA WEBB	BRAKEDRUMS PALLET SPEC. 66364J
80-65-0057	DRUM, BRAKE, TRAILING AXLE, MATERIAL MUST BE GREY CAST IRON WHICH	0	0	NYCTA WEBB	BRAKEDRUMS PALLET SPEC. 65119J
80-75-0010	DRUM, BRAKE, HEAVY DUTY, FRONT AXLE. MATERIAL MUST BE GREY CAST IRON WHICH CONFORMS TO SAE J431-GRADE	28	0	MCI NYCTA WEBB	15L-2-58 BRAKEDRUMS PALLET SPEC. 65600C
80-83-0003	CAMSHAFT, RH	0	0	MCI MERITOR HEAVY VEHICLE SYSTEMS	2099860 2210-W-5535
80-83-0004	CAMSHAFT, LH	0	0	MCI MERITOR HEAVY VEHICLE SYSTEMS	15526041 2210-X-5536
80-87-0105	CAMSHAFT, FRONT, LEFT HAND ROTATION	56	41	MERITOR HEAVY VEHICLE SYSTEMS NEW FLYER CO. ORION	2210-Z-8398 6329815 F0102519AB
80-87-0106	CAMSHAFT, FRONT, RIGHT HAND ROTATION	60	45	MERITOR HEAVY VEHICLE SYSTEMS ORION	2210-Y-8397 F0102519AD
82-37-0028	PLATE, LOCK UP CLUTCH, INTERNAL SPLINED	0	0	ALLISON TRANSMISSION	23048511
82-37-0218	PLATE, SECOND CLUTCH, EXTERNAL TANGED	0	0	ALLISON TRANSMISSION	6834488
82-43-0159	KIT, POWER TAKE OFF, DRIVE, V731 AND V731RH TRANSMISSION.	0	0	ALLISON TRANSMISSION	29502597
84-55-0600	PEDAL ASSEMBLY, ACCELERATOR, ELECTRONIC	1	0	NEW FLYER CO. NOVA BUS INC. ORION WILLIAMS AIR CONTROL	6367555 G1017868 051219526 403662
85-11-1028	DRUM, REAR BRAKE, MATERIAL MUST BE GREY CAST IRON WHICH CONFORMS TO	13	0	NYCTA WEBB WHEEL PRODUCTS	BRAKEDRUMS PALLET SPEC. 64115J
85-19-0014	CAMSHAFT, LH	47	16	MERITOR HEAVY VEHICLE SYSTEMS ORION	2210V8628 G0202509AB
85-19-0015	CAMSHAFT, RH	42	19	MERITOR HEAVY VEHICLE SYSTEMS ORION	2210U8627 G0202509AC
85-61-0107	SPIDER ASSEMBLY, REAR BRAKE, RIGHT	0	0	MERITOR HEAVY VEHICLE SYSTEMS	A-3211-H-3414

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

Stock No.	Long Description	PY1 Usage	YTD Usage	Mfg Name	Mfg Part#
	HAND			NOVA BUS INC. TRUCK TRAILER	2041841 T-4143
85-75-0014	DRUM, BRAKE, HEAVY DUTY, REAR AXLE. MATERIAL MUST BE GREY CAST IRON WHICH CONFORMS TO SAE J431-GRADE	10	0	MCI NYCTA WEBB	15L-3-57 BRAKEDRUMS PALLET SPEC. 64125B
85-75-0027	DRUM, BRAKE, HEAVY DUTY, TAG AXLE, MATERIAL MUST BE GREY CAST IRON WHICH CONFORMS TO SAE J431-GRADE	24	12	MCI NYCTA WEBB	15L-3-44 BRAKE DRUM PALLET 65153B
85-83-0004	CAMSHAFT, LH	0	0	MERITOR HEAVY VEHICLE SYSTEMS MOHAWK MFG. SUPPLY MUNCIE RECLAMATION	2210-Q-4905 2032431 MR3358
85-83-0005	CAMSHAFT, RIGHT HAND	0	0	MERITOR HEAVY VEHICLE SYSTEMS MOHAWK MFG. SUPPLY NEW FLYER CO.	2210-R-4906 2032432 5960314
85-87-0065	DRUM, BRAKE, REAR. MATERIAL MUST BE GREY CAST IRON WHICH CONFORMS TO	160	86	NYCTA WEBB	BRAKEDRUMS PALLET SPEC. 64051J
86-43-6700	BLADE ASSEMBLY, 26", WINDSHIELD WIPER, NOTE; WINDSHIELD WIPERS SHALL BE MADE N ACCORDANCE TO SAE J 198 STANDARDS AND FMVSS 104; ELEMENT SHALL BE NATURAL OR SYNTHETIC RUBBER. ALL SUB COMPONENTS THAT	12886	8045	ANCO MCI MOHAWK NEW FLYER CO. ORION SPRAGUE	52-27 3J-34-5 (REF ONLY) 792070 8112552 (REF ONLY) C1201501AH (REF ONLY) S-1137-7
88-07-8101	COMPUTER, ON BOARD-VEHICLE LOGIC UNIT, USED WITH THE DIGITAL INFORMATION SCREENS(DIS)			STRATEGIC MAPPING	OBU3210
88-07-8102	MONITOR, 24" LCD PANEL, USED FOR THE DIGITAL INFORMATION SCREENS (DIS) SYSTEM			STRATEGIC MAPPING	LCD24SP
88-07-8104	MONITOR, 37" WIDE SCREEN DISPLAY, USED FOR THE DIGITAL INFORMATION SCREENS (DIS) SYSTEM			STRATEGIC MAPPING	DE37SS

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
88-29-0963	MONITOR, PRIMARY, 24" DISPLAY KIT, ALL IN ONE - 24" LED BACKLIT LCD PANEL, MEDIA PLAYER, SSD ENCLOSURE CONFIGURATION AND ON BOARD SOFTWARE, DIGITAL INFORMATION SCREENS (DIS) SYSTEM			CLEVER DEVICES	141-300-0001
88-29-0964	MONITOR, SECONDARY, 24" DISPLAY, USED FOR THE DIGITAL INFORMATION SCREENS (DIS)SYSTEM			CLEVER DEVICES	3843
88-29-0966	MONITOR, PRIMARY, 37" DISPLAY KIT, ALL IN ONE - 37" LED BACKLIT LCD PANEL MEDIA PLAYER, SSD, ENCLOSURE CONFIGURATION AND ON BOARD SOFTWARE, DIGITAL INFORMATION SCREENS (DIS) SYSTEM	0	0	CLEVER DEVICES	141-300-0008
88-29-0967	MONITOR, SECONDARY, 37" DISPLAY, USED FOR THE DIGITAL INFORMATION			CLEVER DEVICES	4196
				NEW FLYER CO.	695062
88-33-0821	COMPUTER, INFOTAINMENT SERVER MS- 700 INCL SW. USED WITH THE DIGITAL INFORMATION SCREENS (DIS)SYSTEM			VIANOVA TECHNOLOGIES	MS-700-NYCT-01
88-33-0822	MONITOR, 18.6" COLOR RAL 7035 DOUBLE DISPLAY MODULE, USED FOR THE DIGITAL INFORMATION SCREENS (DIS) SYSTEM			VIANOVA TECHNOLOGIES	IDM-18-D-AX-02
88-61-0610	ALTERNATOR REPAIR KIT	25	10	DELCO	10514967
91-43-4183	KIT, REAR DOOR CYLINDER	0	0	VAPOR CORP.	58220750

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
92-86-5493	KIT, ELEMENT, ORION SERIES 50 ENGINE, OIL SEPARATOR, CONSISTING OF 2 EACH, MINI COALESCENT ELEMENT AND 1 EACH, WATER FILTER ELEMENT	15		0 AIR & POWER TRANSMISSION	5094RK-KIT
92-88-8886	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE INFOTAINMENT SERVER AND TWO 18.6" DOUBLE DISPLAY MODULES, COLOR RAL 7035			VIANOVA TECHNOLOGIES	VP-BUS-40-NYCT-01
92-88-8888	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE 37" PRIMARY MONITOR AND ONE 37" SECONDARY MONITOR			CLEVER DEVICES	141-311-0003
92-88-8890	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE INFOTAINMENT SERVER AND FOUR 18.5" SCREENS FOR PREVOST BUSES			VIANOVA TECHNOLOGIES	BUS-NY-COACH-01
92-88-8892	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM CONTAINS: ONE INFOTAINMENT SERVER AND FOUR 20" SCREENS FOR PREVOST BUSES			CLEVER DEVICES	100-311-0023
92-88-8893	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE 37" PRIMARY DISPLAY, ONE 37" SECONDARY DISPLAY AND ONE 29" SECONDARY DISPLAY FOR NEW FLYER AND NOVA ARTICULATED BUSES			CLEVER DEVICES	100-311-0022

QUALIFIED PRODUCTS LISTING
SURFACE TRANSIT PROCUREMENT SUBDIVISION UNIT (400) RPT

<u>Stock No.</u>	<u>Long Description</u>	<u>PY1 Usage</u>	<u>YTD Usage</u>	<u>Mfg Name</u>	<u>Mfg Part#</u>
92-88-8896	KIT, DIGITAL INFORMATION SCREENS (DIS) SYSTEM, CONTAINS: ONE INFOTAINMENT SERVER, TWO 18.5" DOUBLE SCREENS AND ONE 28.6" (32:9 STRETCH) SCREEN FOR NEW FLYER AND NOVA ARTICULATED BUSES			VIANOVA TECHNOLOGIES	BUS-NY-ARTIC-02
97-24-5016	LIFT, PORTABLE, HYDRAULIC, WHEEL ENGAGING MOBILE BUS LIFT SYSTEM,			ROTARY LIFT CO. STERTIL KONI	MCH418D100 ST-1085 RSA NYT2